

GaAs Infrared Emitting Diode in Sideview Package

Description

TSSS4400 is an infrared emitting diode in GaAs technology, molded in a clear, blue–grey tinted plastic package with spherical side view lens. The device is spectrally matched to silicon photodiodes and phototransistors.

Features

- High long term stability of radiant intensity
- Suitable for DC and high pulse current operation
- Low forward voltage
- Angle of half intensity $\varphi = \pm 22^{\circ}$
- Peak wavelength $\lambda_p = 950 \text{ nm}$
- High reliability

94891

Applications

Infrared emitter in light curtains, light barriers, transmissive or reflective sensors in combination with PIN photodiodes or phototransistors.

Infrared remote control and free air transmission systems for long transmission distance and medium wide angle requirements in combination with PIN photo diodes or photo modules.

Absolute Maximum Ratings

 $T_{amb} = 25 \degree C$

Parameter	Test Conditions	Symbol	Value	Unit
Reverse Voltage		V _R	5	V
Forward Current		I _F	100	mA
Peak Forward Current	$t_p/T=0.5, t_p=100 \ \mu s$	I _{FM}	200	mA
Surge Forward Current	t _p =100 μs	I _{FSM}	2.0	А
Power Dissipation		P _V	170	mW
Junction Temperature		Tj	100	°C
Operating Temperature Range		T _{amb}	-55+100	°C
Storage Temperature Range		T _{stg}	-55+100	°C
Soldering Temperature	$t \leq 5sec, 2 mm$ from case	T _{sd}	260	°C
Thermal Resistance Junction/Ambient		R _{thJA}	450	K/W

Basic Characteristics

 $T_{amb} = 25^{\circ}C$

Parameter	Test Conditions	Symbol	Min	Тур	Max	Unit
Forward Voltage	$I_F = 100 \text{ mA}, t_p = 20 \text{ ms}$	V _F		1.3	1.7	V
	$I_F = 1.5 \text{ A}, t_p = 100 \ \mu s$	V _F		2.4	3.2	V
Temp. Coefficient of V _F	$I_F = 100 \text{mA}$	TK _{VF}		-1.3		mV/K
Reverse Current	$V_R = 5 V$	IR			100	μΑ
Junction Capacitance	$V_R = 0 V, f = 1 MHz, E = 0$	Cj		30		pF
Radiant Intensity	$I_F = 100 \text{ mA}, t_p = 20 \text{ ms}$	Ie	10	18		mW/sr
	$I_F = 1.5 \text{ A}, t_p = 100 \ \mu s$	Ie		140		mW/sr
Radiant Power	$I_F = 100 \text{ mA}, t_p = 20 \text{ ms}$	φ _e		14		mW
Temp. Coefficient of ϕ_e	$I_F = 100 \text{ mA}$	ΤK _{φe}		-0.8		%/K
Angle of Half Intensity		φ		±22		deg
Peak Wavelength	$I_F = 100 \text{ mA}$	λ _p		950		nm
Spectral Bandwidth	$I_F = 100 \text{ mA}$	Δλ		50		nm
Temp. Coefficient of λ_p	$I_F = 100 \text{ mA}$	ΤΚ _{λp}		0.2		nm/K
Rise Time	$I_F = 100 \text{ mA}$	t _r		800		ns
	$I_{\rm F} = 1.5 {\rm A}$	t _r		400		ns
Fall Time	$I_{\rm F} = 100 \ {\rm mA}$	tf		800		ns
	$I_{\rm F} = 1.5 {\rm A}$	t _f		400		ns

Typical Characteristics ($T_{amb} = 25 \degree C$ unless otherwise specified)




Figure 1. Power Dissipation vs. Ambient Temperature




Figure 2. Forward Current vs. Ambient Temperature






Figure 3. Pulse Forward Current vs. Pulse Duration





Figure 4. Forward Current vs. Forward Voltage








Figure 6. Radiant Intensity vs. Forward Current




Figure 7. Radiant Power vs. Forward Current




Figure 8. Rel. Radiant Intensity\Power vs. Ambient Temperature

TELEFUNKEN Semiconductors Rev. A1, 13-Aug-96








Figure 9. Relative Radiant Power vs. Wavelength



EMIC

Semiconductors

Figure 10. Relative Radiant Intensity vs. Angular Displacement



Dimensions in mm

Ozone Depleting Substances Policy Statement

It is the policy of **TEMIC TELEFUNKEN microelectronic GmbH** to

- 1. Meet all present and future national and international statutory requirements.
- 2. Regularly and continuously improve the performance of our products, processes, distribution and operating systems with respect to their impact on the health and safety of our employees and the public, as well as their impact on the environment.

It is particular concern to control or eliminate releases of those substances into the atmosphere which are known as ozone depleting substances (ODSs).

The Montreal Protocol (1987) and its London Amendments (1990) intend to severely restrict the use of ODSs and forbid their use within the next ten years. Various national and international initiatives are pressing for an earlier ban on these substances.

TEMIC TELEFUNKEN microelectronic GmbH semiconductor division has been able to use its policy of continuous improvements to eliminate the use of ODSs listed in the following documents.

- 1. Annex A, B and list of transitional substances of the Montreal Protocol and the London Amendments respectively
- 2. Class I and II ozone depleting substances in the Clean Air Act Amendments of 1990 by the Environmental Protection Agency (EPA) in the USA
- 3. Council Decision 88/540/EEC and 91/690/EEC Annex A, B and C (transitional substances) respectively.

TEMIC can certify that our semiconductors are not manufactured with ozone depleting substances and do not contain such substances.

We reserve the right to make changes to improve technical design and may do so without further notice. Parameters can vary in different applications. All operating parameters must be validated for each customer application by the customer. Should the buyer use TEMIC products for any unintended or unauthorized application, the buyer shall indemnify TEMIC against all claims, costs, damages, and expenses, arising out of, directly or indirectly, any claim of personal damage, injury or death associated with such unintended or unauthorized use.

TEMIC TELEFUNKEN microelectronic GmbH, P.O.B. 3535, D-74025 Heilbronn, Germany Telephone: 49 (0)7131 67 2831, Fax number: 49 (0)7131 67 2423