

Sheet1

NAME,C,32	KURZ,C,8	INI,C,25	UNTER,C,25	NUNTER,C,25
ALPS P2000	ALPSP200	#27,@	#27,-,#1	#27,-,#0
AMT Office Drucker	AMTOD	#27,@		
AT&T 457	ATT457	#27,@	#27,l	#27,J
Adler 1020 Schreibmaschine	ADL1020	#27,@	#27,l	#27,J
Amstrad LD 6000 (HP Modus)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Anadex Silent Scribe	ANASIL	#27,@	#27,9	#27,9
Anadex WP-6000 (Diablo Modus)	ANADIA		#27,E	#27,R
Anadex WP-6000 (WP-6000 Modus)	ANAWP		#27,;	#27,;
Anderson Jacobson 833	ANDER833	#27,!2,#27,!4,E,S,C,!	#27,!U	#27,!V
Brother 2024L	BRO2024L	#27,@	#27,-,1	#27,-,0
Brother 50	BROSCHR		#27,E	#27,R
Brother 60	BROSCHR		#27,E	#27,R
Brother 65	BROSCHR		#27,E	#27,R
Brother 70	BROSCHR		#27,E	#27,R
Brother DM-40	BRODM40		#27,E	#27,R
Brother EM-100/EM-200	BROEMXXX			
Brother EM-85	BROEM85		#27,E	#27,R
Brother HR-1	BROHR1			
Brother HR-15 8bit	BROHR15		#27,E	#27,R
Brother HR-15 USA	BROHR15U	#27,@	#27,E	#27,R
Brother HR-15XL 8bit	BROHR15		#27,E	#27,R
Brother HR-15XL USA	BROHR15U	#27,@	#27,E	#27,R
Brother HR-20 8bit	BROHR2	#27,@	#27,E	#27,R
Brother HR-20 USA	BROHR2U	#27,@	#27,E	#27,R
Brother HR-25 8bit	BROHR2	#27,@	#27,E	#27,R
Brother HR-25 USA	BROHR2U	#27,@	#27,E	#27,R
Brother HR-35 8bit	BROHR2	#27,@	#27,E	#27,R
Brother HR-35 USA	BROHR2U	#27,@	#27,E	#27,R
Brother LP-10 Laserdrucker IBM	BROLPIBM	#27,@	#27,-,1	#27,-,0
Brother M-1109/M-1509 Modi-I US	BROMU	#27,@	#27,-,1	#27,-,0
Brother M-1109/M-1509 Modus-II	BROMIBM	#27,@	#27,-,1	#27,-,0
Brother M-1918 (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Brother M-1924 L (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Brother Twinwriter DP-Mode 8bit	BROTWDP8		#27,-,1	#27,-,0
Brother Twinwriter WP-Mode 8bit	BROTWWP8	#27,@	#27,E	#27,R
C.Itoh 7500 EP	ITOH7500	#27,6,#27,O	#27,-,1	#27,-,0
C.Itoh 8510	ITOH8510	#27,@	#27,X	#27,Y
C.Itoh 8600B	ITOH8600	#27,@	#27,X	#27,Y
C.Itoh A10-20	DIA630	#27,\,#27,Q		
C.Itoh C-610+	EPLQ	#27,@	#27,-,1	#27,-,0
C.Itoh Cl6 (HP Laserjet)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
C.Itoh Prowriter	ITOH8510	#27,@	#27,X	#27,Y
C.Itoh Starwriter Y10-20	DIA630	#27,\,#27,Q		
C.Itoh Starwriter/Printmaster	DIA630	#27,\,#27,Q		
Canon AP 400	DIA630	#27,\,#27,Q		
Canon BJ 10e	IBMPRPRI	#27,@	#27,-,1	#27,-,0
Centronics 351	STASCHR			
Centronics 731-1	STASCHR			

Sheet1

Centronics 737-1	STASCHR			
Centronics GLP	8nadel		#27,-,1	#27,-,0
Citizen 120 D	8NADEL	#27,@	#27,-,1	#27,-,0
Citizen 124 D	8NADEL	#27,@	#27,-,1	#27,-,0
Citizen MSP 10/15	CITMSP1X		#27,-,1	#27,-,0
Citizen ProDot 24	EPLQ	#27,@	#27,-,1	#27,-,0
Citizen Swift 24 (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Citizen Swift 24X A3 (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Citizen Swift 9 (IBM Modus)	8NADEL		#27,-,1	#27,-,0
Commodore MPS 2030 (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Comrex	DIA630	#27,\,#27,Q		
DOS Text Drucker	DOSTXT	#27,6,4		
DTC 380Z	DIA630	#27,\,#27,Q		
Daisywriter	DIA630	#27,\,#27,Q		
Data Products DP Serie	DATADP	#27,\,#27,Q		
Data Products LP 600 Serie	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Data Products LP 650 (HpLaser)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Data Products SPG 8020-1/2	DATA8020	#27,@	#27,f,,,1,,,,\$	#27,f,#0,#0,#0,#0
Data Products SPG 8050	DATA8050	#27,@	#27,f,,,1,,,,\$	#27,f,,,0,,,,\$
Diablo 1610/1620	DIA620	#27,\,#27,Q		
Diablo 620	DIA620	#27,\,#27,Q		
Diablo 630	DIA630	#27,\,#27,Q		
Diablo 630 ECS	DIA630ES			
Diablo Advantage D25	DIAADV	#27,\,#27,Q		
Diablo ECS/IBM	DIAESC			
Digital LA-100	DIG100		#27,[,4,m	#27,[,0,m
Digital LA-50	DIG50		#27,[,4,m	#27,[,2,4,m
Digital LQP02	DIGLQP0Z	#27,@		
EN-P1091	ENP1091	#27,@	#27,-,1	#27,-,0
Epson DFX-5000	8NADEL	#27,@	#27,-,1	#27,-,0
Epson DLQ-2000	EPLQ	#27,@	#27,-,1	#27,-,0
Epson EPJ-200 (HP-Laser-Modus)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Epson EPJ-200 (LQ-Modus)	EPLQ	#27,@	#27,-,1	#27,-,0
Epson EPL-6000 (HpLaser)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Epson EPL-7100 (HpLaser)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Epson EPL-7100 Mega2 (HpLaser)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Epson FX auf Tandy	EPSFXT	#27,@	#27,-,1	#27,-,0
Epson FX-100 USA	8NADEL	#27,@	#27,-,1	#27,-,0
Epson FX-105 ESC/P-Mod US	8NADEL	#27,@	#27,-,1	#27,-,0
Epson FX-105 IBM-Modus	8NADEL	#27,@	#27,-,1	#27,-,0
Epson FX-80 USA	8NADEL	#27,@	#27,-,1	#27,-,0
Epson FX-85 ESC/P-Mod US	8NADEL	#27,@	#27,-,1	#27,-,0
Epson FX-85 IBM-Modus	8NADEL	#27,@	#27,-,1	#27,-,0
Epson GQ 3500 Laserdrucker	GQ3500	#27,@	#27,-,1	#27,-,0
Epson GQ 3500 Laserdrucker PROP	PROGQ	#27,@	#27,-,1	#27,-,0
Epson L1000	EPLQ	#27,@	#27,-,1	#27,-,0
Epson L750	EPLQ	#27,@	#27,-,1	#27,-,0
Epson LX 1050 USA	EP SLXU	#27,@	#27,-,1	#27,-,0
Epson LX 400 USA	EP SLXU	#27,@	#27,-,1	#27,-,0

Sheet1

Epson LX 800 USA	EPSLXU	#27,@	#27,-,1	#27,-,0
Epson MX-Gftrx/Typ 3 auf Tandy	EPSMXT	#27,@	#27,-,1	#27,-,0
Epson MX-Graftrax/MX-Typ III	EPSMX	#27,@	#27,-,1	#27,-,0
Epson RX-100 USA	EPSRXU	#27,@	#27,-,1	#27,-,0
Epson RX-80/RX-100 USA	EPSRXU	#27,@	#27,-,1	#27,-,0
Epson-Kompatible 8-Nadler Epson	NOIBM8	#27,@	#27,-,1	#27,-,0
Epson-Kompatible 8-Nadler IBM	8NADEL	#27,@	#27,-,1	#27,-,0
Epson-LQ/SQ2500	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ/SQ2550	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ/SQ850	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ1010	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ1050	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ400	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ500	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ510	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ550	EPLQ550	#27,@	#27,-,1	#27,-,0
Epson-LQ860	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-LQ950	EPLQ	#27,@	#27,-,1	#27,-,0
Epson-kompatibler Drucker USA	EPSONU	#27,@	#27,-,1	#27,-,0
Facit 4512	FA4512		#29	#31
Facit 4560/8560	FA4560		#27,_	#27,R
Facit 8105A	FA8105A		#29	#29
Fujitsu DL 1100 (LQ Modus)	EPLQ	#27,@	#27,-,1	#27,-,0
Fujitsu DL 2400 Diablo	FUJ2400D	#27,\,#27,Q		
Fujitsu DL 2400 IBM	FUJ2400I		#27,-,1	#27,-,0
Fujitsu DL 3400 (Epson LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Fujitsu DL 4600 (Epson-LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Fujitsu DL 5600 (Epson-LQ)	EPLQ	#27,@	#27,-,1	#27,-,0
Fujitsu DPL 24 Diablo	FUJ24D	#27,\,#27,Q		
Fujitsu DPL 24 IBM	FUJ24I		#27,-,1	#27,-,0
Fujitsu M3333A	FUJM33A	#27,\,#27,Q	#27,E	#27,R
Fujitsu SP 320	FUJSP320	#27,\,#27,Q		
HP 2601A	HP2601A	#27,\,#27,Q		
HP DESKJET	HPDESKJ	#27,E	#27,&,d,1,D	#27,&,d,@
HP DESKJET plus	HPDESKJ	#27,E	#27,&,d,1,D	#27,&,d,@
HP Deskjet 500	HPDESKJ	#27,E	#27,&,d,1,D	#27,&,d,@
HP Laserjet IID	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
HP Laserjet IIIP	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
HP Laserjet IIP	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
HP Painjet	HPDESKJ	#27,E	#27,&,d,1,D	#27,&,d,@
HP ThinkJet	HPDESKJ	#27,E	#27,&,d,1,D	#27,&,d,@
Highscreen LP 66	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Highscreen LZR 650	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
IBM 6750	IBMPPRI	#27,@	#27,-,1	#27,-,0
IBM Farb Drucker	IBMPPRI	#27,@	#27,-,1	#27,-,0
IBM Graphik Drucker	IBMGRAPH	#27,@	#27,-,1	#27,-,0
IBM Proprinter	IBMPROP	#27,@	#27,-,1	#27,-,0
IBM Quietwriter	IBMPQU	#27,@	#27,-,1	#27,-,0
IBM Quietwriter 5201	IBMQU520		#27,-,1	#27,-,0

Sheet1

IBM Quietwriter 7	IBMQU7	#27,-,1	#27,-,0
IBM WheelWriter 3	IBMWH3	#27,-,1	#27,-,0
IBM WheelWriter 5	IBMWH5	#27,-,1	#27,-,0
IBM kompatibel Drucker	8NADEL #27,@	#27,-,1	#27,-,0
IDS Microprism 480	IDSMI480 #5,#6		
IDS-460	IDS460 #5,#6		
IDS-560	IDS560 #5,#6		
Juki 6100	KI6100 #27,\, #27,Q		
L12ICQ / L32ICQ	LI2ICQ #27,R,#0, #27,6	#27,-,1	#27,-,0
MPI Printmate 150	MPI150	#14	#15
Mannesmann Tally MT131/24	EPLQ #27,@	#27,-,1	#27,-,0
Mannesmann Tally MT180	MANN180 #27,[,6,-, #27,[,7,z	#27,[,4,m	#27,[,0,m
Mannesmann Tally MT1805	MANN1805		
Mannesmann Tally MT230/24	EPLQ #27,@	#27,-,1	#27,-,0
Microscan MS 15	MICRO15		
NEC 2050	NEC2050 #27,T, #27,(
NEC 2050/3550 für Tandy 2000	NEC2050T #27,(#27,-	#27,'
NEC 3510/3530/7710/7730	NEC3510		
NEC 3515/5515/7715/3525/7725	NEC3515		
NEC 3550	NEC3550 #27,T, #27,(
NEC LC-890 (HP Laser Modus)	HPLII #27,E	#27,&,d,1,D	#27,&,d,@
NEC P2 plus (IBM-Modus)	NECP2PLI #27,t,#1, #27,R,#0	#27,-,1	#27,-,0
NEC P2 plus (Standard)	NECP2PLS #27,t,#1, #27,R,#0	#27,-,1	#27,-,0
NEC P20	NEC24 #27,@	#27,-,1	#27,-,0
NEC P2200	NEC24 #27,@	#27,-,1	#27,-,0
NEC P2200 PROPORTIONAL	PROLQ #27,Q,K, #27,l,#4	#27,-,1	#27,-,0
NEC P30	NEC24 #27,@	#27,-,1	#27,-,0
NEC P6/P7	NEC24 #27,@	#27,-,1	#27,-,0
NEC P6/P7 PROPORTIONAL	PROLQ #27,Q,K, #27,l,#4	#27,-,1	#27,-,0
NEC P60	NEC24 #27,@	#27,-,1	#27,-,0
NEC P70	NEC24 #27,@	#27,-,1	#27,-,0
NEC PC-8023A-C	NECPC802	#27,X	#27,Y
NEC Pinwriter P2/P3-2	NECP2P32	#27,X	#27,Y
NEC S60	HPLII #27,E	#27,&,d,1,D	#27,&,d,@
Okidata Microline 182	OKMI182 #18	#27,-,1	#27,-,0
Okidata Microline 182 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 192 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 192 und 193	OKMI92 #27,@	#27,C	#27,D
Okidata Microline 193 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 320 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 321 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 390 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 391 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 393 IBM	OKMIIBM	#27,-,1	#27,-,0
Okidata Microline 82A/83A	OKMI82A #27,A		
Okidata Microline 93 auf Tandy	OKMI93T	#27,C	#27,D
Okidata Microline 93/84 step2	OKMI93S2	#27,C	#27,D
Okidata Pacemark 2410	OKPA2410	#27,U	#27,V
Okidata Plug 'N Play	OKPNP #27,@		

Sheet1

Olivetti PR320 Diablo	OLI320DI		
Olivetti PR320 Olivetti	OLI320OL	#27,*,0	#27,+
Olympia ES 110	OLYES110	#27,A	#27,A
Olympia ESW 1000	OLY1000	#27,\,#27,Q	
Olympia ESW 102/103/3000	OLYES102	#27,#14	
Olympia Mastertype PR-5000	OLYMASTY PR5000	#27,#15	
Panasonic KX-1092 IBM Einzelblat	PAN1092Z	#27,-,#1	#27,-,#0
Panasonic KX-P1090	PANP1090	#27,0	#27,-,#0
Panasonic KX-P1092	PANP1092	#27,-,#1	#27,-,#0
Panasonic KX-P1092 IBM Endlos	PAN1092D	#27,-,#1	#27,-,#0
Panasonic KX-P1123 (Epson LQ)	EPLQ	#27,@	#27,-,1
Panasonic RK-P400C	PANP400C	#27,-,#1	#27,-,#0
Philips NMS 1467 (Epson LQ)	EPLQ	#27,@	#27,-,1
Philips PP402-S	EPLQ	#27,@	#27,-,1
Primage 1	PRIMAGE1	#27,Q,#27,#22,#0	
Printek 930/935	PRIN93X		
QMS (Diablo)	QMSDIAB	#27,@	
QMS PS-810 (HP Laser Modi)	HPLII	#27,E	#27,&,d,1,D #27,&,d,@
Qume Cristal Print HP Laser	HPLII	#27,E	#27,&,d,1,D #27,&,d,@
Qume Sprint 11/11+	QUME11		
Qume Sprint 5/9	QUME5-9		
Qume SprintTEN (HP Laser Modi)	HPLII	#27,E	#27,&,d,1,D #27,&,d,@
Schneider SPRINTER264	EPLQ	#27,@	#27,-,1
Seikosha SL 210 AI (Epson-LQ)	EPLQ	#27,@	#27,-,1
Seikosha SL 230 AI (Epson-LQ)	EPLQ	#27,@	#27,-,1
Seikosha SL 532 (Epson-LQ)	EPLQ	#27,@	#27,-,1
Seikosha SP 1200 AI (IBM-Modus)	SEISP12I	#27,6	#27,-,1
Seikosha SP 1200 AI (Standard)	SEISP12S	#27,@	#27,-,1
Seikosha SP 180 AI	EPLQ	#27,@	#27,-,1
Silver-Reed EXP 550	SIRE550	#27,@	
Smith Corona Fастext 80	SMCOFA		
Smith-Corona D200/D300	SMCOD200	#27,@	#27,-,1
Smith-Corona TP1	SMDOTP1		
Smith-Corona Typetronic III	SMDOTYP3	#27,@	#27,E
Standard Drucker	STADRUCK		
Standard Schreibmaschine	STASCHR		
Star Gemini 10/15	STGE10	#27,-,#1	#27,-,#0
Star Gemini 10X/15X PCDrucker	STGE10XD	#27,@	#27,-,#1
Star LC 10 (IBM-Modus)	STALC10I	#27,t,#1,#27,R,#0	#27,-,1
Star LC 10 (Standard-Modus)	STALC10S		#27,-,#1
Star LC 24-10 IBM	STALC24I		#27,-,1
Star LC 24-10 Standard	STALC24S	#27,@	#27,-,1
Star LC 24-20 IBM	STALC24I	#27,@	#27,-,1
Star LC 24-20 Standard	STALC24S	#27,@	#27,-,1
Star LC 24-200 Farbe(Standard)	STALC24S	#27,@	#27,-,1
Star LC 24-200 Standard	STALC24S	#27,@	#27,-,1
Star NL 10 IBM	8NADEL	#27,@	#27,-,1
Star NL 10 Standard	NOIBM8	#27,@	#27,-,1

Sheet1

Star PowerType (PM Modus)	STPOPM	#27,@		
Star PowerType (WP Modus)	STPOWP	#27,#26,l	#27,l	#27,J
Star Radix/Gemini 10X/15X	STRA10X	#27,#,#27,@		
Star SD-10/15 (IBM Modus)	STSD10IB	#27,#,#27,@		
Star SD-10/15 (Star Modus)	STSD10ST	#27,@	#27,-,#1	#27,-,#0
Star SG-10/15 (IBM Modus)	STSD10IB	#27,#,#27,@		
Star SG-10/15 (Star Modus)	STSG10ST	#27,@,#27,B,#4		
Star SR-10/15 (IBM Modus)	STARSR	#27,@	#27,-,1	#27,-,0
Star XB 24-10 IBM	STALC24I		#27,-,1	#27,-,0
Star XB 24-10 Standard	STALC24S	#27,@	#27,-,1	#27,-,0
Star XB 24-15 IBM	STALC24I		#27,-,1	#27,-,0
Star XB 24-15 Standard	STALC24S	#27,@	#27,-,1	#27,-,0
Swintec 8000 Schreibm/Drucker	SW800		#27,E	#27,R
TA7020	TA7020	#27,@		
TEC C.ltoh	TECITOH			
TI 855 Graphik (DP Modus)	TI855GR	#27,@		
Tandy DMP 105	TADMP105	#27,#21	#15	#14
Tandy DMP 120	TADMP120	#27,6	#15	#14
Tandy DMP 200	TADMP200	#20	#15	#14
Tandy DMP 2100	TA2100	#20	#15	#14
Tandy DMP 2100 Aux(SW 5&6 an)	TA2100AX	#20	#15	#14
Tandy DMP 2100P	TA2100P	#20,#27,#21	#15	#14
Tandy DMP 2100P Aux(SW5&6 an)	TA2100PA	#20,#27,?,2	#15	#14
Tandy DMP 430	TADMP430	#20,#27,#14	#15	#14
Tandy DMP 500	TADMP500	#20	#15	#14
Tandy DWP 210	TADWP210	#27,#21,#27,#17,#27,2,4		
Tandy DWP 220	TADWP220	#27,#21,#27,#17,#27,2,4		
Tandy DWP 410	TADWP410	#27,#21,#27,#17,#27,2,4		
Tandy DWP 510	TADWP510	#27,#21,#27,#17,#27,2,4		
Tandy DWP II B	TADWPIIB	#27,#21,#27,#17,#27,#24		
Tandy DWP II.	TADWP II	#27,#21,#27,#17,#27,#24		
Tandy DWP II. auf dem IBM PC	TADWPIBM	#27,#21,#27,#17,#27,#24		
Tandy DWP-50	TADWP50			
Taxan/Kaga KP-910 USA	KAGA	#27,@	#27,-,1	#27,-,0
Texas Instruments 850	TEX850			
Texas Instruments 855	TEX855	#27,<	#27,l	#27,J
Texas Instruments 865	TEX865	#27,<	#27,l	#27,J
Texas Instruments 99/4	TEX99-4	#18,#29,#27,R,#0		
Toshiba P1340	TOP1340			
Toshiba P1350/P1351	TOP1350			
Toshiba P351	TOP351			
Uchida DWX-305	UCDWX305			
Visa LSR 615 (HPLaser)	HPLII	#27,E	#27,&,d,1,D	#27,&,d,@
Vista V300	VISV300			
Xerox 610C Memorywriter	XER610C		#27,E	#27,R
Xerox 610P	XER610	#27,@		

Sheet1

FETT,C,25	NFETT,C,25	BREIT,C,25	NBREIT,C,25	SCHMAL,C,25
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,W	#27,&	#27,@,P,L,#27,@,F,4		
#27,K,3	#27,M			
#27,K,#3	#27,M			
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,p	#27,q	#27,U		#27,T
#27,W	#27,&			
#27,X,#27,N	#27,Y,#27,0			
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,W	#27,&			#27,x,#3
#27,O	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,W	#27,&			
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,W	#27,&			
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,!	#27,"	#27,N,#14	#15	#27,Q
#27,!	#27,"	#27,N,#14	#15	#27,Q
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,!	#27,"	#27,N,#14	#15	#27,Q
#27,E	#27,F	#27,W,#1	#27,W,#0	#15

Sheet1

#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
		#27,~,5,0,#27,W,#1	#27,W,#0	#27,~,5,0,#27,M
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15

#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,b	#27,c			
#27,b	#27,c	#27,Q,..,2,..,\$	#27,Q,..,4,..,\$	

#27,W	#27,&
-------	-------

#27,W	#27,&
-------	-------

#27,[,1,m	#27,[,2,2,m			
#27,[,?,2,m	#27,[,#0,#0			
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#14	#20	#27,y,#0,#2
#27,E	#27,F	#14	#20	#27,y,#0,#2
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15

Sheet1

#27,(#27,F	#27,) #27,F			
#27,#16 #27,#16	#27,#16 #27,#16			
#27,E	#27,F	#27,W,#1 #27,n,#27,W,#1	#27,W,#0 #27,W,#0	#27,P,#15 #15 #27,n,#15 #27,P,#15
#27,o,#27,G,#27,p,#1 #27,E #27,E #27,E #27,E #27,W #27,f,#1,#27,d	#27,p,#0 #27,F #27,F #27,F #27,F #27,&	#27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #27,f,#2,#27,e	#27,W,#0 #27,W,#0 #27,W,#0 #27,W,#0	#15 #15 #15 #15 #27,f,#1,#27,d,#27,i
#27,(,s,3,B #27,(,s,3,B	#27,(,s,0,B #27,(,s,0,B			#27,(,s,1,6,..,6,6,H #27,(,s,1,6,..,6,6,H
#27,(,s,3,B #27,E #27,E #27,E #27,E #27,E #27,E #27,E	#27,(,s,0,B #27,F #27,F #27,F #27,F #27,F #27,F #27,F	#27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #27,W,1 #27,W,#1 #27,W,#1	#27,W,#0 #27,W,#0 #27,W,#0 #27,W,#0 #27,W,0 #27,W,#0 #27,W,#0	#27,(,s,1,6,..,6,6,H #15 #15 #15 #15 #15 #15 #15
#27,E	#27,F	#27,W,#1 #27,W,1	#27,W,#0 #27,W,0	#15
#27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E #27,E	#27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F #27,F	#27,W,#1 #27,W,#1 #27,W,1 #27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #27,W,#1 #14 #14	#27,W,#0 #27,W,#0 #27,W,0 #27,W,#0 #27,W,#0 #27,W,#0 #27,W,#0 #27,W,#0 #27,W,#0 #20 #20	#15 #15 #15 #15 #15 #15 #15 #15 #15 #15 #15 #15 #15

Sheet1

#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,K	#27,M			
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#14	#20	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,W	#27,&			
#27,W	#27,&			
#27,G	#27,H	#27,f,#0,2,7,d		#27,f,#1,#27,z,#27,d
#27,#31	#27,#32	#27,#14	#27,#15	#27,#23
#27,#19		#27,#20	#27,#19	#27,#20
#27,#31	#27,#32	#27,#19		#27#,17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#31	#27,#32	#27,#19		#27,?,2,#27,#17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#31	#27,#32	#27,#19		#27,#17
#27,#17				
#27,#17				#27,#17,#27,#24
#27,#17				
#27,E	#27,F	#27,W,#1	#27,W,#0	#15
#27,E	#27,F	#27,P,#27,S	#27,Q,#27,T	#27,G
#27,Q	#27,R	#27,f,#2,#27,z,#27,q		#27,f,#1,#27,z,#27,d
#27,Q	#27,R	#27,f,#2,#27,z,#27,q		#27,f,#1,#27,z,#27,d
#15,#14	#20	#15,#27,E	#15,#27,F	#27,E
#27,*0		#27,*0,#27,!		#27,*1
#27,*1		#27,*0		#27,*2,#27,!
#27,*1,#27,\$	#27,%	#27,#18,#27,Q	#27,R,#27,#2C#27,#18	
#27,(,s,3,B	#27,(,s,0,B			#27,(,s,1,6,..,6,6,H
#27,Q	#27,&			
#27,G	#27,H			

Sheet1

NSCHMAL,C,2BRIEF,C,25		NBRIEF,C,25
#18	#27,x,#1	#27,x,#0
	#27,@,P,L,#27,F,I	
	#27,Q	#27,R
	#27,Q	#27,R
#27,(,s,1,0,H		
	#27,R	

#18	#27,x,#1	#27,x,#0
-----	----------	----------

#27,x,#1

#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18		
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#27,N	
	#27,N	

#18	#27,x,#1	#27,x,#0
#27,(,s,1,0,H		
	#27,N	

#18	#27,l,#2	#27,l,#0
-----	----------	----------

#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#27,~,5,0,#27,P	
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0

#27,(s,1,0,H		
#27,(s,1,0,H		
	#27,R,,,1,,, \$	#27,R,#0,#0,#0,#0
		#27,R,,,1,0,1,#0

#27,[,2,"z	#27,[,1,"z
#27,[,2,"z	#27,[,0,"z

#18		
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#27,(s,1,0,H		
#18	#27,x,#1	#27,x,#0
#27,(s,1,0,H		
#27,(s,1,0,H		
#27,(s,1,0,H		
#18		
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#27,y,#0,#0	
	#27,y,#0,#0	
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18		
#18		

#18	#27,x,#1 #27,R,1,\$,#2 #1 #1	#27,x,#0 #2 #2
	#27,E #27,#30	#27,F
#18	#27,x,#1 #27,[,1,y	#27,x,#0
#15	#27,#17	
#18	#27,x,#1	#27,x,#0
	#2 #14 #14 #2	#3 #15 #15 #3
#27,(,s,1,0,H		
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#27,N #27,h	
#27,(,s,1,0,H		
#18		
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#27,H	#27,l
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
	#29 #30,#27,1,#30	
	#27,7,#27,Z	
#18	#27,x,#1	#27,x,#0

#18	#27,o,#27,G	#27,H
#18	#27,x,#1	#27,x,#0
#18		
#18	#27,o,#27,G	#27,H
#18	#27,x,#1	#27,x,#0

#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0

#27,j	#27,f,#1,#27,e
	#9,S,2,0,4

#27,(,s,1,0,H
#27,(,s,1,0,H

#27,(,s,1,0,H

#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,1	#27,x,0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0

#18

#27,W

#18		
#18		
#18	#27,x,#1	
#18	#27,x,#1	
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0

#18		
	#27,\$	#27,%
#18		
#18		
#18		
#18		
#18		
#18	#27,4	#27,5
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0
#18	#27,x,#1	#27,x,#0

	#27,f,#1,#27,q	
	#27,#19	
#27,#19	#27,#19	
	#27,#19	
	#27,#18	
	#27,#18	
	#27,#18	
	#27,#18	
	#27,#19	
	#27,#19	

#27,#15

#27,#25	#27,#15	
	#27,#15	

#18	#27,x,#1	#27,x,#0
#27,H	#27,e	#27,d
	#27,f,#0,#27,z,#27,d	
	#27,f,#0,#27,z,#27,d	
#27,F	#15	#18
	#27,*,0	
#27,"	#27,*,2	
#27,#20	#27,*,2	

#27,(,s,1,0,H