

barbones.hyper

COLLABORATORS

	<i>TITLE :</i> barbones.hyper		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		December 25, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	barbones.hyper	1
1.1	main	1
1.2	toolbar	2
1.3	menu	3
1.4	quickref	3
1.5	general	5
1.6	structural	5
1.7	present	6
1.8	links	7
1.9	images	8
1.10	dividers	9
1.11	lists	10
1.12	colors	10
1.13	isochar	11
1.14	forms	12
1.15	tables	13
1.16	frames	14

Chapter 1

barbones.hyper

1.1 main

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

OTHER CONTENTS

Toolbar

Menu

Reference

COPYRIGHT

©1996 Dietmar Eilert (except Quick Reference)

Dietmar Eilert
Mies-v-d-Rohe-Str.31, 52074 Aachen, Germany

WWW: <http://www.clearlight.com/~dietmar>
 E-Mail: dietmar@domate.tng.oche.de (private mail, registered users support)
 Dietmar.Eilert@post.rwth-aachen.de (bug reports, suggestions)
 Tel: +49-(0)241-81665
 +49-(0)2525-7776
 Fax: +49-(0)241-81665

The reference section is based on THE BARE BONES GUIDE by Kevin Werbach. The BARE BONES GUIDE is always available at <http://werbach.com/>. This documentation includes a shorter reformatted version.

1.2 toolbar

TOOLBAR

The HTML toolbar appears if you load a HTML file or if you switch the editor to HTML editing mode using the WWW gadget. The WWW gadget is added to the standard GoldED toolbar during installation of this package. It shows a symbolized image. The HTML toolbar offers the following gadgets (from left to right):

Description	Function
Homepage Wizard	Homepage Wizard: a simple homepage designer
Style "bold"	Changes style of marked text to "bold"
Style "underlined"	Changes style of marked text to "underlined"
Style "italics"	Changes style of marked text to "italics"
Style "centered"	Changes style of marked text to "centered"
Divider: Ruler	Adds ruler at cursor position
Divider: Line break	Inserts line break
Divider: Paragraphe	Inserts line break, starts new paragaphe
Style "Header 1"	Changes style of marked text to "Header 1"
Style "Header 2"	Changes style of marked text to "Header 2"
Style "Header 3"	Changes style of marked text to "Header 3"
Style "Header 4"	Changes style of marked text to "Header 4"
Style "Header 5"	Changes style of marked text to "Header 5"
Style "Header 6"	Changes style of marked text to "Header 6"
Insert Link to URL	Marked text is converted to a link
Insert Link to Anchor	Marked text is converted to a link
Insert Anchor	Marked text is converted to an anchor
Insert Image	Inserts new image
Insert List	Inserts new list
Insert Table	Inserts new table
Insert Form	Inserts new form (Form Wizard)
Syntax highlighting	Toggles syntax highlighting on/off

Note: Some commands listed above expect that you have marked text in your document before you click at the gadget (the marked text is passed as

input to the command). You may have to edit the HTML code created by the command manually if you did not provide this information.

1.3 menu

MENU

The HTML menu appears if you load a HTML file or if you switch the editor to HTML editing mode using the WWW gadget. The WWW gadget is added to the standard GoldED toolbar during installation of this package. It shows a symbolized image. The HTML menu offers the following commands:

Description	Function
Homepage Wizard...	Homepage Wizard: a simple homepage designer
Create new document...	Creates new (empty) HTML page
Create new list...	Inserts new list
Create new table...	Inserts new table
Create new form...	Inserts new form
Link URL...	Converts marked text to a link
Link FTP...	Converts marked text to a link
Link Gopher...	Converts marked text to a link
Link Telnet...	Converts marked text to a link
Link Mailto...	Converts marked text to a link
Link News....	Converts marked text to a link
ISO8895 characters	Replacements for characters that can not be used directly in HTML documents (reserved function).
Forms (plus submenus)	These commands add new fields to forms
Attributes document	These commands set global attributes (colors)
Attributes text	These commands change the style of marked text

Note: Some commands listed above expect that you have marked text in your document before you use the menu (the marked text is passed as input to the command). You may have to edit the HTML code created by the command manually if you did not provide this information.

1.4 quickref

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

Q U I C K R E F E R E N C E

Based on the Bare Bones Guide (by Kevin Werbach)

INFORMATION

The Bare Bones Guide to HTML lists all the tags that current versions of most browsers are likely to recognize. I have included all the tags in the HTML 3.2 specification, as well as Netscape extensions included in versions of Netscape Navigator up to 3.0b5.

The Guide is designed to be as concise as possible, and therefore it doesn't go into any detail about how to use the various tags. There are numerous step-by-step HTML guides on the Web; I have links to many of them at <http://werbach.com/web/wwwhelp.html>.

Comments and suggestions are always welcome; you can reach me via Email at barebones@werbach.com.

FORMATTING OF THIS DOCUMENT

This document looks best displayed in a monospaced font. For clarity, I have separated out different attributes that can be applied to the same tag onto separate lines. Generally, multiple attributes can be combined in the same tag. Tags are listed in upper case for ease of reading, although most tags are not case sensitive.

SYMBOLS USED

URL	URL of external file or just file name if in the same directory
?	Arbitrary number. <H?> means <H1>, <H2>, <H3>, etc.
%	Arbitrary percentage. <HR WIDTH="%"> means <HR WIDTH="50%">
***	Arbitrary text. ALT="***" means fill in with text
\$\$\$\$\$	Arbitrary hex. BGCOLOR="#\$\$\$\$\$" means BGCOLOR="#00FF1C", etc.
,,,	Comma-delimited. COORDS=",,,," means COORDS="0,0,50,50", etc.
	Alternatives. ALIGN=LEFT RIGHT CENTER means pick one of these

COMPATIBILITY (remember, HTML is evolving and browser implementations vary)

none	Should work with all browsers (HTML 3.2 specs)
N1.0	Netscape extension introduced with Navigator version 1.0
N1.1	Netscape extension introduced with Navigator version 1.1

N2.0 Netscape extension introduced with Navigator version 2.0
N3.0B Netscape extension introduced with Navigator version 3.0 beta

1.5 general

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

GENERAL (all HTML documents should have these)

Description	Syntax
Document Type	<HTML></HTML>
Title	<TITLE></TITLE>
Header	<HEAD></HEAD>
Body	<BODY></BODY>

1.6 structural

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

STRUCTURAL DEFINITION (appearance controlled by the browser's [↔ preferences](#))

Description	Syntax
Heading	<H?></H?>
Align Heading	<H? ALIGN=LEFT CENTER RIGHT></H?>
Division	<DIV></DIV>
Align Division	<DIV ALIGN=LEFT RIGHT CENTER JUSTIFY></DIV>
Block Quote	<BLOCKQUOTE></BLOCKQUOTE>
Emphasis	
Strong Emphasis	
Citation	<CITE></CITE>
Code	<CODE></CODE>
Sample Output	<SAMP></SAMP>
Keyboard Input	<KBD></KBD>
Variable	<VAR></VAR>
Definition	<DFN></DFN>
Author's Address	<ADDRESS></ADDRESS>
Large Font Size	<BIG></BIG>
Small Font Size	<SMALL></SMALL>

1.7 present

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

PRESENTATION FORMATTING (author specifies text appearance)

Description	Syntax
Bold	
Italic	<I></I>
Underline	<U></U>
Strikeout	<STRIKE></STRIKE>
Strikeout	<S></S>
Subscript	
Superscript	
Typewriter	<TT></TT>
Preformatted	<PRE></PRE>
Width	<PRE WIDTH=?></PRE>
Center	<CENTER></CENTER>
Blinking	<BLINK></BLINK>
Font Size	
Change Font Size	
Base Font Size	<BASEFONT SIZE=?>
Font Color	
Select Font	
Multi-Column	<MULTICOL COLS=?></MULTICOL>
Column Gutter	<MULTICOL GUTTER=?></MULTICOL>
Column Width	<MULTICOL WIDTH=?></MULTICOL>
Spacer	<SPACER>
Spacer Type	<SPACER TYPE=horizontal vertical block>
Size	<SPACER SIZE=?>
Dimensions	<SPACER WIDTH=? HEIGHT=?>
Alignment	<SPACER ALIGN=left right center>

1.8 links

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

LINKS

Description	Syntax
Link Something	<code></code>
Link to Target	<code></code>
Link to Target	<code></code>
Target Window	<code></code>
Define Target	<code></code>

1.9 images

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

IMAGES

Description	Syntax
Display Image	<code></code>
Alignment	<code></code>
Alignment	<code></code>
Alternate	<code></code>

Dimensions	
Border	
Runaround Space	
Low-Res Proxy	
Imagemap	
Imagemap	
Map	<MAP NAME="***"></MAP>
Section	<AREA SHAPE="RECT" COORDS=",,,," HREF="URL" NOHREF>
Client Pull	<META HTTP-EQUIV="Refresh" CONTENT="?; URL=URL">
Embed Object	<EMBED SRC="URL">
Object Size	<EMBED SRC="URL" WIDTH=? HEIGHT=?>

1.10 dividers

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

DIVIDERS

Description	Syntax
Paragraph	<P></P>
Align Text	<P ALIGN=LEFT CENTER RIGHT></P>
Line Break	
Clear Textwrap	<BR CLEAR=LEFT RIGHT ALL>
Horizontal Rule	<HR>
Alignment	<HR ALIGN=LEFT RIGHT CENTER>
Thickness	<HR SIZE=?>
Width	<HR WIDTH=?>
Width Percent	<HR WIDTH="%">
Solid Line	<HR NOSHADE>
No Break	<NOBR></NOBR>
Word Break	<WBR>

1.11 lists

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

 Style

 Lists

Colors

Frames

 LISTS (lists can be nested)

Description	Syntax
Unordered List	<code></code>
Compact	<code><UL COMPACT></code>
Bullet Type	<code><UL TYPE=DISC CIRCLE SQUARE></code> <code><LI TYPE=DISC CIRCLE SQUARE></code>
Ordered List	<code></code>
Compact	<code><OL COMPACT></code>
Numbering Type	<code><OL TYPE=A a I i 1></code> <code><LI TYPE=A a I i 1></code>
Starting Number	<code><OL START=?></code> <code><LI VALUE=?></code>
Definition List	<code><DL><DT><DD></DL></code>
Compact	<code><DL COMPACT></DL></code>
Menu List	<code><MENU></MENU></code>
Compact	<code><MENU COMPACT></MENU></code>
Directory List	<code><DIR></DIR></code>
Compact	<code><DIR COMPACT></DIR></code>

1.12 colors

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

BACKGROUNDS AND COLORS

Description	Syntax
Tiled Background	<BODY BACKGROUND="URL">
Background Color	<BODY BGCOLOR="#\$\$\$\$\$\$">
Text Color	<BODY TEXT="#\$\$\$\$\$\$">
Link Color	<BODY LINK="#\$\$\$\$\$\$">
Visited Link	<BODY VLINK="#\$\$\$\$\$\$">
Active Link	<BODY ALINK="#\$\$\$\$\$\$">

More info at <<http://werbach.com/web/wwwhelp.html#color>>

1.13 isochar

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms
 Style
Lists

Colors

Frames

SPECIAL CHARACTERS (must all be in lower case)

Description	Syntax
Special Character	&#?;
<	<
>	>
&	&
"	"
Registered TM	®
Registered TM	®
Copyright	©
Copyright	©
Non-Breaking Spc	

Complete list at <<http://www.uni-passau.de/%7Eramschr/iso8859-1.html>>

1.14 forms

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms
 Style
Lists

Colors

Frames

FORMS (generally require a script on your server)

Description	Syntax
Define Form	<FORM ACTION="URL" METHOD=GET POST></FORM>
File Upload	<FORM ENCTYPE="multipart/form-data"></FORM>
Input Field	<INPUT TYPE="TEXT PASSWORD CHECKBOX RADIO IMAGE HIDDEN SUBMIT RESET">
Field Name	<INPUT NAME="***">
Field Value	<INPUT VALUE="***">
Checked?	<INPUT CHECKED>
Field Size	<INPUT SIZE=?>
Max Length	<INPUT MAXLENGTH=?>
Selection List	<SELECT></SELECT>
Name of List	<SELECT NAME="***"></SELECT>
# of Options	<SELECT SIZE=?></SELECT>
Multiple Choice	<SELECT MULTIPLE>
Option	<OPTION>
Default Option	<OPTION SELECTED>
Input Box Size	<TEXTAREA ROWS=? COLS=?></TEXTAREA>
Name of Box	<TEXTAREA NAME="***"></TEXTAREA>
Wrap Text	<TEXTAREA WRAP=OFF VIRTUAL PHYSICAL></TEXTAREA>

1.15 tables

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

Style

Lists

Colors

Frames

TABLES

Description	Syntax
Define Table	<TABLE></TABLE>
Table Border	<TABLE BORDER></TABLE>

Table Border	<TABLE BORDER=?></TABLE>
Cell Spacing	<TABLE CELLSPACING=?>
Cell Padding	<TABLE CELLPADDING=?>
Desired Width	<TABLE WIDTH=?>
Width Percent	<TABLE WIDTH=%>
Table Row	<TR></TR>
Alignment	<TR ALIGN=LEFT RIGHT CENTER VALIGN=TOP MIDDLE BOTTOM>
Table Cell	<TD></TD> (must appear within table rows)
Alignment	<TD ALIGN=LEFT RIGHT CENTER VALIGN=TOP MIDDLE BOTTOM>
No linebreaks	<TD NOWRAP>
Columns to Span	<TD COLSPAN=?>
Rows to Span	<TD ROWSPAN=?>
Desired Width	<TD WIDTH=?>
Width Percent	<TD WIDTH="%">
Cell Color	<TD BGCOLOR="#\$\$\$\$\$\$">
Table Header	<TH></TH>
Alignment	<TH ALIGN=LEFT RIGHT CENTER VALIGN=TOP MIDDLE BOTTOM>
No Linebreaks	<TH NOWRAP>
Columns to Span	<TH COLSPAN=?>
Rows to Span	<TH ROWSPAN=?>
Desired Width	<TH WIDTH=?>
Width Percent	<TH WIDTH="%">
Cell Color	<TH BGCOLOR="#\$\$\$\$\$\$">
Table Caption	<CAPTION></CAPTION>
Alignment	<CAPTION ALIGN=TOP BOTTOM>

1.16 frames

QUICK REFERENCE

General

Links

Dividers

Tables

Structural

Images

Characters

Forms

 Style

Lists

Colors

Frames

 FRAMES (define and manipulate specific regions of the screen)

Description	Syntax
Frame Document	<FRAMESET></FRAMESET>
Row Heights	<FRAMESET ROWS=,,,></FRAMESET>
Row Heights	<FRAMESET ROWS=*></FRAMESET>
Column Widths	<FRAMESET COLS=,,,></FRAMESET>
Column Widths	<FRAMESET COLS=*></FRAMESET>
Borders	<FRAMESET FRAMEBORDER="yes no">
Border Width	<FRAMESET BORDER=?>
Border Color	<FRAMESET BORDERCOLOR="#\$\$\$\$\$">
Define Frame	<FRAME>
Display Doc	<FRAME SRC="URL">
Frame Name	<FRAME NAME="***" _blank _self _parent _top>
Margin Width	<FRAME MARGINWIDTH=?>
Margin Height	<FRAME MARGINHEIGHT=?>
Scrollbar?	<FRAME SCROLLING="YES NO AUTO">
Not Resizable	<FRAME NORESIZE>
