

## Processes Definitions

**Note:** These are applications, DAs, etc. which are currently running on the machine

- **Process = Name of file from which the process came**
  - ◇ **Serial Number = In hex, used to communicate with other processes**
  - ◇ **Type = Finder type of file which originated the process**
  - ◇ **Creator = Finder creator of file which originated the process**
  - ◇ **Partition Start = Address of process in memory in hex**
  - ◇ **Partition Length = Length of process in bytes**
  - ◇ **Partition FreeMem = Free memory available within space allocated to process in bytes. Corresponds to white space in "About this Macintosh next to the program's name**
  - ◇ **Path Name = Location of file**
  - ◇ **Launched By = Who/what launched the process**
  - ◇ **Attributes :**
    - + **Can Multi-Launch = Yes/No**
    - + **Can accept Suspend/Resume Events = Yes/No**
    - + **Can operate in Background = Yes/No**
    - + **Can operate in Foreground = Yes/No**
    - + **Can perform own Activate tasks = Yes/No**
    - + **Is notified when Sub-Process ends = Yes/No**
    - + **Can receive Mouse Events in Background = Yes/No**
    - + **Is 32 Bit compatible = Yes/No**
    - + **Is High Level Event aware = Yes/No**
    - + **Can receive High Level Events across a Network = Yes/No**
    - + **Can recognize Stationary Documents = Yes/No**