

CCIZip 2.0 Manual Index

General Information

[Introduction](#)
[Important Startup Information](#)
[Enhancements](#)
[Usage Information](#)
[Registration](#)

Commands

[File Menu](#)
[Directory Menu](#)
[Archive Menu](#)
[Options Menu](#)
[Popup Menus](#)

Procedures

[Browser Usage](#)
[Mouse Usage](#)
[Receptacle Usage](#)

General Information

Introduction

CCIZip 2.0 is a program that adds a new dimension of file management to your Windows environment. With the magnitude of Windows software getting bigger every day, it becomes annoying to have to shell out to DOS to perform simple file management - like zipping a few files. It is the intent of this program to eliminate all manual shelling to DOS and allow the user to perform all archive file management in a simple, easy to use Windows program.

Unfortunately, all computer owners must beware of viruses that could infect their computers, particularly when downloading archive files. The programmers at the Creative Consortium have decided to support the support virus scanning software also. With CCIZip 2.0 you can search the contents of a archive file for viruses without ever leaving the Windows application.

The basic functionality of CCIZip 2.0 is not unique. There are several other shareware programs that provide Windows front-ends to archive software and virus scanning utilities programs. However, CCIZip 2.0 offers an unmatched combination of functionality and useability.

Important Startup Information

The CCIZip 2.0 software package assumes that the archive software and virus scan utilities are in your DOS environment path. However, CCIZip 2.0 will, upon initial startup, prompt you for the pathnames of the various support programs you intend to use. If you do not intend to use a particular support program, leave its entry empty. If you have a particular support program in your DOS environment path, simply specify the program name. If you do **not** intend to have a particular support program in your DOS Environment path, you **must** include the pathname in the name of the program. After this, CCIZip 2.0 will store the information in an .INI file so it will always know where to find the support programs.

If any of the above information needs to be changed, run the Path Setup option from the File menu to inform CCIZip 2.0 where the support programs are now located.

Enhancements

This is Version 2.0 of the first product released by the Creative Consortium. We listened to the comments from users of 1.0 and have incorporated many new features in 2.0:

We have augmented the file management functionality -- you can now copy, move, delete, rename, and duplicate files and directories.

We have extended the archive protocols supported by CCIZip 2.0 -- you can now ZIP, ARC, PAK, ZOO, ARJ, and UUEncode/UUDecode.

We have implemented generic Scan functionality -- you can now specify a file (even a batch file) to execute a scan, removing CCIZip 2.0 previous dependency on McAfee Virus Utilities.

We have added a Path Setup dialog box which will start up on initial use of CCIZip 2.0 -- you no longer have to make sure your archive software and virus scanning software are in your DOS path.

All of these enhancements have also led us to a new action-oriented drag-and-drop interface for CCIZip 2.0 -- most file management functions can be performed with a simple drag-and-drop. Also, both Browsers now have the same functionality -- CCIZip 2.0 considers archive files to be just another level in the normal file/directory tree hierarchy. You can now manage files within archives just as you would normal files in a directory.

We consider the items above to be the advantage CCIZip 2.0 has over other Archive Managers. However, we are still interested in hearing your comments about this program. We consider all comments and suggestions. So please give us call.

Thank you,

The Creative Consortium
P.O Box 47745
Oak Park, MI 48237
(313)589-8247

Usage Information

CCIZip 2.0 is a very simple program to use. The CCIZip 2.0 window consists of three elements. These are:

Receptacles:

The CCIZip 2.0 Window contains many recessed icons. These recessed icons are called receptacles, so called because they are the recipients of drags. When an item is dragged into a receptacle, an action takes place. There are 6 different receptacles in CCIZip 2.0; they are the Compress, Uncompress, Delete, Archive View, Scan, and Convert receptacles.

Browsers:

The CCIZip 2.0 Window contains 2 listboxes, Compress and Uncompress receptacles, a status bar, and a drive selector. These are all grouped in a shaded border. These areas are called the Browser, so called because they are how one browses through the file hierarchy in CCIZip 2.0.

Popup Menus:

The Browsers and the filenames in the Browser's listbox have popup menus that are activated when you click on them with the right mouse button. They are called the Browser and File Popups, respectively. The Browser Popup is activated by clicking the right mouse button in the grey area of the one of the Browsers. The File Popups are activated by clicking the right mouse button on one of the filenames in the Browser's listbox. These menus allow you to do some special commands such as moving groups of files, running PKZipFix on ZIP files, duplicating and renaming files...

Registration

CCIZip 2.0 is not free. If you continue to use this program after 30 days it is required that you send \$33 dollars to:

The Creative Consortium
P.O Box 47745
Oak Park, MI 48237

Registering CCIZip 2.0 does **not** register the PKZip, LHArc, Zoo, Pak, and Arc programs also!!

Site Licenses are available.

Why should you register this program?

1. Free technical phone support (313-589-8247).
2. It is cheaper, more functional, and easier to use than other similar programs.

Procedures

Browser Usage

Following are the different elements that are contained in a file browser (from top to bottom):

Current File/Directory Name

This window displays the name of the current directory in the file browser. If an archive file is open, the name of the open file will be displayed.

Compress/Uncompress Receptacles

Drag files to the Compress and Uncompress Receptacles (See [Receptacle Usage](#)) to compress or uncompress files in the current file browser.

Drive Selector

Click on the down-arrow of this window to display a list of all active DOS Drives. Select a drive switch the file browser to the current directory of the selected drive.

Listbox

This window displays the contents of the current directory of the file browser or the contents of an open archive file. Files from the listbox can be dragged to the Receptacles (See [Receptacle Usage](#)) or another listbox to perform file or archive management. Double click on an archive file to open it and display its contents. Double clicking a directory will switch to that directory. Double clicking any other file will try to execute that file if it is an executable, or find an associated application otherwise.

File Size Display

This window displays the size of all selected files. Directories count as a size of zero. If an archive file is open, the size is the size of the file if it were to be uncompressed.

Mouse Usage

CCIZip 2.0 adds the dimensions of mouse usage that are found in most modern programs. The first of these features is Drag and Drop. Selected files from either of the listboxes can be dragged to another listbox, or any of the available Receptacles. This drag and drop technique can be used as a replacement for using the Pull down menus. The second feature is Popup Menus. By clicking the right mouse button on a file or on the empty spaces of the Browser, you will be presented with a quick list of items that are related to the specific area you clicked on.

Receptacle Usage

All actions using receptacles are initiated by dragging a group of selected files to the receptacle (See [Mouse Usage](#)).

There is one compress receptacle for each browser. Dragging files to the compress receptacle will add those files to an archive file. If an archive file is open in that receptacle, the files will be added to the archive file using the options specified for the archive program. Otherwise, you will be prompted to enter a new archive file name.

There is one uncompress receptacle for each browser. Dragging files to the uncompress receptacle will uncompress files to the directory of the browser that contains the receptacle. The destination browser must be in file viewing mode (i.e. an archive file can not be open). If a list of archive files is dragged to the receptacle, each archive file will be completely uncompressed using the options specified for each archive program. Otherwise, the selected files within an open archive file will be uncompressed.

Dragging files to the delete receptacle will cause those files to be deleted. If a directory is dragged, that directory and all of its subdirectories will be deleted. If selected files from an open archive file are dragged, those files will be removed from the archive file.

Dragging archive files to the scan receptacle will cause the archive files to be uncompressed in a temporary directory, that directory will then be scanned for viruses using the selected scanning program. The temporary directory will then be removed.

Dragging archive files to the view receptacle will view the contents of that archive file. If selected files from an open archive file are dragged, the contents of those files will be displayed. NOTE: View should only be used on ASCII files.

Dragging archive files to the convert receptacle will convert those archive files to the format of another archive program.

Commands

File Menu

The following commands are available from the File Menu:

Copy

Choose Copy from the File Menu to make a copy of the selected files in the **opposite** browser. If the selected files are in an open archive file, those files will be uncompressed into the opposite browser.

This menu item has the same affect as dragging a group of selected files to the **opposite** browser.

Move

Choose Move from the File Menu to move the selected files to the **opposite** browser.

Rename

Choose Rename from the File Menu to change the file name of the currently selected file.

Delete

Choose Delete from the File Menu to delete the selected files. If the selected files are in an open archive file, those files will removed from that archive file.

This menu item has the same affect as dragging a group of selected files to the Delete Receptacle.

Duplicate

Choose Duplicate from the File Menu to make a duplicate copy of the selected file.

Compress

Choose Compress from the File Menu to compress the selected files into an archive file in the **opposite** browser. If the opposite browser already has an archive file open, the selected files will be added to that archive file.

This menu item has the same effect as dragging the selected files to the compress receptacle in the **opposite** browser.

Uncompress

Choose Uncompress from the File Menu to uncompress the selected files of an open archive file into the current directory of the **opposite** browser.

This menu item has the same effect as dragging the selected files to the uncompress receptacle in the **opposite** browser.

Scan

Choose Scan from the File Menu to run the virus scanning software against the currently selected archive file. The archive file will be uncompressed in a temporary directory and the contents of that archive file will be scanned.

This menu item has the same effect as dragging a group of archive files to the Scan Receptacle.

Convert

Choose Convert from the File Menu to convert a group of selected archive files to another archive file format. (i.e. Convert a ZIP file to an ARJ file).

This menu item has the same effect as dragging a group of archive files to the Convert Receptacle.

Archive View

Choose Archive View from the File Menu to display a detailed description of the contents of an group of selected archive files. If an archive file is already open, then choosing this menu item will display the text contents of the selected files within the Archive File.

Choosing this menu item has the same effect as dragging a group of selected files to the Archive Receptacle.

Special

Choosing Special from the File Menu displays a sub-menu of functions that can be performed on certain Archive File formats. These special functions are not applicable to all archive file formats.

Comment:

Choosing Comment from the Special sub-menu will allow you to add comments to each of the files contained within the currently selected archive file.

Self Extracting:

Choosing Self Extracting from the Special sub menu will allow you to convert the currently selected archive file into a self extracting archive file.

Fix:

Choosing Fix from the Special sub-menu will allow you to fix the contents of a damaged archive file.

Test:

Choosing Test from the Special sub menu will allow you to test the data integrity of the currently selected archive file.

UUEncode

Choosing UUEncode from the File Menu will Encode the selected files according to the current options for UUE files.

UUDecode

Choosing UUDecode options will decode the selected encoded files according to the current options for UUE files.

Path Setup

Choose Path Setup from the File Menu to display the Path Setup Dialog Box that will configure the DOS Path locations for the various programs used by CCIZip 2.0.

Save Options

Chose Save Options from the File Menu to save the current options for each of the archive programs to the CCIZip 2.0 Initialization file. These options will be used the next time CCIZip 2.0 is run.

Shell Configuration

Choosing this item will display the Shell Configuration Dialog Box that will configure the speed and compression rate of ARJ compression.

Compression Type:

Choosing this item will display the Compression Type Dialog Box that will set

the filter for all newly added files.

Date Filter:

Choosing this item will display the ARJ Date Filter Dialog Box that will set the date filter for newly added files.

Recursion:

Choosing this item will display the Recursion Dialog Box that will set the attributes that determine how the compression programs will store sub-directories and the files within those sub-directories.

Save Volume Label:

Choosing this item will display the Volume Label Dialog Box that will select the drive from which the volume label will be saved into the archive file.

Working Directory:

Choosing this item will display the Working Directory Dialog Box that will set the directory that the archive program will store its temporary files in.

Move:

Check this menu item to move(copy and then delete) the selected files into the archive file.

Password:

Check this menu item to password protect files as they are added to the archive file. CCIZip 2.0 will prompt you for a password before the compression begins.

Uncompress Options:

Following are the options that can be set for the ARJ Uncompress Options menu item:

Extract To:

Choosing this item will display the Extract To Dialog Box that will set the output device for the extraction of data.

Uncompress Type:

Choosing this item will display the Uncompress Type Dialog Box that will set

the filter for file extraction.

Create Subdirectories:

Check this menu item to create directories as needed in order to duplicate the original directory structure of the archived files.

Extract Volume Label:

Check this menu item to extract a volume label that is stored within the archive file and overwrite the current volume label.

Overwrite Existing Files

Check this menu item if it is OK to overwrite files that already exist during an extraction.

Password

Check this menu item to specify the password needed to uncompress files. CCIZip 2.0 will prompt you for a password before the extraction begins.

Directory Menu

Create Directory

Choose this menu item to create a new directory in the current browser. The directory will be based off of the current directory in the browser.

Delete Directory

Choose this menu item to delete all selected directories **and any other selected files** in the current browser.

Set Startup Directory

Choose this menu item to make the current directory in the browser the startup directory for that browser. Every time you startup CCIZip 2.0, this directory will be the current directory of the browser.

Move Selected Files

Choose this menu item to move all of the selected files in the browser to the current directory of the opposite browser.

Refresh

Choose this menu item to redisplay the files in the current directory of the browser.

Select Wildcards

Choose this menu item to select multiple files by wildcard in the current directory of the browser. Standard DOS wildcards are accepted (* and \$).

Select All

Choose this menu item to select all of the files in the current directory of the browser.

Archive Menu

The file extensions for every archive program are displayed in the Archive Menu. The options for the selected archive program will be displayed in the Options Menu.

Options Menu

The Options Menu displays the options for the archive program selected in the Archive Menu. The title of the Options Menu will change according to the selection in the Archive Menu. Following are the possible Option Menus that can be displayed:

ARJ Options

LHArc Options

PAK Options

PKZip Options

UUEncode Options

ZOO Options

LHArc Options

Compress Options

Following are the options that can be set for the LHArc Compress Options menu item:

Compression Type:

Choosing this item will display the Compression Type Dialog Box that will set the filter for all newly added files.

Recursion:

Choosing this item will display the Recursion Dialog Box that will set the attributes that determine how the compression programs will store sub-directories and the files within those sub-directories.

Working Directory:

Choosing this item will display the Working Directory Dialog Box that will set the directory that the archive program will store its temporary files in.

Date Of Latest File:

Check this menu to set the date of the archive file to the date of the latest file contained within it.

Move:

Check this menu item to move(copy and then delete) the selected files into the archive file.

Store Only:

Check this menu item to store files in the archive file. No compression will be performed.

Uncompress Options:

Following are the options that can be set for the LHArc Uncompress Options menu item:

Extract To:

Choosing this item will display the Extract To Dialog Box that will set the output device for the extraction of data.

Create Subdirectories:

Check this menu item to create directories as needed in order to duplicate the original directory structure of the archived files.

Extract Only Newer Files:

Check this menu item to only extract files that are newer than the files in the DOS directory.

Overwrite Existing Files

Check this menu item if it is OK to overwrite files that already exist during an extraction.

PAK Options**Compress Options**

Following are the options that can be set for the PAK Compress Options menu item:

Compression Type:

Choosing this item will display the Compression Type Dialog Box that will set the filter for all newly added files.

Overwrite:

Choosing this item will display the Overwrite Dialog Box that will set the attributes that determine when to overwrite existing files within the archive file.

Working Directory:

Choosing this item will display the Working Directory Dialog Box that will set the directory that the archive program will store its temporary files in.

Comment Archive:

Check this menu item to add a comment to the archive file during all compression actions.

Comment Added:

Check this menu item to add a comment to each file that is added to the archive file.

Date Of Latest File:

Check this menu to set the date of the archive file to the date of the latest file contained within it.

Move:

Check this menu item to move(copy and then delete) the selected files into the archive file.

Password:

Check this menu item to password protect files as they are added to the archive file. CCIZip 2.0 will prompt you for a password before the compression begins.

Recurse:

Check this menu item to recursively compress any selected directories.

Uncompress Options:

Following are the options that can be set for the PAK Uncompress Options menu item:

Extract To:

Choosing this item will display the Extract To Dialog Box that will set the output device for the extraction of data.

Overwrite:

Choosing this item will display the Overwrite Dialog Box that will set the attributes that determine when to overwrite existing files in the destination directory..

Create Subdirectories:

Check this menu item to create directories as needed in order to duplicate the original directory structure of the archived files.

Move:

Check this menu item to move(copy and then delete) the selected files into the current directory file.

Password:

Check this menu item to specify the password needed to uncompress files. CCIZip 2.0 will prompt you for a password before the extraction begins.

View Options:

Following are the options that can be set for the PAK View Options menu item:

View Comments:

Check this menu item to display the archive file comments when viewing the archive file.

PKZip Options

Compress Options

Following are the options that can be set for the PKZip Compress Options menu item:

Compression Algorithm:

Choosing this item will display the PKZip Compression Algorithm Dialog Box that will configure the speed and compression rate of PKZip compression.

Compression Type:

Choosing this item will display the Compression Type Dialog Box that will set the filter for all newly added files.

Date Filter:

Choosing this item will display the PKZip Date Filter Dialog Box that will set the date filter for newly added files.

Recursion:

Choosing this item will display the Recursion Dialog Box that will set the attributes that determine how the compression programs will store sub-directories and the files within those sub-directories.

Save Volume Label:

Choosing this item will display the Volume Label Dialog Box that will select the drive from which the volume label will be saved into the archive file.

Working Directory:

Choosing this item will display the Working Directory Dialog Box that will set the directory that the archive program will store its temporary files in.

Comment Archive:

Check this menu item to add a comment to the archive file during all compression actions.

Comment Added:

Check this menu item to add a comment to each file that is added to the archive file.

Move:

Check this menu item to move(copy and then delete) the selected files into the archive file.

Password:

Check this menu item to password protect files as they are added to the archive file. CCIZip 2.0 will prompt you for a password before the compression begins.

Uncompress Options:

Following are the options that can be set for the ARJ Uncompress Options menu item:

Extract To:

Choosing this item will display the Extract To Dialog Box that will set the output device for the extraction of data.

Uncompress Type:

Choosing this item will display the Uncompress Type Dialog Box that will set the filter for file extraction.

Create Subdirectories:

Check this menu item to create directories as needed in order to duplicate the original directory structure of the archived files.

Extract Volume Label:

Check this menu item to extract a volume label that is stored within the archive file and overwrite the current volume label.

Overwrite Existing Files

Check this menu item if it is OK to overwrite files that already exist during an extraction.

Password

Check this menu item to specify the password needed to uncompress files. CCZip 2.0 will prompt you for a password before the extraction begins.

View Options:

Select this menu item to display the PKZip View Options Dialog Box in order to configure the sorting pattern when viewing a zip file.

UUEncode Options

Encoding Options:

Select this menu item to display the UUEncode Encoding Options Dialog Box in order to configure the UUEncode program options.

ZOO Options

Compress Options

Following are the options that can be set for the ZOO Compress Options menu item:

Compression Type:

Choosing this item will display the Compression Type Dialog Box that will set the filter for all newly added files.

Move:

Check this menu item to move(copy and then delete) the selected files into the archive file.

Store Files Only:

Check this menu item to store, not compress, files in the archive file.

Uncompress Options:

Following are the options that can be set for the ZOO Uncompress Options menu item:

Extract To:

Choosing this item will display the Extract To Dialog Box that will set the output device for the extraction of data.

Create Subdirectories:

Check this menu item to create directories as needed in order to duplicate the original directory structure of the archived files.

Extract Only Newer Files:

Check this menu item to only extract files that are newer than the files in the DOS directory.

Overwrite Existing Files

Check this menu item if it is OK to overwrite files that already exist during an extraction.

View Options:

Following are the options that can be set for the ZOO View Options menu item:

View Comments:

Check this menu item to display the archive file comments when viewing the archive file.

ARJ Compression Algorithm Dialog Box

Select one of the following levels of compression that are available through ARJ. These levels are:

Store Only

Data will simply be stored in the archive file, without compression.

Best Compression

Data will be stored with the best compression for general use

Less Compression

Data will be stored with slightly less compression, but it will be performed faster.

Less Compression, Less Memory, Faster

Data will be stored with even less compression, less memory will be used and the compression will be performed faster.

Fastest Compression

Data will be stored at the fastest possible rate. This compression method results in the lowest compression ratio.

Arj Date Filter Dialog Box

Date Of Latest File

Mark this checkbox to set the date of the archive file to the date of the file with the latest date within the archive file.

Compress Files On Or After

Enter a date in the YYMMDD format. Only files with a time stamp after that date will be added to the archive file.

Compression Type Dialog Box

Add

All selected files will be added to the archive file.

Freshen

A selected file will only be added to the archive file if there is already a file of the same name in the archive file and the selected file is newer.

Update

A selected file will be added to the archive file if it is not already contained in the archive file or if it is newer than a file of the same name that is already in the archive file.

Recursion Dialog Box

Recurse Subdirectories

Mark this checkbox to recursively store directories in the archive file. If a directory is chosen to be archived, all of its sub-directories will also be archived.

Store Pathnames

Mark this checkbox to store the path names of recursed files in the archive file. This will enable files to be uncompressed into the same directory structure as they were compressed from.

Save Volume Label Dialog Box

Drive

Enter the letter of the drive whose volume label is to be saved into the archive file.

Working Directory Dialog Box

Specify Working Directory

Enter the path for the directory which the archive program will store its temporary files in.

Extract To Dialog Box

Files

Select this radio button to extract files to disk.

Screen

Select this radio button to extract files to the screen

Printer

Select this radio button to extract files to the printer

LPT1

Select this radio button to use printer device LPT1 when the printer radio button is selected.

LPT2

Select this radio button to use printer device LPT2 when the printer radio button is selected.

Uncompress Type Dialog Box

Default

Select this radio button to extract all selected files from the archive file.

Only Newer

Select this radio button to extract only those files from an archive file that are more recent than a file of the same name on disk. If the file does not exist on disk, it will be extracted.

Only Newer And Existing

Select this radio button to extract only those files from an archive file that are more recent than a file of the same name on disk. The file must already exist on disk in order for the more recent file to be extracted from the archive file.

Convert Dialog Box

This dialog box will present you with a list of all possible archive file formats. Choose the format that you wish each of the selected files to be converted to.

Overwrite Dialog Box

Write Over Always

Select this radio button to Always overwrite existing files when compressing or uncompressing.

Write Over Older

Select this radio button to only write over existing files that have an older file stamp than the file that it is to be overwritten by.

Prompt Write Over

Select this radio button to prompt the user before overwriting existing files.

Never Write Over

Select this radio button to never overwrite existing files.

PKZip Compression Algorithm Dialog Box

Maximal

Select this radio button to use the Maximal PKZip compression for each file.

Implode Only

Select this radio button to only use the PKZip Implode algorithm for all compressed files.

Shrink Only

Select this radio button to only use the PKZip Shrink algorithm for all compressed files.

PKZip Date Filter Dialog Box

Same Date:

Select this radio button to leave the date of the archive file unchanged after each compress action.

Current Date:

Select this radio button to set the date of the archive file to the current date after each compress action.

Date Of Latest File:

Select this radio button to set the date of the archive file to the date of the latest file contained within it.

Compress Files On Or After:

Enter a date in the format of MMDDYY to only compress files with a date later than this date filter.

PKZip View Options Dialog Box**Display Comments**

Select this check box to display comments stored in the zip file while viewing it.

View In Reverse Order

Select this check box to display the contents of the zip file in the reverse order of the selected sorting algorithm.

Date

Select this radio button to display the contents of the zip file sorted by the date of the compressed files

Extension

Select this radio button to display the contents of the zip file sorted by the file extension of the compressed files

File Name

Select this radio button to display the contents of the zip file sorted by the file name of the compressed files

Original Order

Select this radio button to display the contents of the zip file in the original order that they were compressed in.

Percent Compression

Select this radio button to display the contents of the zip file sorted by the

compression ratios of the compressed files.

File Size

Select this radio button to display the contents of the zip file sorted by the size of the compressed files

UUEncode Encoding Options Dialog Box

UUEncode

Select this radio button to use the UUEncode encoding algorithms.

XXEncode

Select this radio button to use the XXEncode encoding algorithms.

Use Character Mapping Table

Select this radio button to use the Character Mapping Table encoding algorithms.

Calculate Line Checksums

Select this check box to calculate a checksum for each line in the encoded file.

Calculate Section Checksums

Select this check box to calculate a checksum for each section the an encoded file is broken up into.

Lines Per Section

Enter the maximum number of lines that each section of the encoded file will contain. When encoding, the encoded file will be broken up into files that contain this number of lines.

Lines Of Padding In First Section

Enter the number of lines of padding to be placed in the first section of the encoded fille.

Shell Configuration Dialog Box

Hide Shell

Select this checkbox to run the CCIZip 2.0 shell Minimized in the background.

You must run windows in 386 Enhanced mode in order to correctly use this option. It is recommended that you configure the Compression programs to overwrite existing file. If you do not, then the shell will be waiting for user input to determine if it is OK to overwrite existing files. The shell can be maximized at any time by double clicking on its icon.

Pause Between Shell Commands

The CCIZip 2.0 shell program will prompt the user to 'Hit Any Key To Continue' after every shell command. Select this checkbox to disengage this prompt.

Path Setup Dialog Box

Enter the directory/program names for the following items. If the program is in your path, the program name will suffice. Otherwise, you must enter the full path for the program. If you do not have one of the programs, leave the entry blank. When you hit OK from this dialog box, it will verify the location of each of the programs.

CCIZip Directory

Enter the location of the directory containing the CCIZip 2.0 program files.

CCIZip Temp Directory

Enter the directory that CCIZip 2.0 will use to store its temporary files.

Editor Program

Enter the name of the editor that CCIZip 2.0 will use to edit double clicked files.

PKZip Program

Enter the name of the PKZip compression program.

PKUnzip Program

Enter the name of the PKUnzip uncompression program.

PKZip Fix Program

Enter the name of the PKZip Fix utility program.

Self Extracting Program

Enter the name of the PKZip Zip-2-Exe conversion program.

LHArc Program

Enter the name of the LHArc program.

ARJ Program

Enter the name of the ARJ program.

PAK Program

Enter the name of the PAK program.

ZOO Program

Enter the name of the ZOO program.

UUEncode Program

Enter the name of the UUEncode program that is shipped with CCIZip 2.0.

UUDecode Program

Enter the name of the UUDecode program that is shipped with CCIZip 2.0.

Scan Program

Enter the name of the Scanning program. CCIZip 2.0 is intended to work with the McAfee Virus Scanning software. However, it can be used with other programs also. When you select an archive file to scan, CCIZip 2.0 will uncompress its contents in a temporary directory. It will then execute '<scan name> *.*'. If you wish to use a program that has a different command line, you can write a batch file and insert a %1 where you would like the *.* to appear. You can then specify the batch file name as the Scan Program.

Popup Menus

CCIZip 2.0 makes use of popup menus to provide object specific functionality. All popup menus are activated clicking the right mouse button on the object. Popups can be activated for either of the two file browsers or for each individual file.

Browser Popups

File Popups

Browser Popups

A popup menu for a browser can be selected by clicking the right mouse button on the background (non-listbox area) of either of the browsers. Following are the functions that can be performed on the browser:

Create Directory

Choose this menu item to create a new directory in the current browser. The directory will be based off of the current directory in the browser.

Set Startup Directory

Choose this menu item to make the current directory in the browser the startup directory. Every time you run CCIZip 2.0, this directory will be the current directory of the browser.

Move Selected Files

Choose this menu item to move all of the selected files in the browser to the current directory of the opposite browser.

Refresh

Choose this menu item to redisplay the files in the current directory of the browser.

Select Wildcards

Choose this menu item to select multiple files in the current directory of the browser. Standard DOS wildcards are accepted (* and \$).

Select All

Choose this menu item to select all of the files in the current directory of the browser.

File Popups

A popup menu for a file can be activated by clicking the right mouse button on that file. Following are the functions that can be performed on all files:

Duplicate

Select this menu item to duplicate the currently selected file.

Rename

Select this menu item to rename the currently selected file.

UUEncode

Select this menu item to Encode the currently selected file. The encoded file will have the same name with an extension of UUE or XUE.

UUDecode

Select this menu item to Decode the currently selected file. The file must have been previously encoded with a compatible Encoding program.

Each archive file program has a unique set of functions. The popup menus for each archive program will contain all of the above mentioned functions plus the unique functions that it can perform.

ARJ Popup Menu

Following are the options that can be performed on an ARJ file:

Comment

Choose this menu item to add comments to the files contained within the archive file.

Make Self Extracting

Choose this menu item to make a self extracting executable for the currently selected archive file.

Test

Choose this menu item to test the integrity of the currently selected archive file.

LHarc Popup Menu

Following are the options that can be performed on an LHarc file:

Make Self Extracting

Choose this menu item to make a self extracting executable for the currently selected archive file.

Test

Choose this menu item to test the integrity of the currently selected archive file.

PAK Popup Menu

Following are the options that can be performed on an PAK file:

Comment

Choose this menu item to add comments to the files contained within the archive file.

Convert Self Extracting

Choose this menu item to change the currently selected archive file into a self extracting executable file.

Test

Choose this menu item to test the integrity of the currently selected archive file.

PKZip Popup Menu

Following are the options that can be performed on an PKZip file:

Comment

Choose this menu item to add comments to the files contained within the archive file.

Fix

Choose this menu item to fix the currently selected zip file that has errors in it.

Make Self Extracting

Choose this menu item to make a self extracting executable for the currently selected archive file.

Test

Choose this menu item to test the integrity of the currently selected archive file.

Zoo Popup Menu

Following are the options that can be performed on an PKZip file:

Comment

Choose this menu item to add comments to the files contained within the archive file.

Test

Choose this menu item to test the integrity of the currently selected archive file.