

**OLIVETTI**

**COLLABORATORS**

	<i>TITLE :</i> OLIVETTI		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		October 30, 2022	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>OLIVETTI</b>	<b>1</b>
1.1	Contents . . . . .	1
1.2	intro . . . . .	1
1.3	reqs . . . . .	1
1.4	feat . . . . .	2
1.5	instal . . . . .	3
1.6	prefs . . . . .	3
1.7	custom . . . . .	4
1.8	hist . . . . .	4
1.9	author . . . . .	5

---

## Chapter 1

# OLIVETTI

### 1.1 Contents

Olivetti JP driver  
by Peter Hutchison  
30/12/99 40.2

Introduction  
Requirements  
Features  
Installation  
Customisation  
Preferences  
History  
Author

### 1.2 intro

Introduction

This is my ninth driver to be released . This is a colour printer driver for the Olivetti JP series of inkjet printers. This uses the HP Deskjet 500C PCL command language so it made it easy to customize the existing Deskjet drivers for the Olivetti range.

### 1.3 reqs

---

## Requirements

Computer: Any Amiga.

Memory: 1Mb or more

Workbench: WB 1.3 or better (upto 3.1)

Printers:

Olivetti JP 50, 70, 90, 150, 170, 190, 192, 250, 270,  
350, 360, 570, 450, 470.

NB: Use Olivetti\_JP790 driver for the 790 printer.

HP PCL 3 Emulation (HP 500C).

Printer Enhancement packages, such as TurboPrint or Studio should not be used with this driver.

## 1.4 feat

### Features

Colour: CMYK (Colour AND Black) dual cartridges  
Photo cartridges are NOT supported. Sorry.

Resolution: 75 to 600 dpi.

Graphics: Upto 600 x 300 colour, b/w

Aspect: Portrait and Landscape

Output: B&W and Colour Text,  
B&W, greyscale and colour graphics

### Typefaces:

ESC(s4099T = Courier  
ESC(s4104T = CG Times  
ESC(s4102T = Letter Gothic  
ESC(s4148T = Universal  
ESC(s0T = LinePrinter  
ESC(s1T = Pica  
ESC(s8T = Prestige  
ESC(s2T = Elite  
ESC(s7T = Script  
ESC(s4T = Helvetica  
ESC(s11T = Presentations.

(Unfortunately, no room for 7 other typefaces)  
Uses character symbol sets fonts for other typefaces.

\*NEW - Optimised for Speed and Versions for '000 and '020 processors.

Compiled with SAS C 6.58

### Densities

0 75 x 75

---

- 1 75 x 75
- 2 150 x 150
- 3 150 x 150
- 4 150 x 150
- 5 300 x 300
- 6 300 x 300
- 7 600 x 300 (supported by 90, 190, 192)

NB: 600x300 may produce crushed output in some cases.  
US LEGAL supports 14in paper.

## 1.5 instal

### Installation

Run the `Install_Driver` program and choose processor type (use 020 if you have a 030, 040 or 060) and printer model closest to your printer from the list given.

If installing a new printer, run the Preferences to select the correct driver and set it up. See  
Prefs  
.

## 1.6 prefs

### Preferences

#### 1. Printer

- Printer Type - select appropriate printer from list
- Printer Port - usually Parallel
- Printer Pitch - Pica, Elite or Fine (choose one that suits you)
- Print Spacing - 6 or 8 lpi (I use 6)
- Print Quality - Use Letter for max quality
- Paper Type - Use Single for paper such as A4
- Paper Format - Use DIN A4 for standard single sheet A4 (don't use Wide)
- Paper Length - Only set this if using a CUSTOM page length (see Paper Format).
- Margins - Use 2 and 80 characters

#### 2. PrinterGfx

- Dithering - Floyd Steinburg for best quality
  - Scaling - Integer for line gfx or text.  
Use Fraction for shaded pics.
  - Image - Positive (Neg is rarely used)
  - Aspect - Horizontal
  - Shade - Color (NB: Use BW if using Multiview with Text)
  - Threshold - Around 5 (use a smaller figure if too dark)
  - Density - Use whatever you fancy (use a small figure for speed and less ink)
-

Color Correction - Don't set, use all 4096 (12 bit) colours  
Limits - Set to ignore  
Smoothing - Used to smooth out lines esp. in graphic dumps of text  
Centre Picture - Tick this if you want centralised pics

Further information is in your Workbench Users Guide (Ch 9) or see my web page for info on preferences.

If you are experiencing problems with this driver send me email (see below). You can download updates from Aminet, my web page or Amiga Format CDs.

## 1.7 custom

Customisation

If you wish you can customize your driver to your language for text based printing. The Driver defaults to ESC(1E for UK character set (ESC=1B). Use a binary editor (e.g. FileX) to change the above init string (4 chars) to another character set.

e.g.

ESC(8U = HP Roman 8  
ESC(0N = Latin 1  
ESC(1G = German (ISO 21)  
ESC(1F = French (ISO 69)  
ESC(0I = Italian (ISO 15)  
ESC(2S = Spanish (ISO 17)  
ESC(0S = Swedish (ISO 11)  
ESC(1U = HP Legal  
ESC(9T = Turkish  
ESC(2N = Latin 2  
ESC(5N = Latin 5  
ESC(4S = Portuguese  
ESC(0D = Norweigan

NB: Do not use longer commands eg ESC(17U (PC-852) as that will overwrite the next command or the printer will not init correctly.

## 1.8 hist

History

1.0 First Release with Typeface support.  
1.1 Added 600 x 300 resolution (JP90,190,192)

30/12/99

40.2 Added ESC E for proper initialisation.  
Added Paper size support  
Changed version to match OS versions.  
New Guide documentation.

---

## 1.9 author

Author

This driver is Giftware, you are not obliged to send anything but if you want to contribute to further driver development for this printer and others then send me either money (5UKP) or something 'Amiga' to me at:

Email: [pjhutch@blizzard.u-net.com](mailto:pjhutch@blizzard.u-net.com)

Web: <http://www.blizzard.u-net.com>

or

Peter Hutchison

75 Lower Skircoat Green

Copley Lane

Halifax

W Yorks

England

HX3 0TG

---