

Changer

COLLABORATORS

	<i>TITLE :</i> Changer		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		December 25, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	Changer	1
1.1	DefaultTool-Changer.guide	1
1.2	What is DefaultTool-Changer ?	1
1.3	DefaultTool-Changer/Copyright	2
1.4	DefaultTool-Changer/Installation	3
1.5	DefaultTool-Changer/Using DefaultTool-Changer	3
1.6	DefaultTool-Changer/History	4

Chapter 1

Changer

1.1 DefaultTool-Changer.guide

"DefaultTool-Changer" (V1.0)

25.05.97

Copyright (C) 1997 by Falk Zühlsdorff

What is DefaultTool-Changer ?

Copyright

Installation

Using DefaultTool-Changer

History

1.2 What is DefaultTool-Changer ?

DefaultTool-Changer is a simple/fast program to change the Default-Tools from all icons (WBPROJECT) in a directory. It is helpful for CD-Productions or to change the DefaultTools on your harddisk...

Example: you have 100 pictures with 100 icons and many DefaultTools (in some directories with subdirectories...), like

```
c:vt
gfx:ppshow
hd6:mainview
c:multiview
```

```
sys:Utilities/Multiview
...
```

and you need for you CD-Production

```
myCDROM:c/PicViewer
```

or you want only one DefaultTool for all pictures on your harddisk, like

```
Multiview
```

THEN YOU WILL LOVE THE PROGRAM: DefaultTool-Changer

1.3 DefaultTool-Changer/Copyright

DefaultTool-Changer is FREeware, (C) & (P) by

```
Falk Zühlsdorff
Lindenberg 66
98693 Ilmenau
```

Germany

```
Email: ai036@rz.tu-ilmenau.de
WWW:   http://www.rz.tu-ilmenau.de/~ai036
```

Please send my an email or postcard if you use this program.

NO LIABILITY FOR DESTROYED DATA OR OTHER PROBLEMS USING THIS PROGRAM

```
other stuff:      CDpro (CD-Database),
                  APrint (Address-Database),
                  ...
                  P.U.R.I.T.Y.-Pascal-FD (63 Disx or on CD-ROM),
                  MODs Vol.1 (CD-ROM with more than 4000 MODs (Protracker))
```

Reqtools.library is (c) by Nico François / Magnus Holmgren

1.4 DefaultTool-Changer/Installation

Two ways to install DefaultTool-Changer:

1. Use the Installerscript "Install"...
2. Copy "DefaultTool-Changer" to the place to want.

If the "reqtools.library" is not in LIBS:
copy DefaultTool-Changer/Libs/reqtools.library to LIBS:

1.5 DefaultTool-Changer/Using DefaultTool-Changer

Left part of the window:

Listview "DefaultTools" displays a list with old and new DefaultTools
Format: old DefaultTool -> new DefaultTool

Stringgadgets
left stringgadget: old DefaultTool
right stringgadget: enter your new DefaultTool

copy an entry: press RETURN/ENTER in the right stringgadget at the end of your input

"N" entry Activate the left stringgadget and you can enter a new ↔

"D" Listview If "D" is selected all entries you select in the ↔
"DefaultTools" will deleted...

Right part of the window:

"Clear List" Clear the list with old/new DefaultTools

"Examine Directory" Scans the selected directory and add all new ↔
DefaultTools to the Listview "Default-Tools" on the right part of the ↔
window.

"Change DefaultTools" Set the new DefaultTools for your selected directory.
If there is only an old DefaultTool and no new one the DefaultTool from the icon(s) with this DefaultTool will not changed.

"Clean Up" Deletes all entries with no new DefaultTool. You should use this function before using "Change DefaultTools".
"Change DefaultTools" will be faster than without "Clean ↔
Up".

"Save List" you want.	Save the list with the old/new DefaultTools to the file ↔
"Load List"	Load a list from selected file...
"Save Configuration" your program-icon	Save window-size and window-position as tooltypes to ↔ and the program starts with this values next time...
"Info"	Requester with my address...

1.6 DefaultTool-Changer/History

V1.0 (25.05.97)	First release...
Future: (perhaps)	- version using locale.library - sort function or other simple features, we will see - version for p-OS (if p-OS becomes a surface with icons ↔ :-) !!!!!!!)
