

```

//*****
//*   RMS2WPW6.WCM
//*   This macro is used to change the pairs of Epson print
//*   codes to WPW attribute code pairs.
//*****

//*****
//*   MAIN PROGRAM
//*****
//APPLICATION(A1;"WordPerfect";Default;"US")

APPLICATION(A1;"WordPerfect";Default)

//PERSISTALL DEFAULTUNITS(Inches!)
VARERRCHK(OFF!)

CANCEL(ON!)
PROMPT("RMS-III: ATTRIBUTE CONVERSION";
"WordPerfect-Win,6.0, macro to convert Epson-type attribute/print codes,
e.g., {ESC}G, {ESC}-1, {ESC}4, etc. to WP-Win-6 codes. The process will
make three loops through the file, one each for bold, underline, and italic.
The screen will not display the results until the process is complete.";3)
PAUSE
ENDPROMPT

ONCANCEL(end2@)
DISPLAY(OFF!)
NOTFOUND(ON!)
PosDocTop ()

ONNOTFOUND(fixbold@)
LABEL(loop1@)

SearchString ("←G")
MatchSelection ()
SearchNext (Extended!)
DeleteCharNext ()
SearchString ("←H")
MatchExtendSelection ()
SearchNext (Extended!)
AttributeAppearanceToggle ({Bold!})
PosCharPrevious ()
SearchString ("←H")
MatchSelection ()
SearchNext (Extended!)

```

DeleteCharNext ()

GO(loop1@)
LABEL(fixbold@)
PosDocTop ()

ONNOTFOUND(fixund@)
LABEL(loop2@)
SearchString ("←-1")
MatchSelection ()
SearchNext (Extended!)
DeleteCharNext ()
SearchString ("←-0")
MatchExtendSelection ()
SearchNext (Extended!)
AttributeAppearanceToggle ({Underline!})
PosCharPrevious ()
SearchString ("←-0")
MatchSelection ()
SearchNext (Extended!)
DeleteCharNext ()

GO(loop2@)
LABEL(fixund@)
PosDocTop ()

ONNOTFOUND(fixitalic@)
LABEL(loop3@)

SearchString ("←4")
MatchSelection ()
SearchNext (Extended!)
DeleteCharNext ()
SearchString ("←5")
MatchExtendSelection ()
SearchNext (Extended!)
AttributeAppearanceToggle ({Italics!})
PosCharPrevious ()
SearchString ("←5")
MatchSelection ()
SearchNext (Extended!)
DeleteCharNext ()

GO(loop3@)
LABEL(fixitalic@)

PosDocTop ()

DISPLAY(ON!)

DialogDefine(200;50;50;100;70;1+16;"")

DialogAddText(200;1002;5;5;80;30;1;"Conversion complete; return to document.")

DialogDisplay(200;1)

DialogDestroy(200)

LABEL(end2@)

QUIT