

MicroIRC

COLLABORATORS

	<i>TITLE :</i> MicroIRC	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		January 18, 2023
<i>SIGNATURE</i>		

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	MicroIRC	1
1.1	MicroIRC.guide	1
1.2	MicroIRC.guide/Copyright	2
1.3	MicroIRC.guide/IRC	2
1.4	MicroIRC.guide/Installation	3
1.5	MicroIRC.guide/Connecting	3
1.6	MicroIRC.guide/CTCP	3
1.7	MicroIRC.guide/DCC	3
1.8	MicroIRC.guide/Commands	3
1.9	MicroIRC.guide/JOIN	4
1.10	MicroIRC.guide/LEAVE	5
1.11	MicroIRC.guide/RAW	6
1.12	MicroIRC.guide/Configuration	6
1.13	MicroIRC.guide/CTCP Setup	6
1.14	MicroIRC.guide/ARexx	7
1.15	MicroIRC.guide/RX_SAY	7
1.16	MicroIRC.guide/RX_ISCONNECTED	8
1.17	MicroIRC.guide/RX_GETMYNICK	8
1.18	MicroIRC.guide/RX_GETSERVERNAME	9
1.19	MicroIRC.guide/RX_USERHOST	9
1.20	MicroIRC.guide/Event handling	9
1.21	MicroIRC.guide/Index	10

Chapter 1

MicroIRC

1.1 MicroIRC.guide

```
MicroIRC
*****

Welcome to MicroIRC, the AmigaOS IRC client.

- Introduction -

    Copyright
        Copyrights, author info and more.

    IRC
        What is IRC, by the way?

    Installation
        How to setup MicroIRC.

    Connecting
        Let's have a start.

    CTCP
        Sending commands to other people.

    DCC
        Getting nearer to your neighbour.

- Reference section -

    Commands
        Commands built into MicroIRC.

    Configuration
        Customize your environment.

    CTCP Setup
        Heavy magic.
```

ARexx
Even heavier magic.

Event handling
Do something automatically.

- other stuff: -

Index

1.2 MicroIRC.guide/Copyright

Copyright

Copyright
=====

MicroIRC has been designed, developed and written by

Oliver Wagner
Landsberge 5
45549 Sprockhövel
Germany
E-Mail: (o.wagner@lsd.wupper.de)

All Rights Reserved.

Thanksgiving
=====

The author wishes to thank the following people for their help during
MicroIRC development:

Yet to write, see About ;-)

1.3 MicroIRC.guide/IRC

What is IRC, by the way?

Introduction
=====

Yet to write

1.4 MicroIRC.guide/Installation

Getting MicroIRC to run

Requirements

=====

Yet to write

1.5 MicroIRC.guide/Connecting

Connecting to a server

Setup

=====

Yet to write

1.6 MicroIRC.guide/CTCP

Sending commands to other people

Introduction

=====

Yet to write

1.7 MicroIRC.guide/DCC

Direct client connections

Yet to write

1.8 MicroIRC.guide/Commands

Commands

Overview

=====

MicroIRC has several builtin commands. Some of this commands are processed locally, whereas others are send to the IRC server.

Commands generally start with a / to differentiate them from normal text. If you want to use the / character at the start of normal text, use // instead.

Many commands require a channel name as a parameter. MicroIRC will automatically fill in the channel name of the current window if you don't specify a channel name on your own.

For commands which require a nick name (e.g. /MSG or /OP, there are three special shortcut arguments:

.

The period is replaced with the nickname of the last person you have send a private message to.

,

The comma is replaced with the nickname of the last person who send a message to you. Be careful with this, since you might easily address the wrong person if someone sends you a message while you are still typing this command!

:

The colon is replaced with the nickname of the last person which you haved a addressed with a nick: prefix inside a channel.

Reference

=====

JOIN

Join (or create) a channel

LEAVE

Leave a channel

RAW

Send unprocessed string to the server

1.9 MicroIRC.guide/JOIN

JOIN

Usage: /JOIN channel[,channel[,...]] [key[,key[,...]]]
Usage: /CHANNEL channel[,channel[,...]] [key[,key[,...]]]

DESCRIPTION:

Join a channel on the IRC. If the channel doesn't exist, it is automatically created.

There are two kinds of channels: Channel names starting with an # are global channels and available on all IRC servers which are connected to the net you are currently on. Channels which begin with & are local to the chat server you are connected to.

If a channel requires a special keyword to join, you must submit this after the channel name.

MicroIRC will look for a channel window which isn't currently bound to a channel. If it doesn't find one, a new window will be created and bound to this channel.

EXAMPLES:

```
/JOIN #Amigager
    Join channel #AmigaGER

/JJOIN #Amigager,#Amiga
    Join channels #AmigaGER and #Amiga

/JJOIN #Amigawarez coolstuff
    Join channel #Amigawarez with keyword coolstuff.
```

RELATED TOPICS:

See

LEAVE

.

1.10 MicroIRC.guide/LEAVE

LEAVE

Usage: /LEAVE [channel[,channel[,...]]]

DESCRIPTION:

Leaves a channel. If you don't give a channel name as a parameter, the channel currently bound to the window in which the command is entered will be left.

EXAMPLES:

```
/LEAVE
    Leave the channel currently bound to this window.
```

```
/LEAVE #Amigawarez
    Leave channel #Amigawarez.
```

RELATED TOPICS:

See

JOIN
.

1.11 MicroIRC.guide/RAW

```
RAW
---
```

Usage: /RAW text

DESCRIPTION:

Sends text directly to the IRC server without any further processing.
Warning: Don't even think about using this command without interior knowledge of the IRC protocol, or you might run into severe trouble. See 'RFC 1459' for a description of the IRC protocol.

EXAMPLES:

```
/RAW JOIN #IRC-Heros
    Send the string JOIN #IRC-Heros directly to the IRC server.
```

RELATED TOPICS:

'RFC 1459'.

1.12 MicroIRC.guide/Configuration

```
Customizing your environment
*****
```

```
Overview
=====
```

Yet to write

1.13 MicroIRC.guide/CTCP Setup

CTCP commands

Overview
=====

Yet to write

1.14 MicroIRC.guide/ARexx

MicroIRC's ARexx Port

Overview
=====

MicroIRC supports a versatile ARexx Port.

Reference
=====

SAY	Treat something just like it was entered in ↔ the input string
GETMYNICK	Request current nick name
ISCONNECTED	Check whether connection is established.
GETSERVERNAME	Request current server name
USERHOST	Query Userhost of a nick

1.15 MicroIRC.guide/RX_SAY

SAY

Usage: SAY TEXT/F

DESCRIPTION:

Treats TEXT just like it has been entered in the string gadget of the current window.

EXAMPLES:

```
say '/JOIN #Amigager'
```

RELATED TOPICS:

1.16 MicroIRC.guide/RX_ISCONNECTED

ISCONNECTED

Usage: ISCONNECTED

DESCRIPTION:

Checks whether a connection is currently established. Returns RC 0 if the link is up, RC 5 otherwise.

EXAMPLES:

```
ISCONNECTED; say rc
```

RELATED TOPICS:

1.17 MicroIRC.guide/RX_GETMYNICK

GETMYNICK

Usage: GETMYNICK

DESCRIPTION:

Returns your current nickname.

EXAMPLES:

```
GETMYNICK; say result
```

RELATED TOPICS: See
RX_GETSERVERNAME

.

1.18 MicroIRC.guide/RX_GETSERVERNAME

GETSERVERNAME

Usage: GETSERVERNAME

DESCRIPTION:

Returns the name of the IRC server you are currently connected to.

EXAMPLES:

GETSERVERNAME; say result

RELATED TOPICS: See
RX_GETMYNICK
.

1.19 MicroIRC.guide/RX_USERHOST

USERHOST

Usage: USERHOST NICK/A

DESCRIPTION:

Returns the userhost specification belonging to NICK. AMIRC keeps a internal list of the userhosts of every nick that occurred yet. You can query this database with this command. Note however that it is possible that the userhost isn't in the database yet; this command will not query the server than, but simply return an error.

EXAMPLES:

USERHOST Olli; say result

RELATED TOPICS: See
RX_GETMYNICK
.

1.20 MicroIRC.guide/Event handling

NYI

Overview

=====

Yet to write

1.21 MicroIRC.guide/Index

Index
