WordStar Keyboard Definition for WordPerfect Version 5.0
Copyright 1988 John D. Falconer

   This WordPerfect 5.0 keyboard definition attempts to mimic most of the
keystrokes used by MicroPro International's WordStar 4.0. It is written by a die-hard WordStar user who often needs to use
WordPerfect at his customer's sites. When this keyboard definition is in effect, most document creation and editing can be
done exactly as if you were using WordStar. No attempt has been made in this version to support WordStar's dot commands.
This definition and its associated help file are copyrighted works; however they may be freely used for private, non-
commercial purposes.   If you intend to use these files for commercial purposes or in a commercial environment, please contact
the author at the address listed herein. There is no warranty as to the suitability of these works for any purpose. They are
provided as is. To use these files:

	1) Copy both the WPWSTAR.WPK (the keyboard definition) and WPWSTAR.HLP (the help screen) to the directory
containing your WordPerfect system files (usually C:\WP50).

	2) Start WordPerfect and press <Shift><F1> (Setup). Press <K> to select keyboard definition and move the highlight
cursor with the arrow keys to point to the name WPWSTAR. With the cursor pointing to WPWSTAR, press <1> (the number
1 on the top row of standard keys).

	3) Press <F7> (Exit) and return to the WordPerfect main editing screen.

	The WordStar emulation will now be in effect. Press <^J> (the Control key plus the letter J) to see a help screen which
displays the supported keystrokes. This screen is duplicated here for reference:

               WP 5.0 WordStar Keystrokes
   ── **Cursor Movement** ──   │   ── **Delete Operations** ──
cursor up   ^E page up   ^R │ del char   ^G del to bol ^QDel
cursor down   ^X page down   ^C │ del right word ^T del to eol   ^QY
cursor left   ^S word left   ^A │ del line   ^Y
cursor right   ^D word right   ^F │   ── **File Operations** ──
beg line   ^QS beg file   ^QR │ retrieve docmt ^KR name & save   ^KN
end line   ^QD end file   ^QC │ save/done   ^KD quit file   ^KQ
beg scrn   ^QE beg block   ^QB │ save file   ^KS read in text ^KI
end scrn   ^QX   │ save/exit   ^KX write out text ^KO
       ── **Miscellaneous** ──   │   ── **Block Operations** ──
find string   ^QF insert line   ^N │ copy block   ^KC mark blk beg ^KB
find/replace ^QA tgl insert   ^V │ move block   ^KV toggle block ^KH
find again   ^L hyphenation   ^OH │ delete block ^KY write block   ^KW
left indent   ^OG justification ^OJ │   ── **Print Operations** ──
left margin   ^OL line spacing ^OS │ bold   ^PB strikeout   ^PX
right margin ^OR margin rel   ^OX │ underline   ^PS italic   ^PY
center text   ^OC undo deletion ^U │ subscript   ^PV
       ── **Window Operations** ──   │ superscript   ^PT 10 pitch   ^PN
open window   ^OW close window ^OK │ shadow   ^PD 12 pitch   ^PA
next window   ^ON
                 v1.0 *Copyright 1988 John D. Falconer*

Both single-character and double-character commands are supported. The prefix keys of the double-character commands are:

> ^K - Block and File operations
> ^O - On screen operations
> ^Q - Quick operations
> ^P - Print control operations.

When any of the above keys are pressed from WordPerfect's main editing screen, the prompt "-More-" will appear at the bottom left of the screen, reminding you to enter the next character of the two-character sequence which makes up a WordStar command. If you have not entered the second character within one second, the "-More-" prompt will be replaced by a prompt indicating which keys may be pressed to complete the command. At the ^Q submenu, two lines of key prompts are available. Press <?> (the question mark key) to toggle between them.

You may abandon a double-character command by pressing <Esc> (the escape key) instead of another second key.

A significant difference between WordPerfect and WordStar is the way in which blocks are marked and processed. WordStar users will be familiar with the <^KB> (mark block beginning) and <^KK> (mark block end). WordPerfect "anchors" its block at the cursor point when block marking is done. With this definition, the anchor point is designated with <^KB>, there is no need for a block-end marker. After marking the anchor-point for a block, use the cursor movement keys to highlight the text you wish to process, then press <^KC>, <^KV>, <^KY>, <^KW> to copy, move, delete, or write the marked block. The <^KH> function which WordStar provides to hide or reveal a block is supported with this definition.

Single character commands are as shown on the help screen. The following commands are not WordStar re-mappings but should be appreciated by most people who are not daily WordPerfect users:

> <F1> - call up the WordPerfect help system
> <F3> - issue the WordPerfect Escape key
> <Esc>- issue the WordPerfect Cancel key.

Thanks, suggestions and inquiries may be directed to:

> John D. Falconer
> Taza Data Services
> P.O. Box 4020,
> Alameda, CA 94501

> or

> Compuserve - 72435,1617