

# **Working Implementation Agreements for Open Systems Interconnection Protocols: Part 20 - Manufacturing Message Specification (MMS)**

Output from the June 1994 Open Systems Environment  
Implementors' Workshop (OIW)

SIG Chair: **Rick Igou, Martin Marietta Energy Systems**  
SIG Editor: **Rick Igou, Martin Marietta Energy Systems**

## **Foreword**

This part of the Working Implementation Agreements was prepared by the Manufacturing Message Specification (MMS) Special Interest Group (MMSSIG) of the National Institute of Standards and Technology (NIST) Workshop for Implementors of Open Systems Interconnection (OSI). See Part 1 - Workshop Policies and Procedures in the "Draft Working Implementation Agreements Document" for the workshop charter.

Text in this part has been approved by the Plenary of the above-mentioned Workshop. ~~No significant technical change has occurred in this part since it was previously presented.~~ Annex D has been added to this part as new text. Some of annex d has been shaded; however, mostly, only the headings for each chart are shaded although each chart is new text.

Future changes and additions to this version of these Implementor Agreements will be published as a new part. Deleted and replaced text will be shown as strikeout. New and replacement text will be shown as shaded.

## Table of Contents

<b>Part 20 - Manufacturing Message Specification (MMS)</b>		1
<b>0</b>	<b>Introduction</b>	1
<b>1</b>	<b>Scope</b>	1
<b>2</b>	<b>Field of Application</b>	1
<b>3</b>	<b>Normative References</b>	1
<b>4</b>	<b>Definitions</b>	1
<b>5</b>	<b>Corrigenda and Addenda</b>	1
<b>6</b>	<b>Status</b>	1
<b>7</b>	<b>General Agreements</b>	2
7.1	Max supported PDU size	2
7.2	FileName	2
7.3	Order of capabilities	2
7.4	Constructed Encodings	2
<b>8</b>	<b>Service-Specific Agreements</b>	2
8.1	Environment and general management	2
8.1.1	Initiate	2
8.1.1.1	Negotiation of MMS abstract syntaxes	2
8.1.1.2	Max serv outstanding	2
8.1.1.3	Local detail calling	3
8.1.1.4	Local detail called	3
8.1.1.5	Rules of Extensibility	3
8.2	VMD Support	3
8.3	Domain Management	3
8.3.1	List of capabilities	3
8.3.2	Initiate Download Sequence service	3
8.3.3	Download Segment service	3
8.3.4	Terminate Download Sequence service	3
8.3.5	Initiate Upload Sequence service	4
8.3.6	Upload Segment service	4
8.3.7	Get Domain Attributes service	4
8.4	Program Invocation Management	4
8.4.1	Start service	4
8.4.2	Stop service	4
8.4.3	Resume service	4
8.4.4	Reset service	4

8.5	Variable Access	4
8.5.1	Scattered access	4
8.5.2	Floating point	5
8.5.3	Unsigned Data	5
8.5.4	Order of variable specifications	5
8.5.5	Parameter CBBs	5
8.5.6	Named Variable Scope	5
8.5.7	Address Types	5
8.6	Semaphore Management	5
8.7	Operator Communication	5
8.8	Event Management	6
8.9	Journal Management	6
<b>Annex A (normative)</b>		
<b>Backwards compatibility agreements</b>		7
<b>Annex B (normative)</b>		
<b>DIS 9506 modifications required for backwards compatibility</b>		8
<b>Annex C (normative)</b>		
<b>Basic functional tests</b>		9
<b>Annex D (normative)</b>		
<b>ISP text and Explanatory Report for AMM11, MMS General Applications Profile</b>		10
Foreword		xii
Introduction		xii
1.	Scope	1
1.1.	General	1
1.2.	Position within the Taxonomy	1
1.3.	Scenario	1
2.	Normative References	2
3.	Definitions	2
4.	Abbreviations	2
5.	Conformance	3
5.1.	Conformance Statement	3
5.2.	Relationship with Base Standards	3
5.2.1.	ACSE Conformance	3

5.2.2. Presentation Conformance .....	3
5.2.3. Transfer Syntax Conformance .....	3
5.2.4. Session Conformance .....	4
A.1. General .....	5
A.2. References .....	5
A.3. Classification of Requirements .....	5
A.3.1. Status Column .....	5
A.3.2. Profile Column .....	6
A.4. ACSE PRL .....	6
A.5. Presentation PRL .....	7
A.6. Session PRL .....	8
Foreword .....	xii
Introduction .....	xii
1. Scope .....	1
1.1. General .....	1
1.2. Position within the Taxonomy .....	1
2. Normative References .....	1
3. Definitions .....	2
4. Abbreviations .....	2
5. Conformance Requirements .....	3
5.1. General Requirements for use of all parts of MMS .....	3
5.1.1. Max supported PDU size .....	3
5.1.2. FileName .....	4
5.2. Service-specific Requirements .....	4
5.2.1. Environment and General Management .....	4
5.2.1.1. Initiate Service .....	4
5.2.1.1.1. Negotiation of MMS Abstract Syntaxes .....	4
5.2.1.1.2. Max Serv Outstanding .....	4
5.2.1.1.3. Local Detail Calling .....	4
5.2.1.1.4. Local Detail Called .....	5
5.2.1.1.5. Rules of Extensibility .....	5
5.2.2. VMD Support .....	5
5.2.2.1. Get Capability List Service .....	5
5.2.3. Domain Management .....	5
5.2.3.1. List Of Capabilities .....	5

- 5.2.3.2. Initiate Download Sequence Service ..... 6
- 5.2.3.3. Download Segment Service ..... 6
- 5.2.3.4. Terminate Download Sequence Service ..... 7
- 5.2.3.5. Initiate Upload Sequence Service ..... 7
- 5.2.3.6. Upload Segment Service ..... 7
- 5.2.3.7. Get Domain Attributes Service ..... 7
- 5.2.4. Program Invocation Management ..... 7
  - 5.2.4.1. Start ..... 7
  - 5.2.4.2. Stop ..... 7
  - 5.2.4.3. Resume ..... 8
  - 5.2.4.4. Reset ..... 8
  - 5.2.4.5. Kill ..... 8
- 5.2.5. Variable Access ..... 8
  - 5.2.5.1. Scattered Access ..... 8
  - 5.2.5.2. Floating Point ..... 8
  - 5.2.5.3. List Of Variables ..... 8
  - 5.2.5.4. Parameter CBBs ..... 9
  - 5.2.5.5. Named Variable Scope ..... 9
  - 5.2.5.6. Address Types ..... 9
- 5.2.6. Semaphore Management ..... 9
- 5.2.7. Operator Communication ..... 9
- 5.2.8. Event Management ..... 9
- 5.2.9. Journal Management ..... 9
- 5.2.10. File Access ..... 10
- 5.2.11. File Management ..... 10
- 5.2.12. Data Exchange Management ..... 10
  
- Annex A – ISPICS Requirements List ..... 13
  - A.1. General ..... 13
  
  - A.2. Classification of Requirements ..... 13
    - A.2.1. Base Column ..... 13
    - A.2.2. F/S Column ..... 13
    - A.2.3. Value/Reference ..... 14
    - A.2.4. Conditional MACROs ..... 14
  
  - A.3. Supported MMS PDU's ..... 15
    - A.3.1. Environment and General Management ..... 16
    - A.3.2. MMS Modifiers ..... 16
    - A.3.3. Parameter CBBs ..... 16
    - A.3.4. VMD Support ..... 17
    - A.3.5. Domain Management ..... 18
    - A.3.6. Program Invocation Management ..... 18
    - A.3.7. Variable Access ..... 19
    - A.3.8. Semaphore Management ..... 20
    - A.3.9. Operator Communication ..... 20
    - A.3.10. Event Management ..... 20

A.3.11. Journal Management .....	21
A.3.12. File Access .....	21
A.3.13. File Management .....	21
A.3.14. Data Exchange Management .....	22
A.3.15. Additional PDUs .....	22
A.4. PDU-Specific Requirements .....	22
A.4.1. Environment and General Management .....	23
A.4.1.1. Initiate Request PDU .....	23
A.4.1.2. Initiate Response PDU .....	23
A.4.1.3. Initiate Error PDU .....	23
A.4.1.4. Conclude Request PDU .....	24
A.4.1.5. Conclude Response PDU .....	24
A.4.1.6. Conclude Error PDU .....	24
A.4.1.7. Cancel Request PDU .....	24
A.4.1.8. Cancel Response PDU .....	24
A.4.1.9. Cancel Error PDU .....	25
A.4.1.10. Reject PDU .....	25
A.4.2. VMD Support .....	25
A.4.2.1. Status Request PDU .....	25
A.4.2.2. Status Response PDU .....	25
A.4.2.3. Status Error PDU .....	26
A.4.2.4. Unsolicited Status PDU .....	26
A.4.2.5. GetNameList Request PDU .....	26
A.4.2.6. GetNameList Response PDU .....	27
A.4.2.7. GetNameList Error PDU .....	27
A.4.2.8. Identify Request PDU .....	27
A.4.2.9. Identify Response PDU .....	28
A.4.2.10. Identify Error PDU .....	28
A.4.2.11. GetCapabilityList Request PDU .....	28
A.4.2.12. GetCapabilityList Response PDU .....	29
A.4.2.13. GetCapabilityList Error PDU .....	29
A.4.3. Domain Management .....	29
A.4.3.1. InitiateDownloadSequence Request PDU .....	29
A.4.3.2. InitiateDownloadSequence Response PDU .....	30
A.4.3.3. InitiateDownloadSequence Error PDU .....	30
A.4.3.4. DownloadSegment Request PDU .....	30
A.4.3.5. DownloadSegment Response PDU .....	31
A.4.3.6. DownloadSegment Error PDU .....	31
A.4.3.7. TerminateDownloadSequence Request PDU .....	31
A.4.3.8. TerminateDownloadSequence Response PDU .....	32
A.4.3.9. TerminateDownloadSequence Error PDU .....	32
A.4.3.10. InitiateUploadSequence Request PDU .....	32
A.4.3.11. InitiateUploadSequence Response PDU .....	33
A.4.3.12. InitiateUploadSequence Error PDU .....	33
A.4.3.13. UploadSegment Request PDU .....	33
A.4.3.14. UploadSegment Response PDU .....	34
A.4.3.15. UploadSegment Error PDU .....	34

A.4.3.16. TerminateUploadSequence Request PDU	34
A.4.3.17. TerminateUploadSequence Response PDU	35
A.4.3.18. TerminateUploadSequence Error PDU	35
A.4.3.19. RequestDomainDownload Request PDU	35
A.4.3.20. RequestDomainDownload Response PDU	36
A.4.3.21. RequestDomainDownload Error PDU	36
A.4.3.22. RequestDomainUpload Request PDU	36
A.4.3.23. RequestDomainUpload Response PDU	37
A.4.3.24. RequestDomainUpload Error PDU	37
A.4.3.25. LoadDomainContent Request PDU	37
A.4.3.26. LoadDomainContent Response PDU	38
A.4.3.27. LoadDomainContent Error PDU	38
A.4.3.28. StoreDomainContent Request PDU	38
A.4.3.29. StoreDomainContent Response PDU	39
A.4.3.30. StoreDomainContent Error PDU	39
A.4.3.31. DeleteDomain Request PDU	39
A.4.3.32. DeleteDomain Response PDU	40
A.4.3.33. DeleteDomain Error PDU	40
A.4.3.34. GetDomainAttributes Request PDU	40
A.4.3.35. GetDomainAttributes Response PDU	41
A.4.3.36. GetDomainAttributes Error PDU	41
A.4.4. Program Invocation Management	41
A.4.4.1. CreateProgramInvocation Request PDU	41
A.4.4.2. CreateProgramInvocation Response PDU	42
A.4.4.3. CreateProgramInvocation Error PDU	42
A.4.4.4. DeleteProgramInvocation Request PDU	42
A.4.4.5. DeleteProgramInvocation Response PDU	43
A.4.4.6. DeleteProgramInvocation Error PDU	43
A.4.4.7. Start Request PDU	43
A.4.4.8. Start Response PDU	44
A.4.4.9. Start Error PDU	44
A.4.4.10. Stop Request PDU	44
A.4.4.11. Stop Response PDU	45
A.4.4.12. Stop Error PDU	45
A.4.4.13. Resume Request PDU	45
A.4.4.14. Resume Response PDU	46
A.4.4.15. Resume Error PDU	46
A.4.4.16. Reset Request PDU	46
A.4.4.17. Reset Response PDU	47
A.4.4.18. Reset Error PDU	47
A.4.4.19. Kill Request PDU	47
A.4.4.20. Kill Response PDU	47
A.4.4.21. Kill Error PDU	48
A.4.4.22. GetProgramInvocationAttributes Request PDU	48
A.4.4.23. GetProgramInvocationAttributes Response PDU	48
A.4.4.24. GetProgramInvocationAttributes Error PDU	49
A.4.5. Variable Access	49
A.4.5.1. Read Request PDU	49



A.4.5.1.1. VariableAccessSpecification	50
A.4.5.1.2. VariableSpecification	50
A.4.5.1.3. Address	50
A.4.5.1.4. TypeSpecification	51
A.4.5.1.5. AlternateAccess	52
A.4.5.1.6. AccessSelection	52
A.4.5.1.7. SelectAccess	52
A.4.5.1.8. IndexRange	53
A.4.5.2. Read Response PDU	53
A.4.5.2.1. Data	53
A.4.5.3. Read Error PDU	54
A.4.5.4. Write Request PDU	54
A.4.5.5. Write Response PDU	54
A.4.5.6. Write Error PDU	55
A.4.5.7. InformationReport PDU	55
A.4.5.8. GetVariableAccessAttributes Request PDU	55
A.4.5.9. GetVariableAccessAttributes Response PDU	56
A.4.5.10. GetVariableAccessAttributes Error PDU	56
A.4.5.11. DefineNamedVariable Request PDU	56
A.4.5.12. DefineNamedVariable Response PDU	57
A.4.5.13. DefineNamedVariable Error PDU	57
A.4.5.14. DeleteVariableAccess Request PDU	57
A.4.5.15. DeleteVariableAccess Response PDU	58
A.4.5.16. DeleteVariableAccess Error PDU	58
A.4.5.17. DefineNamedVariableList Request PDU	58
A.4.5.18. DefineNamedVariableList Response PDU	59
A.4.5.19. DefineNamedVariableList Error PDU	59
A.4.5.20. GetNamedVariableListAttributes Request PDU	59
A.4.5.21. GetNamedVariableListAttributes Response PDU	60
A.4.5.22. GetNamedVariableListAttributes Error PDU	60
A.4.5.23. DeleteNamedVariableList Request PDU	60
A.4.5.24. DeleteNamedVariableList Response PDU	61
A.4.5.25. DeleteNamedVariableList Error PDU	61
A.4.5.26. DefineNamedType Request PDU	61
A.4.5.27. DefineNamedType Response PDU	61
A.4.5.28. DefineNamedType Error PDU	62
A.4.5.29. GetNamedTypeAttributes Request PDU	62
A.4.5.30. GetNamedTypeAttributes Response PDU	62
A.4.5.31. GetNamedTypeAttributes Error PDU	63
A.4.5.32. DeleteNamedType Request PDU	63
A.4.5.33. DeleteNamedType Response PDU	63
A.4.5.34. DeleteNamedType Error PDU	63
A.4.6. Semaphore Management	64
A.4.7. Operator Communication	64
A.4.7.1. Input Request PDU	64
A.4.7.2. Input Response PDU	64
A.4.7.3. Input Error PDU	65
A.4.7.4. Output Request PDU	65

- A.4.7.5. Output Response PDU ..... 65
- A.4.7.6. Output Error PDU ..... 66
- A.4.8. Event Management ..... 66
- A.4.9. Journal Management ..... 66
- A.4.10. File Access ..... 66
- A.4.11. File Management ..... 66
- A.4.12. Data Exchange Management ..... 66
  
- Foreword ..... xii
  
- Introduction ..... xii
  
- 1. Scope ..... 1
  - 1.1. General ..... 1
  - 1.2. Position within the Taxonomy ..... 1
  
- 2. Normative References ..... 1
  
- 3. Definitions ..... 2
  
- 4. Abbreviations ..... 2
  
- 5. Conformance Requirements ..... 2
  - 5.1. General Requirements for use of all parts of MMS ..... 2
  - 5.2. Service-specific Requirements ..... 2
  
- Annex A – ISPICS Requirements List ..... 5
  
- A.1. General ..... 5
  
- A.2. Classification of Requirements ..... 5
  - A.2.1. Base Column ..... 5
  - A.2.2. F/S Column ..... 5
  - A.2.3. Value/Reference ..... 6
  - A.2.4. Conditional MACROs ..... 6
  
- A.3. Supported MMS PDU's ..... 6
  - A.3.1. Environment and General Management ..... 7
  - A.3.2. MMS Modifiers ..... 7
  - A.3.3. Parameter CBBs ..... 7
  - A.3.4. VMD Support ..... 8
  - A.3.5. Domain Management ..... 9
  - A.3.6. Program Invocation Management ..... 9
  - A.3.7. Variable Access ..... 9
  - A.3.8. Semaphore Management ..... 11
  - A.3.9. Operator Communication ..... 11
  - A.3.10. Event Management ..... 11
  - A.3.11. Journal Management ..... 12

A.3.12. File Access . . . . .	12
A.3.13. File Management . . . . .	12
A.3.14. Data Exchange Management . . . . .	13
A.3.15. Additional PDUs . . . . .	13
A.4. PDU-Specific Requirements . . . . .	13
A.4.1. Environment and General Management . . . . .	14
A.4.1.1. Initiate Request PDU . . . . .	14
A.4.1.2. Initiate Response PDU . . . . .	14
A.4.1.3. Initiate Error PDU . . . . .	14
A.4.1.4. Conclude Request PDU . . . . .	15
A.4.1.5. Conclude Response PDU . . . . .	15
A.4.1.6. Conclude Error PDU . . . . .	15
A.4.1.7. Cancel Request PDU . . . . .	15
A.4.1.8. Cancel Response PDU . . . . .	15
A.4.1.9. Cancel Error PDU . . . . .	16
A.4.1.10. Reject PDU . . . . .	16
A.4.2. VMD Support . . . . .	16
A.4.2.1. Status Request PDU . . . . .	16
A.4.2.2. Status Response PDU . . . . .	17
A.4.2.3. Status Error PDU . . . . .	17
A.4.2.4. Unsolicited Status PDU . . . . .	17
A.4.2.5. GetNameList Request PDU . . . . .	18
A.4.2.6. GetNameList Response PDU . . . . .	18
A.4.2.7. GetNameList Error PDU . . . . .	18
A.4.2.8. Identify Request PDU . . . . .	19
A.4.2.9. Identify Response PDU . . . . .	19
A.4.2.10. Identify Error PDU . . . . .	19
A.4.2.11. GetCapabilityList Request PDU . . . . .	19
A.4.2.12. GetCapabilityList Response PDU . . . . .	20
A.4.2.13. GetCapabilityList Error PDU . . . . .	20
A.4.3. Domain Management . . . . .	20
A.4.3.1. InitiateDownloadSequence Request PDU . . . . .	20
A.4.3.2. InitiateDownloadSequence Response PDU . . . . .	21
A.4.3.3. InitiateDownloadSequence Error PDU . . . . .	21
A.4.3.4. DownloadSegment Request PDU . . . . .	21
A.4.3.5. DownloadSegment Response PDU . . . . .	22
A.4.3.6. DownloadSegment Error PDU . . . . .	22
A.4.3.7. TerminateDownloadSequence Request PDU . . . . .	22
A.4.3.8. TerminateDownloadSequence Response PDU . . . . .	23
A.4.3.9. TerminateDownloadSequence Error PDU . . . . .	23
A.4.3.10. InitiateUploadSequence Request PDU . . . . .	24
A.4.3.11. InitiateUploadSequence Response PDU . . . . .	24
A.4.3.12. InitiateUploadSequence Error PDU . . . . .	24
A.4.3.13. UploadSegment Request PDU . . . . .	24
A.4.3.14. UploadSegment Response PDU . . . . .	25
A.4.3.15. UploadSegment Error PDU . . . . .	25
A.4.3.16. TerminateUploadSequence Request PDU . . . . .	25

A.4.3.17. TerminateUploadSequence Response PDU	26
A.4.3.18. TerminateUploadSequence Error PDU	26
A.4.3.19. RequestDomainDownload Request PDU	26
A.4.3.20. RequestDomainDownload Response PDU	27
A.4.3.21. RequestDomainDownload Error PDU	27
A.4.3.22. RequestDomainUpload Request PDU	27
A.4.3.23. RequestDomainUpload Response PDU	28
A.4.3.24. RequestDomainUpload Error PDU	28
A.4.3.25. LoadDomainContent Request PDU	28
A.4.3.26. LoadDomainContent Response PDU	29
A.4.3.27. LoadDomainContent Error PDU	29
A.4.3.28. StoreDomainContent Request PDU	29
A.4.3.29. StoreDomainContent Response PDU	30
A.4.3.30. StoreDomainContent Error PDU	30
A.4.3.31. DeleteDomain Request PDU	30
A.4.3.32. DeleteDomain Response PDU	31
A.4.3.33. DeleteDomain Error PDU	31
A.4.3.34. GetDomainAttributes Request PDU	31
A.4.3.35. GetDomainAttributes Response PDU	32
A.4.3.36. GetDomainAttributes Error PDU	32
A.4.4. Program Invocation Management	32
A.4.4.1. CreateProgramInvocation Request PDU	32
A.4.4.2. CreateProgramInvocation Response PDU	33
A.4.4.3. CreateProgramInvocation Error PDU	33
A.4.4.4. DeleteProgramInvocation Request PDU	33
A.4.4.5. DeleteProgramInvocation Response PDU	34
A.4.4.6. DeleteProgramInvocation Error PDU	34
A.4.4.7. Start Request PDU	34
A.4.4.8. Start Response PDU	35
A.4.4.9. Start Error PDU	35
A.4.4.10. Stop Request PDU	35
A.4.4.11. Stop Response PDU	36
A.4.4.12. Stop Error PDU	36
A.4.4.13. Resume Request PDU	36
A.4.4.14. Resume Response PDU	37
A.4.4.15. Resume Error PDU	37
A.4.4.16. Reset Request PDU	37
A.4.4.17. Reset Response PDU	38
A.4.4.18. Reset Error PDU	38
A.4.4.19. Kill Request PDU	38
A.4.4.20. Kill Response PDU	39
A.4.4.21. Kill Error PDU	39
A.4.4.22. GetProgramInvocationAttributes Request PDU	39
A.4.4.23. GetProgramInvocationAttributes Response PDU	39
A.4.4.24. GetProgramInvocationAttributes Error PDU	40
A.4.5. Variable Access	40
A.4.5.1. Read Request PDU	40
A.4.5.1.1. VariableAccessSpecification	41

A.4.5.1.2. VariableSpecification	41
A.4.5.1.3. Address	41
A.4.5.1.4. TypeSpecification	42
A.4.5.1.5. AlternateAccess	44
A.4.5.1.6. AccessSelection	44
A.4.5.1.7. SelectAccess	44
A.4.5.1.8. IndexRange	45
A.4.5.2. Read Response PDU	45
A.4.5.2.1. Data	45
A.4.5.3. Read Error PDU	46
A.4.5.4. Write Request PDU	46
A.4.5.5. Write Response PDU	47
A.4.5.6. Write Error PDU	47
A.4.5.7. InformationReport PDU	47
A.4.5.8. GetVariableAccessAttributes Request PDU	48
A.4.5.9. GetVariableAccessAttributes Response PDU	48
A.4.5.10. GetVariableAccessAttributes Error PDU	48
A.4.5.11. DefineNamedVariable Request PDU	49
A.4.5.12. DefineNamedVariable Response PDU	49
A.4.5.13. DefineNamedVariable Error PDU	49
A.4.5.14. DeleteVariableAccess Request PDU	49
A.4.5.15. DeleteVariableAccess Response PDU	50
A.4.5.16. DeleteVariableAccess Error PDU	50
A.4.5.17. DefineNamedVariableList Request PDU	50
A.4.5.18. DefineNamedVariableList Response PDU	51
A.4.5.19. DefineNamedVariableList Error PDU	51
A.4.5.20. GetNamedVariableListAttributes Request PDU	51
A.4.5.21. GetNamedVariableListAttributes Response PDU	52
A.4.5.22. GetNamedVariableListAttributes Error PDU	52
A.4.5.23. DeleteNamedVariableList Request PDU	52
A.4.5.24. DeleteNamedVariableList Response PDU	53
A.4.5.25. DeleteNamedVariableList Error PDU	53
A.4.5.26. DefineNamedType Request PDU	53
A.4.5.27. DefineNamedType Response PDU	54
A.4.5.28. DefineNamedType Error PDU	54
A.4.5.29. GetNamedTypeAttributes Request PDU	54
A.4.5.30. GetNamedTypeAttributes Response PDU	54
A.4.5.31. GetNamedTypeAttributes Error PDU	55
A.4.5.32. DeleteNamedType Request PDU	55
A.4.5.33. DeleteNamedType Response PDU	55
A.4.5.34. DeleteNamedType Error PDU	56
A.4.6. Semaphore Management	56
A.4.7. Operator Communication	57
A.4.7.1. Input Request PDU	57
A.4.7.2. Input Response PDU	57
A.4.7.3. Input Error PDU	57
A.4.7.4. Output Request PDU	58
A.4.7.5. Output Response PDU	58

A.4.7.6. Output Error PDU .....	58
A.4.8. Event Management .....	59
A.4.9. Journal Management .....	59
A.4.10. File Access .....	59
A.4.11. File Management .....	59
A.4.12. Data Exchange Management .....	59

# **Part 20 - Manufacturing Message Specification (MMS)**

## **0 Introduction**

(Refer to the Stable Agreements, Version 6.)

## **1 Scope**

(Refer to the Stable Agreements, Version 6.)

## **2 Field of Application**

## **3 Normative References**

(Refer to the Stable Agreements, Version 6.)

## **4 Definitions**

(Refer to the Stable Agreements, Version 6.)

## **5 Corrigenda and Addenda**

ISO/IEC 9506-1:1993 - *Industrial automation systems - Manufacturing Message Specification:  
Technical Corrigenda 1*

## **6 Status**

Phase 1 is in progress.

## **7 General Agreements**

### **7.1 Max supported PDU size**

(Refer to the Stable Agreements, Version 6.)

### **7.2 FileName**

(Refer to the Stable Agreements, Version 6.)

### **7.3 Order of capabilities**

(Refer to the Stable Agreements, Version 6.)

### **7.4 Constructed Encodings**

Constructed encodings shall not be used for bit strings shorter than 256 bits, nor for octet strings (or types derived from octet strings by tagging) shorter than 1024 octets. For such strings, only primitive encodings shall be used. Upon receipt of a constructed bit string or octet string that violates this restriction, the receiving implementation may reject the corresponding PDU, but shall not send a P-P-Abort.

## **8 Service-Specific Agreements**

### **8.1 Environment and general management**

#### **8.1.1 Initiate**

##### **8.1.1.1 Negotiation of MMS abstract syntaxes**

(Refer to the Stable Agreements, Version 6.)

##### **8.1.1.2 Max serv outstanding**

(Refer to the Stable Agreements, Version 6.)



**8.1.1.3 Local detail calling**

(Refer to the Stable Agreements, Version 6.)

**8.1.1.4 Local detail called**

(Refer to the Stable Agreements, Version 6.)

**8.1.1.5 Rules of Extensibility**

(Refer to the Stable Agreements, Version 6.)

**8.2 VMD Support**

(Refer to the Stable Agreements, Version 6.)

**8.3 Domain Management**

**8.3.1 List of capabilities**

(Refer to the Stable Agreements, Version 6.)

**8.3.2 Initiate Download Sequence service**

(Refer to the Stable Agreements, Version 6.)

**8.3.3 Download Segment service**

(Refer to the Stable Agreements, Version 6.)

**8.3.4 Terminate Download Sequence service**

(Refer to the Stable Agreements, Version 6.)

**8.3.5 Initiate Upload Sequence service**

(Refer to the Stable Agreements, Version 6.)

**8.3.6 Upload Segment service**

(Refer to the Stable Agreements, Version 6.)

**8.3.7 Get Domain Attributes service**

(Refer to the Stable Agreements, Version 6.)

**8.4 Program Invocation Management**

**8.4.1 Start service**

(Refer to the Stable Agreements, Version 6.)

**8.4.2 Stop service**

(Refer to the Stable Agreements, Version 6.)

**8.4.3 Resume service**

(Refer to the Stable Agreements, Version 6.)

**8.4.4 Reset service**

(Refer to the Stable Agreements, Version 6.)

**8.5 Variable Access**

**8.5.1 Scattered access**

(Refer to the Stable Agreements, Version 6.)

**8.5.2 Floating point**

(Refer to the Stable Agreements, Version 6.)

**8.5.3 Unsigned Data**

(Refer to the Stable Agreements, Version 6.)

**8.5.4 Order of variable specifications**

(Refer to the Stable Agreements, Version 6.)

**8.5.5 Parameter CBBs**

(Refer to the Stable Agreements, Version 6.)

**8.5.6 Named Variable Scope**

(Refer to the Stable Agreements, Version 6.)

**8.5.7 Address Types**

(Refer to the Stable Agreements, Version 6.)

**8.6 Semaphore Management**

Semaphore services are not considered in Phase 1.

**8.7 Operator Communication**

(Refer to the Stable Agreements, Version 6.)

## **8.8 Event Management**

Event Management services are not considered in Phase 1.

## **8.9 Journal Management**

Journal Management services are not considered in Phase 1.

---

**Annex A** (normative)

---

**Backwards compatibility agreements**

(Refer to the Stable Agreements, Version 6.)

---

**Annex B** (normative)

---

**DIS 9506 modifications required for backwards compatibility**

(Refer to the Stable Agreements, Version 6.)

---

**Annex C** (normative)

---

**Basic functional tests**

(Refer to the Stable Agreements, Version 6.)

---

**Annex D** (normative)

---

**ISP text and Explanatory Report for AMM11, MMS General Applications Profile**

(Refer to the Stable Agreements, Version 6.)



TITLE: Explanatory Report for Parts 1-3 of pDISP 14226 - Manufacturing Messaging Specification

SOURCE: OIW

DATE: 1994-6-15

STATUS: Final version for submission to ISO/IEC TC 184/SC 5 together with pDISP

This explanatory report has been prepared in accordance with ISO/IEC procedures which specify the taxonomy update, ISP approval, and maintenance process.

A. General Profile Information

1. Profile identification

These parts of pDISP 14226 cover the profile with taxonomy identifier AMM11, as listed in ISO/IEC TR10000-2:1992.

2. Profile title

Industrial automation systems - International Standardized Profile AMM11: MMS General Application Base Profile.

3. Submitting organization and contact point

The submitting organization is

OIW  
NIST  
Gaithersburg, MD.  
USA

The editor for all parts of this submission who will serve as contact point during the review and approval process is:

Rick Igou  
Martin Marrietta

P.O. Box 2009  
MS. 8205  
Oak Ridge, TN, 37831  
USA  
Tel: +1 615 574 1839  
Fax: +1 615 576 7649

Internet: igoure@ornl.gov

4. Dates of original notification

Submission of harmonized taxonomy update 1992

5. Maintenance

OIW will maintain this document and the point of the contact is the identified in item 3 above.

6. Multi-TC ISP MOA

The MOA is contained in JTC1 SGFS N758

B. Base Standards Referenced

1. ISO IEC Standards

ISO/IEC 9506-1:1990, Industrial automation systems - Manufacturing Message Specification - Part 1: Service definition

ISO/IEC 9506-1:1990/TC1:1994, Industrial automation systems - Manufacturing Message Specification - Part 1: Service definition Technical Corrigenda 1

ISO/IEC 9506-2:1990, Industrial automation systems - Manufacturing Message Specification - Part 2: Protocol specification

ISO/IEC 9506-2:1990/TC1:1994, Industrial automation systems - Manufacturing Message Specification - Part 2: Protocol specification Technical Corrigenda 1

ISO/IEC ISP 11188-1:1993, Information Technology - International Standardized Profile - Common Upper Layer Requirements - Part 1: Basic connection oriented requirements

2. Compliance with documentation requirements on conformance

The profile documented in the submitted pDISP parts are in the class of Application Profiles using Connection-mode Transport Service. The documentation requirements in ISO/IEC TR 10000-1 on conformance have been met.

3. Non-compliance with base standards.

There are no aspects of actual or potential non-compliance with base standards.

4. Amendments and technical corrigenda to base standards which may impact interworking.

Technical Corrigenda 1 has been referenced by this pDISP. Amendment 1 has not been referenced as it is out of scope and will not impact interworking.

C. Registration Requirements

None

D. Relationship To Other Publications

No national or regional standards are referenced in the parts of the submitted pDISP.

E. Profile Purpose

1. Summary

The AMM set of profiles is applicable to end systems operating in an Open Systems Interconnection (OSI) environment which utilize MMS (ISO/IEC 9506) for communication of real time data and control.

2. Relationship to other ISPs

Part one of this ISP is based on CULR-1.

F. pDISP Development Process

1. Origin and development history

Reasonably mature regional MMS profiles had been developed by both the OIW and EWOS prior to the development of the MMS ISP. The differences between the two were minor in nature. The ISP has been developed at sessions of the MMS SIG at OIW and with members of OIW and AOW in attendance. Review comments from OIW and AOW have been continuously resolved resulting in a harmonized document.

2. Degree of openness and harmonization

The working drafts of pDISP 14226 have been regularly reviewed by the MMS groups of all three regional workshops, OIW, EWOS, and AOW.

The parts of pDISP 14226 as submitted are fully harmonized between the three regional workshops and have been endorsed by the plenary assemblies of the three workshops.

3. Joint Planning

The taxonomy for the MHS profiles was agreed between the three workshops and submitted to SGFS in 1992. It is included in the current published version of ISO/IEC TR 10000-2.

G. ISP Content & Format.

1. The requirements and format as described in TR 10000-1 have been met.
2. Section not applicable.
3. Multi-part Structure.

This ISP consists of three parts. Part one contains the requirements for upper layer protocols based on CULR-1, ISP 11188. Part two contains requirements for all ISPs based on MMS. Part three contains a base set of requirements for use in MMS communications.

4. Multi-TC requirements.

As part one requires ballot by JTC1 in addition to TC 184.

H. Any Other Information

None.

**TITLE:** Information technology – International Standardized Profiles AMM11: MMS General Applications Base Profile – Part 1: Specification of ACSE, Presentation and Session Protocols for the use by MMS

**SOURCE:** Editor

**STATUS:** Submittal copy, June 1994

This document has been prepared based on the comments from the OIW's MMS SIG, EWOS's EGMMS and the AOW's MMS SIG. The text has been revised to be as close to the final document as possible at this time. Additions to draft six text are denoted by highlighted text. Deletions are denoted by ~~strikeout~~.

This document is based on ISO/IEC DISP 11188-1, Common Upper Layer Requirements (CULR). When additional requirements are needed, they are included in this part. The intention is to not duplicate text from DISP 11188-1 here. Since we are referencing DISP 11188-1, the definition of 'm', 'o', etc is determined by DISP 11188-1.

# Contents

<b>Part 20 - Manufacturing Message Specification (MMS)</b> .....	<b>1</b>
<b>0</b> <b>Introduction</b> .....	<b>1</b>
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>2</b> <b>Field of Application</b> .....	<b>1</b>
<b>3</b> <b>Normative References</b> .....	<b>1</b>
<b>4</b> <b>Definitions</b> .....	<b>1</b>
<b>5</b> <b>Corrigenda and Addenda</b> .....	<b>1</b>
<b>6</b> <b>Status</b> .....	<b>1</b>
<b>7</b> <b>General Agreements</b> .....	<b>2</b>
7.1      Max supported PDU size .....	2
7.2      FileName .....	2
7.3      Order of capabilities .....	2
7.4      Constructed Encodings .....	2
<b>8</b> <b>Service-Specific Agreements</b> .....	<b>2</b>
8.1      Environment and general management .....	2
8.1.1      Initiate .....	2
8              .              1              .              1              .              1	
Negotiation of MMS abstract syntaxes .....	2
8              .              1              .              1              .              2	
Max serv outstanding .....	2
8              .              1              .              1              .              3	
Local detail calling .....	3
8              .              1              .              1              .              4	
Local detail called .....	3
8              .              1              .              1              .              5	
Rules of Extensibility .....	3
8.2      VMD Support .....	3
8.3      Domain Management .....	3
8.3.1      List of capabilities .....	3
8.3.2      Initiate Download Sequence service .....	3
8.3.3      Download Segment service .....	3
8.3.4      Terminate Download Sequence service .....	3
8.3.5      Initiate Upload Sequence service .....	4
8.3.6      Upload Segment service .....	4
8.3.7      Get Domain Attributes service .....	4
8.4      Program Invocation Management .....	4
8.4.1      Start service .....	4
8.4.2      Stop service .....	4
8.4.3      Resume service .....	4
8.4.4      Reset service .....	4
8.5      Variable Access .....	4

8.5.1	Scattered access	4
8.5.2	Floating point	5
8.5.3	Unsigned Data	5
8.5.4	Order of variable specifications	5
8.5.5	Parameter CBBs	5
8.5.6	Named Variable Scope	5
8.5.7	Address Types	5
8.6	Semaphore Management	5
8.7	Operator Communication	5
8.8	Event Management	6
8.9	Journal Management	6

**Annex A** (normative)

<b>Backwards compatibility agreements</b>	7
---	---

**Annex B** (normative)

<b>DIS 9506 modifications required for backwards compatibility</b>	8
--	---

**Annex C** (normative)

<b>Basic functional tests</b>	9
-------------------------------	---

**Annex D** (normative)

<b>ISP text and Explanatory Report for AMM11, MMS General Applications Profile</b>	10
--	----

Foreword	xii
----------	-----

Introduction	xii
--------------	-----

1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
1.3. Scenario	1

2. Normative References	2
-------------------------	---

3. Definitions	2
----------------	---

4. Abbreviations	2
------------------	---

5. Conformance	3
5.1. Conformance Statement	3
5.2. Relationship with Base Standards	3
5.2.1. ACSE Conformance	3
5.2.2. Presentation Conformance	3
5.2.3. Transfer Syntax Conformance	3
5.2.4. Session Conformance	4

A.1. General	5
--------------	---

A.2. References	5
-----------------	---

A.3. Classification of Requirements	5
A.3.1. Status Column	5
A.3.2. Profile Column	6
A.4. ACSE PRL	6
A.5. Presentation PRL	7
A.6. Session PRL	8
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	3
5.1. General Requirements for use of all parts of MMS	3
5.1.1. Max supported PDU size	3
5.1.2. FileName	4
5.2. Service-specific Requirements	4
5.2.1. Environment and General Management	4
5.2.1.1. Initiate Service	4
5.2.1.1.1. Negotiation of MMS Abstract Syntaxes	4
5.2.1.1.2. Max Serv Outstanding	4
5.2.1.1.3. Local Detail Calling	4
5.2.1.1.4. Local Detail Called	5
5.2.1.1.5. Rules of Extensibility	5
5.2.2. VMD Support	5
5.2.2.1. Get Capability List Service	5
5.2.3. Domain Management	5
5.2.3.1. List Of Capabilities	5
5.2.3.2. Initiate Download Sequence Service	6
5.2.3.3. Download Segment Service	6
5.2.3.4. Terminate Download Sequence Service	7
5.2.3.5. Initiate Upload Sequence Service	7
5.2.3.6. Upload Segment Service	7
5.2.3.7. Get Domain Attributes Service	7
5.2.4. Program Invocation Management	7
5.2.4.1. Start	7
5.2.4.2. Stop	7
5.2.4.3. Resume	8
5.2.4.4. Reset	8
5.2.4.5. Kill	8
5.2.5. Variable Access	8
5.2.5.1. Scattered Access	8



5.2.5.2. Floating Point . . . . .	8
5.2.5.3. List Of Variables . . . . .	8
5.2.5.4. Parameter CBBs . . . . .	9
5.2.5.5. Named Variable Scope . . . . .	9
5.2.5.6. Address Types . . . . .	9
5.2.6. Semaphore Management . . . . .	9
5.2.7. Operator Communication . . . . .	9
5.2.8. Event Management . . . . .	9
5.2.9. Journal Management . . . . .	9
5.2.10. File Access . . . . .	10
5.2.11. File Management . . . . .	10
5.2.12. Data Exchange Management . . . . .	10
 Annex A - ISPICS Requirements List . . . . .	 13
A.1. General . . . . .	13
A.2. Classification of Requirements . . . . .	13
A.2.1. Base Column . . . . .	13
A.2.2. F/S Column . . . . .	13
A.2.3. Value/Reference . . . . .	14
A.2.4. Conditional MACROs . . . . .	14
A.3. Supported MMS PDU's . . . . .	15
A.3.1. Environment and General Management . . . . .	16
A.3.2. MMS Modifiers . . . . .	16
A.3.3. Parameter CBBs . . . . .	16
A.3.4. VMD Support . . . . .	17
A.3.5. Domain Management . . . . .	18
A.3.6. Program Invocation Management . . . . .	18
A.3.7. Variable Access . . . . .	19
A.3.8. Semaphore Management . . . . .	20
A.3.9. Operator Communication . . . . .	20
A.3.10. Event Management . . . . .	20
A.3.11. Journal Management . . . . .	21
A.3.12. File Access . . . . .	21
A.3.13. File Management . . . . .	21
A.3.14. Data Exchange Management . . . . .	22
A.3.15. Additional PDUs . . . . .	22
A.4. PDU-Specific Requirements . . . . .	22
A.4.1. Environment and General Management . . . . .	23
A.4.1.1. Initiate Request PDU . . . . .	23
A.4.1.2. Initiate Response PDU . . . . .	23
A.4.1.3. Initiate Error PDU . . . . .	23
A.4.1.4. Conclude Request PDU . . . . .	24
A.4.1.5. Conclude Response PDU . . . . .	24
A.4.1.6. Conclude Error PDU . . . . .	24
A.4.1.7. Cancel Request PDU . . . . .	24
A.4.1.8. Cancel Response PDU . . . . .	24
A.4.1.9. Cancel Error PDU . . . . .	25
A.4.1.10. Reject PDU . . . . .	25
A.4.2. VMD Support . . . . .	25
A.4.2.1. Status Request PDU . . . . .	25

A.4.2.2.	Status Response PDU	25
A.4.2.3.	Status Error PDU	26
A.4.2.4.	Unsolicited Status PDU	26
A.4.2.5.	GetNameList Request PDU	26
A.4.2.6.	GetNameList Response PDU	27
A.4.2.7.	GetNameList Error PDU	27
A.4.2.8.	Identify Request PDU	27
A.4.2.9.	Identify Response PDU	28
A.4.2.10.	Identify Error PDU	28
A.4.2.11.	GetCapabilityList Request PDU	28
A.4.2.12.	GetCapabilityList Response PDU	29
A.4.2.13.	GetCapabilityList Error PDU	29
A.4.3.	Domain Management	29
A.4.3.1.	InitiateDownloadSequence Request PDU	29
A.4.3.2.	InitiateDownloadSequence Response PDU	30
A.4.3.3.	InitiateDownloadSequence Error PDU	30
A.4.3.4.	DownloadSegment Request PDU	30
A.4.3.5.	DownloadSegment Response PDU	31
A.4.3.6.	DownloadSegment Error PDU	31
A.4.3.7.	TerminateDownloadSequence Request PDU	31
A.4.3.8.	TerminateDownloadSequence Response PDU	32
A.4.3.9.	TerminateDownloadSequence Error PDU	32
A.4.3.10.	InitiateUploadSequence Request PDU	32
A.4.3.11.	InitiateUploadSequence Response PDU	33
A.4.3.12.	InitiateUploadSequence Error PDU	33
A.4.3.13.	UploadSegment Request PDU	33
A.4.3.14.	UploadSegment Response PDU	34
A.4.3.15.	UploadSegment Error PDU	34
A.4.3.16.	TerminateUploadSequence Request PDU	34
A.4.3.17.	TerminateUploadSequence Response PDU	35
A.4.3.18.	TerminateUploadSequence Error PDU	35
A.4.3.19.	RequestDomainDownload Request PDU	35
A.4.3.20.	RequestDomainDownload Response PDU	36
A.4.3.21.	RequestDomainDownload Error PDU	36
A.4.3.22.	RequestDomainUpload Request PDU	36
A.4.3.23.	RequestDomainUpload Response PDU	37
A.4.3.24.	RequestDomainUpload Error PDU	37
A.4.3.25.	LoadDomainContent Request PDU	37
A.4.3.26.	LoadDomainContent Response PDU	38
A.4.3.27.	LoadDomainContent Error PDU	38
A.4.3.28.	StoreDomainContent Request PDU	38
A.4.3.29.	StoreDomainContent Response PDU	39
A.4.3.30.	StoreDomainContent Error PDU	39
A.4.3.31.	DeleteDomain Request PDU	39
A.4.3.32.	DeleteDomain Response PDU	40
A.4.3.33.	DeleteDomain Error PDU	40
A.4.3.34.	GetDomainAttributes Request PDU	40
A.4.3.35.	GetDomainAttributes Response PDU	41
A.4.3.36.	GetDomainAttributes Error PDU	41
A.4.4.	Program Invocation Management	41
A.4.4.1.	CreateProgramInvocation Request PDU	41
A.4.4.2.	CreateProgramInvocation Response PDU	42
A.4.4.3.	CreateProgramInvocation Error PDU	42
A.4.4.4.	DeleteProgramInvocation Request PDU	42

A.4.4.5. DeleteProgramInvocation Response PDU	43
A.4.4.6. DeleteProgramInvocation Error PDU	43
A.4.4.7. Start Request PDU	43
A.4.4.8. Start Response PDU	44
A.4.4.9. Start Error PDU	44
A.4.4.10. Stop Request PDU	44
A.4.4.11. Stop Response PDU	45
A.4.4.12. Stop Error PDU	45
A.4.4.13. Resume Request PDU	45
A.4.4.14. Resume Response PDU	46
A.4.4.15. Resume Error PDU	46
A.4.4.16. Reset Request PDU	46
A.4.4.17. Reset Response PDU	47
A.4.4.18. Reset Error PDU	47
A.4.4.19. Kill Request PDU	47
A.4.4.20. Kill Response PDU	47
A.4.4.21. Kill Error PDU	48
A.4.4.22. GetProgramInvocationAttributes Request PDU	48
A.4.4.23. GetProgramInvocationAttributes Response PDU	48
A.4.4.24. GetProgramInvocationAttributes Error PDU	49
A.4.5. Variable Access	49
A.4.5.1. Read Request PDU	49
A.4.5.1.1. VariableAccessSpecification	50
A.4.5.1.2. VariableSpecification	50
A.4.5.1.3. Address	50
A.4.5.1.4. TypeSpecification	51
A.4.5.1.5. AlternateAccess	52
A.4.5.1.6. AccessSelection	52
A.4.5.1.7. SelectAccess	52
A.4.5.1.8. IndexRange	53
A.4.5.2. Read Response PDU	53
A.4.5.2.1. Data	53
A.4.5.3. Read Error PDU	54
A.4.5.4. Write Request PDU	54
A.4.5.5. Write Response PDU	54
A.4.5.6. Write Error PDU	55
A.4.5.7. InformationReport PDU	55
A.4.5.8. GetVariableAccessAttributes Request PDU	55
A.4.5.9. GetVariableAccessAttributes Response PDU	56
A.4.5.10. GetVariableAccessAttributes Error PDU	56
A.4.5.11. DefineNamedVariable Request PDU	56
A.4.5.12. DefineNamedVariable Response PDU	57
A.4.5.13. DefineNamedVariable Error PDU	57
A.4.5.14. DeleteVariableAccess Request PDU	57
A.4.5.15. DeleteVariableAccess Response PDU	58
A.4.5.16. DeleteVariableAccess Error PDU	58
A.4.5.17. DefineNamedVariableList Request PDU	58
A.4.5.18. DefineNamedVariableList Response PDU	59
A.4.5.19. DefineNamedVariableList Error PDU	59
A.4.5.20. GetNamedVariableListAttributes Request PDU	59
A.4.5.21. GetNamedVariableListAttributes Response PDU	60
A.4.5.22. GetNamedVariableListAttributes Error PDU	60
A.4.5.23. DeleteNamedVariableList Request PDU	60
A.4.5.24. DeleteNamedVariableList Response PDU	61

A.4.5.25. DeleteNamedVariableList Error PDU	61
A.4.5.26. DefineNamedType Request PDU	61
A.4.5.27. DefineNamedType Response PDU	61
A.4.5.28. DefineNamedType Error PDU	62
A.4.5.29. GetNamedTypeAttributes Request PDU	62
A.4.5.30. GetNamedTypeAttributes Response PDU	62
A.4.5.31. GetNamedTypeAttributes Error PDU	63
A.4.5.32. DeleteNamedType Request PDU	63
A.4.5.33. DeleteNamedType Response PDU	63
A.4.5.34. DeleteNamedType Error PDU	63
A.4.6. Semaphore Management	64
A.4.7. Operator Communication	64
A.4.7.1. Input Request PDU	64
A.4.7.2. Input Response PDU	64
A.4.7.3. Input Error PDU	65
A.4.7.4. Output Request PDU	65
A.4.7.5. Output Response PDU	65
A.4.7.6. Output Error PDU	66
A.4.8. Event Management	66
A.4.9. Journal Management	66
A.4.10. File Access	66
A.4.11. File Management	66
A.4.12. Data Exchange Management	66
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	2
5.1. General Requirements for use of all parts of MMS	2
5.2. Service-specific Requirements	2
Annex A - ISPICS Requirements List	5
A.1. General	5
A.2. Classification of Requirements	5
A.2.1. Base Column	5
A.2.2. F/S Column	5
A.2.3. Value/Reference	6
A.2.4. Conditional MACROs	6
A.3. Supported MMS PDU's	6
A.3.1. Environment and General Management	7

A.3.2. MMS Modifiers	7
A.3.3. Parameter CBBs	7
A.3.4. VMD Support	8
A.3.5. Domain Management	9
A.3.6. Program Invocation Management	9
A.3.7. Variable Access	9
A.3.8. Semaphore Management	11
A.3.9. Operator Communication	11
A.3.10. Event Management	11
A.3.11. Journal Management	12
A.3.12. File Access	12
A.3.13. File Management	12
A.3.14. Data Exchange Management	13
A.3.15. Additional PDUs	13
A.4. PDU-Specific Requirements	13
A.4.1. Environment and General Management	14
A.4.1.1. Initiate Request PDU	14
A.4.1.2. Initiate Response PDU	14
A.4.1.3. Initiate Error PDU	14
A.4.1.4. Conclude Request PDU	15
A.4.1.5. Conclude Response PDU	15
A.4.1.6. Conclude Error PDU	15
A.4.1.7. Cancel Request PDU	15
A.4.1.8. Cancel Response PDU	15
A.4.1.9. Cancel Error PDU	16
A.4.1.10. Reject PDU	16
A.4.2. VMD Support	16
A.4.2.1. Status Request PDU	16
A.4.2.2. Status Response PDU	17
A.4.2.3. Status Error PDU	17
A.4.2.4. Unsolicited Status PDU	17
A.4.2.5. GetNameList Request PDU	18
A.4.2.6. GetNameList Response PDU	18
A.4.2.7. GetNameList Error PDU	18
A.4.2.8. Identify Request PDU	19
A.4.2.9. Identify Response PDU	19
A.4.2.10. Identify Error PDU	19
A.4.2.11. GetCapabilityList Request PDU	19
A.4.2.12. GetCapabilityList Response PDU	20
A.4.2.13. GetCapabilityList Error PDU	20
A.4.3. Domain Management	20
A.4.3.1. InitiateDownloadSequence Request PDU	20
A.4.3.2. InitiateDownloadSequence Response PDU	21
A.4.3.3. InitiateDownloadSequence Error PDU	21
A.4.3.4. DownloadSegment Request PDU	21
A.4.3.5. DownloadSegment Response PDU	22
A.4.3.6. DownloadSegment Error PDU	22
A.4.3.7. TerminateDownloadSequence Request PDU	22
A.4.3.8. TerminateDownloadSequence Response PDU	23
A.4.3.9. TerminateDownloadSequence Error PDU	23
A.4.3.10. InitiateUploadSequence Request PDU	24
A.4.3.11. InitiateUploadSequence Response PDU	24
A.4.3.12. InitiateUploadSequence Error PDU	24

A.4.3.13. UploadSegment Request PDU	24
A.4.3.14. UploadSegment Response PDU	25
A.4.3.15. UploadSegment Error PDU	25
A.4.3.16. TerminateUploadSequence Request PDU	25
A.4.3.17. TerminateUploadSequence Response PDU	26
A.4.3.18. TerminateUploadSequence Error PDU	26
A.4.3.19. RequestDomainDownload Request PDU	26
A.4.3.20. RequestDomainDownload Response PDU	27
A.4.3.21. RequestDomainDownload Error PDU	27
A.4.3.22. RequestDomainUpload Request PDU	27
A.4.3.23. RequestDomainUpload Response PDU	28
A.4.3.24. RequestDomainUpload Error PDU	28
A.4.3.25. LoadDomainContent Request PDU	28
A.4.3.26. LoadDomainContent Response PDU	29
A.4.3.27. LoadDomainContent Error PDU	29
A.4.3.28. StoreDomainContent Request PDU	29
A.4.3.29. StoreDomainContent Response PDU	30
A.4.3.30. StoreDomainContent Error PDU	30
A.4.3.31. DeleteDomain Request PDU	30
A.4.3.32. DeleteDomain Response PDU	31
A.4.3.33. DeleteDomain Error PDU	31
A.4.3.34. GetDomainAttributes Request PDU	31
A.4.3.35. GetDomainAttributes Response PDU	32
A.4.3.36. GetDomainAttributes Error PDU	32
A.4.4. Program Invocation Management	32
A.4.4.1. CreateProgramInvocation Request PDU	32
A.4.4.2. CreateProgramInvocation Response PDU	33
A.4.4.3. CreateProgramInvocation Error PDU	33
A.4.4.4. DeleteProgramInvocation Request PDU	33
A.4.4.5. DeleteProgramInvocation Response PDU	34
A.4.4.6. DeleteProgramInvocation Error PDU	34
A.4.4.7. Start Request PDU	34
A.4.4.8. Start Response PDU	35
A.4.4.9. Start Error PDU	35
A.4.4.10. Stop Request PDU	35
A.4.4.11. Stop Response PDU	36
A.4.4.12. Stop Error PDU	36
A.4.4.13. Resume Request PDU	36
A.4.4.14. Resume Response PDU	37
A.4.4.15. Resume Error PDU	37
A.4.4.16. Reset Request PDU	37
A.4.4.17. Reset Response PDU	38
A.4.4.18. Reset Error PDU	38
A.4.4.19. Kill Request PDU	38
A.4.4.20. Kill Response PDU	39
A.4.4.21. Kill Error PDU	39
A.4.4.22. GetProgramInvocationAttributes Request PDU	39
A.4.4.23. GetProgramInvocationAttributes Response PDU	39
A.4.4.24. GetProgramInvocationAttributes Error PDU	40
A.4.5. Variable Access	40
A.4.5.1. Read Request PDU	40
A.4.5.1.1. VariableAccessSpecification	41
A.4.5.1.2. VariableSpecification	41
A.4.5.1.3. Address	41

A.4.5.1.4. TypeSpecification	42
A.4.5.1.5. AlternateAccess	44
A.4.5.1.6. AccessSelection	44
A.4.5.1.7. SelectAccess	44
A.4.5.1.8. IndexRange	45
A.4.5.2. Read Response PDU	45
A.4.5.2.1. Data	45
A.4.5.3. Read Error PDU	46
A.4.5.4. Write Request PDU	46
A.4.5.5. Write Response PDU	47
A.4.5.6. Write Error PDU	47
A.4.5.7. InformationReport PDU	47
A.4.5.8. GetVariableAccessAttributes Request PDU	48
A.4.5.9. GetVariableAccessAttributes Response PDU	48
A.4.5.10. GetVariableAccessAttributes Error PDU	48
A.4.5.11. DefineNamedVariable Request PDU	49
A.4.5.12. DefineNamedVariable Response PDU	49
A.4.5.13. DefineNamedVariable Error PDU	49
A.4.5.14. DeleteVariableAccess Request PDU	49
A.4.5.15. DeleteVariableAccess Response PDU	50
A.4.5.16. DeleteVariableAccess Error PDU	50
A.4.5.17. DefineNamedVariableList Request PDU	50
A.4.5.18. DefineNamedVariableList Response PDU	51
A.4.5.19. DefineNamedVariableList Error PDU	51
A.4.5.20. GetNamedVariableListAttributes Request PDU	51
A.4.5.21. GetNamedVariableListAttributes Response PDU	52
A.4.5.22. GetNamedVariableListAttributes Error PDU	52
A.4.5.23. DeleteNamedVariableList Request PDU	52
A.4.5.24. DeleteNamedVariableList Response PDU	53
A.4.5.25. DeleteNamedVariableList Error PDU	53
A.4.5.26. DefineNamedType Request PDU	53
A.4.5.27. DefineNamedType Response PDU	54
A.4.5.28. DefineNamedType Error PDU	54
A.4.5.29. GetNamedTypeAttributes Request PDU	54
A.4.5.30. GetNamedTypeAttributes Response PDU	54
A.4.5.31. GetNamedTypeAttributes Error PDU	55
A.4.5.32. DeleteNamedType Request PDU	55
A.4.5.33. DeleteNamedType Response PDU	55
A.4.5.34. DeleteNamedType Error PDU	56
A.4.6. Semaphore Management	56
A.4.7. Operator Communication	57
A.4.7.1. Input Request PDU	57
A.4.7.2. Input Response PDU	57
A.4.7.3. Input Error PDU	57
A.4.7.4. Output Request PDU	58
A.4.7.5. Output Response PDU	58
A.4.7.6. Output Error PDU	58
A.4.8. Event Management	59
A.4.9. Journal Management	59
A.4.10. File Access	59
A.4.11. File Management	59
A.4.12. Data Exchange Management	59

## Foreword

The ISO/IEC ISP 14226 specifies the AMM11 MMS General Applications International Standardized Profile. This ISP has three parts:

Part 1 - Specification of ACSE, Presentation, and Session Protocols for the use by MMS

Part 2 - Common MMS Requirements

Part 3 - Specific MMS Requirements

This part of the ISO/IEC ISP 14226 is produced and approved by the Special Group on Functional Standardization of ISO/IEC JTC 1. This Group includes ISO/IEC Member Bodies and S-liaison organizations. The S-liaison organizations that have contributed to the production of this draft are

Asia-Oceania Workshop (AOW)

European Workshop for Open Systems (EWOS)

NIST OSE Implementors Workshop (OIW)

## Introduction

This draft for an International Standardized Profile (ISP) is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.



# **Information technology – International Standardized Profiles AMM11: MMS General Applications Base Profile –**

## **PART 1: Specification of ACSE, Presentation and Session Protocols for the use by MMS**

### **1. Scope**

#### **1.1. General**

This part of ISO/IEC ISP 14226 specifies how the Association Control Service Element, the Presentation layer and the Session layer standards shall be used to support the required MMS functions specified in Part 3. Other MMS ISPs may specify this part as part of their profiles.


#### **1.2. Position within the Taxonomy**

This part of ISO/IEC ISP 14226 is the first part, of a multi-part ISP identified in ISO/IEC TR 10000-2 as "AMM11, MMS General Applications Base Profile".

It may be combined with any T-Profile specifying the OSI connection-mode transport service.

#### **1.3. Scenario**

The model used is one of two end systems running an end-to-end association using the ACSE, Presentation and Session services and protocols (see figure 1).



*Figure 1 - Model of the supportive layers*

## 2. Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this profile. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this profile are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and CCITT maintains published editions of its current Recommendations.

Amendments and corrigenda to the base standards referenced: See annex B for a complete list of these documents which are used in this ISP.

- ISO/IEC TR 10000-1:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 1 : Framework.
- ISO/IEC TR 10000-2:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 2 : Taxonomy of Profiles.
- ISO/IEC DISP 11188-1:1993, Information Technology - International Standardized Profile -Common Upper Layer Requirements - Part 1: Basic connection oriented requirements.

## 3. Definitions

Terms used in this part are defined in the referenced base standards.

## 4. Abbreviations

Abbreviations used in this part are defined in the referenced base standards.

PRL Profile Requirements List

## **5. Conformance**

This part of ISO/IEC ISP 14226 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 14226 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following Clauses and in annex A are satisfied. Annex A states the relationship between these requirements and those of base standards.

### **5.1. Conformance Statement**

For each implementation claiming conformance to this part of ISO/IEC 14226 an appropriate set of PICSs shall be made available stating support or non-support of each option identified in this part.

### **5.2. Relationship with Base Standards**

All requirements defined in ISO/IEC DISP 11188-1 concerning the relationship with base standards apply for an implementation to conform to this ISP.

Annex A makes mandatory support of some features that were optional in the above document.

#### **5.2.1. ACSE Conformance**

To conform to the Association Control Service Element (ACSE) protocol used in this profile, implementations shall implement the normal mode, AE-Title-form2 for sending, support operation of session version 2, and all the supported (m) features (identified in annex A). They shall state which optionally supported (o) features are implemented.

All rules defined in clause 6 of ISO/IEC DISP 11188-1 shall be applied.

#### **5.2.2. Presentation Conformance**

To conform to the Presentation protocol used in this profile, implementations shall implement the normal mode and all the supported (m) features (identified in annex A). They shall state which optionally supported (o) features are implemented. All rules defined in clause 7 of ISO/IEC DISP 11188-1 shall be applied.

Conformant implementations shall also support the following encoding rules:

Constructed encodings shall not be used for bit strings (or types derived from bit strings by tagging) shorter than 256 bits, nor for octet strings (or types derived from octet strings by tagging) shorter than 1024 octets in the MMS PDUs. For such strings, only primitive encoding shall be used. Upon receipt of a constructed bit string or octet string that violates this restriction, the receiving implementation may reject the corresponding PDU or send a P-U-Abort, but shall not send a P-P-Abort.

#### **5.2.3. Transfer Syntax Conformance**

An implementation conforming to this part of profile shall support the "Basic Encoding rules of a single ASN.1 type" as defined in ISO 8825, together with the additional rules defined in clause 8 of ISO/IEC DISP 11188-1, for the generation of protocol encodings specified in ASN.1.

#### **5.2.4. Session Conformance**

To conform to the Session protocol used in this profile, implementations shall implement the supported (m) features (identified in annex A). They shall state which optionally supported (o) features are implemented. All rules defined in clause 9 of ISO/IEC DISP 11188-1 shall be applied.

Implementations conforming to this part shall implement session version 2.

The session duplex functional unit is required by the base standard for operation of MMS.

## **PART 1:**

# **Annex A - Profile Requirements List for ACSE, Presentation and Session**

### **A.1. General**

NOTE - Upon CULR becoming ISP, the following text will be updated to reflect the CULR ISP.

This annex describes the ACSE, Presentation and Session requirements in terms of tables which reference the base standard PICS proforma. They are intended to give a precise specification of requirements. In case of arbitration or dispute, this annex takes precedence over clause 5 of this ISP.

### **A.2. References**

In the PICS proforma reference column of A.4 to A.6, and in the lists of conditional expressions underneath the tables, tables within the base standard PICS proformas are referenced. The first letter identifies the specific PICS proforma:

A: ACSE – ISO/IEC 8650-2

P: Presentation – ISO/IEC 8823-2

S: Session – ISO/IEC 8327-2

The characters from the second character to the solidus (/) form a reference to the specific subclause in annex A of that PICS proforma which contains the table in question. The number after the solidus references the row number in the table.

### **A.3. Classification of Requirements**

Throughout this annex, to specify the level of support for each feature, the following classification is used.

#### **A.3.1. Status Column**

The status column reflects the classification to be found in the base standard PICS proforma:

o: optional

c: conditional

o.n: optional with at least one of the marked items being selected

The definitions of conditional items may be found in the respective PICS proformas.

Where the status entry contains two classifications separated by a comma, these reference the sending and receiving capabilities respectively.

### A.3.2. Profile Column

The profile column reflects the requirement of this part of ISO/IEC 14226. Each entry in this column is chosen from the following list (for definitions see ISO/IEC DISP 11188-1 clause 3.2):

- m: mandatory support
- C: conditional support
- o.n: optional with at least one of the marked items being selected
- i: outside the scope
- : not applicable

Where the status entry contains two classifications separated by a comma, these reference the sending and receiving capabilities respectively.

### A.4. ACSE PRL

	PICS Proforma	Name of Item	Normative Reference	Status	Profile
1	A.A.6.1/1	Initiator		o.2	C11
2	A.A.6.1/2	Responder		o.2	C12

C11: If an MMS implementation claims support for the MMS Initiate service in the requestor role then m, else o.

C12: If an MMS implementation claims support for the MMS Initiate service in the responder role then m, else o.

3	A.A.6.2/1	Initiator		o	C13
4	A.A.6.2/2	Requestor		o	C14

C13: If an MMS implementation claims support for the MMS Conclude service in the requestor role then m, else o.

C14: If an MMS implementation claims support for the MMS Conclude service in the responder role then m, else o.

5	A.A.7/1	Normal mode		o.4	m
6	A.A.7/2	X.410 (1984) mode		o.4	i
7	A.A.7/4	Support operation of Session v2		o	m

8	A.A.11.1/2	Form 2 (Object id. and integer)		o.5,m	C15,m
---	------------	---------------------------------	--	-------	-------

C15: If sending of any of the AP-title or AE-qualifier parameters is supported, then m, else o.

#### A.5. Presentation PRL

	PICS Proforma	Name of Item	Normative Reference	Status	Profile
1	P.A.5.1/1	X.410 (1984)	5.2.2	o.01	i
2	P.A.5.1/2	Normal	5.2.2	o.01	m

3	P.A.6.1.1.1		Initiator		o.03
4	P.A.6.1.1.1		Responder		o.03

C21: m if the implementation supports the MMS Initiate service in the requestor role. o otherwise.

C22: m if the implementation supports the MMS Initiate service in the responder role. o otherwise.

5	P.A.6.1.1.3		Requestor		o.05
6	P.A.6.1.1.3		Acceptor		o.05

C23: m if the implementation supports the MMS Conclude service in the requestor role. o otherwise.

C24: m if the implementation supports the MMS Conclude service in the responder role. o otherwise.

**A.6. Session PRL**

	PICS Proforma	Name of Item	Normative Reference	Status	Profile
1	S.A.3/2	Version 2		o.1	m
2	S.A.6.1/4	Duplex		o.2	m
3	S.A.6.2/2	Reuse of transport connection		o	i
4	S.A.6.2/4	Extended Concatenation (sending)		o	i
5	S.A.6.2/5	Extended Concatenation (receiving)		o	i
6	S.A.7.1.1.1		Initiator		o.3
7	S.A.7.1.1.1		Responder		o.3
8	S.A.7.1.1.2		Requestor		o.4
9	S.A.7.1.1.2		Acceptor		o.4
10	S.A.7.1.1.3		Requestor		o.5
11	S.A.7.1.1.3		Acceptor		o.5
12	S.A.7.1.2/2	Overflow Accept (OA)	9.2.2	c5, c6	i,i
13	S.A.7.1.2/3	Connect Data Overflow (CDO)	9.2.2	c6, c5	i,i
14	S.A.7.5.1/1	Requestor (expedited data)		o.6	-
15	S.A.7.5.2/2	Acceptor (expedited data)		o.6	-
16	S.A.7.6.1/1	Requestor (typed data)		o.7	-
17	S.A.7.6.1/2	Acceptor (typed data)		o.7	-
18	S.A.7.7.1/1	Requestor (capability data)		o.8	-
19	S.A.7.7.1/2	Acceptor (capability data)		o.8	-



20	S.A.7.8.1/1	Requestor (minor synchronize)		o.9	-
21	S.A.7.8.1/2	Acceptor (minor synchronize)		o.9	-
22	S.A.7.10.1/		Requestor		o.10
23	S.A.7.10.1/		Acceptor		o.10
24	S.A.7.13.1.		Requestor		o.12
25	S.A.7.13.1.		Acceptor		o.12
26	S.A.7.13.1.		Requestor		o.13
27	S.A.7.13.1.		Acceptor		o.13
28	S.A.7.13.1.		Requestor		o.14
29	S.A.7.13.1.		Acceptor		o.14
30	S.A.7.13.1.		Requestor		o.15
31	S.A.7.13.1.		Acceptor		o.15

32	S.A.7.13.1.		Requestor		o.16
33	S.A.7.13.1.		Acceptor		o.16
34	S.A.7.13.1.		Requestor		o
35	S.A.7.13.1.		Acceptor		o
36	S.A.8.1.3/4	Data Overflow Item (CN)	9.2.2	c6, c5	i,i
37	S.A.8.2/1	TSDU Maximum Size (OA)		c64, c65	i,i
38	S.A.8.2/2	Version Number (OA)		c66, c67	i,i
39	S.A.8.3/1	Enclosure Item (CDO)	9.2.2	c68, c69	i,i
40	S.A.8.3/1	User Data (CDO)	9.2.2	c68, c69	i,i

**TITLE:** Information technology – International Standardized Profile AMM11: MMS General Applications Base Profile – Part 2: Common MMS Requirements

**SOURCE:** Editor

**STATUS:** Submittal copy, June 1994

This document has been prepared based on the comments from the OIW's MMS SIG, EWOS's EG MMS and AOW's MMS SIG. The text has been revised to be as close to the final document as possible at this time. Additions to draft six text are denoted by highlighted text. Deletions are denoted by ~~strikeout~~.

# Contents

<b>Part 20 - Manufacturing Message Specification (MMS)</b>	1
<b>0 Introduction</b>	1
<b>1 Scope</b>	1
<b>2 Field of Application</b>	1
<b>3 Normative References</b>	1
<b>4 Definitions</b>	1
<b>5 Corrigenda and Addenda</b>	1
<b>6 Status</b>	1
<b>7 General Agreements</b>	2
7.1 Max supported PDU size	2
7.2 FileName	2
7.3 Order of capabilities	2
7.4 Constructed Encodings	2
<b>8 Service-Specific Agreements</b>	2
8.1 Environment and general management	2
8.1.1 Initiate	2
8 . . . . . 1 . . . . . 1 . . . . . 1	
Negotiation of MMS abstract syntaxes	2
8 . . . . . 1 . . . . . 1 . . . . . 2	
Max serv outstanding	2
8 . . . . . 1 . . . . . 1 . . . . . 3	
Local detail calling	3
8 . . . . . 1 . . . . . 1 . . . . . 4	
Local detail called	3
8 . . . . . 1 . . . . . 1 . . . . . 5	
Rules of Extensibility	3
8.2 VMD Support	3
8.3 Domain Management	3
8.3.1 List of capabilities	3
8.3.2 Initiate Download Sequence service	3
8.3.3 Download Segment service	3
8.3.4 Terminate Download Sequence service	3
8.3.5 Initiate Upload Sequence service	4
8.3.6 Upload Segment service	4
8.3.7 Get Domain Attributes service	4
8.4 Program Invocation Management	4
8.4.1 Start service	4
8.4.2 Stop service	4
8.4.3 Resume service	4
8.4.4 Reset service	4
8.5 Variable Access	4

8.5.1	Scattered access	4
8.5.2	Floating point	5
8.5.3	Unsigned Data	5
8.5.4	Order of variable specifications	5
8.5.5	Parameter CBBs	5
8.5.6	Named Variable Scope	5
8.5.7	Address Types	5
8.6	Semaphore Management	5
8.7	Operator Communication	5
8.8	Event Management	6
8.9	Journal Management	6

**Annex A** (normative)

<b>Backwards compatibility agreements</b>	7
---	---

**Annex B** (normative)

<b>DIS 9506 modifications required for backwards compatibility</b>	8
--	---

**Annex C** (normative)

<b>Basic functional tests</b>	9
-------------------------------	---

**Annex D** (normative)

<b>ISP text and Explanatory Report for AMM11, MMS General Applications Profile</b>	10
--	----

Foreword	xii
----------	-----

Introduction	xii
--------------	-----

1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
1.3. Scenario	1

2. Normative References	2
-------------------------	---

3. Definitions	2
----------------	---

4. Abbreviations	2
------------------	---

5. Conformance	3
5.1. Conformance Statement	3
5.2. Relationship with Base Standards	3
5.2.1. ACSE Conformance	3
5.2.2. Presentation Conformance	3
5.2.3. Transfer Syntax Conformance	3
5.2.4. Session Conformance	4

A.1. General	5
--------------	---

A.2. References	5
-----------------	---

A.3. Classification of Requirements	5
A.3.1. Status Column	5
A.3.2. Profile Column	6
A.4. ACSE PRL	6
A.5. Presentation PRL	7
A.6. Session PRL	8
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	3
5.1. General Requirements for use of all parts of MMS	3
5.1.1. Max supported PDU size	3
5.1.2. FileName	4
5.2. Service-specific Requirements	4
5.2.1. Environment and General Management	4
5.2.1.1. Initiate Service	4
5.2.1.1.1. Negotiation of MMS Abstract Syntaxes	4
5.2.1.1.2. Max Serv Outstanding	4
5.2.1.1.3. Local Detail Calling	4
5.2.1.1.4. Local Detail Called	5
5.2.1.1.5. Rules of Extensibility	5
5.2.2. VMD Support	5
5.2.2.1. Get Capability List Service	5
5.2.3. Domain Management	5
5.2.3.1. List Of Capabilities	5
5.2.3.2. Initiate Download Sequence Service	6
5.2.3.3. Download Segment Service	6
5.2.3.4. Terminate Download Sequence Service	7
5.2.3.5. Initiate Upload Sequence Service	7
5.2.3.6. Upload Segment Service	7
5.2.3.7. Get Domain Attributes Service	7
5.2.4. Program Invocation Management	7
5.2.4.1. Start	7
5.2.4.2. Stop	7
5.2.4.3. Resume	8
5.2.4.4. Reset	8
5.2.4.5. Kill	8
5.2.5. Variable Access	8
5.2.5.1. Scattered Access	8

5.2.5.2. Floating Point . . . . .	8
5.2.5.3. List Of Variables . . . . .	8
5.2.5.4. Parameter CBBs . . . . .	9
5.2.5.5. Named Variable Scope . . . . .	9
5.2.5.6. Address Types . . . . .	9
5.2.6. Semaphore Management . . . . .	9
5.2.7. Operator Communication . . . . .	9
5.2.8. Event Management . . . . .	9
5.2.9. Journal Management . . . . .	9
5.2.10. File Access . . . . .	10
5.2.11. File Management . . . . .	10
5.2.12. Data Exchange Management . . . . .	10
 Annex A - ISPICS Requirements List . . . . .	 13
A.1. General . . . . .	13
A.2. Classification of Requirements . . . . .	13
A.2.1. Base Column . . . . .	13
A.2.2. F/S Column . . . . .	13
A.2.3. Value/Reference . . . . .	14
A.2.4. Conditional MACROs . . . . .	14
A.3. Supported MMS PDU's . . . . .	15
A.3.1. Environment and General Management . . . . .	16
A.3.2. MMS Modifiers . . . . .	16
A.3.3. Parameter CBBs . . . . .	16
A.3.4. VMD Support . . . . .	17
A.3.5. Domain Management . . . . .	18
A.3.6. Program Invocation Management . . . . .	18
A.3.7. Variable Access . . . . .	19
A.3.8. Semaphore Management . . . . .	20
A.3.9. Operator Communication . . . . .	20
A.3.10. Event Management . . . . .	20
A.3.11. Journal Management . . . . .	21
A.3.12. File Access . . . . .	21
A.3.13. File Management . . . . .	21
A.3.14. Data Exchange Management . . . . .	22
A.3.15. Additional PDUs . . . . .	22
A.4. PDU-Specific Requirements . . . . .	22
A.4.1. Environment and General Management . . . . .	23
A.4.1.1. Initiate Request PDU . . . . .	23
A.4.1.2. Initiate Response PDU . . . . .	23
A.4.1.3. Initiate Error PDU . . . . .	23
A.4.1.4. Conclude Request PDU . . . . .	24
A.4.1.5. Conclude Response PDU . . . . .	24
A.4.1.6. Conclude Error PDU . . . . .	24
A.4.1.7. Cancel Request PDU . . . . .	24
A.4.1.8. Cancel Response PDU . . . . .	24
A.4.1.9. Cancel Error PDU . . . . .	25
A.4.1.10. Reject PDU . . . . .	25
A.4.2. VMD Support . . . . .	25
A.4.2.1. Status Request PDU . . . . .	25

A.4.2.2. Status Response PDU . . . . .	25
A.4.2.3. Status Error PDU . . . . .	26
A.4.2.4. Unsolicited Status PDU . . . . .	26
A.4.2.5. GetNameList Request PDU . . . . .	26
A.4.2.6. GetNameList Response PDU . . . . .	27
A.4.2.7. GetNameList Error PDU . . . . .	27
A.4.2.8. Identify Request PDU . . . . .	27
A.4.2.9. Identify Response PDU . . . . .	28
A.4.2.10. Identify Error PDU . . . . .	28
A.4.2.11. GetCapabilityList Request PDU . . . . .	28
A.4.2.12. GetCapabilityList Response PDU . . . . .	29
A.4.2.13. GetCapabilityList Error PDU . . . . .	29
A.4.3. Domain Management . . . . .	29
A.4.3.1. InitiateDownloadSequence Request PDU . . . . .	29
A.4.3.2. InitiateDownloadSequence Response PDU . . . . .	30
A.4.3.3. InitiateDownloadSequence Error PDU . . . . .	30
A.4.3.4. DownloadSegment Request PDU . . . . .	30
A.4.3.5. DownloadSegment Response PDU . . . . .	31
A.4.3.6. DownloadSegment Error PDU . . . . .	31
A.4.3.7. TerminateDownloadSequence Request PDU . . . . .	31
A.4.3.8. TerminateDownloadSequence Response PDU . . . . .	32
A.4.3.9. TerminateDownloadSequence Error PDU . . . . .	32
A.4.3.10. InitiateUploadSequence Request PDU . . . . .	32
A.4.3.11. InitiateUploadSequence Response PDU . . . . .	33
A.4.3.12. InitiateUploadSequence Error PDU . . . . .	33
A.4.3.13. UploadSegment Request PDU . . . . .	33
A.4.3.14. UploadSegment Response PDU . . . . .	34
A.4.3.15. UploadSegment Error PDU . . . . .	34
A.4.3.16. TerminateUploadSequence Request PDU . . . . .	34
A.4.3.17. TerminateUploadSequence Response PDU . . . . .	35
A.4.3.18. TerminateUploadSequence Error PDU . . . . .	35
A.4.3.19. RequestDomainDownload Request PDU . . . . .	35
A.4.3.20. RequestDomainDownload Response PDU . . . . .	36
A.4.3.21. RequestDomainDownload Error PDU . . . . .	36
A.4.3.22. RequestDomainUpload Request PDU . . . . .	36
A.4.3.23. RequestDomainUpload Response PDU . . . . .	37
A.4.3.24. RequestDomainUpload Error PDU . . . . .	37
A.4.3.25. LoadDomainContent Request PDU . . . . .	37
A.4.3.26. LoadDomainContent Response PDU . . . . .	38
A.4.3.27. LoadDomainContent Error PDU . . . . .	38
A.4.3.28. StoreDomainContent Request PDU . . . . .	38
A.4.3.29. StoreDomainContent Response PDU . . . . .	39
A.4.3.30. StoreDomainContent Error PDU . . . . .	39
A.4.3.31. DeleteDomain Request PDU . . . . .	39
A.4.3.32. DeleteDomain Response PDU . . . . .	40
A.4.3.33. DeleteDomain Error PDU . . . . .	40
A.4.3.34. GetDomainAttributes Request PDU . . . . .	40
A.4.3.35. GetDomainAttributes Response PDU . . . . .	41
A.4.3.36. GetDomainAttributes Error PDU . . . . .	41
A.4.4. Program Invocation Management . . . . .	41
A.4.4.1. CreateProgramInvocation Request PDU . . . . .	41
A.4.4.2. CreateProgramInvocation Response PDU . . . . .	42
A.4.4.3. CreateProgramInvocation Error PDU . . . . .	42
A.4.4.4. DeleteProgramInvocation Request PDU . . . . .	42



A.4.4.5. DeleteProgramInvocation Response PDU	43
A.4.4.6. DeleteProgramInvocation Error PDU	43
A.4.4.7. Start Request PDU	43
A.4.4.8. Start Response PDU	44
A.4.4.9. Start Error PDU	44
A.4.4.10. Stop Request PDU	44
A.4.4.11. Stop Response PDU	45
A.4.4.12. Stop Error PDU	45
A.4.4.13. Resume Request PDU	45
A.4.4.14. Resume Response PDU	46
A.4.4.15. Resume Error PDU	46
A.4.4.16. Reset Request PDU	46
A.4.4.17. Reset Response PDU	47
A.4.4.18. Reset Error PDU	47
A.4.4.19. Kill Request PDU	47
A.4.4.20. Kill Response PDU	47
A.4.4.21. Kill Error PDU	48
A.4.4.22. GetProgramInvocationAttributes Request PDU	48
A.4.4.23. GetProgramInvocationAttributes Response PDU	48
A.4.4.24. GetProgramInvocationAttributes Error PDU	49
A.4.5. Variable Access	49
A.4.5.1. Read Request PDU	49
A.4.5.1.1. VariableAccessSpecification	50
A.4.5.1.2. VariableSpecification	50
A.4.5.1.3. Address	50
A.4.5.1.4. TypeSpecification	51
A.4.5.1.5. AlternateAccess	52
A.4.5.1.6. AccessSelection	52
A.4.5.1.7. SelectAccess	52
A.4.5.1.8. IndexRange	53
A.4.5.2. Read Response PDU	53
A.4.5.2.1. Data	53
A.4.5.3. Read Error PDU	54
A.4.5.4. Write Request PDU	54
A.4.5.5. Write Response PDU	54
A.4.5.6. Write Error PDU	55
A.4.5.7. InformationReport PDU	55
A.4.5.8. GetVariableAccessAttributes Request PDU	55
A.4.5.9. GetVariableAccessAttributes Response PDU	56
A.4.5.10. GetVariableAccessAttributes Error PDU	56
A.4.5.11. DefineNamedVariable Request PDU	56
A.4.5.12. DefineNamedVariable Response PDU	57
A.4.5.13. DefineNamedVariable Error PDU	57
A.4.5.14. DeleteVariableAccess Request PDU	57
A.4.5.15. DeleteVariableAccess Response PDU	58
A.4.5.16. DeleteVariableAccess Error PDU	58
A.4.5.17. DefineNamedVariableList Request PDU	58
A.4.5.18. DefineNamedVariableList Response PDU	59
A.4.5.19. DefineNamedVariableList Error PDU	59
A.4.5.20. GetNamedVariableListAttributes Request PDU	59
A.4.5.21. GetNamedVariableListAttributes Response PDU	60
A.4.5.22. GetNamedVariableListAttributes Error PDU	60
A.4.5.23. DeleteNamedVariableList Request PDU	60
A.4.5.24. DeleteNamedVariableList Response PDU	61

A.4.5.25. DeleteNamedVariableList Error PDU	61
A.4.5.26. DefineNamedType Request PDU	61
A.4.5.27. DefineNamedType Response PDU	61
A.4.5.28. DefineNamedType Error PDU	62
A.4.5.29. GetNamedTypeAttributes Request PDU	62
A.4.5.30. GetNamedTypeAttributes Response PDU	62
A.4.5.31. GetNamedTypeAttributes Error PDU	63
A.4.5.32. DeleteNamedType Request PDU	63
A.4.5.33. DeleteNamedType Response PDU	63
A.4.5.34. DeleteNamedType Error PDU	63
A.4.6. Semaphore Management	64
A.4.7. Operator Communication	64
A.4.7.1. Input Request PDU	64
A.4.7.2. Input Response PDU	64
A.4.7.3. Input Error PDU	65
A.4.7.4. Output Request PDU	65
A.4.7.5. Output Response PDU	65
A.4.7.6. Output Error PDU	66
A.4.8. Event Management	66
A.4.9. Journal Management	66
A.4.10. File Access	66
A.4.11. File Management	66
A.4.12. Data Exchange Management	66
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	2
5.1. General Requirements for use of all parts of MMS	2
5.2. Service-specific Requirements	2
Annex A - ISPICS Requirements List	5
A.1. General	5
A.2. Classification of Requirements	5
A.2.1. Base Column	5
A.2.2. F/S Column	5
A.2.3. Value/Reference	6
A.2.4. Conditional MACROs	6
A.3. Supported MMS PDU's	6
A.3.1. Environment and General Management	7

A.3.2. MMS Modifiers	7
A.3.3. Parameter CBBs	7
A.3.4. VMD Support	8
A.3.5. Domain Management	9
A.3.6. Program Invocation Management	9
A.3.7. Variable Access	9
A.3.8. Semaphore Management	11
A.3.9. Operator Communication	11
A.3.10. Event Management	11
A.3.11. Journal Management	12
A.3.12. File Access	12
A.3.13. File Management	12
A.3.14. Data Exchange Management	13
A.3.15. Additional PDUs	13
A.4. PDU-Specific Requirements	13
A.4.1. Environment and General Management	14
A.4.1.1. Initiate Request PDU	14
A.4.1.2. Initiate Response PDU	14
A.4.1.3. Initiate Error PDU	14
A.4.1.4. Conclude Request PDU	15
A.4.1.5. Conclude Response PDU	15
A.4.1.6. Conclude Error PDU	15
A.4.1.7. Cancel Request PDU	15
A.4.1.8. Cancel Response PDU	15
A.4.1.9. Cancel Error PDU	16
A.4.1.10. Reject PDU	16
A.4.2. VMD Support	16
A.4.2.1. Status Request PDU	16
A.4.2.2. Status Response PDU	17
A.4.2.3. Status Error PDU	17
A.4.2.4. Unsolicited Status PDU	17
A.4.2.5. GetNameList Request PDU	18
A.4.2.6. GetNameList Response PDU	18
A.4.2.7. GetNameList Error PDU	18
A.4.2.8. Identify Request PDU	19
A.4.2.9. Identify Response PDU	19
A.4.2.10. Identify Error PDU	19
A.4.2.11. GetCapabilityList Request PDU	19
A.4.2.12. GetCapabilityList Response PDU	20
A.4.2.13. GetCapabilityList Error PDU	20
A.4.3. Domain Management	20
A.4.3.1. InitiateDownloadSequence Request PDU	20
A.4.3.2. InitiateDownloadSequence Response PDU	21
A.4.3.3. InitiateDownloadSequence Error PDU	21
A.4.3.4. DownloadSegment Request PDU	21
A.4.3.5. DownloadSegment Response PDU	22
A.4.3.6. DownloadSegment Error PDU	22
A.4.3.7. TerminateDownloadSequence Request PDU	22
A.4.3.8. TerminateDownloadSequence Response PDU	23
A.4.3.9. TerminateDownloadSequence Error PDU	23
A.4.3.10. InitiateUploadSequence Request PDU	24
A.4.3.11. InitiateUploadSequence Response PDU	24
A.4.3.12. InitiateUploadSequence Error PDU	24

A.4.3.13. UploadSegment Request PDU	24
A.4.3.14. UploadSegment Response PDU	25
A.4.3.15. UploadSegment Error PDU	25
A.4.3.16. TerminateUploadSequence Request PDU	25
A.4.3.17. TerminateUploadSequence Response PDU	26
A.4.3.18. TerminateUploadSequence Error PDU	26
A.4.3.19. RequestDomainDownload Request PDU	26
A.4.3.20. RequestDomainDownload Response PDU	27
A.4.3.21. RequestDomainDownload Error PDU	27
A.4.3.22. RequestDomainUpload Request PDU	27
A.4.3.23. RequestDomainUpload Response PDU	28
A.4.3.24. RequestDomainUpload Error PDU	28
A.4.3.25. LoadDomainContent Request PDU	28
A.4.3.26. LoadDomainContent Response PDU	29
A.4.3.27. LoadDomainContent Error PDU	29
A.4.3.28. StoreDomainContent Request PDU	29
A.4.3.29. StoreDomainContent Response PDU	30
A.4.3.30. StoreDomainContent Error PDU	30
A.4.3.31. DeleteDomain Request PDU	30
A.4.3.32. DeleteDomain Response PDU	31
A.4.3.33. DeleteDomain Error PDU	31
A.4.3.34. GetDomainAttributes Request PDU	31
A.4.3.35. GetDomainAttributes Response PDU	32
A.4.3.36. GetDomainAttributes Error PDU	32
A.4.4. Program Invocation Management	32
A.4.4.1. CreateProgramInvocation Request PDU	32
A.4.4.2. CreateProgramInvocation Response PDU	33
A.4.4.3. CreateProgramInvocation Error PDU	33
A.4.4.4. DeleteProgramInvocation Request PDU	33
A.4.4.5. DeleteProgramInvocation Response PDU	34
A.4.4.6. DeleteProgramInvocation Error PDU	34
A.4.4.7. Start Request PDU	34
A.4.4.8. Start Response PDU	35
A.4.4.9. Start Error PDU	35
A.4.4.10. Stop Request PDU	35
A.4.4.11. Stop Response PDU	36
A.4.4.12. Stop Error PDU	36
A.4.4.13. Resume Request PDU	36
A.4.4.14. Resume Response PDU	37
A.4.4.15. Resume Error PDU	37
A.4.4.16. Reset Request PDU	37
A.4.4.17. Reset Response PDU	38
A.4.4.18. Reset Error PDU	38
A.4.4.19. Kill Request PDU	38
A.4.4.20. Kill Response PDU	39
A.4.4.21. Kill Error PDU	39
A.4.4.22. GetProgramInvocationAttributes Request PDU	39
A.4.4.23. GetProgramInvocationAttributes Response PDU	39
A.4.4.24. GetProgramInvocationAttributes Error PDU	40
A.4.5. Variable Access	40
A.4.5.1. Read Request PDU	40
A.4.5.1.1. VariableAccessSpecification	41
A.4.5.1.2. VariableSpecification	41
A.4.5.1.3. Address	41

A.4.5.1.4. TypeSpecification	42
A.4.5.1.5. AlternateAccess	44
A.4.5.1.6. AccessSelection	44
A.4.5.1.7. SelectAccess	44
A.4.5.1.8. IndexRange	45
A.4.5.2. Read Response PDU	45
A.4.5.2.1. Data	45
A.4.5.3. Read Error PDU	46
A.4.5.4. Write Request PDU	46
A.4.5.5. Write Response PDU	47
A.4.5.6. Write Error PDU	47
A.4.5.7. InformationReport PDU	47
A.4.5.8. GetVariableAccessAttributes Request PDU	48
A.4.5.9. GetVariableAccessAttributes Response PDU	48
A.4.5.10. GetVariableAccessAttributes Error PDU	48
A.4.5.11. DefineNamedVariable Request PDU	49
A.4.5.12. DefineNamedVariable Response PDU	49
A.4.5.13. DefineNamedVariable Error PDU	49
A.4.5.14. DeleteVariableAccess Request PDU	49
A.4.5.15. DeleteVariableAccess Response PDU	50
A.4.5.16. DeleteVariableAccess Error PDU	50
A.4.5.17. DefineNamedVariableList Request PDU	50
A.4.5.18. DefineNamedVariableList Response PDU	51
A.4.5.19. DefineNamedVariableList Error PDU	51
A.4.5.20. GetNamedVariableListAttributes Request PDU	51
A.4.5.21. GetNamedVariableListAttributes Response PDU	52
A.4.5.22. GetNamedVariableListAttributes Error PDU	52
A.4.5.23. DeleteNamedVariableList Request PDU	52
A.4.5.24. DeleteNamedVariableList Response PDU	53
A.4.5.25. DeleteNamedVariableList Error PDU	53
A.4.5.26. DefineNamedType Request PDU	53
A.4.5.27. DefineNamedType Response PDU	54
A.4.5.28. DefineNamedType Error PDU	54
A.4.5.29. GetNamedTypeAttributes Request PDU	54
A.4.5.30. GetNamedTypeAttributes Response PDU	54
A.4.5.31. GetNamedTypeAttributes Error PDU	55
A.4.5.32. DeleteNamedType Request PDU	55
A.4.5.33. DeleteNamedType Response PDU	55
A.4.5.34. DeleteNamedType Error PDU	56
A.4.6. Semaphore Management	56
A.4.7. Operator Communication	57
A.4.7.1. Input Request PDU	57
A.4.7.2. Input Response PDU	57
A.4.7.3. Input Error PDU	57
A.4.7.4. Output Request PDU	58
A.4.7.5. Output Response PDU	58
A.4.7.6. Output Error PDU	58
A.4.8. Event Management	59
A.4.9. Journal Management	59
A.4.10. File Access	59
A.4.11. File Management	59
A.4.12. Data Exchange Management	59

## Foreword

The ISO/IEC ISP 14226 specifies the AMM11 MMS General Applications International Standardized Profile. This ISP has three parts:

Part 1 - Specification of ACSE, Presentation, and Session Protocols for the use by MMS

Part 2 - Common MMS Requirements

Part 3 - Specific MMS Requirements

This part of the ISO/IEC ISP 14226 is produced and approved by ISO TC 184. This Group includes ISO/IEC Member Bodies and S-liaison organizations. The S-liaison organizations that have contributed to the production of this draft are

Asia-Oceania Workshop (AOW)

European Workshop for Open Systems (EWOS)

OSE Implementors Workshop (OIW)

## Introduction

This draft for an International Standardized Profile (ISP) is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

# Information Technology – International Standardized Profile AMM11 – MMS General Applications Base Profile

## PART 2: Common MMS Requirements

### 1. Scope

#### 1.1. General

This part of ISO/IEC ISP 14226 specifies the common MMS requirements that form the basis for part 3 of this ISP and for other ISPs referencing this part. This part when used in conjunction with other ISPs specifies how the MMS standard shall be used to provide the MMS functions required by applications controlling a full range of devices in the scope of MMS.

#### 1.2. Position within the Taxonomy

This part of ISO/IEC ISP 14226 is the second part of a multi-part ISP identified in ISO/IEC TR 10000-2 as "AMM11, MMS General Applications Base Profile".

It may be combined with any T-Profile specifying the OSI connection-mode transport service.

### 2. Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this profile. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this profile are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and CCITT maintains published editions of its current Recommendations.

- ISO/IEC 9506-1:1990, Industrial automation systems - Manufacturing Message Specification - Part 1 - Service definition
- ISO/IEC 9506-2:1990, Industrial automation systems - Manufacturing Message Specification - Part 2 - Protocol specification
- ISO/IEC TR 10000-1:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 1 : Framework.
- ISO/IEC TR 10000-2:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 2 : Taxonomy of Profiles.

- ISO/IEC ISP 10607-3:1991, Information Technology - International Standardized Profiles AFT nn-File Transfer, Access and Management - Part 3: AFT 11 - Simple File Transfer Service (unstructured)
- ISO/IEC 9506 – Technical Corrigenda 1:1993
- ISO/IEC 9506-1 - Ammendment 1:1993 Data Exchange
- ISO/IEC 9506-2 - Ammendment 1:1993 Data Exchange
- ISO/IEC DISP 14226-1, Information Technology - International Standardized Profile AMM11:MMS General Applications Base Profile - Part 1: Specification of ACSE, Presentation, and Session Protocols for use by MMS

### 3. Definitions

Unless specifically noted, terms used in this part shall be as defined in the referenced base standards.

An MMS implementation is a realization of an MMS user together with its underlying MMS provider.

A calling MMS implementation is the MMS implementation that issues the Initiate request primitive.

A called MMS implementation is the MMS implementation that issues the Initiate response primitive.

### 4. Abbreviations

Unless specifically noted, abbreviations used in this part shall be as defined in the referenced base standards.

Client-CR            Client Conformance Requirements

Server-CR           Server Conformance Requirements



## 5. Conformance Requirements

This part of ISO/IEC ISP 14226 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 14226 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following Clauses and in annex A are satisfied. Annex A states the relationship between these requirements and those of base standards.

The conformance requirements of this ISP are described in terms of "Client Conformance Requirements (Client-CR)" and "Server Conformance Requirements (Server-CR)" for each service.

An MMS implementation compliant with the Client-CR for all services in this ISP is called a "Client Implementation".

An MMS implementation compliant with the Server-CR for all services in this ISP is called a "Server Implementation".

### 5.1. General Requirements for use of all parts of MMS

To achieve interworking, each server implementation shall be able to accept an association with a client implementation.

#### 5.1.1. Max supported PDU size

The `max_mms_pdu_size` is defined as the maximum number of octets in an MMSpdu encoded using the negotiated transfer syntax. The size shall apply to all MMSpdu's with the exception of the Initiate-request PDU, Initiate-response PDU and Initiate-error PDU. The `max_mms_pdu_size` shall be negotiated during connection initiation using the `LocalDetailCalling` and `LocalDetailCalled` parameters of the MMS Initiate service.

The negotiated `max_mms_pdu_size` shall be applied as follows:

- Any received MMSpdu whose length is less than or equal to the negotiated `max_mms_pdu_size` shall be properly parsed and processed.
- An MMS implementation should not send an MMSpdu whose size exceeds the negotiated `max_mms_pdu_size`. If an MMS implementation sends an MMSpdu that exceeds the negotiated `max_mms_pdu_size`, then it shall be prepared to receive a Reject PDU. Should an MMS implementation receive an MMSpdu that exceeds the negotiated `max_mms_pdu_size`, it shall either reject the MMSpdu or accept the MMSpdu as if no size violation had occurred and performed the expected processing.
- If an MMS implementation is unable to send a service response because the response would exceed the `max_mms_pdu_size`, then it shall return a Service response (-) with an error class of SERVICE and an error code of OTHER.
- When rejecting an MMSpdu because it exceeds the negotiated `max_mms_pdu_size`, an MMS implementation shall use a Reject PDU Type of PDU-ERROR and a Reject Code of INVALID-PDU in the resulting Reject PDU.

### **5.1.2. FileName**

Restrictions for the use of the type FileName in the MMS Abstract Syntax are specified in section 9.1 of ISO/IEC ISP 10607-3.

## **5.2. Service-specific Requirements**

### **5.2.1. Environment and General Management**

#### **5.2.1.1. Initiate Service**

##### **5.2.1.1.1. Negotiation of MMS Abstract Syntaxes**

On the A-Associate response the MMS responder shall not accept more than one presentation context derived from an MMS abstract syntax. For this agreement, the term 'MMS abstract syntax' shall represent an abstract syntax from the set containing the abstract syntax defined in clause 19 of ISO/IEC 9506-2 and abstract syntaxes defined by MMS companion standards.

##### **5.2.1.1.2. Max Serv Outstanding**

An MMS implementation which intends to conform only with the Client Conformance Requirements for Requester CBB's shall:

- a) propose one or greater for the value of the Proposed Max Serv Outstanding Called parameter in the Initiate service when initiating the application association (calling);
- b) offer one or greater for the value of the Negotiated Max Serv Outstanding Calling parameter in the Initiate service when receiving the application association initiation (called);

An MMS implementation which intends to conform to one or more Server Conformance Requirements for Responder CBB's shall:

- a) propose one or greater for the value of the Proposed Max Serv Outstanding Calling parameter in the Initiate service when initiating the application association (calling);
- b) offer one or greater for the value of the Negotiated Max Serv Outstanding Called parameter in the Initiate service when receiving the application association initiation (called);

##### **5.2.1.1.3. Local Detail Calling**

The Local Detail Calling parameter in the Initiate request primitive shall specify the max\_mms\_pdu\_size guaranteed to be supported by the calling MMS implementation. If the Local Detail Calling parameter is absent from the request primitive, then the calling MMS implementation shall guarantee support for an unlimited max\_mms\_pdu\_size.

If present in the request or indication primitives, the Local Detail Calling parameter shall not be less than 64; however, it is recommended that at least 512 octets be supported.

#### **5.2.1.1.4. Local Detail Called**

The Local Detail Called parameter in the Initiate response primitive shall specify the negotiated max\_mms\_pdu\_size for the application association.

If the Local Detail Calling parameter is omitted in the indication primitive, then the Local Detail Called parameter:

- a) may be omitted from the response, indicating that the calling MMS implementation and the called MMS implementation are prepared to support an unbounded max\_mms\_pdu\_size;
- b) may be specified in the response, indicating a requirement to support the specified value for max\_mms\_pdu\_size.

If the Local Detail Calling is included in the request, then this parameter shall be present in the response and its value shall be less than or equal to the value of the Local Detail Calling parameter of the request.

If present in the response, the Local Detail Called shall not be less than 64; however, it is recommended that at least 512 octets be supported.

#### **5.2.1.1.5. Rules of Extensibility**

Any additional valid tagged ASN.1 values received as sequence elements in the parameters of the Initiate-RequestPDU, the Initiate-ResponsePDU, or the Initiate-ErrorPDU shall be ignored for upward compatibility purposes.

Implementations shall be capable of parsing up to 128 bits in the services supported field of either the Initiate-RequestPDU or Initiate-ResponsePDU. Implementations shall be capable of parsing up to 32 bits in the parameter CBB field of either the Initiate-RequestPDU or the Initiate-ResponsePDU. In both cases, the behaviour of the implementation shall be no different than if the PDU received had not contained additional bits.

### **5.2.2. VMD Support**

#### **5.2.2.1. Get Capability List Service**

Only one capability shall be described in each Visible String of the SEQUENCE OF.

### **5.2.3. Domain Management**

#### **5.2.3.1. List Of Capabilities**

Only one capability shall be described in each Visible String of the SEQUENCE OF.

The order of the strings within the List Of Capabilities parameter may have significance to the server implementation and shall be preserved.

#### **5.2.3.2. Initiate Download Sequence Service**

The List Of Capabilities parameter shall follow the limitations of 5.2.3.1.

The syntax and semantics of the capabilities shall be defined by the Server implementation in the PICS. Any deviation from the defined syntax and semantics shall be reasons for the Server implementation to return a service error with Error Class equal to RESOURCE and Error Code equal to CAPABILITY-UNKNOWN.

#### **5.2.3.3. Download Segment Service**

A client implementation that receives a Download Segment indication after issuing a Download Segment Result (+) with the More Follows parameter equal to FALSE or after issuing a Download Segment Result (-) shall issue either a service error, specifying an Error Class equal to SERVICE and an Error Code equal to PRIMITIVES-OUT-OF-SEQUENCE, or an Abort Request.

#### **5.2.3.4. Terminate Download Sequence Service**

If a client implementation receives a Terminate Download Sequence indication in which the Discard parameter is absent and the client implementation has not issued a Download Segment response with the More Follows parameter equal to FALSE for that Domain, it shall behave as if it had received a Terminate Download Sequence indication with the Discard parameter present with the Error Class equal to VMD-STATE and Error Code equal to DOMAIN-TRANSFER-PROBLEM. It is then up to the client implementation to determine the true state of the Domain and take any recovery action.

#### **5.2.3.5. Initiate Upload Sequence Service**

The List Of Capabilities parameter shall follow the limitations of 5.2.3.1.

#### **5.2.3.6. Upload Segment Service**

A server implementation that receives a Upload Segment indication for an Upload State Machine for which it has issued an Upload Segment Result (-) or an Upload Segment Result (+) with the More Follows parameter equal to FALSE, shall issue either a service error, specifying an Error Class equal to SERVICE and an Error Code equal to PRIMITIVES-OUT-OF-SEQUENCE, or an Abort Request.

#### **5.2.3.7. Get Domain Attributes Service**

The List Of Capabilities parameter shall follow the limitations of 5.2.3.1.

### **5.2.4. Program Invocation Management**

#### **5.2.4.1. Start**

A Program Invocation State of NON-EXISTENT shall be returned in a Result (-) when a request to start a non-existent Program Invocation is received.

#### **5.2.4.2. Stop**

A Program Invocation State of NON-EXISTENT shall be returned in a Result (-) when a request to stop a non-existent Program Invocation is received.

#### **5.2.4.3. Resume**

A Program Invocation State of NON-EXISTENT shall be returned in a Result (-) when a request to resume a non-existent Program Invocation is received.

#### **5.2.4.4. Reset**

A Program Invocation State of NON-EXISTENT shall be returned in a Result (-) when a request to reset a non-existent Program Invocation is received.

#### **5.2.4.5. Kill**

A Program Invocation State of NON-EXISTENT shall be returned in a Result (-) when a request to kill a non-existent Program Invocation is received.

### **5.2.5. Variable Access**

#### **5.2.5.1. Scattered Access**

It is strongly recommended that for services which use variable access, a Variable List Name or a List Of Variable be used instead of Scattered Access.

No implementations shall be required to propose or accept the VSCA Parameter CBB.

#### **5.2.5.2. Floating Point**

It is strongly recommended that for services which use floating point types or values, that the choice of floating-point in the Data and TypeSpecification productions be used instead of the choice of real.

No implementations shall be required to propose or accept the REAL Parameter CBB.

Any implementation which supports data of the MMS floating-point type, shall be capable of supporting a size parameter of format width 32 and exponent width 8.

Implementations that provide support for floating point data and types shall support the choice of "floating point" in the Data and TypeSpecification productions.

#### **5.2.5.3. List Of Variables**

The order of Variable Specification that appears in the List Of Variable shall not constrain the temporal order of the access to individual variables by the V-Put and V-Get functions in the Server implementation.

#### **5.2.5.4. Parameter CBBs**

Each server implementation that claims support for the Read, Write, or InformationReport service shall be capable of supporting either the VNAME or VADR parameter CBB.

Each client implementation that claims support for the Read, Write or InformationReport service shall be capable of supporting the VNAME and VADR parameter CBBs.

#### **5.2.5.5. Named Variable Scope**

Each server implementation that claims support for the VNAME parameter CBB shall be capable of supporting either VMD-Specific or Domain-Specific named variables.

Each client implementation that claims support for the VNAME parameter CBB shall be capable of supporting both VMD-Specific and Domain-Specific named variables.

#### **5.2.5.6. Address Types**

Each server implementation that claims support for the VADR parameter CBB shall be capable of supporting either the Symbolic-Address or Numeric-Address choice.

Each client implementation that claims support for the VADR parameter CBB shall be capable of supporting both the Symbolic-Address and Numeric-Address choices.

#### **5.2.6. Semaphore Management**

Out of scope.

#### **5.2.7. Operator Communication**

No additional requirements have been identified.

#### **5.2.8. Event Management**

Out of scope.

#### **5.2.9. Journal Management**

Out of scope.

**5.2.10. File Access**

Out of scope.

**5.2.11. File Management**

Out of scope.

**5.2.12. Data Exchange Management**

Out of scope.



## **PART 2:**

### **Annex A - ISPICS Requirements List**

THIS PAGE IS INTENTIONALLY BLANK

## Annex A - ISPICS Requirements List

### A.1. General

This annex describes the common MMS requirements in terms of tables which were derived from the base standard. They are intended to give a precise specification of requirements.

### A.2. Classification of Requirements

Throughout this annex, to specify the level of support for each feature, the following classification is used.

**Client-CR** : Client Conformance Requirement.

**Server-CR** : Server Conformance Requirement

#### A.2.1. Base Column

The "Base" column reflects the definitions and specifications in ISO/IEC 9506-1:1990 and ISO/IEC 9506-2:1990. Each entry in this column is chosen from the following list:

**mandatory; m** : That feature shall be supported, i.e. its syntax and procedures shall be implemented as specified in the base standard.

However, it is not a requirement that the feature shall be used in all instances of communication, unless mandated by the base standard .

**optional; o** : Any feature denoted by "o" is left to the implementation as to whether that feature is implemented or not.

If a parameter is optionally supported, then the syntax shall be implemented, but it is left to each implementation whether the procedures are implemented or not.

#### A.2.2. F/S Column

The "F/S" column reflects the requirements of this Functional Standard. Each entry in this column is chosen from the following terminology:

**supported; m** : Any feature denoted by "m" is mandatory or optional in the base standard. That feature shall be supported, i.e. its syntax and procedures shall be implemented as specified in the base standard or in this ISP by all implementations claiming conformance to this ISP.

However, it is not a requirement that the feature shall be used in all instances of communication, unless mandated by the base standard or stated otherwise in this part of this A-Profile.

**optionally supported; o** : Any feature denoted by "o" is left to the implementation as to whether that feature is implemented or not.

If a parameter is optionally supported, then the syntax shall be implemented, but it is left to each implementation whether the procedures are implemented or not.

**conditionally supported; c** : Any feature denoted by "c<n>" shall be supported under the condition referenced c<n> specified in this ISP, where <n> stands for a number. If these conditions are not met, the feature is outside the scope of this ISP.

**excluded; x** : Any feature denoted by "x" is excluded in this ISP, i.e. an implementation shall behave as if the feature is not implemented.

**companion standard specific; cs** : Any feature denoted by "cs" is left to be defined by an ISP or a part of an ISP referencing this part, and based on a companion standard abstract syntax. For ISPs that are based on the abstract syntax defined by ISO/IEC 9506-2, "cs" is equivalent to "excluded; x".

**outside of scope; i** : Any feature denoted by "i" is outside the scope of this ISP, i.e. it may be ignored, and will therefore not be subject of an ISP conformance test. However the syntax of all parameters of supported PDUs shall be implemented, even if the procedures are not (i.e. the Receiver shall be able to decode the PDU).

**not applicable; -** : Any feature denoted by "-" is not defined in the context where it is mentioned, e.g. a parameter which is not part of the respective PDU. The occurrence of "not applicable" features is mainly due to the format of the tables in ISPICS Requirements List.

**functional standard choice; \*** : Any feature denoted by "\*" is left to be defined by an ISP or a part of an ISP referencing this part. The referencing profile shall replace the "\*" by any of the alternatives given in the list above.

### A.2.3. Value/Reference

The "Value/Ref." column specifies constraints on values for the parameter and/or contains references to text in this or other documents.

### A.2.4. Conditional MACROS

The following MACROS are used in the F/S Column:

**STR1** : Any feature denoted by "STR1" is conditioned on the support of STR1 Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the STR1 Parameter CBB.

**STR2** : Any feature denoted by "STR2" is conditioned on the support of STR2 Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the STR2 Parameter CBB.

**VADR** : Any feature denoted by "VADR" is conditioned on the support of VADR Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the VADR Parameter CBB.

**VNAM** : Any feature denoted by "VNAM" is conditioned on the support of VNAM Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the VNAM Parameter CBB.

**VLIS** : Any feature denoted by "VLIS" is conditioned on the support of VLIS Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the VLIS Parameter CBB.

**VSCA** : Any feature denoted by “VSCA” is conditioned on the support of VSCA Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the VSCA Parameter CBB.

**VALT** : Any feature denoted by “VALT” is conditioned on the support of VALT Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the VALT Parameter CBB.

**REAL** : Any feature denoted by “REAL” is conditioned on the support of REAL Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the REAL Parameter CBB.

**TPY** : Any feature denoted by “TPY” is conditioned on the support of TPY Parameter CBB. Its requirement is left to be defined by an ISP that references this ISP and specifies the nature of its support for the TPY Parameter CBB.

**MOD** : Any feature denoted by “MOD” is left to be defined by an ISP that references this ISP and specifies the nature of its support for the MMS Modifiers.

### **A.3. Supported MMS PDU's**

**A.3.1. Environment and General Management**

Ref	MMS PDU	Client-CR				Server-CR			
		Sending		Receiving		Sending		Receiving	
		Base	F/S	Base	F/S	Base	F/S	Base	F/S
1	InitiateRequest		*	o	*	o	*	m	m
2	InitiateResponse	o	*	o	*	m	m	o	*
3	InitiateError	o	*	o	*	m	m	o	*
4	ConcludeRequest	o	*	o	*	o	*	m	m
5	ConcludeResponse	o	*	o	*	m	m	o	*
6	ConcludeError	o	*	o	*	m	m	o	*
7	CancelRequest	o	*	o	*	o	*	o	*
8	CancelResponse	o	*	o	*	o	*	o	*
9	CancelError	o	*	o	*	o	*	o	*
10	Reject	m	m	m	m	m	m	m	m

Note: Abort service is provided by ACSE.

**A.3.2. MMS Modifiers**

Ref	Modifier	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	attachToEventCondition	o	i	o	i
2	attachToSemaphore	o	i	o	i

**A.3.3. Parameter CBBs**

Ref	Parameter	Base	Client-CR		Server-CR	
			F/S	Value/Ref.	F/S	Value/Ref.
1	str1	o	*		*	
2	str2	o	*		*	
3	vnam	o	c1		c1	

4	valt	o	*		*	
5	vadr	o	c1		c1	
6	vsca	o	x		x	
7	tpy	o	*		*	
8	vlis	o	*		*	
9	real	o	i		i	
10	cei	o	i		i	

c1: see section 5.2.5.4 to determine the requirements for these CBBs.

#### A.3.4. VMD Support

In this subclause and the following subclauses of A.3 the column "MMS PDU's" contains one single entry for each MMS service. In case of a confirmed service this single entry shall represent the corresponding Request-, Response- and Error-PDU'S. In case of an unconfirmed service it shall represent the corresponding Request-PDU.

For responder role service CBBs, the Client-CR column shall indicate the support of sending the Request-PDU and receiving the Response-PDU and Error-PDU, whereas, the Server-CR column shall indicate the support of receiving the Request-PDU and sending the Response-PDU and Error-PDU.

For requester role service CBBs, the Client-CR column shall indicate the support of receiving the Request-PDU and (in case of a confirmed service) sending the Response-PDU and Error-PDU, whereas, the Server-CR column shall indicate the support of sending the Request-PDU and (in case of a confirmed service) receiving the Response-PDU and Error-PDU.

NOTE - As an example, the 'm' in the Server-CR column for the Identify service means that the Server implementation has to support the receiving of the Identify-Request PDU and the sending of the Identify-Response PDU and the Identify-Error PDU, whereas the 'o' in the Client-CR column means that the Client implementation may or may not support the sending of the Identify-Request PDU, and the receiving of the Identify-Response PDU and the Identify-Error PDU.

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Status	o	*	o	*
2	UnsolicitedStatus	o	*	o	*
3	GetNameList	o	*	o	*
4	Identify	o	*	m	m
5	Rename	o	i	o	i

6	GetCapabilityList	o	*	o	*
---	-------------------	---	---	---	---

### A.3.5. Domain Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	InitiateDownloadSequence	o	*	o	*
2	DownloadSegment	o	*	o	*
3	TerminateDownloadSequence	o	*	o	*
4	InitiateUploadSequence	o	*	o	*
5	UploadSegment	o	*	o	*
6	TerminateUploadSequence	o	*	o	*
7	RequestDomainDownload	o	*	o	*
8	RequestDomainUpload	o	*	o	*
9	LoadDomainContent	o	*	o	*
10	StoreDomainContent	o	*	o	*
11	DeleteDomain	o	*	o	*
12	GetDomainAttributes	o	*	o	*

### A.3.6. Program Invocation Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	CreateProgramInvocation	o	*	o	*
2	DeleteProgramInvocation	o	*	o	*
3	Start	o	*	o	*
4	Stop	o	*	o	*
5	Resume	o	*	o	*
6	Reset	o	*	o	*
7	Kill	o	*	o	*



8	GetProgramInvocationAttributes	o	*	o	*
---	--------------------------------	---	---	---	---

### A.3.7. Variable Access

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Read	o	*	o	*
2	Write	o	*	o	*
3	InformationReport	o	*	o	*
4	GetVariableAccessAttributes	o	*	o	*
5	DefineNamedVariable	o	c1	o	c1
6	DefineScatteredAccess	o	x	o	x
7	GetScatteredAccessAttributes	o	x	o	x
8	DeleteVariableAccess	o	c2	o	c2
9	DefineNamedVariableList	o	c3	o	c3
10	GetNamedVariableListAttributes	o	c3	o	c3
11	DeleteNamedVariableList	o	c3	o	c3
12	DefineNamedType	o	*	o	*
13	GetNamedTypeAttributes	o	*	o	*
14	DeleteNamedType	o	*	o	*

- c1: to be defined by an ISP referencing this part. If this service is supported, then VNAM and VADR shall also be supported.
- c2: to be defined by an ISP referencing this part. If this service is supported, then VNAM shall also be supported.
- c3: to be defined by an ISP referencing this part. If this service is supported, then VLIS shall also be supported.

**A.3.8. Semaphore Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	TakeControl	o	i	o	i
2	RelinquishControl	o	i	o	i
3	DefineSemaphore	o	i	o	i
4	DeleteSemaphore	o	i	o	i
5	ReportSemaphoreStatus	o	i	o	i
6	ReportPoolSemaphoreStatus	o	i	o	i
7	ReportSemaphoreEntryStatus	o	i	o	i

**A.3.9. Operator Communication**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Input	o	*	o	*
2	Output	o	*	o	*

**A.3.10. Event Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	DefineEventCondition	o	i	o	i
2	DeleteEventCondition	o	i	o	i
3	GetEventConditionAttributes	o	i	o	i
4	ReportEventConditionStatus	o	i	o	i
5	AlterEventConditionMonitoring	o	i	o	i
6	TriggerEvent	o	i	o	i
7	DefineEventAction	o	i	o	i
8	DeleteEventAction	o	i	o	i

9	GetEventActionAttributes	o	i	o	i
10	ReportEventActionStatus	o	i	o	i
11	DefineEventEnrollment	o	i	o	i
12	DeleteEventEnrollment	o	i	o	i
13	GetEventEnrollmentAttributes	o	i	o	i
14	ReportEventEnrollmentStatus	o	i	o	i
15	AlterEventEnrollment	o	i	o	i
16	EventNotification	o	i	o	i
17	AcknowledgeEventNotification	o	i	o	i
18	GetAlarmSummary	o	i	o	i
19	GetAlarmEnrollmentSummary	o	i	o	i

### A.3.11. Journal Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	ReadJournal	o	i	o	i
2	WriteJournal	o	i	o	i
3	InitializeJournal	o	i	o	i
4	ReportJournalStatus	o	i	o	i
5	CreateJournal	o	i	o	i
6	DeleteJournal	o	i	o	i

### A.3.12. File Access

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	ObtainFile	o	i	o	i

### A.3.13. File Management

This subclause is informative only.

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	FileOpen	o	i	o	i
2	FileRead	o	i	o	i
3	FileClose	o	i	o	i

#### A.3.14. Data Exchange Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	GetDataExchangeAttributes	o	i	o	i
2	ExchangeData	o	i	o	i

#### A.3.15 Additional PDUs

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Additional PDU	o	cs	o	cs

#### A.4. PDU-Specific Requirements

This clause contains tables for all PDUs which have been marked as 'm', '\*\*', or 'c<n>' in F/S column of clause A.3. Some of the PDU parameters represent complex structures which are described using the following conventions:

- a) If a parameter with label <x> is a CHOICE type, the corresponding alternatives are listed below this parameter, using the sub-labels <x>.a, <x>.b, <x>.c, etc.
- b) If a parameter with label <x> is a SEQUENCE or SEQUENCE OF SEQUENCE type, the sequence members are listed below that parameter using the sub-labels <x>.1, <x>.2, <x>.3, etc.
- c) Some of the complex parameters are described in separate tables. In these cases, parameter names start

with an upper case letter, otherwise parameters start with a lower case letter.

#### A.4.1. Environment and General Management

##### A.4.1.1. Initiate Request PDU

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	localDetailCalling	o	m	5.2.1.1.3	m	m	
2	proposedMaxServOutstandingCallingg		m	m	5.2.1.	m	m
3	proposedMaxServOutstandingCalled	m	m	5.2.1.1.2	m	m	
4	proposedDataStructureNestingLevel	m	m		m	m	
5	initiateRequestDetail	m	m	Note 1	m	m	

Note 1: initiateRequestDetail is specified in ISO/IEC ISP 14226-3 or in another ISP referencing this part.

##### A.4.1.2. Initiate Response PDU

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	localDetailCalled	o	m	5.2.1.1.4	m	m	
2	negotiatedMaxServOutstandingCalling		m	m	5.2.1.	m	m
3	negotiatedMaxServOutstandingCalledd		m	m	5.2.1.	m	m
4	negotiatedDataStructureNestingLevell		m	m		m	m
5	initiateResponseDetail	m	m	Note 1	m	m	

Note 1: initiateResponseDetail is specified in ISO/IEC ISP 14226-3 or in another ISP referencing this part.

##### A.4.1.3. Initiate Error PDU

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	errorClass	m	m		m	m	
2	errorCode	m	m		m	m	

3	additionalCode	o	*		o	*	
4	additionalDescription	o	*		o	*	

**A.4.1.4. Conclude Request PDU**

No parameter.

**A.4.1.5. Conclude Response PDU**

No parameter.

**A.4.1.6. Conclude Error PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	errorClass	m	m		m	m	
2	errorCode	m	m		m	m	
3	additionalCode	o	*		o	*	
4	additionalDescription	o	*		o	*	

**A.4.1.7. Cancel Request PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	

**A.4.1.8. Cancel Response PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	

**A.4.1.9. Cancel Error PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	
2	errorClass	m	m		m	m	
3	errorCode	m	m		m	m	
4	additionalCode	o	*		o	*	
5	additionalDescription	o	*		o	*	

**A.4.1.10. Reject PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	
2	rejectReason	m	m		m	m	

**A.4.2. VMD Support****A.4.2.1. Status Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	extendedDerivation	m	m		m	m	
4	csStatusRequest	o	cs		o	cs	

**A.4.2.2. Status Response PDU**

Ref	Parameter	Client-CR	Server-CR
-----	-----------	-----------	-----------

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	vmdLogicalStatus	m	m		m	m	
3	vmdPhysicalStatus	m	m		m	m	
4	localDetail	o	m		o	*	
5	csStatusResponse	o	cs		o	cs	

**A.4.2.3. Status Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MODD			o	MODDD
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.2.4. Unsolicited Status PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	vmdLogicalStatus	m	m		m	m	
2	vmdPhysicalStatus	m	m		m	m	
3	localDetail	o	m		o	*	
4	csStatusResponse	o	cs		o	cs	

**A.4.2.5. GetNameList Request PDU**

Ref	Parameter	Client-CR	Server-CR



		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MODD			o	MODDD
3	objectClass	m	m		m	m	
4	csObjectClass	o	cs		o	cs	
5	objectScope	m	m		m	m	
6	continueAfter	m	m		m	m	
7	csGetNameListRequest	o	cs		o	cs	

#### A.4.2.6. GetNameList Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfIdentifier	m	m		m	m	
3	moreFollows	m	m		m	m	
4	csGetNameListResponse	o	cs		o	cs	

#### A.4.2.7. GetNameList Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MODD			o	MODDD
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.2.8. Identify Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

**A.4.2.9. Identify Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	vendorName	m	m		m	m	
3	modelName	m	m		m	m	
4	revision	m	m		m	m	
5	listOfAbstractSyntaxes	o	*		m	m	

**A.4.2.10. Identify Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.2.11. GetCapabilityList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	continueAfter	m	m		m	m	
4	csGetCapabilityListRequest	o	cs		o	cs	

#### A.4.2.12. GetCapabilityList Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfCapabilities	m	m		m	m	5.2.3.1
3	moreFollows	m	m		m	m	
4	csGetCapabilityListResponse	o	cs		o	cs	

#### A.4.2.13. GetCapabilityList Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

### A.4.3. Domain Management

#### A.4.3.1. InitiatedDownloadSequence Request PDU

Ref	Parameter	Client-CR			Server-CR		
-----	-----------	-----------	--	--	-----------	--	--

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	listOfCapabilities	m	m	5.2.3.1	m	m	
5	sharable	m	m		m	m	
6	csInitiateDownloadSequenceRequestt		o	cs		o	cs

#### A.4.3.2. InitiateDownloadSequence Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csInitiateDownloadSequenceResponse		o	cs		o	cs

#### A.4.3.3. InitiateDownloadSequence Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.4. DownloadSegment Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csDownloadSegmentRequest	o	cs		o	cs	

#### A.4.3.5. DownloadSegment Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	loadData	m	m		m	m	
2.a	non-coded	o	m		o	*	
2.b	coded	o	*		o	*	
3	moreFollows	m	m		m	m	
4	csDownloadSegmentResponse	o	cs		o	cs	

#### A.4.3.6. DownloadSegment Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.7. TerminateDownloadSequence Request PDU

Ref	Parameter	Client-CR			Server-CR		
-----	-----------	-----------	--	--	-----------	--	--

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	discard	m	m		o	o	
4.1	errorClass	m	m		m	m	
4.2	errorCode	m	m		m	m	
4.3	additionalCode	o	*		o	*	
4.4	additionalDescription	o	*		o	*	
5	csTerminateDownloadSeqRequest	o	*		o	*	

#### A.4.3.8. TerminateDownloadSequence Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csTerminateDownloadSeqResponse	o	cs		o	cs	

#### A.4.3.9. TerminateDownloadSequence Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.10. InitiateUploadSequence Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csInitiateUploadSequenceRequest	o	cs		o	cs	

#### A.4.3.11. InitiateUploadSequence Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	ulsmID	m	m		m	m	
3	listOfCapabilities	m	m		m	m	5.2.3.1
4	csInitiateUploadSequenceResponse	o	cs		o	cs	

#### A.4.3.12. InitiateUploadSequence Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.13. UploadSegment Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	ulsmID	m	m		m	m	
4	csUploadSegmentRequest	o	cs		o	cs	

**A.4.3.14. UploadSegment Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	loadData	m	m		m	m	
2.a	non-coded	o	m		o	*	
2.b	coded	o	*		o	*	
3	moreFollows	m	m		m	m	
4	csUploadSegmentResponse	o	cs		o	cs	

**A.4.3.15. UploadSegment Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.3.16. TerminateUploadSequence Request PDU**



Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	ulsmID	m	m		m	m	
4	csTerminateUploadSequenceRequestt		o	cs		o	cs

**A.4.3.17. TerminateUploadSequence Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csTerminateUploadSeqResponse	o	cs		o	cs	

**A.4.3.18. TerminateUploadSequence Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.3.19. RequestDomainDownload Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	listOfCapabilities	m	m		o	*	5.2.3.1
5	sharable	m	m		m	m	
6	filename	m	m		m	m	
7	csRequestDomainDownloadRequest	o	cs		o	cs	

#### A.4.3.20. RequestDomainDownload Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csRequestDomainDownloadResponses		o	cs		o	cs

#### A.4.3.21. RequestDomainDownload Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.22. RequestDomainUpload Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	filename	m	m		m	m	
5	csRequestDomainUploadRequest	o	cs		o	cs	

#### A.4.3.23. RequestDomainUpload Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csRequestDomainUploadResponse	o	cs		o	cs	

#### A.4.3.24. RequestDomainUpload Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.3.25. LoadDomainContent Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	domainName	m	m		m	m	
4	listOfCapabilities	o	*	5.2.3.1	m	m	
5	sharable	m	m		m	m	
6	filename	m	m		m	m	
7	thirdParty	o	TPY		o	TPY	
8	csLoadDomainContentRequest	o	cs		o	cs	

**A.4.3.26. LoadDomainContent Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csLoadDomainContentResponse	o	cs		o	cs	

**A.4.3.27. LoadDomainContent Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.3.28. StoreDomainContent Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	filename	m	m		m	m	
5	thirdParty	o	TPY		o	TPY	
6	csStoreDomainContentRequest	o	CS		o	CS	

**A.4.3.29. StoreDomainContent Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStoreDomainContentResponse	o	CS		o	CS	

**A.4.3.30. StoreDomainContent Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.3.31. DeleteDomain Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	domainName	m	m		m	m	
4	csDeleteDomainRequest	o	cs		o	cs	

**A.4.3.32. DeleteDomain Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csDeleteDomainResponse	o	cs		o	cs	

**A.4.3.33. DeleteDomain Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.3.34. GetDomainAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csGetDomainAttributesRequest	o	cs		o	cs	

**A.4.3.35. GetDomainAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfCapabilities	m	m		m	m	5.2.3.1
3	state	m	m		m	m	
4	mmsDeletable	m	m		m	m	
5	sharable	m	m		m	m	
6	listOfProgramInvocations	m	m		m	m	
7	uploadInProgress	m	m		m	m	
8	csGetDomainAttributesResponse	o	cs		o	cs	

**A.4.3.36. GetDomainAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.4. Program Invocation Management****A.4.4.1. CreateProgramInvocation Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	listOfDomainNames	m	m		m	m	
5	reusable	m	m		m	m	
6	monitorType	o	i		o	i	
7	csCreateProgramInvocationRequest	o	cs		o	cs	

**A.4.4.2. CreateProgramInvocation Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csCreateProgramInvocationResponse	o	cs		o	cs	

**A.4.4.3. CreateProgramInvocation Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.4.4. DeleteProgramInvocation Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	



2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csDeleteProgramInvocationRequest	o	cs		o	cs	

**A.4.4.5. DeleteProgramInvocation Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csDeleteProgramInvocationResponse	o	cs		o	cs	

**A.4.4.6. DeleteProgramInvocation Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.4.7. Start Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	executionArgument	o	*		o	*	

4.a	simpleString	o	m		o	*	
4.b	encodedString	o	*		o	*	
5	csStartRequest	o	cs		o	cs	

**A.4.4.8. Start Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStartResponse	o	cs		o	cs	

**A.4.4.9. Start Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	serviceSpecificInformation	m	m		m	m	5.2.4.1

**A.4.4.10. Stop Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	

4	csStopRequest	o	cs		o	cs	
---	---------------	---	----	--	---	----	--

**A.4.4.11. Stop Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStopResponse	o	cs		o	cs	

**A.4.4.12. Stop Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	serviceSpecificInformation	m	m		m	m	5.2.4.2

**A.4.4.13. Resume Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	executionArgument	o	*		o	*	
4.a	simpleString	o	m		o	*	

4.b	encodedString	o	*		o	*	
5	csResumeRequest	o	cs		o	cs	

**A.4.4.14. Resume Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csResumeResponse	o	cs		o	cs	

**A.4.4.15. Resume Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	serviceSpecificInformation	m	m		m	m	5.2.4.3

**A.4.4.16. Reset Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csResetRequest	o	cs		o	cs	

**A.4.4.17. Reset Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csResetResponse	o	cs		o	cs	

**A.4.4.18. Reset Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	serviceSpecificInformation	m	m		m	m	5.2.4.4

**A.4.4.19. Kill Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csKillRequest	o	cs		o	cs	

**A.4.4.20. Kill Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csKillResponse	o	cs		o	cs	

**A.4.4.21. Kill Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	serviceSpecificInformation	m	m		m	m	5.2.4.5

**A.4.4.22. GetProgramInvocationAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csGetPIAttributesRequest	o	cs		o	cs	

**A.4.4.23. GetProgramInvocationAttributes Response PDU**

Ref	Parameter	Client-CR	Server-CR
-----	-----------	-----------	-----------

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	State	m	m		m	m	
3	listOfDomainNames	m	m		m	m	
4	mmsDeletable	m	m		m	m	
5	reusable	m	m		m	m	
6	monitor	m	m		m	m	
7	executionArgument	m	m		m	m	
7.a	simpleString	o	m		o	*	
7.b	encodedString	o	*		o	*	
8	csGetPIAttributesResponse	o	cs		o	cs	

#### A.4.4.24. GetProgramInvocationAttributes Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.5. Variable Access

##### A.4.5.1. Read Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	listOfModifier	o	MOD		o	MOD	
3	specificationWithResult	m	m		m	m	
4	VariableAccessSpecification	m	m		m	m	

#### A.4.5.1.1. VariableAccessSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	listOfVariable	o	m		m	m	
1.a.1	VariableSpecification	m	m		m	m	
1.a.2	AlternateAccess	o	VALT		o	VALT	
1.b	variableListName	o	VLIS		o	VLIS	

#### A.4.5.1.2. VariableSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	name	o	VNAM		o	VNAM	
1.b	Address	o	VADR		o	VADR	
1.c	variableDescription	o	VADR		o	VADR	
1.c.1	Address	m	m		m	m	
1.c.2	TypeSpecification	m	m		m	m	
1.d	scatteredAccessDescription	o	VSCA		o	VSCA	
1.e	invalidated	m	m		m	m	

#### A.4.5.1.3. Address

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	numericAddress	o	m		o	c1	



1.b	symbolicAddress	o	m		o	c1	
1.c	unconstrainedAddress	o	*		o	*	

c1: at least one of these address types must be supported (see section 5.2.5.6).

#### A.4.5.1.4. TypeSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	typeName	o	*		o	*	
1.b	array	o	STR1		o	STR1	
1.b.1	packed	m	m		m	m	
1.b.2	numberOfElements	m	m		m	m	
1.b.3	TypeSpecification	m	m		m	m	
1.c	structure	o	STR2		o	STR2	
1.c.1	packed	m	m		m	m	
1.c.2	components	m	m		m	m	
1.c.2.1	componentName	o	VALT		o	VALT	
1.c.2.		Type	m	m		m	m
1.d	boolean	o	*		o	*	
1.e	bit-string	o	*		o	*	
1.f	integer	o	*		o	*	
1.g	unsigned	o	*		o	*	
1.h	floatingPoint	o	*		o	*	
1.i	real	o	REAL		o	REAL	
1.j	octet-string	o	*		o	*	
1.k	visible-string	o	*		o	*	
1.l	generalized-time	o	*		o	*	
1.m	binary-time	o	*		o	*	
1.n	bcd	o	*		o	*	
1.o	objId	o	*		o	*	

**A.4.5.1.5. AlternateAccess**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	unnamed	o	STR1		o	STR1	
1.a.1	selectAlternateAccess	m	m		m	m	
1.a.1.1	AccessSelection	m	m		m	m	
1.a.1.2	AlternateAccess	m	m		m	m	
1.a.2	SelectAccess	m	m		m	m	
1.b	named	o	STR2		o	STR2	
1.b.1	componentName	m	m		m	m	
1.b.2	AlternateAccessSelection	m	m		m	m	
1.b.2.1	selectAlternateAccess	o	m		m	m	
1.b.2.2	SelectAccess	o	m		m	m	

**A.4.5.1.6. AccessSelection**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	component	o	STR2		o	STR2	
1.b	index	o	STR1		o	STR1	
1.c	IndexRange	o	STR1		o	STR1	
1.d	allElements	o	STR1		o	STR1	

**A.4.5.1.7. SelectAccess**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	component	o	STR2		o	STR2	
1.b	index	o	STR1		o	STR1	
1.c	IndexRange	o	STR1		o	STR1	

1.d	allElements	o	STR1		o	STR1	
-----	-------------	---	------	--	---	------	--

**A.4.5.1.8. IndexRange**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	lowIndex	m	m		m	m	
2	numberOfElements	m	m		m	m	

**A.4.5.2. Read Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	
3	listOfAccessResult	m	m		m	m	
3.a	failure	m	m		m	m	
3.b	Data	m	m		m	m	

**A.4.5.2.1. Data**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
a	array	o	STR1		o	STR1	
b	structure	o	STR2		o	STR2	
c	boolean	o	*		o	*	
d	bit-string	o	*		o	*	
e	integer	o	*		o	*	
f	unsigned	o	*		o	*	
g	floating-point	o	*		o	*	

h	real	o	REAL		o	REAL	
i	octet-string	o	*		o	*	
j	visible-string	o	*		o	*	
k	generalized-time	o	*		o	*	
l	binary-time	o	*		o	*	
m	bcd	o	*		o	*	
n	booleanArray	o	*		o	*	
o	objectId	o	*		o	*	

#### A.4.5.3. Read Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

#### A.4.5.4. Write Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	
4	listOfData	m	m	A.4.5.2.1.	m	m	

#### A.4.5.5. Write Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfWriteResult	m	m		m	m	
2.a	dataAccessError	m	m		m	m	
2.b	success	m	m		m	m	

**A.4.5.6. Write Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.7. InformationReport PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	
2	listOfAccessResult	m	m	A.4.5.2.1.	m	m	
2.a	failure	m	m		m	m	
2.b	Data	m	m		m	m	

**A.4.5.8. GetVariableAccessAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableName	o	VNAM		o	VNAM	
4	variableAddress	o	VADR		o	VADR	

**A.4.5.9. GetVariableAccessAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	Address	o	VADR		o	VADR	
4	TypeSpecification	m	m		m	m	

**A.4.5.10. GetVariableAccessAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.11. DefineNamedVariable Request PDU**

Ref	Parameter	Client-CR	Server-CR

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableName	m	m		m	m	
4	Address	m	m	A.4.5.1.3.	m	m	
5	TypeSpecification	o	o	A.4.5.1.4.	m	m	

**A.4.5.12. DefineNamedVariable Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.13. DefineNamedVariable Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.14. DeleteVariableAccess Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	scopeOfDelete	m	m		m	m	
4	listOfName	o	o		m	m	
5	domainName	o	o		m	m	

**A.4.5.15. DeleteVariableAccess Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

**A.4.5.16. DeleteVariableAccess Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	numberDeleted	m	m		m	m	

**A.4.5.17. DefineNamedVariableList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	



3	variableListName	m	m		m	m	
4	listOfVariable	m	m	A.4.5.1.1.	m	m	
4.1	VariableSpecification	m	m		m	m	
4.2	AlternateAccess	o	VALT		o	VALT	

**A.4.5.18. DefineNamedVariableList Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.19 DefineNamedVariableList Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.20. GetNamedVariableListAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableListName	m	m		m	m	

**A.4.5.21. GetNamedVariableListAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	listOfVariable	m	m		m	m	
3.1	VariableSpecification	m	m		m	m	
3.2	AlternateAccess	o	VALT		o	VALT	

**A.4.5.22. GetNamedVariableListAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.23. DeleteNamedVariableList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	scopeOfDelete	m	m		m	m	
4	listOfVariableListName	o	o		m	m	
5	domainName	o	o		m	m	

**A.4.5.24. DeleteNamedVariableList Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

**A.4.5.25. DeleteNamedVariableList Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	numberDeleted	m	m		m	m	

**A.4.5.26. DefineNamedType Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	typeName	m	m		m	m	
4	TypeSpecification	m	m		m	m	

**A.4.5.27. DefineNamedType Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.28. DefineNamedType Error PDU**

Ref	Parameter	Server-CR			Client-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.29. GetNamedTypeAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	typeName	m	m		m	m	

**A.4.5.30. GetNamedTypeAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	TypeSpecification	m	m		m	m	

**A.4.5.31. GetNamedTypeAttributes Error PDU**

Ref	Parameter	Server-CR			Client-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.5.32. DeleteNamedType Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	scopeOfDelete	m	m		m	m	
4	listOfTypeName	o	o		m	m	
5	domainName	o	o		m	m	

**A.4.5.33. DeleteNamedType Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

**A.4.5.34. DeleteNamedType Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	
7	numberDeleted	m	m		m	m	

#### A.4.6. Semaphore Management

Out of Scope.

#### A.4.7. Operator Communication

##### A.4.7.1. Input Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	operatorStationName	m	m		m	m	
4	echo	m	m		m	m	
5	listOfPromptData	o	*		o	*	
6	inputTimeOut	o	*		o	*	
7	csInputRequest	o	cs		o	cs	

##### A.4.7.2. Input Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	inputString	m	m		m	m	
3	csInputResponse	o	cs		o	cs	

**A.4.7.3. Input Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.7.4. Output Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	operatorStationName	m	m		m	m	
4	listOfOutputData	m	m		m	m	
5	csOutputRequest	o	cs		o	cs	

**A.4.7.5. Output Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csOutputResponse	o	cs		o	cs	

**A.4.7.6. Output Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	*		o	*	
6	additionalDescription	o	*		o	*	

**A.4.8. Event Management**

Out of Scope

**A.4.9. Journal Management**

Out of Scope

**A.4.10. File Access**

Out of Scope

**A.4.11. File Management**

Out of Scope

**A.4.12. Data Exchange Management**

Out of Scope



TITLE: Information technology – International Standardized Profile AMM11: MMS General Applications Base Profile – Part 3: Specific MMS Requirements

SOURCE: Editor

STATUS: Submittal copy, June 1994

This document has been prepared based on the comments from the OIW's MMS SIG, EWOS's EG MMS and AOW's MMS SIG. The text has been revised to be as close to the final document as possible at this time. Additions to draft six text are denoted by highlighted text. Deletions are denoted by ~~strikeout~~.

# Contents

<b>Part 20 - Manufacturing Message Specification (MMS)</b>	1
<b>0 Introduction</b>	1
<b>1 Scope</b>	1
<b>2 Field of Application</b>	1
<b>3 Normative References</b>	1
<b>4 Definitions</b>	1
<b>5 Corrigenda and Addenda</b>	1
<b>6 Status</b>	1
<b>7 General Agreements</b>	2
7.1 Max supported PDU size	2
7.2 FileName	2
7.3 Order of capabilities	2
7.4 Constructed Encodings	2
<b>8 Service-Specific Agreements</b>	2
8.1 Environment and general management	2
8.1.1 Initiate	2
8 . . . . . 1 . . . . . 1 . . . . . 1	
8 Negotiation of MMS abstract syntaxes	2
8 . . . . . 1 . . . . . 1 . . . . . 2	
8 Max serv outstanding	2
8 . . . . . 1 . . . . . 1 . . . . . 3	
8 Local detail calling	3
8 . . . . . 1 . . . . . 1 . . . . . 4	
8 Local detail called	3
8 . . . . . 1 . . . . . 1 . . . . . 5	
8 Rules of Extensibility	3
8.2 VMD Support	3
8.3 Domain Management	3
8.3.1 List of capabilities	3
8.3.2 Initiate Download Sequence service	3
8.3.3 Download Segment service	3
8.3.4 Terminate Download Sequence service	3
8.3.5 Initiate Upload Sequence service	4
8.3.6 Upload Segment service	4
8.3.7 Get Domain Attributes service	4
8.4 Program Invocation Management	4
8.4.1 Start service	4
8.4.2 Stop service	4
8.4.3 Resume service	4
8.4.4 Reset service	4
8.5 Variable Access	4

8.5.1	Scattered access	4
8.5.2	Floating point	5
8.5.3	Unsigned Data	5
8.5.4	Order of variable specifications	5
8.5.5	Parameter CBBs	5
8.5.6	Named Variable Scope	5
8.5.7	Address Types	5
8.6	Semaphore Management	5
8.7	Operator Communication	5
8.8	Event Management	6
8.9	Journal Management	6

**Annex A** (normative)

<b>Backwards compatibility agreements</b>	7
---	---

**Annex B** (normative)

<b>DIS 9506 modifications required for backwards compatibility</b>	8
--	---

**Annex C** (normative)

<b>Basic functional tests</b>	9
-------------------------------	---

**Annex D** (normative)

<b>ISP text and Explanatory Report for AMM11, MMS General Applications Profile</b>	10
--	----

Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
1.3. Scenario	1
2. Normative References	2
3. Definitions	2
4. Abbreviations	2
5. Conformance	3
5.1. Conformance Statement	3
5.2. Relationship with Base Standards	3
5.2.1. ACSE Conformance	3
5.2.2. Presentation Conformance	3
5.2.3. Transfer Syntax Conformance	3
5.2.4. Session Conformance	4
A.1. General	5
A.2. References	5

A.3. Classification of Requirements	5
A.3.1. Status Column	5
A.3.2. Profile Column	6
A.4. ACSE PRL	6
A.5. Presentation PRL	7
A.6. Session PRL	8
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	3
5.1. General Requirements for use of all parts of MMS	3
5.1.1. Max supported PDU size	3
5.1.2. FileName	4
5.2. Service-specific Requirements	4
5.2.1. Environment and General Management	4
5.2.1.1. Initiate Service	4
5.2.1.1.1. Negotiation of MMS Abstract Syntaxes	4
5.2.1.1.2. Max Serv Outstanding	4
5.2.1.1.3. Local Detail Calling	4
5.2.1.1.4. Local Detail Called	5
5.2.1.1.5. Rules of Extensibility	5
5.2.2. VMD Support	5
5.2.2.1. Get Capability List Service	5
5.2.3. Domain Management	5
5.2.3.1. List Of Capabilities	5
5.2.3.2. Initiate Download Sequence Service	6
5.2.3.3. Download Segment Service	6
5.2.3.4. Terminate Download Sequence Service	7
5.2.3.5. Initiate Upload Sequence Service	7
5.2.3.6. Upload Segment Service	7
5.2.3.7. Get Domain Attributes Service	7
5.2.4. Program Invocation Management	7
5.2.4.1. Start	7
5.2.4.2. Stop	7
5.2.4.3. Resume	8
5.2.4.4. Reset	8
5.2.4.5. Kill	8
5.2.5. Variable Access	8
5.2.5.1. Scattered Access	8

5.2.5.2. Floating Point . . . . .	8
5.2.5.3. List Of Variables . . . . .	8
5.2.5.4. Parameter CBBs . . . . .	9
5.2.5.5. Named Variable Scope . . . . .	9
5.2.5.6. Address Types . . . . .	9
5.2.6. Semaphore Management . . . . .	9
5.2.7. Operator Communication . . . . .	9
5.2.8. Event Management . . . . .	9
5.2.9. Journal Management . . . . .	9
5.2.10. File Access . . . . .	10
5.2.11. File Management . . . . .	10
5.2.12. Data Exchange Management . . . . .	10
<b>Annex A - ISPICS Requirements List . . . . .</b>	<b>13</b>
A.1. General . . . . .	13
A.2. Classification of Requirements . . . . .	13
A.2.1. Base Column . . . . .	13
A.2.2. F/S Column . . . . .	13
A.2.3. Value/Reference . . . . .	14
A.2.4. Conditional MACROs . . . . .	14
A.3. Supported MMS PDU's . . . . .	15
A.3.1. Environment and General Management . . . . .	16
A.3.2. MMS Modifiers . . . . .	16
A.3.3. Parameter CBBs . . . . .	16
A.3.4. VMD Support . . . . .	17
A.3.5. Domain Management . . . . .	18
A.3.6. Program Invocation Management . . . . .	18
A.3.7. Variable Access . . . . .	19
A.3.8. Semaphore Management . . . . .	20
A.3.9. Operator Communication . . . . .	20
A.3.10. Event Management . . . . .	20
A.3.11. Journal Management . . . . .	21
A.3.12. File Access . . . . .	21
A.3.13. File Management . . . . .	21
A.3.14. Data Exchange Management . . . . .	22
A.3.15. Additional PDUs . . . . .	22
A.4. PDU-Specific Requirements . . . . .	22
A.4.1. Environment and General Management . . . . .	23
A.4.1.1. Initiate Request PDU . . . . .	23
A.4.1.2. Initiate Response PDU . . . . .	23
A.4.1.3. Initiate Error PDU . . . . .	23
A.4.1.4. Conclude Request PDU . . . . .	24
A.4.1.5. Conclude Response PDU . . . . .	24
A.4.1.6. Conclude Error PDU . . . . .	24
A.4.1.7. Cancel Request PDU . . . . .	24
A.4.1.8. Cancel Response PDU . . . . .	24
A.4.1.9. Cancel Error PDU . . . . .	25
A.4.1.10. Reject PDU . . . . .	25
A.4.2. VMD Support . . . . .	25
A.4.2.1. Status Request PDU . . . . .	25

A.4.2.2. Status Response PDU . . . . .	25
A.4.2.3. Status Error PDU . . . . .	26
A.4.2.4. Unsolicited Status PDU . . . . .	26
A.4.2.5. GetNameList Request PDU . . . . .	26
A.4.2.6. GetNameList Response PDU . . . . .	27
A.4.2.7. GetNameList Error PDU . . . . .	27
A.4.2.8. Identify Request PDU . . . . .	27
A.4.2.9. Identify Response PDU . . . . .	28
A.4.2.10. Identify Error PDU . . . . .	28
A.4.2.11. GetCapabilityList Request PDU . . . . .	28
A.4.2.12. GetCapabilityList Response PDU . . . . .	29
A.4.2.13. GetCapabilityList Error PDU . . . . .	29
A.4.3. Domain Management . . . . .	29
A.4.3.1. InitiateDownloadSequence Request PDU . . . . .	29
A.4.3.2. InitiateDownloadSequence Response PDU . . . . .	30
A.4.3.3. InitiateDownloadSequence Error PDU . . . . .	30
A.4.3.4. DownloadSegment Request PDU . . . . .	30
A.4.3.5. DownloadSegment Response PDU . . . . .	31
A.4.3.6. DownloadSegment Error PDU . . . . .	31
A.4.3.7. TerminateDownloadSequence Request PDU . . . . .	31
A.4.3.8. TerminateDownloadSequence Response PDU . . . . .	32
A.4.3.9. TerminateDownloadSequence Error PDU . . . . .	32
A.4.3.10. InitiateUploadSequence Request PDU . . . . .	32
A.4.3.11. InitiateUploadSequence Response PDU . . . . .	33
A.4.3.12. InitiateUploadSequence Error PDU . . . . .	33
A.4.3.13. UploadSegment Request PDU . . . . .	33
A.4.3.14. UploadSegment Response PDU . . . . .	34
A.4.3.15. UploadSegment Error PDU . . . . .	34
A.4.3.16. TerminateUploadSequence Request PDU . . . . .	34
A.4.3.17. TerminateUploadSequence Response PDU . . . . .	35
A.4.3.18. TerminateUploadSequence Error PDU . . . . .	35
A.4.3.19. RequestDomainDownload Request PDU . . . . .	35
A.4.3.20. RequestDomainDownload Response PDU . . . . .	36
A.4.3.21. RequestDomainDownload Error PDU . . . . .	36
A.4.3.22. RequestDomainUpload Request PDU . . . . .	36
A.4.3.23. RequestDomainUpload Response PDU . . . . .	37
A.4.3.24. RequestDomainUpload Error PDU . . . . .	37
A.4.3.25. LoadDomainContent Request PDU . . . . .	37
A.4.3.26. LoadDomainContent Response PDU . . . . .	38
A.4.3.27. LoadDomainContent Error PDU . . . . .	38
A.4.3.28. StoreDomainContent Request PDU . . . . .	38
A.4.3.29. StoreDomainContent Response PDU . . . . .	39
A.4.3.30. StoreDomainContent Error PDU . . . . .	39
A.4.3.31. DeleteDomain Request PDU . . . . .	39
A.4.3.32. DeleteDomain Response PDU . . . . .	40
A.4.3.33. DeleteDomain Error PDU . . . . .	40
A.4.3.34. GetDomainAttributes Request PDU . . . . .	40
A.4.3.35. GetDomainAttributes Response PDU . . . . .	41
A.4.3.36. GetDomainAttributes Error PDU . . . . .	41
A.4.4. Program Invocation Management . . . . .	41
A.4.4.1. CreateProgramInvocation Request PDU . . . . .	41
A.4.4.2. CreateProgramInvocation Response PDU . . . . .	42
A.4.4.3. CreateProgramInvocation Error PDU . . . . .	42
A.4.4.4. DeleteProgramInvocation Request PDU . . . . .	42

A.4.4.5. DeleteProgramInvocation Response PDU	43
A.4.4.6. DeleteProgramInvocation Error PDU	43
A.4.4.7. Start Request PDU	43
A.4.4.8. Start Response PDU	44
A.4.4.9. Start Error PDU	44
A.4.4.10. Stop Request PDU	44
A.4.4.11. Stop Response PDU	45
A.4.4.12. Stop Error PDU	45
A.4.4.13. Resume Request PDU	45
A.4.4.14. Resume Response PDU	46
A.4.4.15. Resume Error PDU	46
A.4.4.16. Reset Request PDU	46
A.4.4.17. Reset Response PDU	47
A.4.4.18. Reset Error PDU	47
A.4.4.19. Kill Request PDU	47
A.4.4.20. Kill Response PDU	47
A.4.4.21. Kill Error PDU	48
A.4.4.22. GetProgramInvocationAttributes Request PDU	48
A.4.4.23. GetProgramInvocationAttributes Response PDU	48
A.4.4.24. GetProgramInvocationAttributes Error PDU	49
A.4.5. Variable Access	49
A.4.5.1. Read Request PDU	49
A.4.5.1.1. VariableAccessSpecification	50
A.4.5.1.2. VariableSpecification	50
A.4.5.1.3. Address	50
A.4.5.1.4. TypeSpecification	51
A.4.5.1.5. AlternateAccess	52
A.4.5.1.6. AccessSelection	52
A.4.5.1.7. SelectAccess	52
A.4.5.1.8. IndexRange	53
A.4.5.2. Read Response PDU	53
A.4.5.2.1. Data	53
A.4.5.3. Read Error PDU	54
A.4.5.4. Write Request PDU	54
A.4.5.5. Write Response PDU	54
A.4.5.6. Write Error PDU	55
A.4.5.7. InformationReport PDU	55
A.4.5.8. GetVariableAccessAttributes Request PDU	55
A.4.5.9. GetVariableAccessAttributes Response PDU	56
A.4.5.10. GetVariableAccessAttributes Error PDU	56
A.4.5.11. DefineNamedVariable Request PDU	56
A.4.5.12. DefineNamedVariable Response PDU	57
A.4.5.13. DefineNamedVariable Error PDU	57
A.4.5.14. DeleteVariableAccess Request PDU	57
A.4.5.15. DeleteVariableAccess Response PDU	58
A.4.5.16. DeleteVariableAccess Error PDU	58
A.4.5.17. DefineNamedVariableList Request PDU	58
A.4.5.18. DefineNamedVariableList Response PDU	59
A.4.5.19. DefineNamedVariableList Error PDU	59
A.4.5.20. GetNamedVariableListAttributes Request PDU	59
A.4.5.21. GetNamedVariableListAttributes Response PDU	60
A.4.5.22. GetNamedVariableListAttributes Error PDU	60
A.4.5.23. DeleteNamedVariableList Request PDU	60
A.4.5.24. DeleteNamedVariableList Response PDU	61

A.4.5.25. DeleteNamedVariableList Error PDU	61
A.4.5.26. DefineNamedType Request PDU	61
A.4.5.27. DefineNamedType Response PDU	61
A.4.5.28. DefineNamedType Error PDU	62
A.4.5.29. GetNamedTypeAttributes Request PDU	62
A.4.5.30. GetNamedTypeAttributes Response PDU	62
A.4.5.31. GetNamedTypeAttributes Error PDU	63
A.4.5.32. DeleteNamedType Request PDU	63
A.4.5.33. DeleteNamedType Response PDU	63
A.4.5.34. DeleteNamedType Error PDU	63
A.4.6. Semaphore Management	64
A.4.7. Operator Communication	64
A.4.7.1. Input Request PDU	64
A.4.7.2. Input Response PDU	64
A.4.7.3. Input Error PDU	65
A.4.7.4. Output Request PDU	65
A.4.7.5. Output Response PDU	65
A.4.7.6. Output Error PDU	66
A.4.8. Event Management	66
A.4.9. Journal Management	66
A.4.10. File Access	66
A.4.11. File Management	66
A.4.12. Data Exchange Management	66
Foreword	xii
Introduction	xii
1. Scope	1
1.1. General	1
1.2. Position within the Taxonomy	1
2. Normative References	1
3. Definitions	2
4. Abbreviations	2
5. Conformance Requirements	2
5.1. General Requirements for use of all parts of MMS	2
5.2. Service-specific Requirements	2
Annex A - ISPICS Requirements List	5
A.1. General	5
A.2. Classification of Requirements	5
A.2.1. Base Column	5
A.2.2. F/S Column	5
A.2.3. Value/Reference	6
A.2.4. Conditional MACROs	6
A.3. Supported MMS PDU's	6
A.3.1. Environment and General Management	7



A.3.2. MMS Modifiers	7
A.3.3. Parameter CBBs	7
A.3.4. VMD Support	8
A.3.5. Domain Management	9
A.3.6. Program Invocation Management	9
A.3.7. Variable Access	9
A.3.8. Semaphore Management	11
A.3.9. Operator Communication	11
A.3.10. Event Management	11
A.3.11. Journal Management	12
A.3.12. File Access	12
A.3.13. File Management	12
A.3.14. Data Exchange Management	13
A.3.15. Additional PDUs	13
A.4. PDU-Specific Requirements	13
A.4.1. Environment and General Management	14
A.4.1.1. Initiate Request PDU	14
A.4.1.2. Initiate Response PDU	14
A.4.1.3. Initiate Error PDU	14
A.4.1.4. Conclude Request PDU	15
A.4.1.5. Conclude Response PDU	15
A.4.1.6. Conclude Error PDU	15
A.4.1.7. Cancel Request PDU	15
A.4.1.8. Cancel Response PDU	15
A.4.1.9. Cancel Error PDU	16
A.4.1.10. Reject PDU	16
A.4.2. VMD Support	16
A.4.2.1. Status Request PDU	16
A.4.2.2. Status Response PDU	17
A.4.2.3. Status Error PDU	17
A.4.2.4. Unsolicited Status PDU	17
A.4.2.5. GetNameList Request PDU	18
A.4.2.6. GetNameList Response PDU	18
A.4.2.7. GetNameList Error PDU	18
A.4.2.8. Identify Request PDU	19
A.4.2.9. Identify Response PDU	19
A.4.2.10. Identify Error PDU	19
A.4.2.11. GetCapabilityList Request PDU	19
A.4.2.12. GetCapabilityList Response PDU	20
A.4.2.13. GetCapabilityList Error PDU	20
A.4.3. Domain Management	20
A.4.3.1. InitiateDownloadSequence Request PDU	20
A.4.3.2. InitiateDownloadSequence Response PDU	21
A.4.3.3. InitiateDownloadSequence Error PDU	21
A.4.3.4. DownloadSegment Request PDU	21
A.4.3.5. DownloadSegment Response PDU	22
A.4.3.6. DownloadSegment Error PDU	22
A.4.3.7. TerminateDownloadSequence Request PDU	22
A.4.3.8. TerminateDownloadSequence Response PDU	23
A.4.3.9. TerminateDownloadSequence Error PDU	23
A.4.3.10. InitiateUploadSequence Request PDU	24
A.4.3.11. InitiateUploadSequence Response PDU	24
A.4.3.12. InitiateUploadSequence Error PDU	24

A.4.3.13. UploadSegment Request PDU	24
A.4.3.14. UploadSegment Response PDU	25
A.4.3.15. UploadSegment Error PDU	25
A.4.3.16. TerminateUploadSequence Request PDU	25
A.4.3.17. TerminateUploadSequence Response PDU	26
A.4.3.18. TerminateUploadSequence Error PDU	26
A.4.3.19. RequestDomainDownload Request PDU	26
A.4.3.20. RequestDomainDownload Response PDU	27
A.4.3.21. RequestDomainDownload Error PDU	27
A.4.3.22. RequestDomainUpload Request PDU	27
A.4.3.23. RequestDomainUpload Response PDU	28
A.4.3.24. RequestDomainUpload Error PDU	28
A.4.3.25. LoadDomainContent Request PDU	28
A.4.3.26. LoadDomainContent Response PDU	29
A.4.3.27. LoadDomainContent Error PDU	29
A.4.3.28. StoreDomainContent Request PDU	29
A.4.3.29. StoreDomainContent Response PDU	30
A.4.3.30. StoreDomainContent Error PDU	30
A.4.3.31. DeleteDomain Request PDU	30
A.4.3.32. DeleteDomain Response PDU	31
A.4.3.33. DeleteDomain Error PDU	31
A.4.3.34. GetDomainAttributes Request PDU	31
A.4.3.35. GetDomainAttributes Response PDU	32
A.4.3.36. GetDomainAttributes Error PDU	32
A.4.4. Program Invocation Management	32
A.4.4.1. CreateProgramInvocation Request PDU	32
A.4.4.2. CreateProgramInvocation Response PDU	33
A.4.4.3. CreateProgramInvocation Error PDU	33
A.4.4.4. DeleteProgramInvocation Request PDU	33
A.4.4.5. DeleteProgramInvocation Response PDU	34
A.4.4.6. DeleteProgramInvocation Error PDU	34
A.4.4.7. Start Request PDU	34
A.4.4.8. Start Response PDU	35
A.4.4.9. Start Error PDU	35
A.4.4.10. Stop Request PDU	35
A.4.4.11. Stop Response PDU	36
A.4.4.12. Stop Error PDU	36
A.4.4.13. Resume Request PDU	36
A.4.4.14. Resume Response PDU	37
A.4.4.15. Resume Error PDU	37
A.4.4.16. Reset Request PDU	37
A.4.4.17. Reset Response PDU	38
A.4.4.18. Reset Error PDU	38
A.4.4.19. Kill Request PDU	38
A.4.4.20. Kill Response PDU	39
A.4.4.21. Kill Error PDU	39
A.4.4.22. GetProgramInvocationAttributes Request PDU	39
A.4.4.23. GetProgramInvocationAttributes Response PDU	39
A.4.4.24. GetProgramInvocationAttributes Error PDU	40
A.4.5. Variable Access	40
A.4.5.1. Read Request PDU	40
A.4.5.1.1. VariableAccessSpecification	41
A.4.5.1.2. VariableSpecification	41
A.4.5.1.3. Address	41

A.4.5.1.4. TypeSpecification	42
A.4.5.1.5. AlternateAccess	44
A.4.5.1.6. AccessSelection	44
A.4.5.1.7. SelectAccess	44
A.4.5.1.8. IndexRange	45
A.4.5.2. Read Response PDU	45
A.4.5.2.1. Data	45
A.4.5.3. Read Error PDU	46
A.4.5.4. Write Request PDU	46
A.4.5.5. Write Response PDU	47
A.4.5.6. Write Error PDU	47
A.4.5.7. InformationReport PDU	47
A.4.5.8. GetVariableAccessAttributes Request PDU	48
A.4.5.9. GetVariableAccessAttributes Response PDU	48
A.4.5.10. GetVariableAccessAttributes Error PDU	48
A.4.5.11. DefineNamedVariable Request PDU	49
A.4.5.12. DefineNamedVariable Response PDU	49
A.4.5.13. DefineNamedVariable Error PDU	49
A.4.5.14. DeleteVariableAccess Request PDU	49
A.4.5.15. DeleteVariableAccess Response PDU	50
A.4.5.16. DeleteVariableAccess Error PDU	50
A.4.5.17. DefineNamedVariableList Request PDU	50
A.4.5.18. DefineNamedVariableList Response PDU	51
A.4.5.19. DefineNamedVariableList Error PDU	51
A.4.5.20. GetNamedVariableListAttributes Request PDU	51
A.4.5.21. GetNamedVariableListAttributes Response PDU	52
A.4.5.22. GetNamedVariableListAttributes Error PDU	52
A.4.5.23. DeleteNamedVariableList Request PDU	52
A.4.5.24. DeleteNamedVariableList Response PDU	53
A.4.5.25. DeleteNamedVariableList Error PDU	53
A.4.5.26. DefineNamedType Request PDU	53
A.4.5.27. DefineNamedType Response PDU	54
A.4.5.28. DefineNamedType Error PDU	54
A.4.5.29. GetNamedTypeAttributes Request PDU	54
A.4.5.30. GetNamedTypeAttributes Response PDU	54
A.4.5.31. GetNamedTypeAttributes Error PDU	55
A.4.5.32. DeleteNamedType Request PDU	55
A.4.5.33. DeleteNamedType Response PDU	55
A.4.5.34. DeleteNamedType Error PDU	56
A.4.6. Semaphore Management	56
A.4.7. Operator Communication	57
A.4.7.1. Input Request PDU	57
A.4.7.2. Input Response PDU	57
A.4.7.3. Input Error PDU	57
A.4.7.4. Output Request PDU	58
A.4.7.5. Output Response PDU	58
A.4.7.6. Output Error PDU	58
A.4.8. Event Management	59
A.4.9. Journal Management	59
A.4.10. File Access	59
A.4.11. File Management	59
A.4.12. Data Exchange Management	59

## Foreword

The ISO/IEC ISP 14226 specifies the AMM11 MMS General Application international standardized profile. This ISP has three parts:

Part 1 - Specification of ACSE, Presentation, and Session Protocols for the use by MMS

Part 2 - Common MMS Requirements

Part 3 - Specific MMS Requirements

This part of the ISO/IEC ISP 14226 is produced and approved by ISO TC 184. This Group includes ISO/IEC Member Bodies and S-liaison organizations. The S-liaison organizations that have contributed to the production of this draft are

Asia-Oceania Workshop (AOW)

European Workshop for Open Systems (EWOS)

OSE Implementors Workshop (OIW)

## Introduction

This draft for an International Standardized Profile (ISP) is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

# Information Technology – International Standardized Profile AMM11 – MMS General Applications Base Profile

## PART 3: Specific MMS Requirements

### 1. Scope

#### 1.1. General

This part of ISO/IEC ISP 14226 specifies the MMS requirements specific to this ISP. This part, when used in conjunction with Part 1 and Part 2, forms the AMM11 Profile that specifies how the MMS standard shall be used to provide MMS functions required by general applications.

#### 1.2. Position within the Taxonomy

This part of ISO/IEC ISP 14226 is the third part of a multi-part ISP identified in ISO/IEC TR 10000-2 as "AMM11, MMS General Applications Base Profile".

It may be combined with any T-Profile specifying the OSI connection-mode transport service.

### 2. Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this profile. At the time of publication, the editions indicated were valid. All documents are subject to revision, and parties to agreements based on this profile are warned against automatically applying any more recent editions of the documents listed below, since the nature of references made by ISPs to such documents is that they may be specific to a particular edition. Members of IEC and ISO maintain registers of currently valid International Standards and ISPs, and CCITT maintains published editions of its current Recommendations.

- ISO/IEC 9506-1:1990, Industrial automation systems - Manufacturing Message Specification - Part 1 - Service definition
- ISO/IEC 9506-2:1990, Industrial automation systems - Manufacturing Message Specification - Part 2 - Protocol specification
- ISO/IEC TR 10000-1:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 1 : Framework.
- ISO/IEC TR 10000-2:1992, Information Technology - Framework and taxonomy of International Standardized Profiles - Part 2 : Taxonomy of Profiles.
- ISO/IEC ISP 10607-3:1991, Information Technology - International Standardized Profiles AFT nn-File

Transfer, Access and Management - Part 3: AFT 11 - Simple File Transfer Service (unstructured)

- ISO/IEC 9506 – Technical Corrigenda 1 (1992-12-17)
- ISO/IEC DISP 14226-1, Information Technology - International Standardized Profile AMM11-MMS General Applications Base Profile - Part 1: Specification of ACSE, Presentation, and Session Protocols for the use by MMS
- ISO/IEC DISP 14226-2, Information Technology - International Standardized Profile AMM11-MMS General Applications Base Profile - Part 2: Common MMS Requirements

### **3. Definitions**

Terms used in this part are defined in ISO/IEC ISP 14226-2.

### **4. Abbreviations**

Abbreviations used in this part are defined in ISO/IEC ISP 14226-2.

### **5. Conformance Requirements**

This part of ISO/IEC ISP 14226 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 14226 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following Clauses and in annex A are satisfied. Annex A states the relationship between these requirements and those of base standards.

The conformance requirements of this ISP are described in terms of "Client Conformance Requirements (Client-CR)" and "Server Conformance Requirements (Server-CR)" for each service.

An MMS implementation compliant with the Client-CR for all services in this ISP is called a "Client Implementation".

An MMS implementation compliant with the Server-CR for all services in this ISP is called a "Server Implementation".

#### **5.1. General Requirements for use of all parts of MMS**

An MMS implementation compliant with this ISP shall be only required to support the abstract syntax defined in Clause 19 of ISO/IEC 9506-2.

#### **5.2. Service-specific Requirements**

There are no requirements additional to those in ISO/IEC ISP 14226-2.

## **PART 3:**

### **Annex A - ISPICS Requirements List**

THIS PAGE IS INTENTIONALLY BLANK



## Annex A - ISPICS Requirements List

### A.1. General

This annex describes the specific MMS requirements in terms of tables which were derived from the base standard and ISO/IEC ISP 14226-2. They are intended to give a precise specification of requirements for general MMS applications.

### A.2. Classification of Requirements

Throughout this annex, to specify the level of support for each feature, the following classification is used.

**Client-CR** : Client Conformance Requirement

**Server-CR** : Server Conformance Requirement

#### A.2.1. Base Column

The "Base" column reflects the definitions and specifications in ISO/IEC 9506-1:1990 and ISO/IEC 9506-2:1990. Each entry in this column is chosen from the following list:

**mandatory; m** : That feature shall be supported, i.e. its syntax and procedures shall be implemented as specified in the base standard.

However, it is not a requirement that the feature shall be used in all instances of communication, unless mandated by the base standard .

**optional; o** : Any feature denoted by "o" is left to the implementation as to whether that feature is implemented or not.

If a parameter is optionally supported, then the syntax shall be implemented, but it is left to each implementation whether the procedures are implemented or not.

#### A.2.2. F/S Column

The "F/S" column reflects the requirements of this Functional Standard. Each entry in this column is chosen from the following terminology:

**supported; m** : Any feature denoted by "m" is mandatory or optional in the base standard. That feature shall be supported, i.e. its syntax and procedures shall be implemented as specified in the base standard or in this ISP by all implementations claiming conformance to this ISP.

However, it is not a requirement that the feature shall be used in all instances of communication, unless mandated by the base standard or stated otherwise in this part of this A-Profile.

**optionally supported; o** : Any feature denoted by "o" is left to the implementation as to whether that feature is implemented or not.

If a parameter is optionally supported, then the syntax shall be implemented, but it is left to each

implementation whether the procedures are implemented or not.

**conditionally supported; c** : Any feature denoted by "c<n>" shall be supported under the condition referenced c<n> specified in this ISP, where <n> stands for a number. If these conditions are not met, the feature is outside the scope of this ISP.

**excluded; x** : Any feature denoted by "x" is excluded in this ISP, i.e. an implementation shall behave as if the feature is not implemented.

**outside of scope; i** : Any feature denoted by "i" is outside the scope of this ISP, i.e. it may be ignored, and will therefore not be subject of an ISP conformance test. However the syntax of all parameters of supported PDUs shall be implemented, even if the procedures are not (i.e. the Receiver shall be able to decode the PDU).

### A.2.3. Value/Reference

The "Value/Ref." column specifies constraints on values for the parameter and/or contains references to text in this or other documents.

### A.2.4. Conditional MACROS

The following MACROS are used in the F/S Column:

**STR1** : Any feature denoted by "STR1" is conditioned on the support of STR1 Parameter CBB.

**STR2** : Any feature denoted by "STR2" is conditioned on the support of STR2 Parameter CBB.

**VADR** : Any feature denoted by "VADR" is conditioned on the support of VADR Parameter CBB.

**VNAM** : Any feature denoted by "VNAM" is conditioned on the support of VNAM Parameter CBB.

**VLIS** : Any feature denoted by "VLIS" is conditioned on the support of VLIS Parameter CBB.

**VSCA** : Any feature denoted by "VSCA" is conditioned on the support of VSCA Parameter CBB.

**VALT** : Any feature denoted by "VALT" is conditioned on the support of VALT Parameter CBB.

**REAL** : Any feature denoted by "REAL" is conditioned on the support of REAL Parameter CBB.

**TPY** : Any feature denoted by "TPY" is conditioned on the support of TPY Parameter CBB.

**MOD** : Any feature denoted by "MOD" is conditioned on the support of MMS modifiers.

### A.3. Supported MMS PDU's

**A.3.1. Environment and General Management**

Ref	MMS PDU	Client-CR				Server-CR			
		Sending		Receiving		Sending		Receiving	
		Base	F/S	Base	F/S	Base	F/S	Base	F/S
1	InitiateRequest	o	m	o	o	o	o	m	m
2	InitiateResponse	o	o	o	m	m	m	o	o
3	InitiateError	o	o	o	m	m	m	o	o
4	ConcludeRequest	o	m	o	o	o	o	m	m
5	ConcludeResponse	o	o	o	m	m	m	o	o
6	ConcludeError	o	o	o	m	m	m	o	o
7	CancelRequest	o	o	o	o	o	o	o	o
8	CancelResponse	o	o	o	o	o	o	o	o
9	CancelError	o	o	o	o	o	o	o	o
10	Reject	m	m	m	m	m	m	m	m

Note: Abort service is provided by ACSE.

**A.3.2. MMS Modifiers**

Ref	Modifier	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	attachToEventCondition	o	i	o	i
2	attachToSemaphore	o	i	o	i

**A.3.3. Parameter CBBs**

Ref	Parameter	Base	Client-CR		Server-CR	
			F/S	Value/Ref.	F/S	Value/Ref.
1	str1	o	o		o	
2	str2	o	o		o	

3	vnam	o	o		o	
4	valt	o	o		o	
5	vadr	o	o		o	
6	vsca	o	x		x	
7	tpy	o	o		o	
8	vlis	o	o		o	
9	real	o	i		i	
10	cei	o	i		i	

#### A.3.4. VMD Support

In this subsection and the following subsections of A.3 the column "MMS PDU's" contains one single entry for each MMS service. In case of a confirmed service this single entry stands for the corresponding Request-, Response- and Error-PDU'S. In case of an unconfirmed service it stands for the corresponding Request-PDU.

For responder role service CBBs, the Client-CR column indicates the support of sending the Request-PDU and receiving the Response-PDU and Error-PDU, whereas, the Server-CR column indicates the support of receiving the Request-PDU and sending the Response-PDU and Error-PDU.

For requester role service CBBs, the Client-CR column indicates the support of receiving the Request-PDU and (in case of a confirmed service) sending the Response-PDU and Error-PDU, whereas, the Server-CR column indicates the support of sending the Request-PDU and (in case of a confirmed service) receiving the Response-PDU and Error-PDU.

NOTE - As an example, the 'm' in the Server-CR column for the Identify service means that the Server implementation has to support the receiving of the Identify-Request PDU and the sending of the Identify-Response PDU and the Identify-Error PDU, whereas the 'o' in the Client-CR column means that the Client implementation may or may not support the sending of the Identify-Request PDU and the receiving of the Identify-Response PDU and the Identify-Error PDU.

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Status	o	m	o	m
2	UnsolicitedStatus	o	o	o	o
3	GetNameList	o	o	o	o
4	Identify	o	m	m	m
5	Rename	o	i	o	i
6	GetCapabilityList	o	o	o	o

**A.3.5. Domain Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	InitiateDownloadSequence	o	o	o	o
2	DownloadSegment	o	o	o	o
3	TerminateDownloadSequence	o	o	o	o
4	InitiateUploadSequence	o	o	o	o
5	UploadSegment	o	o	o	o
6	TerminateUploadSequence	o	o	o	o
7	RequestDomainDownload	o	o	o	o
8	RequestDomainUpload	o	o	o	o
9	LoadDomainContent	o	o	o	o
10	StoreDomainContent	o	o	o	o
11	DeleteDomain	o	o	o	o
12	GetDomainAttributes	o	o	o	o

**A.3.6. Program Invocation Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	CreateProgramInvocation	o	o	o	o
2	DeleteProgramInvocation	o	o	o	o
3	Start	o	o	o	o
4	Stop	o	o	o	o
5	Resume	o	o	o	o
6	Reset	o	o	o	o
7	Kill	o	o	o	o
8	GetProgramInvocationAttributes	o	o	o	o

**A.3.7. Variable Access**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Read	o	o	o	o
2	Write	o	o	o	o
3	InformationReport	o	o	o	o
4	GetVariableAccessAttributes	o	o	o	o
5	DefineNamedVariable	o	o	o	o
6	DefineScatteredAccess	o	x	o	x
7	GetScatteredAccessAttributes	o	x	o	x
8	DeleteVariableAccess	o	o	o	o
9	DefineNamedVariableList	o	o	o	o
10	GetNamedVariableListAttributes	o	o	o	o
11	DeleteNamedVariableList	o	o	o	o
12	DefineNamedType	o	o	o	o
13	GetNamedTypeAttributes	o	o	o	o
14	DeleteNamedType	o	o	o	o

**A.3.8. Semaphore Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	TakeControl	o	i	o	i
2	RelinquishControl	o	i	o	i
3	DefineSemaphore	o	i	o	i
4	DeleteSemaphore	o	i	o	i
5	ReportSemaphoreStatus	o	i	o	i
6	ReportPoolSemaphoreStatus	o	i	o	i
7	ReportSemaphoreEntryStatus	o	i	o	i

**A.3.9. Operator Communication**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Input	o	o	o	o
2	Output	o	o	o	o

**A.3.10. Event Management**

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	DefineEventCondition	o	i	o	i
2	DeleteEventCondition	o	i	o	i
3	GetEventConditionAttributes	o	i	o	i
4	ReportEventConditionStatus	o	i	o	i
5	AlterEventConditionMonitoring	o	i	o	i
6	TriggerEvent	o	i	o	i
7	DefineEventAction	o	i	o	i
8	DeleteEventAction	o	i	o	i

9	GetEventActionAttributes	o	i	o	i
10	ReportEventActionStatus	o	i	o	i
11	DefineEventEnrollment	o	i	o	i
12	DeleteEventEnrollment	o	i	o	i
13	GetEventEnrollmentAttributes	o	i	o	i
14	ReportEventEnrollmentStatus	o	i	o	i
15	AlterEventEnrollment	o	i	o	i
16	EventNotification	o	i	o	i
17	AcknowledgeEventNotification	o	i	o	i
18	GetAlarmSummary	o	i	o	i
19	GetAlarmEnrollmentSummary	o	i	o	i

### A.3.11. Journal Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	ReadJournal	o	i	o	i
2	WriteJournal	o	i	o	i
3	InitializeJournal	o	i	o	i
4	ReportJournalStatus	o	i	o	i
5	CreateJournal	o	i	o	i
6	DeleteJournal	o	i	o	i

### A.3.12. File Access

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	ObtainFile	o	i	o	i

### A.3.13. File Management



Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	FileOpen	o	i	o	i
2	FileRead	o	i	o	i
3	FileClose	o	i	o	i

#### A.3.14. Data Exchange Management

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	GetDataExchangeAttributes	o	i	o	i
2	ExchangeData	o	i	o	i

#### A.3.15. Additional PDUs

Ref	MMS PDU	Client-CR		Server-CR	
		Base	F/S	Base	F/S
1	Additional PDU	o	x	o	x

#### A.4. PDU-Specific Requirements

This clause contains tables for all PDUs which have been marked as 'm' or 'o' in the F/S columns of clause A.3.

Some of the PDU parameters represent complex structures which are described using the following conventions:

- a) If a parameter with label <x> is a CHOICE type, the corresponding alternatives are listed below this parameter, using the sub-labels <x>.a, <x>.b, <x>.c, etc.
- b) If a parameter with label <x> is a SEQUENCE or SEQUENCE OF SEQUENCE type, the sequence members are listed below that parameter using the sub-labels <x>.1, <x>.2, <x>.3, etc.
- c) Some of the complex parameters are described in separate tables. In these cases, parameter names start with an upper case letter, otherwise parameters start with a lower case letter.

**A.4.1. Environment and General Management****A.4.1.1. Initiate Request PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	localDetailCalling	o	m	Part 2, 5.2.1.1.3	m	m	
2	proposedMaxServOutstandingCallingg		m	m	Part 2,	m	m
3	proposedMaxServOutstandingCalled	m	m	Part2, 5.2.1.1.2	m	m	
4	proposedDataStructureNestingLevel	m	m		m	m	
5	initiateRequestDetail	m	m		m	m	
5.1	proposedVersionNumber	m	m		m	m	
5.2	proposedParameterCBB	m	m		m	m	
5.3	servicesSupportedCalling	m	m		m	m	

**A.4.1.2. Initiate Response PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	localDetailCalled	o	m	Part2, 5.2.1.1.4	m	m	
2	negotiatedMaxServOutstandingCalling		m	m	Part2,	m	m
3	negotiatedMaxServOutstandingCalledd		m	m	Part2,	m	m
4	negotiatedDataStructureNestingLevelel		m	m		m	m
5	initiateResponseDetail	m	m		m	m	
5.1	negotiatedVersionNumber	m	m		m	m	
5.2	negotiatedParameterCBB	m	m		m	m	
5.3	servicesSupportedCalled	m	m		m	m	

**A.4.1.3. Initiate Error PDU**

Ref	Parameter	Sending	Receiving
-----	-----------	---------	-----------

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	errorClass	m	m		m	m	
2	errorCode	m	m		m	m	
3	additionalCode	o	o		o	m	
4	additionalDescription	o	o		o	m	

**A.4.1.4. Conclude Request PDU**

No parameter.

**A.4.1.5. Conclude Response PDU**

No parameter.

**A.4.1.6. Conclude Error PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	errorClass	m	m		m	m	
2	errorCode	m	m		m	m	
3	additionalCode	o	o		o	m	
4	additionalDescription	o	o		o	m	

**A.4.1.7. Cancel Request PDU**

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	

**A.4.1.8. Cancel Response PDU**

Ref	Parameter	Sending			Receiving		
-----	-----------	---------	--	--	-----------	--	--

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	

#### A.4.1.9. Cancel Error PDU

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	
2	errorClass	m	m		m	m	
3	errorCode	m	m		m	m	
4	additionalCode	o	o		o	m	
5	additionalDescription	o	o		o	m	

#### A.4.1.10. Reject PDU

Ref	Parameter	Sending			Receiving		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	originalInvokeID	m	m		m	m	
2	rejectReason	m	m		m	m	

### A.4.2. VMD Support

#### A.4.2.1. Status Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	extendedDerivation	m	m		m	m	
4	csStatusRequest	o	x		o	x	

**A.4.2.2. Status Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	vmdLogicalStatus	m	m		m	m	
3	vmdPhysicalStatus	m	m		m	m	
4	localDetail	o	m		o	o	
5	csStatusResponse	o	x		o	x	

**A.4.2.3. Status Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.2.4. Unsolicited Status PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	vmdLogicalStatus	m	m		m	m	
2	vmdPhysicalStatus	m	m		m	m	
3	localDetail	o	m		o	o	
4	csStatusResponse	o	x		o	x	

**A.4.2.5. GetNameList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	objectClass	m	m		m	m	
4	csObjectClass	o	x		o	x	
5	objectScope	m	m		m	m	
6	continueAfter	m	m		m	m	
7	csGetNameListRequest	o	x		o	x	

**A.4.2.6. GetNameList Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfIdentifier	m	m		m	m	
3	moreFollows	m	m		m	m	
4	csGetNameListResponse	o	x		o	x	

**A.4.2.7. GetNameList Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.2.8. Identify Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

**A.4.2.9. Identify Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	vendorName	m	m		m	m	
3	modelName	m	m		m	m	
4	revision	m	m		m	m	
5	listOfAbstractSyntaxes	o	m		m	m	

**A.4.2.10. Identify Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.2.11. GetCapabilityList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	continueAfter	m	m		m	m	
4	csGetCapabilityListRequest	o	x		o	x	

#### A.4.2.12. GetCapabilityList Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfCapabilities	m	m		m	m	Part2, 5.2.3.1
3	moreFollows	m	m		m	m	
4	csGetCapabilityListResponse	o	x		o	x	

#### A.4.2.13. GetCapabilityList Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

### A.4.3. Domain Management

#### A.4.3.1. InitiateDownloadSequence Request PDU



Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	listOfCapabilities	m	m	Part2, 5.2.3.1	m	m	
5	sharable	m	m		m	m	
6	csInitiateDownloadSequenceRequestt		o	x		o	x

#### A.4.3.2. InitiateDownloadSequence Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csInitiateDownloadSequenceResponse		o	x		o	x

#### A.4.3.3. InitiateDownloadSequence Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### A.4.3.4. DownloadSegment Request PDU

Ref	Parameter	Client-CR	Server-CR
-----	-----------	-----------	-----------

		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csDownloadSegmentRequest	o	x		o	x	

#### A.4.3.5. DownloadSegment Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	loadData	m	m		m	m	
2.a	non-coded	o	m		o	m	
2.b	coded	o	i		o	i	
3	moreFollows	m	m		m	m	
4	csDownloadSegmentResponse	o	x		o	x	

#### A.4.3.6. DownloadSegment Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	o		o	m	
6	additionalDescription	o	o		o	m	

#### A.4.3.7. TerminateDownloadSequence Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	discard	m	m		o	o	
4.1	errorClass	m	m		m	m	
4.2	errorCode	m	m		m	m	
4.3	additionalCode	o	m		o	o	
4.4	additionalDescription	o	m		o	o	
5	csTerminateDownloadSeqRequest	o	x		o	x	

**A.4.3.8. TerminateDownloadSequence Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csTerminateDownloadSeqResponse	o	x		o	x	

**A.4.3.9. TerminateDownloadSequence Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	o		o	m	
6	additionalDescription	o	o		o	m	

**A.4.3.10. InitiateUploadSequence Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csInitiateUploadSequenceRequest	o	x		o	x	

**A.4.3.11. InitiateUploadSequence Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	ulsmID	m	m		m	m	
3	listOfCapabilities	m	m		m	m	Part2, 5.2.3.1
4	csInitiateUploadSequenceResponse	o	x		o	x	

**A.4.3.12. InitiateUploadSequence Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.3.13. UploadSegment Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	ulsmID	m	m		m	m	
4	csUploadSegmentRequest	o	x		o	x	

#### A.4.3.14. UploadSegment Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	loadData	m	m		m	m	
2.a	non-coded	o	m		o	m	
2.b	coded	o	i		o	i	
3	moreFollows	m	m		m	m	
4	csUploadSegmentResponse	o	x		o	x	

#### A.4.3.15. UploadSegment Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### A.4.3.16. TerminateUploadSequence Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	ulsmID	m	m		m	m	
4	csTerminateUploadSequenceRequest	o	x		o	x	

#### A.4.3.17. TerminateUploadSequence Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csTerminateUploadSeqResponse	o	x		o	x	

#### A.4.3.18. TerminateUploadSequence Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### A.4.3.19. RequestDomainDownload Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	listOfCapabilities	m	m		m	m	Part 2, 5.2.3.1
5	sharable	m	m		m	m	
6	filename	m	m		m	m	
7	csRequestDomainDownloadRequest	o	x		o	x	

#### A.4.3.20. RequestDomainDownload Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csRequestDomainDownloadResponses		o	x		o	x

#### A.4.3.21. RequestDomainDownload Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	o		o	m	
6	additionalDescription	o	o		o	m	

#### A.4.3.22. RequestDomainUpload Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	filename	m	m		m	m	
5	csRequestDomainUploadRequest	o	x		o	x	

#### A.4.3.23. RequestDomainUpload Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csRequestDomainUploadResponse	o	x		o	x	

#### A.4.3.24. RequestDomainUpload Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	o		o	m	
6	additionalDescription	o	o		o	m	

#### A.4.3.25. LoadDomainContent Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	



3	domainName	m	m		m	m	
4	listOfCapabilities	m	m	Part 2, 5.2.3.1	m	m	
5	sharable	m	m		m	m	
6	filename	m	m		m	m	
7	thirdParty	o	TPY		o	TPY	
8	csLoadDomainContentRequest	o	x		o	x	

**A.4.3.26. LoadDomainContent Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csLoadDomainContentResponse	o	x		o	x	

**A.4.3.27. LoadDomainContent Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.3.28. StoreDomainContent Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	filename	m	m		m	m	
5	thirdParty	o	TPY		o	TPY	
6	csStoreDomainContentRequest	o	x		o	x	

**A.4.3.29. StoreDomainContent Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStoreDomainContentResponse	o	x		o	x	

**A.4.3.30. StoreDomainContent Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.3.31. DeleteDomain Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	domainName	m	m		m	m	
4	csDeleteDomainRequest	o	x		o	x	

**A.4.3.32. DeleteDomain Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csDeleteDomainResponse	o	x		o	x	

**A.4.3.33. DeleteDomain Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.3.34. GetDomainAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	domainName	m	m		m	m	
4	csGetDomainAttributesRequest	o	x		o	x	

**A.4.3.35. GetDomainAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfCapabilities	m	m		m	m	Part 2, 5.2.3.1
3	state	m	m		m	m	
4	mmsDeletable	m	m		m	m	
5	sharable	m	m		m	m	
6	listOfProgramInvocations	m	m		m	m	
7	uploadInProgress	m	m		m	m	
8	csGetDomainAttributesResponse	o	x		o	x	

**A.4.3.36. GetDomainAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.4. Program Invocation Management****A.4.4.1. CreateProgramInvocation Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	listOfDomainNames	m	m		m	m	
5	reusable	m	m		m	m	
6	monitorType	o	i		o	i	
7	csCreateProgramInvocationRequest	o	x		o	x	

#### A.4.4.2. CreateProgramInvocation Response PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csCreateProgramInvocationResponse	o	x		o	x	

#### A.4.4.3. CreateProgramInvocation Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### A.4.4.4. DeleteProgramInvocation Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csDeleteProgramInvocationRequest	o	x		o	x	

**A.4.4.5. DeleteProgramInvocation Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csDeleteProgramInvocationResponse	o	x		o	x	

**A.4.4.6. DeleteProgramInvocation Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.4.7. Start Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	

4	executionArgument	m	m		m	m	
4.a	simpleString	o	m		o	m	
4.b	encodedString	o	i		o	i	
5	csStartRequest	o	x		o	x	

**A.4.4.8. Start Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStartResponse	o	x		o	x	

**A.4.4.9. Start Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	serviceSpecificInformation	m	m		m	m	Part2, 5.2.4.1

**A.4.4.10. Stop Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	programInvocationName	m	m		m	m	
4	csStopRequest	o	x		o	x	

**A.4.4.11. Stop Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csStopResponse	o	x		o	x	

**A.4.4.12. Stop Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	serviceSpecificInformation	m	m		m	m	Part2, 5.2.4.2

**A.4.4.13. Resume Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	executionArgument	m	m		m	m	



4.a	simpleString	o	m		o	m	
4.b	encodedString	o	i		o	i	
5	csResumeRequest	o	x		o	x	

**A.4.4.14. Resume Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csResumeResponse	o	x		o	x	

**A.4.4.15. Resume Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	serviceSpecificInformation	m	m		m	m	part 2, 5.2.4.3

**A.4.4.16. Reset Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	

4	csResetRequest	o	x		o	x	
---	----------------	---	---	--	---	---	--

**A.4.4.17. Reset Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csResetResponse	o	x		o	x	

**A.4.4.18. Reset Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	serviceSpecificInformation	m	m		m	m	part 2, 5.2.4.4

**A.4.4.19. Kill Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csKillRequest	o	x		o	x	

**A.4.4.20. Kill Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csKillResponse	o	x		o	x	

**A.4.4.21. Kill Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	serviceSpecificInformation	m	m		m	m	Part2, 5.2.4.5

**A.4.4.22. GetProgramInvocationAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	programInvocationName	m	m		m	m	
4	csGetPIAttributesRequest	o	x		o	x	

**A.4.4.23. GetProgramInvocationAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	State	m	m		m	m	
3	listOfDomainNames	m	m		m	m	
4	mmsDeletable	m	m		m	m	
5	reusable	m	m		m	m	
6	monitor	m	m		m	m	
7	executionArgument	m	m		m	m	
7.a	simpleString	o	m		o	m	
7.b	encodedString	o	i		o	i	
8	csGetPIAttributesResponse	o	x		o	x	

#### **A.4.4.24. GetProgramInvocationAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### **A.4.5. Variable Access**

##### **A.4.5.1. Read Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	specificationWithResult	m	m		m	m	
4	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	A.4.5.1.1.

#### A.4.5.1.1. VariableAccessSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	listOfVariable	o	m		m	m	
1.a.1	VariableSpecification	m	m	A.4.5.1.2.	m	m	A.4.5.1.2.
1.a.2	AlternateAccess	o	VALT	A.4.5.1.5.	o	VALT	A.4.5.1.5.
1.b	variableListName	o	VLIS		o	VLIS	

#### A.4.5.1.2. VariableSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	name	o	VNAM		o	VNAM	
1.b	Address	o	VADR	A.4.5.1.3.	o	VADR	A.4.5.1.3.
1.c	variableDescription	o	VADR		o	VADR	
1.c.1	Address	m	m	A.4.5.1.3.	m	m	A.4.5.1.3.
1.c.2	TypeSpecification	m	m	A.4.5.1.4.	m	m	A.4.5.1.4.
1.d	scatteredAccessDescription	o	VSCA		o	VSCA	
1.e	invalidated	m	m		m	m	

#### A.4.5.1.3. Address

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1.a	numericAddress	o	m		o	c1	
1.b	symbolicAddress	o	m		o	c1	
1.c	unconstrainedAddress	o	o		o	o	

c1: at least one of these address types must be supported (see part 2, clause 5.2.5.6).

#### A.4.5.1.4. TypeSpecification

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	typeName	o	o		o	o	
1.b	array	o	STR1		o	STR1	
1.b.1	packed	m	m		m	m	
1.b.2	numberOfElements	m	m		m	m	
1.b.3	TypeSpecification	m	m		m	m	
1.c	structure	o	STR2		o	STR2	
1.c.1	packed	m	m		m	m	
1.c.2	components	m	m		m	m	
1.c.2.1	componentName	o	VALT		o	VALT	
1.c.2.2	TypeSpecification	m	m		m	m	
1.d	boolean	o	m		o	c1	
1.e	bit-string	o	m		o	c1	
1.f	integer	o	m		o	c1	
1.g	unsigned	o	m		o	c1	
1.h	floatingPoint	o	m		o	c1	
1.i	real	o	REAL		o	REAL	
1.j	octet-string	o	o		o	o	
1.k	visible-string	o	m		o	c1	
1.l	generalized-time	o	m		o	c1	
1.m	binary-time	o	o		o	o	
1.n	bcd	o	o		o	o	
1.o	objId	o	o		o	o	

c1: Each server implementation shall be capable of supporting at least one of the data types marked as c1

**A.4.5.1.5. AlternateAccess**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	unnamed	o	STR1		o	STR1	
1.a.1	selectAlternateAccess	m	m		m	m	
1.a.1.1	AccessSelection	m	m	A.4.5.1.6.	m	m	A.4.5.1.6.
1.a.1.2	AlternateAccess	m	m		m	m	
1.a.2	SelectAccess	m	m	A.4.5.1.7.	m	m	A.4.5.1.7.
1.b	named	o	STR2		o	STR2	
1.b.1	componentName	m	m		m	m	
1.b.2	AlternateAccessSelection	m	m		m	m	
1.b.2.1	selectAlternateAccess	o	m		m	m	
1.b.2.2	SelectAccess	o	m	A.4.5.1.7.	m	m	A.4.5.1.7.

**A.4.5.1.6. AccessSelection**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	component	o	STR2		o	STR2	
1.b	index	o	STR1		o	STR1	
1.c	IndexRange	o	STR1	A.4.5.1.8.	o	STR1	A.4.5.1.8.
1.d	allElements	o	STR1		o	STR1	

**A.4.5.1.7 SelectAccess**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1.a	component	o	STR2		o	STR2	
1.b	index	o	STR1		o	STR1	
1.c	IndexRange	o	STR1	A.4.5.1.8.	o	STR1	A.4.5.1.8.



1.d	allElements	o	STR1		o	STR1	
-----	-------------	---	------	--	---	------	--

**A.4.5.1.8. IndexRange**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	lowIndex	m	m		m	m	
2	numberOfElements	m	m		m	m	

**A.4.5.2. Read Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	A.4.5.1.1.
3	listOfAccessResult	m	m		m	m	
3.a	failure	m	m		m	m	
3.b	Data	m	m	A.4.5.2.1.	m	m	A.4.5.2.1.

**A.4.5.2.1. Data**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
a	array	o	STR1		o	STR1	
b	structure	o	STR2		o	STR2	
c	boolean	o	m		o	c1	
d	bit-string	o	m	n2	o	c1	
e	integer	o	m	n1	o	c1	
f	unsigned	o	m	n1	o	c1	
g	floating-point	o	m		o	c1	

h	real	o	REAL		o	REAL	
i	octet-string	o	o	n2	o	o	
j	visible-string	o	m	n2	o	c1	
k	generalized-time	o	m		o	c1	
l	binary-time	o	o		o	o	
m	bcd	o	o		o	o	
n	booleanArray	o	o		o	o	
o	objectId	o	o		o	o	

c1: Each server implementation shall be capable of supporting at least one of the data types marked as c1

n1: Client implementations shall be capable of supporting a DataSize parameter of value 32.

n2: Client implementations shall be capable of supporting a DataSize parameter the value of which is determined by the InitiateResponse PDU localDetailCalled parameter.

#### A.4.5.3. Read Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

#### A.4.5.4. Write Request PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	

3	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	A.4.5.1.1.
4	listOfData	m	m	A.4.5.2.1.	m	m	A.4.5.2.1.

**A.4.5.5. Write Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfWriteResult	m	m		m	m	
2.a	dataAccessError	m	m		m	m	
2.b	success	m	m		m	m	

**A.4.5.6. Write Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.7. InformationReport PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	VariableAccessSpecification	m	m	A.4.5.1.1.	m	m	A.4.5.1.1.
2	listOfAccessResult	m	m		m	m	
2.a	failure	m	m		m	m	

2.b	Data	m	m	A.4.5.2.1.	m	m	A.4.5.2.1.
-----	------	---	---	------------	---	---	------------

**A.4.5.8. GetVariableAccessAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableName	o	VNAM		o	VNAM	
4	variableAddress	o	VADR		o	VADR	

**A.4.5.9. GetVariableAccessAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	Address	o	VADR		o	VADR	
4	TypeSpecification	m	m		m	m	

**A.4.5.10. GetVariableAccessAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.11. DefineNamedVariable Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableName	m	m		m	m	
4	Address	m	m	A.4.5.1.3.	m	m	A.4.5.1.3.
5	TypeSpecification	o	o	A.4.5.1.4.	m	m	A.4.5.1.4.

**A.4.5.12. DefineNamedVariable Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.13. DefineNamedVariable Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.14. DeleteVariableAccess Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	scopeOfDelete	m	m		m	m	
4	listOfName	o	o		m	m	
5	domainName	o	o		m	m	

**A.4.5.15. DeleteVariableAccess Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

**A.4.5.16. DeleteVariableAccess Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	numberDeleted	m	m		m	m	

**A.4.5.17. DefineNamedVariableList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	listOfModifier	o	MOD		o	MOD	
3	variableListName	m	m		m	m	
4	listOfVariable	m	m		m	m	
4.1	VariableSpecification	m	m	A.4.5.1.2.	m	m	A.4.5.1.2.
4.2	AlternateAccess	o	VALT	A.4.5.1.5.	o	VALT	A.4.5.1.5.

**A.4.5.18. DefineNamedVariableList Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.19. DefineNamedVariableList Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.20. GetNamedVariableListAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	variableListName	m	m		m	m	

**A.4.5.21. GetNamedVariableListAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	listOfVariable	m	m		m	m	
3.1	VariableSpecification	m	m	A.4.5.1.2.	m	m	A.4.5.1.2.
3.2	AlternateAccess	o	VALT	A.4.5.1.5.	o	VALT	A.4.5.1.5.

**A.4.5.22. GetNamedVariableListAttributes Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.23. DeleteNamedVariableList Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	scopeOfDelete	m	m		m	m	
4	listOfVariableListName	o	o		m	m	



5	domainName	o	o		m	m	
---	------------	---	---	--	---	---	--

**A.4.5.24. DeleteNamedVariableList Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

**A.4.5.25. DeleteNamedVariableList Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	numberDeleted	m	m		m	m	

**A.4.5.26. DefineNamedType Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	typeName	m	m		m	m	
4	TypeSpecification	m	m	A.4.5.1.4.	m	m	A.4.5.1.4.

**A.4.5.27. DefineNamedType Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

**A.4.5.28. DefineNamedType Error PDU**

Ref	Parameter	Server-CR			Client-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.29. GetNamedTypeAttributes Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	typeName	m	m		m	m	

**A.4.5.30. GetNamedTypeAttributes Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.

1	invokeID	m	m		m	m	
2	mmsDeletable	m	m		m	m	
3	TypeSpecification	m	m	A.4.5.1.4.	m	m	A.4.5.1.4.

**A.4.5.31. GetNamedTypeAttributes Error PDU**

Ref	Parameter	Server-CR			Client-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.5.32. DeleteNamedType Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	scopeOfDelete	m	m		m	m	
4	listOfTypeName	o	o		m	m	
5	domainName	o	o		m	m	

**A.4.5.33. DeleteNamedType Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	

2	numberMatched	m	m		m	m	
3	numberDeleted	m	m		m	m	

#### A.4.5.34. DeleteNamedType Error PDU

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	
7	numberDeleted	m	m		m	m	

#### A.4.6. Semaphore Management

Out of Scope.

**A.4.7. Operator Communication****A.4.7.1. Input Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	operatorStationName	m	m		m	m	
4	echo	m	m		m	m	
5	listOfPromptData	o	o		o	o	
6	inputTimeOut	o	o		o	m	
7	csInputRequest	o	x		o	x	

**A.4.7.2. Input Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	inputString	m	m		m	m	
3	csInputResponse	o	x		o	x	

**A.4.7.3. Input Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	

5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.7.4. Output Request PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	listOfModifier	o	MOD		o	MOD	
3	operatorStationName	m	m		m	m	
4	listOfOutputData	m	m		m	m	
5	csOutputRequest	o	x		o	x	

**A.4.7.5. Output Response PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	csOutputResponse	o	x		o	x	

**A.4.7.6. Output Error PDU**

Ref	Parameter	Client-CR			Server-CR		
		Base	F/S	Value/Ref.	Base	F/S	Value/Ref.
1	invokeID	m	m		m	m	
2	modifierPosition	o	MOD		o	MOD	
3	errorClass	m	m		m	m	
4	errorCode	m	m		m	m	
5	additionalCode	o	m		o	o	
6	additionalDescription	o	m		o	o	

**A.4.8. Event Management**

Out of Scope

**A.4.9. Journal Management**

Out of Scope

**A.4.10. File Access**

Out of Scope

**A.4.11. File Management**

Out of Scope

**A.4.12. Data Exchange Management**

Out of Scope