

**TPD.doc**

<b>COLLABORATORS</b>
----------------------

	<i>TITLE :</i> TPD.doc	
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>
WRITTEN BY		January 9, 2023
<i>SIGNATURE</i>		

<b>REVISION HISTORY</b>
-------------------------

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>TPD.doc</b>	<b>1</b>
1.1	Tron's PCX DataType . . . . .	1
1.2	Purpose of AmyMove . . . . .	1
1.3	What are datatypes ? . . . . .	1
1.4	Advantages . . . . .	2
1.5	installation . . . . .	2
1.6	Copyright . . . . .	2
1.7	Author . . . . .	3

# Chapter 1

## TPD.doc

### 1.1 Tron's PCX Data Type

TPD - Tron's PCX Data Type V39.1

=====

A PCX datatype for OS 3.0 or newer

Purpose

Advantages

Installation

Copyright

Author

### 1.2 Purpose of AmyMove

TPD is a  
datatype  
for OS 3.0 or newer.

This datatypes enables your system to read PCX files.

PCX is a image file format invented by the programmes of the program  
"PaintBrush" and one of the most common image formats on MS-DOS computers.

With this datatype you will be able to display such PCX files with  
"MultiView" or load them as patterns or pictures with "WBPattern".

### 1.3 What are datatypes ?

---

Datatypes are a new feature of OS 3.0. They are BOOPSI classes which are controlled via the new "datatypes.library". With this library an application is able to load all files supported by one of the datatypes and display them without knowing anything about the format of the file. Programs which support datatypes are e.g. "MultiView" or "WBPattern", both part of Workbench 3.0.

## 1.4 Advantages

What are the advantages of this PCX datatype ?

- fast:
  - chunky to planar conversion via WritePixelLine()
  - asynchronous I/O
- low memory usage
- supports:
  - CGA/EGA format (planar)
  - VGA format (chunky)
  - true color format (hybrid)
- converts true color into HAM/HAM8 on EGS/AGA machines
- screen mode selection via BestModeID()

## 1.5 installation

The installation is quite easy:

- 1.) Copy "PCX" and "PCX.info" to "DEVS:DataTypes".
- 2.) Copy "pcx.datatype" to "SYS:Classes/DataTypes".
- 3.) Type "AddDataTypes REFRESH" in a CLI or simply reboot.

Ok, now TPD is ready to be used.

## 1.6 Copyright

Tron's PCX DataType (c) 1993 by Matthias Scheler

Permission is granted to make and distribute verbatim copies of this manual provided the copyright notice and this permission notice are preserved on all copies.

No guarantee of any kind is given that the program described in this document is 100% reliable. You are using this material at your own risk. The author \*can not\* be made responsible for any damage which is caused by using these programs.

This package is freely distributable, but still copyright by Matthias Scheler. This means that you can copy it freely as long as you don't ask for a more than nominal copying fee.

---

Permission is granted to include this package in Public-Domain collections, especially in Fred Fishs Amiga Disk Library (including CD ROM versions of it). The distribution file may be uploaded to Bulletin Board Systems or FTP servers. If you want to distribute this program you *\*must\** use the original distribution archive 'TPD.lha'.

TPD must NOT be included or used in commercial programs unless by written permission from the author.

TPD must NOT be used on any machine which is used for the research, development, construction, testing or production of weapons or other military applications. This also includes any machine which is used for training persons for *\*any\** of the above mentioned purposes.

## 1.7 Author

Matthias Scheler  
Schützenstraße 18  
D-33178 Borchen

E-Mail:

tron@lyssa.ms.sub.org  
tron@uni-paderborn.de (Files to this address, please)  
Matthias Scheler,2:247/600.10@fidonet