

Table of Contents

To jump to a topic, select its title & choose "Next Case" (⌘N)

To find a term in Glossary, select it & choose "Glossary" (⌘G)

ViewIt™ 2.04 On-Line Help

Copyrights
Distribution
Trademarks
Warranties

1. Getting Started

What Is ViewIt?
About On-Line Help
Read Startup Topics
Recompiling Demos
Shareware Limits

2. What is FaceWare?

3. What is a module?
4. Where do they live?
5. How do I meet one?

6. Minimum Code

- Pascal
- C
- Fortran

7. Include Files

FaceStorXY File
FaceProcXY File
Other Include Files

8. Resource Files

Shared vs. Program-Specific
Temporary Res Files
More About LoadIt
The FaceWare File
Resource Numbering

9. Initializations

FaceWare Initialization
More About Stack Space
Record Initialization

10. Event Handling

11. Summary

New Programs
Existing Programs

V1. ViewIt 2.0 Guide

No License Fees
Do Your Own Thing
Simpler Resources
On-Line Editing
Built-In Help
Backward Compatible
Powerful Controls
View Hierarchy
Data Linking
Source Available

V2. Editing

Windows/Views/Controls
Editing Resources
Selecting Controls

The Controls Bar
The Icon Menu Bar

- File Menu
- Edit Menu
- Import Menu
- Info Menu
- Style Menu
- Align Menu
- Grid Icon

Outline Mode

Saving Changes

Getting Into Trouble

V3. Windows

Modal vs. Modeless

Adding Windows

Modal Windows

- Item Events
- Editable Items
- Menu Events
- Module Messages
- Other Modal Events
- Event Summary
- Loop Options

Modeless Windows

- Modeless Events
- Modeless-to-Modal

Closing Windows

Miscellaneous Notes

V4. Views

About Control Drivers

The View Driver

- Operation
- Scrolling
- Instructions
- Common Uses
- Limitations
- Source Code

V5. Controls

Getting Info

Toolbox Calls

Rectangles

Scrolling

Growing

Floating

Styles

Colors

Best Colors

V6. Data Links

Data Types

Choosing Controls

Linking A Record

Linking A Variable

Using Links

Special Cases

V7. Balloons (System 7)

Help Command Format

Example Commands

V8. Override (Advanced)

Direct Installation

vs. Proc ID Table

Procedure Format

Procedure Execution

- Posting Commands
- Stealing Messages
- Tweaking Messages
- Major Action Before
- Major Action After

Control Message Documentation

Program-Controlled Regions

Limitations & Warnings

V9. ViewIt Commands

NewWnd,EndWnd,MdlWnd,SizWnd,MovWnd,ShoWnd,
HidWnd,SavWnd,HlpWnd,GetWnd,GetCtl,GetWVC,
ShoCtl,ActCtl,SelCtl,SavCtl,DspCtl,GetVal,
SetVal,AddVew,AddCtl,LnkCtl,OvrCtl,DrwCtl,
ScrCtl,StlCtl

V10. fRec Record

V11. Resources

Shared FaceWare File

Customizing Resources

Moving Modules

Removing Resources

V12. Odds & Ends

INIT Problems

Clobbered Variables

Program Drawing

The Help Key

Spurious Events

V13. 2.0 -> 2.04

F1. Facelt 2.0 Guide

Brief History

Mixing Window Types

Facelt Command Format

Program Resources

F2. Initializations

Menu Initialization

- Auto-Loaded Menus
- Hierarchical Menus
- Pop-Up Menus

Window Initialization

Palette Initialization

F3. The Main Loop

Message Types

Module Messages

Apple Events

Foreign Windows

F4. Menu Handling

Menu Item Types

- Unlabeled Program Items
- Labeled Program Items
- Program-Wide Standard Items
- Shared Standard Items
- Module-Specific Standard Items

Font/Size/Style/Color Items

Managing Menu Items

Custom Standard Items

Balloon Help

F5. Palette Menus

Custom MDEF & WDEF

Palette Events

Creating Palettes

Installing Palettes
Managing Palettes
Saving Settings
Palette Titles
Patterns & Colors
Torn-Off Behavior
Errors & Memory

F6. Background Processing (Advanced)

What To Do
When To Do It
Facelt's Role
An Example
Other Events
WaitNextEvent?

F7. Finder Resources

Adding File Icons
Opening From Finder
• Optional Help
• Technical Details
Size and Behavior
Program File Help

F8. Hybrid Programs

What Is FaceSt?
When To Use FaceSt
When NOT To Use It
What You GAIN
What You LOSE
Initializations Done
Installing FaceStub
Using FaceStub
• Main Menus
• Menu Events
• Raw Event Loop
• Switching
• Window Kind
• Cursor Management
• Program Termination
• Custom Procedures
• FSSC Menus

F9. Facelt Commands

DoInIt,DoAuto2,DoLoop,DoEvnt,DoMenu,DoUpdt2,
GetMsg,GetFWs

U1. Utilt 2.0 Guide

Utilt Command Format
Utilt Resources

U2. Menus

Labeled Items
FSSC Menus
PopMen,SetItm2,GetItm,FixFSC,SelfFSC

U3. Files

StdOpn,StdSav,GetRef,SetRef,SetTyp

U4. Windows

SetFSS,SndBhd,GetNam,SetNam,
MovRec,MovAlt,MovDlg,MovWin,
DrgWnd,GetStd,SetStd,SavDlg,SavWin

U5. Colors

GetFgC,GetBkC,SetFgC,SetBkC,SetPal2

U6. Alerts

ShoAlt,StpAlt,NotAlt,CtnAlt,
ShoStr,StpStr,NotStr,CtnStr

U7. Strings

SetSub, TrmStr, SetPrm, CnvStr, FndTxt,
NumToS, SToNum

U8. String Lists

GetStr, SetStr, SrtLst, DupLst,
GetI2, GetI4, GetR4, GetR8, GetR10, GetR12

U9. Memory

ChkMem, NewBlk, PrgCmd, DoUnld

U10. Other Commands

ChgCur, PstEvt, PstNot, SetIdl, EndIdl