

## F1. Facelt 2.0 Guide

Facelt deals with "program-wide" features: the main event loop, the main menu bar menus, floating palettes, modeless windows, background processing, and interactions with the Finder. Each topic in the above "Facelt" menu deals with one of these program-wide features.

### Brief History

Facelt is the oldest of all FaceWare modules. Our original product (McFace, 1986) did the types of things Facelt now does. Since then many tools have come along to provide similar functionality, but FaceWare has moved far beyond these competing interface builders and program managers. Facelt is now just a small part of the ViewIt product, and all other FaceWare modules can be used without Facelt.

### Mixing Window Types

The Facelt module automatically handles low-level events and only returns control to the main program when events occur that it does not know how to handle. Most FaceWare programmers appreciate this since it dramatically reduces the size and complexity of their program "event loops". In cases, however, where the main program must deal directly with low-level events, then FaceSt ("FaceStub") can be used in place of Facelt. FaceSt differs from Facelt in that it must be fed low-level events, but this makes it possible to mix FaceWare modeless windows with other windows being managed by the main program. See the "Hybrid Programs" topic for more info about using FaceSt to create "hybrid" programs that contain both sophisticated program-driven windows and FaceWare-driven windows.

### Facelt Command Format

Facelt commands are executed via the Facelt dispatching procedure using the same format as that described under the "Commands" topic in the ViewIt Guide.

### Program Resources

All of the demo program resource files (the ".Rsrc" files) shipped with the ViewIt product contain MENU, STR#, and clut resources that are used by Facelt but contain settings that are specific to the program:

- MENU 1001, 1002, ... = menus auto-loaded by Facelt
- STR# 1000 = list of windows auto-initialized by Facelt
- clut 1000 = color table used to reset program palette

All, none, or some of these resources can be included with finished programs, and their absence simply prevents the corresponding action from being performed by Facelt when DoInIt is called. (If your program already makes use of an STR# 1000, then you can renumber ours to avoid conflicts since Facelt searches for the STR# by name = "Facelnit".)

In addition to the above Facelt-related resources, program resource files typically contain all the resources belonging to LoadIt (required to call any FaceWare module), any other program-specific resources required by other modules, plus other resources used by that program (ICONS, PICTs, STR#s, FWNDs, etc.).

What To Do: When starting a new Facelt-based program, use a copy of the "Minimum.Rsrc" file as a starting point for your own program-specific resource file.