
Cl/Sfb 47 Ng2

Product Selector





Timeless quality in clay ...the natural choice

Imaginative

Innovative

Cost-Effective





Imerys Roof Tiles... the natural

20 x 30		Beauvoise		100.11
	Quantity per pallet: 672 tiles	Deauvoise	Quantity per pallet:	
and and the second	No. of tiles: 43.5m ²		No. of tiles:	20.5 per m ²
The Huguenot	Nominal gauge: 115mm	The Beauvoise is a	Nominal gauge:	±244mm
20 x 30 Clay Plain Tile is	Linear cover: 200mm	small, flat interlocking	Linear cover:	200mm
manufactured at	Minimum headlap: 85mm at	clay plain tile	Minimum headlap:	60 ± 2.5mm
St Germer de	115mm gauge	and clay	Unit weight:	2.2 kg
Fly in the	Unit weight: 1.6 kg	slate	Weight per m ² :	45 kg
eauvais gion.	Weight per m ² : 69.6 kg	produced at St. Germer	Min roof pitch:	22.5° Sheltered
ion.	Min roof pitch: 35°	in the Beauvoise		Areas only
s innovative product combines	Batten coverage: 8.7m per m ²	region of France.	Batten coverage:	4m per m ²
larger economical size of 200 x 300	Batten sizes: 25 x 38mm	With its thin leading edge	Batten sizes:	25 x 38mm
th a discreetly shouldered cross camber	Nail size: 40 x 3mm Allov	and stunning good looks, this tile concept has endless applications both		rafter centres
l unique anti-capillary channels.		as an interlocking plain tile and as a		450mm
ilable in four mellow colours, the St		clay slate. The fine quality of the local		25 x 50mm rafter centres
rmer 20 x 30 offers installation cost		clay ensures consistently high product		600mm
ngs over traditional concrete or clay in tiles without compromising aesthetics.		quality and performance.	Nail size:	50 x 3mm Alloy
an tiles without compromising aesthetics.				,
have ment	33	A CONTRACT OF		
	Contraction of the second	and the second		
and the second s				
nt Red Quercy	Paysage Abbaye	Burnt Red Slate		
	- •			
P 10		Monopole No. 1		600 · II
	Quantity per pallet: 240 tiles	Honopole No. 1	Quantity per pallet	
11 million	No. of tiles: 10 per m ² @ max 376mm		No. of tiles:	22 per m ²
HP 10 clay	gauge	The Monopole	Nominal gauge:	±237mm
ing tile is le at the St.	13 per m ² @	Tile No.1 is a traditional single	Linear cover:	192mm
e at the St. ner tilery	min 310mm	a traditional single roman	Minimum headlap:	58mm
e	gauge Nominal gauge: 310mm min	interlocking	Unit weight:	2 kg
ivais	(variable) 376mm max	clay roof tile	Weight per m ² :	44 kg
ion. The	Linear cover: 268mm	produced at Wardrecques	Min roof pitch:	25°
e of aster	Minimum headlap: 84mm	in the north	Batten coverage:	4.21m per m ²
ulds ensures an	Unit weight: 4.3 kg	of France.	Batten sizes:	25 x 38mm
ptionally smooth	Weight per m ² : 43 kg @ 10m ²	Economical and		rafter centres
e.	56 kg @ 13m ²	versatile, the small modular size of the		450mm
tiles large modular size, combined	Min roof pitch: 17.5° Sheltered	Monopole makes it the ideal choice for		25 x 50mm rafter centres
variable gauge, ensures ease of	Areas only	a wide range of newbuild and		600mm
and economy. It is the natural st-effective alternative to many	Batten coverage: 2.68m per m ²	refurbishment projects.	Nail size:	50 x 3mm
ormat concrete tiles and slates.	@ max gauge		Trun JIZE.	Alloy
	Batten sizes: 25 x 38mm rafter centres			
	450mm		1.00	to
	25 x 50mm rafter centres		-	1 las
	600mm			17
	Nail size: 50 x 3mm Alloy	~ ~		1 10
ural Red Burnt Red Slate		Natural Red Rustic Red	Weathered E	Black
		┛ └────		
halempin 🚬 👘	Quantity per callet: 1 000 tiles	Chartwell		, 006 tiles
	Quantity per pallet: 1,088 tiles	Churtwett	Quantity per pallet	
1.	No. of tiles: 59 per m ²		No. of tiles:	59 per m ²
17 x 27 Plain Tile	Nominal gauge: 100mm	The Phalempin	Nominal gauge:	100mm
highly appealing itional plain clay	(Vertical 115mm)	Chartwell tradition clay plain tile has	Linear cover:	170mm
tional plain clay	· · · · · · · · · · · · · · · · · · ·	distressed, unevei	Minimum headlap:	70mm
Phalempin in		surface which giv		100gauge
North of	Minimum headlap: 70mm @ 100mm gauge	the appearance of	Unit weight:	1.3 kg
nce. The mellow, tured surface combines the		mature, seasoned hand-	Weight per m ² :	77 kg
utiful appearance of mature	Unit weight: 1.1 kg	made tiles.	Min roof pitch:	35°
ndmade tiles with affordable prices.	Weight per m ² : 65 kg		Batten coverage:	10m per m ²
nique anti-capillary channels ensure	Min roof pitch: 35°	Available in two distinctive, mellow	Batten sizes:	25 x 38mm
hanced performance.	Batten coverage: 10m per m ²	colours, the Chartwell is an ecologically	Nail size:	40 x 3mm
Law E have	Batten sizes: 25 x 38mm	friendly product with high residual value. A full range of colour matched		Alloy
	Nail size: 40 x 3mm	accessories is also available.		
	Alloy	accessories is also available.		
- At an and the	·	For enhanced peformance this tile has a		
itural Red Rustic Red		unique anti-capillary channels. A		
No. 10. 10.		comprehensive range of ventilation systems is also available, including a	the second second	- and -
A CONTRACTOR OF THE OWNER		dry-fix option.		2-
	The second se		Name -	
			THE WELL	the second
ano Thatch	Amber Weathered		Murrow	Hermitage

choice for your next project



Panne H	12 "5"	Quantity per pallet	: 300 tiles
i anne i	12 3	No. of tiles:	14 per m ²
The Panne H2 "S" i a clay interlocking	is	Nominal gauge:	361mm ±2.5mm
pantile produced at	11 5	Linear cover:	198mm
Pargny Sur Saulx		Minimum headlap:	71mm ±2.5mm
in the Champagne		Unit weight:	3.2 kg
region of France.		Weight per m ² :	45 kg
The Panne H2		Min roof pitch:	17.5°
"S" is a technically advanced traditional	l clay	Batten coverage:	2.68m per m ²
good looks and outstanding performance on roof pitches as	ines a ırface with stunning	Batten sizes:	25 x 38mm rafter centres 450mm 25 x 50mm rafter centres 600mm
low as 17.5°.	Natural Red	Nail size:	50 x 3mm Alloy
H.	H	The second	J.
Burnt Red	Scarlet	Dark Brown	Slate
Niverna	ise	Quantity per pallet	
No of tiles: 62.5			62 5 per m2 @

Produced at Grossouvre in the Berry region of Central France the Nivernaise 16 x 27 is a slightly irregular, smoothfaced clav plain tile which helps to recapture some of the tradition and ambiance of the late 19th century. The subtle warm tones of this reclaimed appearance tile adds instant character to all roofs, not just restoration projects. Its rustic colours make the Nivernaise ideal for all regions.

Quantity per pallet:	1,050 tiles	
No. of tiles:	62.5 per m ² @ 100mm gauge	
Nominal gauge:	100mm min (Vertical 115mm)	
Linear cover:	160mm	
Minimum headlap:	70mm @ 100mm gauge	
Unit weight:	1 kg	
Weight per m ² :	69 kg	
Min roof pitch:	35°	
Batten coverage:	10m per m ²	
Batten sizes:	25 x 38mm	
Nail size:	40 x 3mm Alloy	



Quantity per pallet: 900 tiles

59 per m²

100mm

170mm

84mm

1.2 kg

35°

Alloy

70.8 kg @

100mm gauge

10.03m per m²

25 x 38mm

40 x 2.65mm

No. of tiles:

Nominal gauge:

Minimum headlap:

Linear cover:

Unit weight:

Weight per m²:

Min roof pitch:

Batten sizes:

Nail size:

Batten coverage:

Ste Foy 17 x 27

The S^{te} Fov a clay plain t produced at Àrgentière i Rhodanien re of France.Wit it's gentle shoulder camber this tile unique aesthetic easy to install.

A wide range of matching accessories ensures a perfect result. Its colours combine sheer originality with respect for tradition and regional preferences.



Chevreuse



Rouge Nuancé



Rouge Nuancé

Jacob 20





Rouge Nuancé

10 per m² @

max 376mm

13 per m² @

min 310mm

310mm min

376mm max

43 kg @ 10m² 56 kg @ 13m²

17.5° Sheltered

268mm

84mm

4.3 kg

gauge

gauge

Quantity per pallet: 240 tiles

No. of tiles:

Nominal gauge:

Linear cover:

Unit weight:

Weight per m²:

Min roof pitch:

Minimum headlap:

(variable)

The PV10 nterlocking clay tile has an conomical coverage of 10 iles per m ² . The use of plaster moulds ensure a super smo finish and it can be proken-bonded.	oth e laid in-line or
TT.	ST.
Natural Red	Burnt Red



Dark Brown

PV/10

i

C

e

C

t

F

ſ

Ste Foy 27 x 41

Slate

Introducing the UK's most economical clay plain tile which has all the beauty and aesthetics of a plain tile of conventional size. The highly durable clays from the Ste Foy region give the 27 x 41 exceptional transverse strength. Each tile also has anti-capillary grooves for enhanced performance. With reduced labour and materials, cost savings over concrete plain tiles are now a reality!

The S^{te} Foy 27 x 41 combines modern technology with traditional methods without costing the earth. Available in Rouge Nuancé and Chevreuse colours for a mature, mellow, charismatic appearance.

	Areas only
Batten coverage:	2.68m per m ² @ max gauge
Batten sizes:	25 x 38mm rafter centres 450mm 25 x 50mm rafter centres 600mm
Nail size:	50 x 3mm Alloy
Quantity per palle	t: 336 tiles

Quantity per pallet: 336 tiles		
No. of tiles:	21.8 per m ²	
Nominal gauge:	170mm	
Linear cover:	270mm	
Minimum headlap:	70mm	
Unit weight:	3 kg	
Weight per m ² :	65.4 kg	
Min roof pitch:	35°	
Batten coverage:	5.89m per m ²	
Batten sizes:	25 x 38mm	
Nail size:	40 x 2.65mm Alloy	





Timeless quality in clay



Product Selection Guide

Clay Pantiles	Suggested Imerys Equivalent	▶ Panne H2 'S'	440
County Sandtoft Old English Sandtoft Arcadia Sandtoft Victoria 451 Koramic Pottelberg 401 Koramic Sandringham Eternit Nelskamp Crest	Panne H2 'S' Interlocking Clay Pantile		▼ Monopole
Concrete Plain Tiles	Suggested Imerys Equivalent	▲ Beauvoise	~~
Russell Sandtoft Lafarge (Redland) Gemini/Forticrete	Beauvoise Interlocking Clay Plain Tile Jacob 20 Interlocking Clay Plain Tile Monopole Single Roman Interlocking Clay Tile		
Downland/Heathland Lafarge (Redland) Marlden (Marley)	St Germer 20 x 30 Clay Plain Tile		◄ Jacob 20
Clay Plain Tiles (Machine Made)	Suggested Imerys Equivalent		
Eternit Acme & Hawkins Dreadnought Rosemary (Lafarge) Daniel Platt Lambert/Pottelberg Humber Sandtoft	Phalempin Clay Plain Tile Beauvoise / Interlocking Clay Plain Tile Jacob 20 Interlocking Clay Plain Tile St Germer 20 x 30 Clay Plain Tile Ste Foy 17 x 27 Clay Plain Tile	▼ Phalempin Chartwell	▲ Phalempir
Clay Plain Tiles (Hand Made)	Suggested Imerys Equivalent	2-2	
Eternit Keymer/Shire Tudor/Cottage Ashbury Powdermill Sandtoft Daniel Platt	Phalempin Clay Plain Tile Phalempin Chartwell Clay Plain Tile Nivernaise (Reclaimed Appearance)	▼ St Germer 20 x 30	2
Concrete/Artificial and Reconstituted Slate (Small Module)	Suggested Imerys Equivalent		▲ Nivernais
Cambrian (Lafarge Redland) Monarch - Marques/Marley Britlock Sandtoft Mini Slate/Anchorlite Forticrete Gemini Forticrete Fibre Cement Slate 500 x 250	Beauvoise Interlocking Clay Slate		R
Concrete/Artificial and Reconstituted Slate (Large Module)	Suggested Imerys Equivalent	▼ Beauvoise	▲ HP 10
Richmond/Saxon Lafarge (Redland) Edgemere Marley Galloway Russell Hardrow Forticrete Olway Reconstituted Landmark Lafarge Redland Fibre Cement 600 x 300	HP10 Interlocking Clay Slate	w Sta Envi	
Other Tiles	Suggested Imerys Equivalent	▼ Ste Foy 17 x 27	and the second
20/20 Sandtoft Vauban Koramic Actua Koramic Hardrow/Bradstone Stone Slates	Beauvoise/Jacob 20 Interlocking Clay Plain Tile and Clay Slate HP10 Interlocking Clay Slate Ste Foy 27 x 41 Grande Plain Tile	X	▲ Ste Foy 27 x 41

Imerys Roof Tiles, Toekomststraat 18, B-9800 Deinze, Belgium Telephone 0161 928 4572 | Facsimile 0161 929 8513 E-mail enquiries.rooftiles@imerys.com | Website: www.imerys-rooftiles.com







BS EN 1304 (1998)