

SpeedOpen 1.0

Bedienungshinweise
Operating instructions

Inhaltsverzeichnis / Table of contents

Deutsch:

| | |
|---|---|
| SpeedOpen - Funktionsbeschreibung | 2 |
| Der SpeedOpen Dialog | 2 |
| SpeedOpen ist Freeware | 3 |

English:

| | |
|---------------------------------------|---|
| SpeedOpen - General description | 4 |
| The SpeedOpen dialog | 4 |
| SpeedOpen is Freeware | 5 |

Hinweis / Disclaimer

Quark, Inc. verpflichtet die Entwickler von XTensions, den folgenden Hinweis in die Dokumentation der XTensions aufzunehmen:

Quark, Inc. obliges XTension developers to include the following disclaimer in the XTension's documentation:

THIS PROGRAM CONTAINS AN XTENSION WHICH ENABLES IT TO BE USED WITH QUARKXPRESS 3.1 APPLE MACINTOSH VERSION.

QUARKXPRESS IS A REGISTERED TRADEMARK AND PRODUCT OF QUARK, INC. ONLY VALID, REGISTERED COPIES OF QUARKXPRESS APPLE MACINTOSH VERSION MAY BE USED WITH THIS PROGRAM.

QUARK, INC. MAKES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, REGARDING THE ENCLOSED COMPUTER SOFTWARE PACKAGE, ITS MERCHANTABILITY, OR ITS FITNESS FOR ANY PARTICULAR PURPOSE. QUARK, INC. DISCLAIMS ALL WARRANTIES INCLUDING, BUT NOT LIMITED TO THE WARRANTIES OF THE DISTRIBUTORS, RETAILERS AND DEVELOPERS OF THE ENCLOSED SOFTWARE.

WITHOUT LIMITING THE FOREGOING IN NO EVENT SHALL QUARK, INC. BE LIABLE FOR ANY SPECIAL INDIRECT INCIDENTAL OR CONSEQUENTIAL DAMAGES IN ANY WAY RELATING TO THE USE OR ARISING OUT OF THE USE OF THE ENCLOSED SOFTWARE. QUARK, INC.'S LIABILITY SHALL IN NO EVENT EXCEED FIFTY DOLLARS (\$50.00).

THE EXCLUSION OF IMPLIED WARRANTIES AND/OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES IS NOT ALLOWED IN SOME AREAS, SO THESE EXCLUSIONS AND LIMITATIONS MAY NOT APPLY TO YOU.

SpeedOpen - Funktionsbeschreibung

Einige Einstellungen von QuarkXPress werden sowohl mit dem jeweiligen Dokument abgespeichert, als auch in einer speziellen Datei namens "XPress Pr ferenzen", die sich im QuarkXPress-Ordner befindet. Diese Einstellungen sind u.a.:

- Unterschneidungs- und Spationierungstabellen
- Trennausnahmen
- Selbstdefinierte Rahmen

Die Einstellungen, die in der Pr ferenzen-Datei gespeichert sind, gelten als Vorgaben f r neu erstellte Dokumente. Auf diese Weise brauchen z.B. Trennausnahmen nicht f r jedes Dokument neu eingegeben werden.

W erden an diesen Einstellungen ~nderungen vorgenommen, so k nnen ltere Dokumente nicht automatisch aktualisiert werden. Es kann daher beim ffnen eines lteren Dokumentes vorkommen, da die Einstellungen in der Pr ferenzen-Datei nicht mit den Einstellungen im Dokument bereinstimmen. In einem solchen Fall zeigt QuarkXPress einen Dialog an, der zwei M glichkeiten bietet:

1. XPress Pr ferenzen benutzen: Die Einstellungen des Dokumentes werden verworfen und die Einstellungen der Pr ferenzen-Datei werden auf das Dokument angewandt. Das Dokument erscheint ggfs. ver ndert.
2. Einstellungen erhalten: QuarkXPress arbeitet mit den Einstellungen des Dokumentes. Das Dokument erscheint unver ndert, aber ~nderungen an diesen Einstellungen werden nur im Dokument und nicht in der Pr ferenzen-Datei abgespeichert.

Der SpeedOpen-Dialog

SpeedOpen erm glicht es, f r den Fall unterschiedlicher Einstellungen eine Voreinstellung festzulegen. Mit dem Befehl `Hilfsmittel:SpeedOpen` wird ein Dialogfenster ge ffnet. Dieser Dialog bietet drei Optionen:

- Dokument-Einstellungen erhalten
- XPress Pr ferenzen benutzen
- Dialog anzeigen

Die Option Dokument-Einstellungen benutzen ist z.B. f r Belichtungsbroten sinnvoll, die h ufig Dokumente unterschiedlicher Herkunft ffnen m ssen. In diesem Fall ist es wichtig, da die Dokumente in ihrer Erscheinung unver ndert bleiben. Die Pr ferenzen-Datei braucht nicht verwendet zu werden.

Die Option XPress Pr ferenzen verwenden ist dort ntzlich, wo nur mit selbst erstellten Dokumenten gearbeitet wird, die auf eine gemeinsame Menge von z.B. Trennausnahmen zur ckgreifen sollen. Wenn bei der Arbeit mit einem Dokument eine neue Trennausnahme eingegeben wird, so wird diese automatisch in der Pr ferenzen-Datei

abgespeichert. Beim nächsten Öffnen eines älteren Dokumentes mit dieser Einstellung gilt die Präferenzen-Datei und damit die neue Trennausnahme automatisch auch für diese Datei.

Die Option Dialog anzeigen entspricht dem normalen Verhalten von QuarkXPress.

Mit dem Feld XTension Symbol zeigen können Sie festlegen, ob das SpeedOpen-Symbol beim Start von QuarkXPress erscheinen soll.

SpeedOpen ist Freeware

Sie dürfen SpeedOpen beliebig oft kopieren und an Ihre Freunde und Bekannten weitergeben, solange Sie das Programm nicht verändern, keine Teile hinzufügen oder löschen und solange Sie für die Weitergabe von SpeedOpen keine Gebühren verlangen.

SpeedOpen, Copyright 1993, CART•Computer+Grafik, Neuss.

Die Firma CART•Computer+Grafik entwickelt auch XTensions nach Maß. Wenn Sie Ihren Einsatz von QuarkXPress mithilfe von XTensions oder eigenständigen Applikationen optimieren wollen, helfen wir Ihnen gerne weiter.

Bei Fragen, Kritik oder Anregung wenden Sie sich bitte an:

CART•Computer+Grafik
Thomas Müller
Hammer Landstraße 113
W -4040 Neuss 1 (ab 1.7.93: D-41460 Neuss)

Tel.: +49-2131-159703
Fax: +49-2131-159788
CompuServe 100117,3503

SpeedOpen - General description

Some settings of QuarkXPress are stored in the current document as well as in a special file, the "XPress Preferences" file, that is located in the QuarkXPress folder. These settings include:

- Kerning and tracking tables
- Hyphenation exceptions
- Custom frames

The settings stored in the preferences file are used as defaults for new documents. Thus, you don't have to enter, for instance, standard hyphenation exceptions for each document you create.

If you make changes to these settings, older documents can not be brought up to date automatically. Therefore, it may happen that the settings in the document do not match the settings stored in the preferences file. In such a case, QuarkXPress shows a dialog that offers two possibilities:

1. Use XPress preferences: The settings in the document are replaced by the settings in the preferences file. The appearance of the document may change.
2. Keep document settings: QuarkXPress uses the settings stored in the document. The document remains unchanged, but changes to these settings only affect the document and are not stored in the preferences file.

The SpeedOpen dialog

With SpeedOpen, you have the ability to specify a default behaviour for the case of different settings. The command Utilities:SpeedOpen opens a dialog, that offers three options:

- Keep Document Settings
- Use XPress Preferences
- Show Dialog.

The option Keep Document Settings is, for example, recommended for service bureaus, where many documents from different sources and with different settings are opened. In such a case, it is most important that the documents and their appearance remain unchanged. The preferences file is not necessarily used.

The option Use XPress Preferences is suitable, if you work with documents only that you created yourself. Your documents could, for example, use a common set of hyphenation exceptions. If you add a new exception during the work with one of your documents, this exception is also stored in the preferences file. The next time you open another document, the preferences and the new exceptions are applied to this document automatically.

The option Show Dialog is equivalent to the standard QuarkXPress behaviour.

The check box Show XTension Icon on Startup specifies, whether the SpeedOpen icon appears when QuarkXPress is started.

SpeedOpen is Freeware

You may copy and distribute SpeedOpen as long as you do not change, add or remove parts of the program, and as long as you don't charge any fee for the distribution.

SpeedOpen is Copyright 1993, CART•Computer+Grafik, Neuss, Germany.

CART•Computer+Grafik also develops custom-built XTensions that fit your needs. If you have any problem in or around QuarkXPress that can be solved with XTensions or stand-alone applications, we would be pleased to help you.

If you have questions, suggestions or criticisms, please contact:

CART•Computer+Grafik
Thomas Müller
Hammer Landstraße 113
W -4040 Neuss 1 (after 7/1/93: D-41460 Neuss)
Germany

Tel.: +49-2131-159703
Fax: +49-2131-159788
CompuServe 100117,3503