

IconChief

Stefan Schulz

COLLABORATORS

	<i>TITLE :</i> IconChief		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Stefan Schulz	January 17, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	IconChief	1
1.1	main	1
1.2	description	2
1.3	requirements	3
1.4	installation	3
1.5	usage	3
1.6	tooltypes	4
1.7	copyright	5
1.8	redistribution	6
1.9	disclaimer	6
1.10	history	7
1.11	acknowledge	8
1.12	updates	9
1.13	support	9

Chapter 1

IconChief

1.1 main

I c o n C h i e f V1.10

© by Stefan Schulz

in 1995

= MAILWARE =

Contents

1. Get the sense

1.1 Description

What's this?

1.2 Requirements

All you need...

2. How to...

2.1 Installation

Unpack me...

2.2 Usage

Use me...

2.2.1 ToolTypes

Take that!

3. Legal Stuff

- 3.1 Copyright
It's mine, mine, MINE! ;o)
- 3.2 Redistribution
Spread me...
- 3.3 Disclaimer
No Liability

4. Internal Infos

- 4.1 History
Once upon a time...
- 4.2 Acknowledgements
Helping hands
- 4.3 Updates
Where to find?
- 4.4 Support
Write, please.

1.2 description

1.1 Description

IconChief is a Program which causes the Workbench to use more than just the usual 6 Default-Icons for Files. If you take a look at a drawer via Workbench using the Option "all Files" of the Menuitem "Show", all Files which have no Icon will be displayed using one of three Default-Icons, as there are Drawer, Program and Project. The other 3 Default-icons are reserved for Disks, Kickstart-Disks and, of course, the Trashcan.

Especially for files of the kind Program and Project you can find out the contents of this file by analysing or by extensions. For example if it is a LHA-Archive or a Text can easily be detected. But even under OS 3.1 the system doesn't pay attention to it and uses one Standard-Icon for all those different kinds of files.

Now comes IconChief to do what you miss. When displaying the Files, each of them will be analysed and a Default-Icon will be selected depending on the detected kind of the file. The workbench will get this Default-Icon as the "real" Icon owing to the File. The advantage you get is a better

optical representation of the kind of a File. Furthermore, you can set the Tooltypes of the single Default-Icons depending on the kind. So you can simply call a program for a file by double-clicking the Icon, e.g. a Textviewer or a Pictureviewer, displaying Archives or playing Music.

The analysis of the files will be done using the WhatIs.library, written by Sylvain Rougier and Pierre Carrette.

Since Version 1.10 also Disk Icons will be replaced on your wish, if a Default-Icon for the Disk exists.

1.3 requirements

1.2 Requirements

You have to have the following to use IconChief

- o AmigaOS 2.0 (37) or higher
- o WhatIs.library Version 3 or higher

1.4 installation

2.1 Installation

Before you start IconChief the WhatIs.library has to be installed. The WhatIs-Package can be found on Aminet and different PD-Series and contains a set of Default-Icons. The connection between Icons and Files is written in FileTypes, which is part of the WhatIs-Package, too. You can easily extend this file to fit it to your own use.

You can use any Icon as Default-Icon. Just change the entry in the FileTypes-File or set the Icon-Name to the one you want. The Icons have to be in the path defined by the Tooltype

ICONPATH

.

If the WhatIs-Package is installed, you can test IconChief like you are used to by starting via Workbench or Shell. For regular use I recommend to install IconChief in the SYS:WBStartup-Drawer, so it will be started automatically with each Systemstart.

1.5 usage

2.2 Usage

IconChief is a Commodity. The actual version does not have any Graphical User Interface. For now only some

 Tooltypes
are supported, which can also
be set using the CLI.

The only on runtime usable function is to activate or deactivate the functionality of the program, i.e. the faking of the icons. You can activate and deactivate this using the Exchange-Program (or one of the clones), like you are used to by other commodities.

To save an Default-Icon, so the file it was displayed for will have a real Icon in future, simply use the item "fix" of the Workbench-Menu.

The program always tries to get to know if it is desired to show the default Icons or not. In my knowledge there is only one case when IconChief fails. Because the Workbench remembers changes of the displaymode of a drawer, IconChief cannot get any information about this mode when a changed drawer is be opened again. If this happens using the menuitem "actualize" should help.

To exit IconChief, you can either use Exchange or start the program a second time. In both cases it is not always safe to remove the patches IconChief uses to fake the icons for Workbench, as other programs might have patched the same functions. In this case a requester will be displayed asking you, if you want to force removing or if you want IconChief to stay in memory. In the second case, the commodity-part will be removed and the patches will be disabled.

A FORCED DEINSTALLATION CAUSES IN MOST CASES A SYSTEMCRASH!

1.6 tooltypes

2.2.1 Tooltypes

The following Tooltypes are supported:

a) CX_PRIORITY: (Default-Value: CX_PRIORITY=0)

Sets the priority of the commodity

b) ICONPATH: (Default-Value: ICONPATH=ENV:SYS/)

This Tooltype defines the path where IconChief will look up the Default-Icons.

c) CLEANUP: (Default-Value: CLEANUP=NEVER)

Activating this Tooltype causes every drawer to be cleaned up after been opened. The effect is like using the Workbench-Menu "Clean Up" on that window.

There are five different modes you can set:

NEVER - Windows will never been cleaned up.
EVERYTIME - Each opened window will be cleaned up.
NOICON - Only drawers which contain no real icon, will be cleaned up.
LIST - All the drawers which are mentioned in the File defined using the Tooltype CLEANUPLIST will be cleaned up on opening.
LISTORNOICON - Every drawer which matches one or both criteria of values NOICON and LIST will be cleaned up.

d) CLEANUPLIST: (Default-Value: none)

With this Tooltype you define the file containing a list of pathes which corresponding Workbench-Drawer-Window will be cleaned up on opening. Each line describes one Path, which can also consist of AmigaDOS-Patterns.

On Devices you have to use the logical name, not the physical one (like "Ram Disk:" and not "Ram:")

An Example-File named "IconChief.CleanupList" is included in this package. The line "Ram Disk:#?" for example lets IconChief clean up all Drawers of the Ram Disk:.

e) FAKEDISKICONS: (Default-Value: off)

Setting this Tooltype causes IconChief to replace default disk-icons for disks with icons owing to the device, filesystem or diskname related to the disk. For a lack of the system, disk icons on MSDOS-Disks will no longer be found if this mode is activated.

Examples:

(i) A file called def_diskMSDOS in ENV:SYS/ will replace the default Icon for disks named MSDOS.

(ii) A file called def_fsCrossDosFileSystem will place this icon instead the default CrossDosFileSystem integrated one onto the WB.

f) NODEEPSCANLIST: (Default-Value: none)

Here you have to define a file containing a list of pathes, disks and filesystems which will not be scanned in deep but light mode. So the speed is not slowed down when working on slow devices.

An Example-File named "IconChief.NoDeepScanList" is included. If activated, all disks in DF0: and those running under CrossDosFileSystem will only be scanned in light mode.

1.7 copyright

3.1 Copyright

IconChief is MAILWARE, i.e. if you use this program regularly you have to send me a message. This might as well be a letter, a postcard or an electronic mail. If you have some remarks to the program or want to make me a big gift you are most welcome ;o).

You can find my

Address

at the end of this Document.

IconChief is © Copyright by Stefan Schulz in 1995

For Developing this program I used the following tools

- o M2Amiga Modula 2 Development-System
© Copyright 1992 by A+L AG, Däderiz 61, 2540 Grenchen
- o GoldEd Release 3
© Copyright 1995 by Dietmar Eilert
- o PolyEd 2.2
© Copyright 1994/95 by Avalon UnLtd. (Robert Brandner)

Trademarks:

- o Amiga, AmigaDOS and Workbench are registered trademarks of
Commodore Amiga Inc.

1.8 redistribution

3.2 Redistribution

IconChief may be redistributed in unchanged form only. The choice of media is up to the Distributor. The commercial Distribution is forbidden!

Permission for distribution is especially granted for the Meeting Pearls III CD-ROM

1.9 disclaimer

3.3 DISCLAIMER

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDER AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

1.10 history

4.1 History

Revision 1.10 [sts] 12.07.95\21.09.95

- + - fixed some enforcer hits
- + - added selective deep scan feature
- ` - added disk.info replacement

Revision 1.00 [sts] 29.06.95\29.06.95

- + - fixed a little bug eating memory
- ` - first public release

Revision 0.53 [sts] 09.06.95\13.06.95

- + - rewritten buggy Message-System
- + - added selective Cleanup
- ` - fixed Bug which caused the system to lock up from time to time

Revision 0.52 [sts] 15.05.95\02.06.95

- + - added sensitive Cleanup
- + - bugfix in icon-detection routine
- ` - trailing slash in ICONPATH-Value is no longer a must

Revision 0.51 [sts] 08.05.95\12.05.95

- ` - added ToolType CLEANUP

Revision 0.50 [sts] 03.05.95\03.05.95

- ` - new ToolType ICONPATH for setting path to find Icons

Revision 0.42 [sts] 03.05.95\03.05.95

- ` - bugfix: tried to remove patches, even if they were not installed

Revision 0.41 [sts] 06.04.95\06.04.95

- + - didn't clear the remembered iconlist correctly
- ` - assumes type of executables now by extension

Revision 0.40 [sts] 04.04.95\04.04.95

- ` - Added handling of removing patches safely
-

Revision 0.31 [sts] 04.04.95\04.04.95
`- Changed handling of actualizing the drawer

Revision 0.30 [sts] 02.04.95\03.04.95
`- Commodity-Support added

Revision 0.20 [sts] 31.03.95\01.04.95
`- GetMsg-Patch added

Revision 0.11 [sts] 07.03.95\14.03.95
`- small changes and optimizations

Revision 0.10 [sts] 09.02.95\23.02.95
`- initial revision

1.11 acknowledge

4.2 Acknowledgements

I want to say thank you to all the people who helped me directly or indirectly in developing this program and/or supported me in technical or mental ways.

- Catherine

For her love :o))

- Jürgen Lang

For Beta-Testing and the idea to this Program.

- Fionn Behrens

For his great support in developing the program.

- Pascal Gloor

For Beta-Testing and the Enigma-Mailing-List-Address ;o)
And for writing the french Documentation :o))

- Carsten Orthbandt

Also for beta-testing and some very helpful advices.

- Eric van Velthooven and Mick Hohmann

For Beta-testing.

- Christoph Feck

For his help with a really nasty bug.

- Helmuth Ritzer

For his quick and good help.

All those supporting Mailware. :o)

1.12 updates

4.3 Updates

The latest Version of IconChief can be found on Aminet. If a PD-Series publishes this program (and tells me) you can also get it there. If there is no other way you can also get it from me, but of course I do not want to spend a lot of money. So if you want it from me, send me an empty Floppy-Disk and the needed postage.

1.13 support

4.4 Support

Please send found errors, remarks to the program, questions or anything else, but at least the "I use it"-Message to:

Stefan Schulz
Kurt-Schumacher-Straße 48
67663 Kaiserslautern
Germany

Or via e-mail (Internet) to:
schulz@rhrk.uni-kl.de

You can find me on IRC too:

Nick: eau
Frequently on channels #Amiga, #TheEnd and/or #AmigaGer