

**Scanner\_VLAB**

**COLLABORATORS**

	<i>TITLE :</i> Scanner_VLAB		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		January 19, 2023	

**REVISION HISTORY**

<i>NUMBER</i>	<i>DATE</i>	<i>DESCRIPTION</i>	<i>NAME</i>

# Contents

<b>1</b>	<b>Scanner_VLAB</b>	<b>1</b>
1.1	Scanner: VLAB . . . . .	1

## Chapter 1

# Scanner\_VLAB

### 1.1 Scanner: VLAB

The newest of the video frame grabbers, VLAB marketed in the United States by MacroSystem US is very similar to IV-24 in capabilities. The VLAB scanner module control panel, however, has a number of additional filtering and image quality adjustments not found in the IV-24 panel.

Please consult the manual for a detailed description of the VLAB frame grabber control panel.

When the VLAB frame grabber control panel is configured to your liking, click the Capture button (keyboard shortcut "c"). No Preview mode is available for VLAB. Clicking Capture copies the current contents of the VLAB frame buffer into ImageFX's main image buffer. An approximated version of the grabbed image is displayed in the ImageFX Preview screen.