

Arachnophilia 2.1

Save your Tool Bar Definitions in a set of .TBD files

1. *Make any additions/changes you wish, including adding sheets (added sheets become new toolbars).*

2. **Enter your Arachnophilia Program Directory:**

3.

Product:

Arachnopl

Version:

2.1

This version information should be

4. **Be sure to save this spreadsheet also, to preserve your changes.**

If you make changes or additions you would like to preserve, then save this spreadsheet in at least one additional location, because when you upgrade your version of Arachnophilia, all the files in the program directory are erased.

[Redacted]

hilia

is kept up-to-date.

[Redacted]

Graphics-Misc

Product Name	Version
Arachnophilia	2.1

Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Graphics	Graphics/Misc	Graphics-related

Button Name	Command	ToolTip
NewImg		New Image
EditImg	[NewGraphic]	New Image
BareImg		Bare Image
NewColr		New Font Color
EditColr	[NewColor]	New Font Color
New CGI		New CGI reference
Marquee	<MARQUEE WIDTH="50%" SCROLLDEI	Moving Text

Status Line

Graphics, marquee, CGI links

Status Line

Locate and move graphic resource

Locate and move graphic resource

Fill in by hand

New Font Color

New Font Color

New CGI reference

Creates a scrolling display of text

Structure-Lists

Product Name	Version	
Arachnophilia	2.1	
Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Struct	Structure/Lists	Basic HTML
Button Name	Command	ToolTip
DocStr	<HTML>\n\n<HEAD>\n<TITLE>(documenti	Document Structure
HTML	<HTML>\n \n</HTML>	HTML Tags
HEAD	<HEAD>\n \n</HEAD>	HEAD Tags
TITLE	<TITLE> </TITLE>	TITLE Tags
BODY	<BODY>\n \n</BODY>	BODY Tags
UnList	\n \n\n\n\n	Unordered List
OrList	\n \n\n\n\n	Ordered List
LI		List Item
Bot	<!--VERMEER BOT=HTMLMarkup StartSç	Front Page Bot

Status Line

Overall Structure

Status Line

Creates outline of basic HTML document

Tags that enclose an entire HTML document

A "bulleted list"

A numbered list

Works with ordered and unordered lists

Front Page Compatibility Tag

Styles

Product Name	Version	
Arachnophilia	2.1	
Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Styles	Styles	Text and Page Styles
Button Name	Command	ToolTip
BR	 \n	Line Break
P	<P>\n\n	Paragraph Break
Centr	<CENTER> </CENTER>	Center Text
Bold	 	Bold Text
Ital	<I> </I>	Italic Text
Underl	<U> </U>	Underlined Text
Strike	<S> </S>	Strikeout Text
Super		SuperScript
Sub		SubScript
TT	<TT> </TT>	Teletype
HR	<HR WIDTH="95%" ALIGN=CEN	Horizontal Rule
Com	<!-- -->	Comment

Styles

Status Line

Text and Page Styles

Status Line

One line

Two lines

Center Text

Bold Text

Italic Text

Underlined Text

Strikeout Text

SuperScript

SubScript

Literal Text

Horizontal Bar Across the page

Comment

Links-Sound

Product Name	Version	
Arachnophilia	2.1	
Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Links	Links/Sound	New links, edit links
Button Name	Command	ToolTip
NewURL	 	New URL Entry
EditURL	[NewURL]	Edit URL
NewHTML	 	New HTML page link
BareLnk	 	Bare Link
DocLnk	 	Bookmark link
DocRef	 	Bookmark reference
NewSndM	<BGSOUND SRC="[NewSound]" LOOP=Microsoft style	
NewSndN	<EMBED SRC="[NewSound]" WIDTH="0 Netscape style	

Status Line

Link-related tags

Status Line

Link From URL Resource

Link From URL Resource

For page links on your own site

Fill in by hand

Finds bookmark within a document

Places bookmark in a document

Microsoft style

Netscape style

Tables-Conversions

Product Name	Version	
Arachnophilia	2.1	
Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Tables	Tables	Various tags for tables
Button Name	Command	ToolTip
Table	<TABLE>\n<TR>\n\t<TD>\n\t\t\t\n\t</TI	Makes Table
NewRow	<TR>\n\t<TD>\n\t\t\t\n\t</TD>\n\t<TD>\n\t\t\t	New Row
TR	<TR>\n</TR>	Row Tags
TD	\t<TD>\n\t\t\t\n\t</TD>	Data Tags
TD Cntr	\t<TD ALIGN=CENTER>\n\t\t\t\n\t</TD	Centered Data Tags

Status Line

Various tags for tables

Status Line

Default two-row, two-column table

Makes New Two-column Row

Row Tags

Data Tags

Centered Data Tags

Fonts

Product Name	Version
Arachnophilia	2.1
Short (MetaBar) Name	Long (ToolBar/Menu) Name
Fonts	Fonts
Button Name	Command
Font	 </FONT
Color	
H1	<H1> </H1>
H2	<H2> </H2>
H3	<H3> </H3>
H4	<H4> </H4>
H5	<H5> </H5>
H6	<H6> </H6>
Font+1	
Font+2	
Font-1	
Font-2	

Fonts

ToolTip	Status Line
Font Format and Color	Font Format and Color
ToolTip	Status Line
New Font	Default "Times New Roman"
Change Color	Select a block of text and change its color with this tag
Heading 1	Heading 1
Heading 2	Heading 2
Heading 3	Heading 3
Heading 4	Heading 4
Heading 5	Heading 5
Heading 6	Heading 6
Bigger	Bigger
Much bigger	Much bigger
Smaller	Smaller
Much smaller	Much smaller

Forms

Product Name	Version	
Arachnophilia	2.1	
Short (MetaBar) Name	Long (ToolBar/Menu) Name	ToolTip
Forms	Forms	Automating Methods
Button Name	Command	ToolTip
NewForm	<FORM ACTION="http://YourC(Creates new form
InText	<INPUT TYPE="text" NAME="v:	Text input control
InPasswd	<INPUT TYPE="password" NAM	Password input control
InCheck	<INPUT TYPE="checkbox" NAM	Checkbox control
InRadio	<INPUT TYPE="radio" NAME="	Radio Control
InHidden	<INPUT TYPE="hidden" NAME:	Hidden Control
InSelect	<SELECT NAME="variable na	Drop-down list
TextArea	<TEXTAREA NAME="variable	Large Block
InSubmit	<INPUT TYPE="submit" VALUE	Submits form
InReset	<INPUT TYPE="Reset" VALUE:	Resets Form

Status Line

Automating Methods

Status Line

Creates new form

Text input control

Keystrokes are rendered as ""

For selecting more than one of a set

When put in sets, only one stays pressed

Used to pass information to the CGI script

Used for long lists of choices

Large Block

Submits form

Resets Form

Product Name

Arachnophilia

Short (MetaBar) Name

Frames

Button Name

Fset C

Fset R

Frame

Target

NoFrame

Script

Write

Alert

Prompt

Funct

IfElse

Version

2.1

Long (ToolBar/Menu) Name

Frames/Java

Command

```
<FRAMESET COLS="20%,*">\n\n|\n\n</FRAMESET>\n<FRAMESET ROWS="20%,*">\n\n|\n\n</FRAMESET>\n<FRAME SRC="" NAME="">\n<A HREF="" TARGET="">|</A>\n<NOFRAMES>\n\n|\n\n</NOFRAMES>\n<SCRIPT LANGUAGE="JavaScript">\n\n<!-- ;\n\n|\n\n|\n\n// end hide -->\n\n</SCRIPT>\ndocument.writeln("|");\nalert("|");\nvar response = prompt("|","y/n");\nfunction |() {\n\n|\n\n}\nif (|) {\n\n|\n\n}\nelse {\n\n|\n\n}
```

ToolTip

Also JavaScript

ToolTip

Column Frameset

Row Frameset

Frame Definition

Target Frame

No Frame Block

JavaScript code block

Write to browser

Cute Dialog Box

Ask the user

Function block

Decision block

Status Line

Also JavaScript

Status Line

Column Frameset

Row Frameset

Frame Definition

Target Frame

For browsers that don't support frames

JavaScript code block

Write to browser

Cute Dialog Box

Ask the user

Function block

Decision block

RightClickMenu

Product Name	Version
Arachnophilia	2.1
Short (MetaBar) Name	Long (ToolBar/Menu) Name
RightClickMenu	RightClickMenu
Button Name	Command
Cut	[Cut]
Copy	[Copy]
Paste	[Paste]
Save	[Save]
SaveAs	[SaveAs]
_____ (separator)	
Line Break	 \n
Paragraph Break	<P>\n\n
Bold	
Italic	<I> </I>
Center	<CENTER> </CENTER>
Horizontal Rule	<HR WIDTH="95%" ALIGN=CENTER>\n
Comment	<!-- -->
DateTime	[DateTime]
_____ (separator)	
Unordered List	\n \n\n\n\n
Ordered List	\n \n\n\n\n
List Item	
Select Option List	<SELECT NAME="variable name">\n<OP
Table Row	<TR>\n\t<TD>\n\t\t \n\t</TD>\n\t<TD>\n\t\t

RightClickMenu

ToolTip

Context Menu

ToolTip

Status Line

Right-click context menu

Status Line

Cut selected text to clipboard

Copy selected text to clipboard

Paste text from clipboard

Save this file

Save this file As...

Line Break

Paragraph Break

Bold Text

Italic Text

Center Text

Horizontal Bar Across the page

Comment

Date & Time

One line

Two lines

Bold Text

Italic Text

Center Text

Horizontal Bar Across the page

Comment

Insert current date and time at cursor position

Unordered List

Ordered List

Works with ordered and unordered lists

Drop-down list

New Row

A "bulleted list"

A numbered list

Works with ordered and unordered lists

Used for long lists of choices

Makes New Two-column Row