

QuickNote	ii
Copyright © 1999-2000 Stefan Blixth	

QuickNote

COLLABORATORS						
	TITLE :					
ACTION	NAME	DATE	SIGNATURE			
WRITTEN BY		January 18, 2023				

REVISION HISTORY						
NUMBER	DATE	DESCRIPTION	NAME			

QuickNote

Contents

-	Quic	kNote	Ĺ
	1.1	QuickNote 1.3 - Documentation	L
	1.2	QuickNote 1.3 - Introduction	2
	1.3	QuickNote 1.3 - Requirements	2
	1.4	QuickNote 1.3 - Usage	2
	1.5	QuickNote 1.3 - What's new?	5
	1.6	QuickNote 1.3 - History	5
	1.7	QuickNote 1.3 - Future	5
	1.8	QuickNote 1.3 - Copyright & Disclaimer	5
	1.9	QuickNote 1.3 - About the author	5
	1.10	QuickNote 1.3 - Thanks to 7	7
	1.11	Index of this documentation	7

QuickNote 1/8

Chapter 1

QuickNote

1.1 QuickNote 1.3 - Documentation

```
QuickNote 1.3 - Copyright © 1999-2000 Stefan Blixth, OnyxSoft
- User Documentation -
                Introduction
                - What is QuickNote?
                Requirements
                - What does it need to run?
                Usage
                - How to use QuickNote.
                What's new ?
                - What is new in this version?
                History
                - The history of this program.
                Future
                - What can we see in the crystal-ball?
                Copyrights
                - Legal mumbo-jumbo..
                Author
                - Person behind this program.
                Thanks to..
                - My best regards to..
```

OuickNote 2/8

1.2 QuickNote 1.3 - Introduction

```
Introduction
QuickNote is a little notepad, which has only one purpose and that is scrap-notes \leftrightarrow
Q: Why did I make this program?
A : I don't like to have thousands of post-it notes all over my room...
    This program will replace all those notes, and you don't need to find a
    pen etc.. just use your keyboard ;-)
This version has a limit to 10kb of data, which I think is way to much
for such things (but if you think this is to low, please let me know).
Features
This programs features:
· Very little memory usage.
· Configureable look (bevel, papercolour and pencolour).
\cdot Remember window position and content when exit. (main function) :)
· Fast & Easy to use.
· Totaly free
   QuickNote 1.3 - Requirements
Requirements
This program needs following stuff:
```

- · An Amiga (ohh gosh, you can't mean that) :-)
- · AmigaDOS 2.04 or higher..
- · textfield.gadget 3.1 or higher (included in this archive) Place it under Sys:Classes/Gadgets/

textfield.gadget 3.1 is Copyright © 1995 Mark Thomas

· The unit where the program is placed on must be writeable, so the notes can be saved... (you will not be able to save the notes if you run the program from CD-ROM for example...)

This program has been tested on following systems with success:

Amiga 4000 (AmigaDOS 3.5, CyberStorm MkII, CV3D, 2 Mb Chip/96 Mb Fast),

1.4 QuickNote 1.3 - Usage

QuickNote 3/8

Usage

When you start the program for the first time, the window content says "- Welcome to QuickNote 1.3!". This is the because there is no default message available.

The default message is created when the information in the window has been changed and the program closed.

This message will be placed in the same drawer as QuickNote itself.

This message will be placed in the same drawer as QuickNote itself, and will be called "QuickNote.msg".

When the program has created the default message and you start the program (again) the message will be loaded and visable as the window content. From here you can edit your note again, and that's the main purpose of this program.

When you exits the program, the window content and position will be remebered until next time you start the program.

Menus :

- Clear all (Project)
 Clear the current window content.
- Load default (Project)
 This clears the current window content and replace it with the default message if the message has been changed (A requester will ask you if you really want to replace the current text...)
- Save as... (Project)
 This is an option to let you save the content to a separate file.
 By using this you can use QuickNote as a simple texteditor :-)
- About... (Project)
 Well, I think all of you understand this one ? :)
- · Quit (Project)

If you have used the option "Save as..." before you choose this you will be asked if you want to save the current text, or just ignore it (if you just used the program as a texteditor and don't want to replace the default message).

This requester will not be showed if you have (after you picked "Save as") choosed "Clear all" or "Load default".

Notice! - A blank ("Clear all") window content will not be saved over the default message.

· Undo (Edit)

Will undo the current content in the delete-buffer.

· Cut (Edit)

Cuts the marked text and places it in the clipboard.

QuickNote 4/8

```
· Copy (Edit)
    Copies the marked text and places it in the clipboard.
 · Paste (Edit)
    Pastes the content (if any) from the clipboard to the edit window.
Notice! - Even if you don't see the mark when you pick some of the upper
          menu choices, the text will be copied or cutted as intended.
           (This will be fixed in next release!)

    Cursor (Preferences)

    Here you choose where you want the cursor to appear when you start
    QuickNote (choices are : Beginning and End).

    Font (Preferences)

    Here you can change the font in the edit window.
    Changes will only have effekt after that you restart QuickNote.
     (Will change this in the next version so it can be done w/o restart).
_____
Editing a note:
Simply click on the editable parts in the user-interface and start to write ;-)
 · You can use the mouse to mark words or whole text-parts...
Keys that can be used during edit (normal keys) :
 · RAmiga+a
                     = Mark all text.
 · RAmiga+x
                     = Cut marked text.
 · RAmiga+c
                     = Copy marked text.
 · RAmiga+v
                    = Paste text after cursor position.
 · RAmiga+z
                    = Undo (if delete-buffer is filled/used).

    Shift+Backspace = Will delete the whole string left of the cursor position.
    Shift+Delete = Will delete the whole string right of the cursor position.

 \cdot RAmiga+x or Delete = Will delete the marked areas (marked by the mouse).
Tool types that can be use for configuring the look of QuickNote:
BORDER: Can be some of following choice - NONE (Default)
                                          - BEVEL
                                          - DOUBLEBEVEL
PAPERPEN: Can be a number between 0 and 255 (Default: 0)
FONTPEN: Can be a number between 0 and 255 (Default: 1)
The number is the position in the palette, so if you start the program
SYS:prefs/palette you will see the first 8 pens... The pens from left to right
has the numbers 0 to 7...
```

OuickNote 5 / 8

```
It's pretty nice to have white papercolor and black fontpen... (Just a tip) ;-)

Customize QuickNote:

Mark QuickNote's icon and choose info in the menu (Workbench) to configure this ←
    ...

If you have any problems with this, please let me know...

The tool types that has "()" around it is not active, to make it active simply remove them...

Limitations:

If you have created a default message from another source and it's bigger than 10 kb, the program will reject the file and the window
```

1.5 QuickNote 1.3 - What's new?

What's new

· Now it's possible to change font for the program.

will look like it does when you don't have a default message.

- · It is now possible to choose where the cursor will be placed upon start.
- · Added some extra menu choices.
- · Added undo feature.

1.6 QuickNote 1.3 - History

History

- · 09-07-1999 First public release (1.0).
- \cdot xx-xx-1999 Forgot to update the program on the homepage ;-) (1.1).
 - · Textbuffer was fixed to 10 kb (was 1kb before, by mistake).
- · 15-06-2000 Second public release (1.2).

 - · Added menus.
 - Copy'n'Paste is now available (at last) :)
 - · Save text temporary (not only as a note) has been implemented.
 - · It's now possible to reload the default message.
 - · Plus numerous of other internal changes.
- \cdot 07-07-2000 Third public release (1.3).
 - · Now it's possible to change font for the program.
 - $\boldsymbol{\cdot}$ It is now possible to choose where the cursor will be placed upon $\ \ \ \ \$ start.

QuickNote 6 / 8

- · Added some extra menu choices.
- · Added undo feature.

1.7 QuickNote 1.3 - Future

Future

- · Change font directly (without restart of the program).
- · No more 10 kb limit (user defineable).
- · Search function.
- · More features (Give me suggestions).

1.8 QuickNote 1.3 - Copyright & Disclaimer

Copyright and Disclaimer

Permission is granted to make and distribute verbatim copies of this program provided the copyright notice and this permission notice are preserved on all copies.

No guarantee of any kind is given that the programs described in this document are 100% reliable. You are using this material at your own risk. The author cannot be made responsible for any damage which is caused by using this program.

This package is freely distributable, but the copyrights still apply. This means that you can copy it freely as long as you don't ask for a more than nominal copying fee.

Permission is granted to include this package in Public-Domain collections, Aminet (CD's) etc. etc. The package may be uploaded to Bulletin-Board-Systems or FTP servers.

1.9 QuickNote 1.3 - About the author

About the author

I'm a 23 years old student from Karlstad, Sweden. Currently studying electric engineering at the University of Karlstad. This is one of the tools I have created on my spare time using my beloved Amiga and the faboulus language - AmigaE.

I don't want any money for this program (it's FreeWare). I however like to get emails with comments, bug-reports, suggestions and/or complains about this program...

Personal email : develin@vegasys.com (prefered)

QuickNote 7/8

```
stefan@onyxsoft.nu
el8blis@cse.kau.se (at Uni.)

OnyxSoft Homepage: www.onyxsoft.nu

You could also send me "snail"-mail (postcard) at following address:

Stefan Blixth
Fagottgatan 17
656 31 Karlstad
Sweden

If you are lucky? you could find me "live" on IRC (IRCNET)...
I'm mostly "hang out" in the channel #AmigaSwe, my nickname is Develin...

Or through ICQ:

NICK: Develin
UIN: 15055136
```

1.10 QuickNote 1.3 - Thanks to...

```
Thanks to

Wouter van Oortmerssen..... For the best language ever made - AmigaE.

Mark Thomas...... For the textfield.gadget.

Daniel Adolfsson..... For making (AmigaE) modules for the Textfield. 

gadget

and a nice example how to use it...

Fabio Rotondo..... For the very easy-to-use ToolType class (AFC)...
```

1.11 Index of this documentation

Index (A-Z)

Author

Copyright

Features

Future

History

QuickNote 8 / 8

Introduction

Main-page

Requirements

Thanks to..

What's new ?