

## **File Version Conflict**

Use this dialog box to specify whether to keep a currently installed version of a file on your system or replace it with a different version. There are several possible reasons the files are in conflict:

- The version of the file that you are trying to install is older than the currently installed version.
- The new version of the file that you are trying to install is in a different language than the currently installed version.
- The new version of the file that you are trying to install uses a character set that cannot be displayed in this version of Windows.
- The new version of the file that you are trying to install is a different file type from the currently installed version.

To keep your currently installed file, choose the No button. (If the version you are trying to install is older than the currently installed version, it is recommended that you choose No, and keep the currently installed file.) To replace your currently installed file with the one supplied with Windows for Workgroups version 3.1, choose the Yes button.

## **Add/Remove Windows Components**

Use this dialog box to add useful (but nonessential) Windows components to your system or to remove components to gain disk space. Usually, you will not need to add components because they are installed when you first set up Windows for Workgroups.

You can select all or only certain parts of a component. For example, you may want to set up some of the Accessories applications, but not others. The check box next to the component shows its current status: X = currently installed, gray = some files currently installed, blank = no component files installed.

Note: To leave a component as it is, do not change its check box. Change the check box only if you want to add or remove a component or specific files.

### **To add or remove a complete component**

- 1 To add, select the check box next to the Component description.  
To remove, clear the check box.
- 2 Choose the OK button.

### **To add or remove part of a component**

- 1 Choose the Files button for the component.
- 2 Complete the dialog box that appears, and then choose the OK button.
- 3 In the Add/Remove Components dialog box, choose the OK button.

## Set Up Applications

Use this dialog box to set up applications already installed on your system so they will run with Windows for Workgroups. For each application you set up, the Setup program creates an icon in a Program Manager group window. To start the application from within Windows for Workgroups, double-click this icon.

You can direct Setup to search for applications to set up, or you can set up a specific application.

For Keyboard Instructions on setting up applications, press ENTER.

Choose one of the following buttons for more information about the dialog box:

- Search for Applications
- Ask You to Specify an Application

## **Keyboard Instructions**

### **To search for applications to set up**

- ▶ Press ENTER.

### **To set up a specific application**

- ▶ Use the DOWN or UP ARROW key to select the "specify" option, and then choose the OK button.

### **To quit Setup Help**

- ▶ Press ALT+F4.

## Selecting Applications

This dialog box displays applications that can be set up for use with Windows for Workgroups. These are applications that Setup has located in its search of your drive(s). Setup identifies each application by its program filename. Sometimes, this may cause a naming conflict, because different applications may have the same filename (for example, WordPerfect and Microsoft Multiplan both use the name WP.EXE). If there is a conflict, Setup displays a dialog box that asks which application you want to set up.

For Keyboard Instructions on selecting applications, press ENTER.

Choose one of the following buttons for information about the dialog box:

- Applications Found on Hard Disk(s)
- Set Up for Use with Windows
- Add Button
- Remove Button
- Add All Button

## Keyboard Instructions

### To set up all the listed applications

- ▶ Press ALT+D to choose the Add All button, and then press ENTER.

### To set up an application

- 1 Use the DOWN ARROW key to move the selection cursor to the application you want to add, and then press the SPACEBAR to select the item.  
Repeat to make additional selections.
- 2 Press ALT+A to choose the Add button, and then press ENTER.

### To remove an application

- 1 Press TAB to move the selection cursor to the right box.
- 2 Use the DOWN ARROW key to move the selection cursor to the application you want to remove, and then press the SPACEBAR to select the item.  
Repeat to make additional selections.
- 3 Press ALT+R to choose the Remove button.

### To quit Setup Help

- ▶ Press ALT+F4.

## **Selecting a PIF**

Use this dialog box to specify the program information file (PIF) Windows for Workgroups should use to run the specified application. This application has more than one PIF associated with it. Each will run the application in a slightly different way. For example, one PIF might open a certain data file each time the application starts. Another PIF might start the application without opening any file.

You can select multiple PIFs if you want to run the application in different ways at different times. It is recommended that you use the PIF supplied by the manufacturer if one is available.

- ▶ Select the PIF you want to use, and then choose the OK button.

## **Restart Windows After Setup**

Use this dialog box to restart Windows for Workgroups or return to the MS-DOS prompt after you have finished Windows Setup.

For [Keyboard Instructions](#) on restarting Windows for Workgroups, press ENTER.

Choose one of the following buttons for information about the dialog box:

[Restart Windows for Workgroups](#)

[Return to MS-DOS](#)



## **Keyboard Instructions**

### **To restart Windows for Workgroups now**

- ▶ Press ENTER. Or press w.

### **To return to the MS-DOS prompt without restarting Windows for Workgroups**

- ▶ Press d.

### **To quit Setup Help**

- ▶ Press ALT+F4.

## **Restart Your Computer After Setup**

Use this dialog box to restart your computer, or return to the MS-DOS prompt after you have finished Windows Setup.

For [Keyboard Instructions](#) on restarting your computer, press ENTER.

Choose one of the following buttons for information about the dialog box:

[Restart Computer](#)

[Return to MS-DOS](#)

## **Keyboard Instructions**

### **To restart your computer now**

- ▶ Press ENTER. Or press R.

### **To restart Windows for Workgroups without restarting your computer**

- ▶ Press w.

### **To return to the MS-DOS prompt without restarting your computer**

- ▶ Press D.

### **To quit Setup Help**

- ▶ Press ALT+F4.

## **Printer Setup**

Use this dialog box to set up your printer so that you can print documents from Windows for Workgroups.

### **To set up a printer**

- 1 Select your printer from the list. Use the scroll bar or arrow keys to display more printers.
- 2 Choose the OK button. Or press ENTER.
- 3 In the dialog box, select the port to which your printer is connected.

Computers generally are equipped with one or more parallel ports (for example, LPT1) and one or more serial ports (for example, COM1). You can use these ports to connect to devices such as a printer. For information about the ports on your system, see your hardware manual.

## **Insert Disks**

In this dialog box, you are asked to insert disks that provide files that are copied during Setup.

## **Select Windows Components**

Use this dialog box to select which Windows for Workgroups components to add to your system. This can be especially useful if you have limited disk space for storing your files. You can select all or only certain parts of a component. For example, you may want to set up some of the Accessories applications, but not others.

If the check box contains an X, the complete component will be added to your system.

### **To add a complete component**

- 1 Be sure that the check box next to the Component description contains an X.
- 2 Choose the OK button.

### **To select specific component files**

- 1 Choose the Files button for the component. Complete the dialog box that appears. When you are finished, choose the OK button.
- 2 In the Add/Remove Components dialog box, choose the OK button.

### **To choose not to install a component**

- ▶ Clear the appropriate check box, and then choose the OK button.

## **Return to Setup**

At this point, you should either return to the Help topic you were reading, or continue to set up Windows for Workgroups.

### **To return to the topic you were reading in Setup Help**

- ▶ Click the Back button.

### **To quit Setup help and return to Windows Setup**

- ▶ Click the File menu, and then click the Exit command. Or press ALT+F4.

## Choosing an Application Name

In this dialog box, Setup lists applications it found on your system that have the same program filename. You need to choose which application to set up to use with Windows for Workgroups.

- ▶ Double-click the name of the application that you want to set up. Or use the UP or DOWN ARROW key to move the selection cursor to the application, and then press ENTER.



## **Specify an Application Name**

Use this dialog box to specify an application you want to set up for use with Windows for Workgroups. You can type the path and filename, or choose the Browse button to select a filename.

Choose one of the following buttons for information about the dialog box:

- Application Path and Filename
- Add to Program Group

## **Browse**

Use this dialog box to select the program file for the application you want to set up.

Choose one of the following buttons for information about the dialog box:

- Filename
- List Files of Type
- Directories
- Drives

## **Please Type Your Name, Company Name, and Workgroup Information**

Use this dialog box to personalize your copy of Windows for Workgroups, give your computer a name, and assign it to a workgroup.

Choose one of the following buttons for information about the dialog box:

- Name
- Company Name
- Computer Name
- Workgroup

### **To quit Setup Help**

- ▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Please Type Your Name, Computer Name, and Workgroup Name**

Use this dialog box to personalize your copy of Windows for Workgroups, give your computer a name, and assign it to a workgroup.

Choose one of the following buttons for information about the dialog box:

- Name
- Computer Name
- Workgroup

### **To quit Setup Help**

- ▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Please Verify the Information You Typed**

Use this dialog box to verify the information that you typed to personalize your copy of Windows for Workgroups and to set up your computer to work with Windows for Workgroups.

▶ To correct any incorrect information, choose the Change button, and then edit the information.

### **To quit Setup Help**

▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Please Verify the Information You Typed**

Use this dialog box to verify the information that you typed to personalize your copy of Windows for Workgroups and to set up your computer to work with Windows for Workgroups.

▶ To correct any incorrect information, choose the Change button, and then edit the information.

### **To quit Setup Help**


▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Please Type Your Computer Name and Workgroup Name**

Use this dialog box to give your computer a name and assign it to a workgroup.

Choose one of the following buttons for information about the dialog box:

 Computer Name

 Workgroup

### **To quit Setup Help**

- ▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Please Verify the Information You Typed**

▶ Use this dialog box to verify the information that you typed to set up your computer to work with Windows for Workgroups.

To correct any incorrect information, choose the Change button, and then edit the information.

### **To quit Setup Help**

▶ From the File menu, choose Exit.  
Or press ALT+F4.





## Updating Device Drivers

Use this dialog box to select the device driver you want. Your system already has a driver installed that can be used, but you can replace the existing driver with a new one.

Note: If the driver is currently being used by Windows for Workgroups, you must quit Windows and then run Setup from MS-DOS.

Choose one of the following buttons for information about the dialog box:

 Current

 New

 Cancel

## Change System Settings

Use this dialog box to set up a new display adapter, keyboard, or mouse to replace the one you previously had on your system. The procedure for changing settings is the same for each area of the dialog box.

### To change a setting

- 1 Click the arrow at the right of the setting to open the list. Or press ALT+DOWN ARROW. Each list displays drivers for devices supported for that setting. Make sure that your hardware is listed.
- 2 Select the driver or device you want.
- 3 Choose the OK button.  
If Setup prompts you for a Windows disk, put the disk in the drive, or type the path of the device-driver file. Then choose the OK button.
- 4 From the Options menu, choose Exit.
- 5 Make sure there are no disks in any floppy disk drive, and then choose the Restart Computer button (if it appears) to restart your system.

Or choose the Restart Windows button.

Caution: Do not use CONTROL+ALT+DELETE to restart your computer.

The next time you start Windows for Workgroups, the new settings will take effect.

## **Updating OEM Device Drivers**

Use this dialog box to select the device driver for a piece of hardware you are setting up on your system. Setup needs the driver file to properly set up your hardware for use with Windows for Workgroups.

### **To set up a device driver**

- 1 Select the driver for the hardware you are setting up.
- 2 Choose the OK button. Or press ENTER.

## **Supply Disks or File Path**

Use this dialog box to either insert the disk containing the file(s) that Setup needs or specify the path for the file(s).

### **To supply the file path**

- 1 Type the complete path of the driver file(s), including the drive letter. The file(s) may be on another drive--for example, on a shared drive you are connected to.
- 2 Choose the OK button. Or press ENTER.

## **Supply OEM Disks or File Path**

Use this dialog box to either insert the disk(s) containing the file(s) that Setup needs or specify the path for the file(s). These files are supplied by a hardware manufacturer.

### **To supply the file path**

- 1 Type the complete path of the driver file(s), including the drive letter. The file(s) may be on another drive--for example, on a shared drive you are connected to.
- 2 Choose the OK button. Or press ENTER.

## **Restart After Network Setup**

Use this dialog box to restart your system after you have finished setting up Windows for Workgroups from a network server.

Choose one of the following buttons for information about the dialog box:

- Restart Computer
- Restart Windows
- Return to MS-DOS

## Confirm Option Delete

Use this dialog box to confirm that you want to remove the specified Windows for Workgroups component file from your system. You can reinstall the option later by using the Windows for Workgroups disk set.

Choose one of the following buttons for information about the dialog box:

- Yes
- Yes to All
- No
- Cancel

## **Adding and Removing Files**

Use this dialog box to select specific Windows for Workgroups files to be added to or removed from your system. This helps you use your disk space to your best advantage.


The box on the right contains names of files that are currently installed on your system or that you have selected to be added to your system.

The box on the left contains names of files that currently are not installed on your system or that you have selected to be removed from your system.

Choose one of the following buttons for information about the dialog box:

 Add

 Remove

 Add All



## **Search for Applications**

Use this dialog box to specify where Setup should search for applications to set up to use with Windows for Workgroups. You can specify more than one place to search--for example, both your path and drive C.

For [Keyboard Instructions](#) on searching for applications, press ENTER.

- ▶ To specify where you want Setup to look, select the place(s) you want Setup to search, and then choose the Search Now button.

## **Keyboard Instructions**

### **To specify where you want Setup to look**

- 1 Press **TAB** to move the selection cursor to the Setup Will Search area.
- 2 Press the **UP** or **DOWN ARROW** key to move to each option you want.
- 3 Press the **SPACEBAR** to select an option.
- 4 Press **TAB** to move to the Search Now button, and then press **ENTER**.

## **Windows Tutorial**

The Windows Tutorial is a two-part, online, interactive application that can help you become familiar with using Windows.

The first lesson is designed to familiarize you with using a mouse. It guides you through basic mouse techniques and gives you a chance to practice before you start working with Windows.

The second lesson introduces you to basic Windows techniques and gives you the opportunity to practice what you have learned.

## **Select PIF**

Use this dialog box to specify which program information file (PIF) Windows should use to run a specific application. This application has more than one PIF associated with it. Each will run the application in a slightly different way. For example, one PIF might open a certain data file each time the application starts. Another PIF might start the application without opening any file.

You can select multiple PIFs if you want to run the application in different ways at different times. It is recommended that you use the PIF supplied by the manufacturer if one is available.

- ▶ Select the PIF(s) you want, and then choose the OK button.

## **Replace/Retain Existing PIF**

Use this dialog box to direct Setup to either replace or keep an existing program information file (PIF) for an application. The application you are setting up has a PIF already installed on your system. You can choose either to keep the PIF that exists for the application or create a new PIF to use for running the application.

Choose one of the following buttons for more information about the dialog box:

- Create
- Replace
- Cancel

## **Contents for Windows Setup Help**

You can use Windows Setup to change system settings, set up applications to use with Windows for Workgroups, and add or remove optional Windows for Workgroups components.

To learn how to use Help, press F1.

### **How To...**

[Add Windows Components](#)

[Change System Settings](#)

[Remove Windows Components](#)

[Set Up Applications](#)

## **Adding Windows Components**

Using Windows for Workgroups Setup, you can add any Windows for Workgroups components to your system that you may not have included when you first set up Windows for Workgroups.

You can select all or only certain parts of a component. For example, you may want to set up some of the Accessories applications, but not others.

### **To add a complete component**

- 1 From the Options menu, select the Add/Remove Components command. The Add/Remove Components dialog box appears.
- 2 Select the check box next to the Component description.
- 3 Choose the OK button.

### **To add specific component files**

- 1 From the Options menu, select the Add/Remove Components command. The Add/Remove Components dialog box appears.
  - 2 Choose the Files button for the component. Then complete the dialog box that appears.
  - 3 When the Add/Remove Components dialog box reappears, choose the OK button.
- For help with the dialog box, choose the Help button or press F1 while using the dialog box.

## Changing System Settings

If you change to a system configuration that is different from the one you had when you set up Windows for Workgroups, you can use Setup to change your software and hardware settings. For example, you may want to change from an enhanced graphics adapter (EGA) to a video graphics adapter (VGA). You must have the appropriate hardware to support these changes. You can change your display adapter, keyboard, or mouse settings.

Note: You have to restart Windows for Workgroups or your computer if you change settings by using Setup. For this reason, it is a good idea to quit all your running applications before you use Setup.

### To change your display, keyboard, or mouse

- 1 Make sure that your hardware is set up to match the setting you are changing. Check your hardware documentation.
- 2 From the Options menu, choose Change System Settings.
- 3 Click the arrow at the right of the setting that you want to change to open the list. Or press ALT+DOWN ARROW.

Each list displays device drivers or devices supported for that setting. Make sure your hardware is listed. Use the scroll bar or arrow keys to see more of the list.

- 4 Select the setting that you want, and then choose the OK button.  
Setup may prompt you to insert a Windows for Workgroups disk in drive A. If it does, put the disk in drive A and close the drive door, or type the path of the appropriate device-driver file. Then choose the OK button.
- 5 From the Options menu, choose Exit.
- 6 Remove any floppy disks from your drive(s), and then choose the Restart Computer button (if it appears) to restart your system. (After restarting your system, you can start Windows for Workgroups by typing **win** at the MS-DOS prompt.)  
Or choose the Restart Windows button.

The next time you start Windows for Workgroups, the new settings will be in effect.

Sometimes it may be necessary to run Setup from outside Windows for Workgroups. For example, if changes to your files prevent Windows for Workgroups from running correctly, you must run Setup from MS-DOS. For more information, use a text editor to view the SETUP.TXT file, located on Disk 1 of your Windows for Workgroups disk set.

### To run Setup from MS-DOS

- 1 Quit Windows.  
Do not use the MS-DOS Prompt icon in the Main group window, as this will result in an incorrect setup.
- 2 At the MS-DOS prompt, type **setup** and then press ENTER.

### To completely reinstall Windows for Workgroups

- 1 Quit Windows for Workgroups.
- 2 Delete the Windows directory and all the files and subdirectories contained in it.
- 3 Place your Microsoft Windows for Workgroups Disk 1 in drive A, and then change to drive A.
- 4 At the MS-DOS prompt, type **setup** and then press ENTER.
- 5 Follow the Setup instructions on the screen.



## **Removing Windows Components**

Using Windows for Workgroups Setup, you can remove several accessory applications and other components that were supplied with Windows for Workgroups but are not essential. This is useful if your system has limited disk space.

You can select all or only certain parts of a component. For example, you may want to remove some of the Accessories applications, but not others.

### **To remove a complete component**

- 1 From the Options menu, select the Add/Remove Components command. The Add/Remove Components dialog box appears.
- 2 Clear the check box next to the Component description.
- 3 Choose the OK button.

### **To remove specific component files**

- 1 From the Options menu, select the Add/Remove Components command. The Add/Remove Components dialog box appears.
  - 2 Choose the Files button for the component. Then complete the dialog box that appears.
  - 3 When the Add/Remove Components dialog box reappears, choose the OK button.
- For help with the dialog box, choose the Help button or press F1 while using the dialog box.

## Windows for Workgroups Setup Options

Use this dialog box to select from three optional procedures to perform after all basic Windows for Workgroups files are set up on your system.

A procedure marked with an X in its check box will be performed unless you remove the X by clicking the box.

For Keyboard Instructions on selecting optional procedures, press ENTER.

Choose one of the following buttons for information about this dialog box:

- Set Up Only Windows Components You Select
- Set Up Printer(s)
- Set Up Applications Already on Hard Disk(s)

### To quit Setup Help

- ▶ From the File menu, choose Exit.  
Or press ALT+F4.

## **Keyboard Instructions**

### **To perform optional procedures marked with an X**

- ▶ Press ENTER.

### **To select or cancel an optional procedure**

- 1 Press and hold down ALT and press the underlined letter for the option.  
For example, press ALT+P to move to the Set Up Printers option. If the check box contains an X, this action removes the X. If the box is empty, this action places an X in the box.  
Procedures marked with an X will be performed.
- 2 Press ENTER to continue Setup.

### **To quit Setup Help**

- ▶ Press ALT+F4.

## **Modify AUTOEXEC.BAT and CONFIG.SYS Files**

Use this dialog box to specify how changes are made to your AUTOEXEC.BAT and CONFIG.SYS files. These changes need to be made if you want Windows for Workgroups to be set up optimally on your computer.

For Keyboard Instructions on modifying system files, press ENTER.

Choose one of the following buttons for information about the dialog box:

- Setup can make modifications for you
- You can review and edit changes before modifications are made
- You can make the modifications later

Choose the following buttons to see the changes Setup makes to your system files:

- Changes to AUTOEXEC.BAT
- Changes to CONFIG.SYS

### **To quit Setup Help**

- From the File menu, choose Exit.  
Or press ALT+F4.

## Keyboard Instructions

### To have Setup modify your system files for you

 Press ENTER.

### To select another option


- 1 Use the DOWN ARROW key to select the option you want.
- 2 Press ENTER to continue.

### To quit Setup Help

 Press ALT+F4.

## Reviewing Changes to System Files

Use this dialog box to review the changes Setup proposes for your system files. The top box shows the proposed (modified) version of your AUTOEXEC.BAT or CONFIG.SYS file. The lower box shows the current (unchanged) version.

 To make additions or revisions to the proposed file, edit the file in the top box. Use the scroll bar to see more of both files so you can compare lines. When you have finished editing, choose the Continue button to save the changes and continue with Setup. For Keyboard Instructions on reviewing changes to system files, press ENTER.

## Keyboard Instructions

### To save proposed changes to system files and continue Setup

- 1 Press ENTER to accept the changes.
- 2 Press ENTER when prompted to back up your old system files as AUTOEXEC.OLD and CONFIG.OLD.

### To edit a system file

- 1 Press TAB until the insertion point appears in the Proposed Changes box.
- 2 Use the arrow keys to move the insertion point to the place where you want to make a change.
- 3 Type new text, or edit the existing text. Use BACKSPACE or DEL to delete unwanted characters.
- 4 Press ENTER when you have finished making changes.
- 5 Press ENTER again when prompted to back up your old system files as AUTOEXEC.OLD and CONFIG.OLD.

Use the following keys to move the insertion point within a system file.

<b>Press</b>	<b>To move</b>
LEFT OR RIGHT ARROW	Left or right one character.
UP OR DOWN ARROW	Up or down one line.
PAGE UP OR PAGE DOWN	Up or down one screen.
CTRL + PAGE UP OR PAGE DOWN	Left or right one screen.
CTRL+HOME	To the top of the file.
CTRL+END	To the end of the file.

### To quit Setup Help

-  Press ALT+F4.

## **Saving Proposed Versions of Your System Files**

Use this dialog box to tell Setup whether to make a record of the proposed changes to your system files. After setting up Windows for Workgroups, you should check these files and then make the proposed changes yourself. To save proposed changes, choose the Continue button. By default, Setup saves the files as AUTOEXEC.WIN and CONFIG.WIN in your Windows directory, but you can change these names to any valid MS-DOS filename. For [Keyboard Instructions](#) on saving changes to system files, press ENTER.



## Keyboard Instructions

### To save changes under the proposed filenames

 Press ENTER.

### To edit the name of a backup file

- 1 Press TAB to move the insertion point to the filename you want to edit.
- 2 Use the arrow keys to move the insertion point within the edit box.
- 3 Type a new name, or edit the existing name. Use BACKSPACE or DEL to delete unwanted characters.
- 4 Press ENTER when you have finished making changes.
- 5 Press ENTER again when prompted to save the backup files.

### To quit Setup Help

 Press ALT+F4.

## Setting Up Applications

After you install an application on your system, you can use Setup to create an icon for the application so you can run it from within Windows for Workgroups.

You can direct Setup to search local drives or the current path.

Setup creates an icon in a Program Manager group window for each application you add. However, Setup will add an icon for an MS-DOS--based application only if the appropriate program information file (PIF) exists. Setup includes information for many applications, but not all. If Setup does not create a PIF for the application you want to add, you can create one by using PIF Editor.

If you are adding just one Windows-based application, it may be easier to use Program Manager. If you are adding several Windows-based applications, or one or more MS-DOS--based applications, use Setup.

### To add an application to Windows for Workgroups

- 1 From the Options menu, choose Set Up Applications.
- 2 Choose the OK button to search all your local drive(s) for existing applications.
- 3 In the list, select the locations you want Setup to search.
- 4 Choose the Search Now button.

When Setup finishes its search, it displays in the left box the names of the applications it found. These names are from the application, they are not supplied by Setup. You must move each application that you want to set up from the left box to the right box.

- 5 Click each application you want.

Or use the arrow keys to move to each application you want, and then press the SPACEBAR to select it.

Note: When you select an application, Setup displays the application's path in the lower-left corner of the dialog box. Because more than one application can have the same name, check the path to make sure the application is the one you want.

Also, because Setup identifies each application by its program filename, at times it may display the wrong name. (For example, WordPerfect and Microsoft Multiplan both use the name WP.EXE.) Check the names of the applications Setup finds to verify that they are the correct applications.

- 6 Repeat step 3 to select additional applications.  
To cancel a selection, select it again.
- 7 To move selected applications to the right box, choose the Add button or press ALT+A.  
Or, to move all the listed applications to the right box, choose the Add All button or press ALT+D.  
If you change your mind after adding an application to the right box, select the application, and then choose the Remove button. Or press ALT+R.
- 8 Choose the OK button after you have added all the applications you want to set up.

## **Search for Applications**

Select this option to specify where you want Setup to search.

### **Ask You to Specify an Application**

Select this option to specify the name of the application you want to set up.


### **Applications Found on Hard Disk(s)**

This list displays all of the applications Setup has found on your hard disk(s).


- To set up an application, select the one you want, and then choose the Add button. Setup displays each application's path in the lower-left corner of the dialog box as it is selected.
- To set up all the listed applications, choose the Add All button.

### **Set Up for Use with Windows**


This list displays the application(s) you want to set up for use with Windows for Workgroups. If you change your mind about setting up an application, you can delete it from the list.

 Select the application(s), and then choose the Remove button.

### **Add Button**


 Choose this button to add the selected applications to the list of applications to be set up for use with Windows for Workgroups.

### **Remove Button**


 Choose this button to remove the selected applications from the list of applications to be set up for use with Windows for Workgroups.




### **Add All Button**

 Choose this button to add all the applications Setup has found on your hard disk(s) to the list of applications that you want set up.


### **Application Path and Filename**

 Type the complete path, including the drive letter and the filename, of the application you want to set up.

### **Add to Program Group**

 To add the application to a group other than Applications, select the group you want from the list.


## **Filename**

 Select a filename, and then choose the OK button.


If the program file you want is not in the Filename list, you may have to change directories by selecting a directory in the Directories list.

Or you can type a filename in this box, and then choose the OK button. If the file is not in the current directory, include the path.

### **List Files of Type**


 Open the list, and then select the file type you want to appear in the Filename box.

## **Directories**

 Select the directory that contains the program file you want to use. The names of the files in that directory appear in the Filename list.

If the directory you want is not in the list, you may have to change drives by selecting a drive in the Drives list.

## **Drives**

 Open the list, and then select the drive that contains the program file you want. The directories on that drive appear in the Directories box.

**Name**

After you set up Windows for Workgroups, you can choose the About command from the Help menu in Program Manager to display your name and other system information.




Type your name to personalize your copy of Windows for Workgroups.




## **Company**

After you set up Windows for Workgroups, you can choose the About command from the Help menu in Program Manager to display your name, your company name, and other system information.


 Type the name of your company, if appropriate.

### **Computer Name**


This name identifies your computer to others who want to connect to your computer or to a resource you are using.

 Type the name you want your computer to have. It can be your name or any name you choose, and it can be up to 15 characters long.


## **Workgroup**

 Type the name of the workgroup you want your computer to belong to. This name can be up to 15 characters long.


## **Current**

 To keep the existing, installed driver on your system, choose the Current button.


## **New**

 To delete the existing driver and install the new one in its place, choose the New button.

## **Cancel**

 To close the dialog box and leave your system as it was, choose the Cancel button.


## **Restart Computer**

 Remove any floppy disks from your drives, and then choose the Restart Computer button to restart your system.

After restarting your system, you can start Windows for Workgroups by typing **win** at the MS-DOS prompt. All options and settings you chose during Setup will be in effect.


Caution: Do not use CONTROL+ALT+DELETE to restart your computer instead of the Restart Computer button.

## **Restart Windows**


-  Choose the Restart Windows button to restart Windows for Workgroups. Some options and settings you chose during Setup may not take effect until the next time you restart your computer. (To restart now, choose the Restart Computer button. After restarting your system, you return to the MS-DOS prompt.)




## **Return to MS-DOS**

-  Choose the Return To MS-DOS button to return to the MS-DOS prompt. Some options and settings you chose during Windows Setup may not take effect until the next time you restart your computer. (To restart now, choose the Restart Computer button. After restarting your system, you return to the MS-DOS prompt.)


**Yes**

 Choose this button to delete the file shown in this dialog box. The file will be deleted from your hard disk.


### **Yes to All**

 Choose this button to delete all files for the component you selected in the Add/Remove Component dialog box. The files will be deleted from your hard disk.


**No**

 Choose this button to avoid deleting the file shown in this dialog box. The dialog box will display each remaining file for the component you selected in the Add/Remove Component dialog box, so you can choose whether to delete or keep each.


## **Cancel**

 Choose this button to close the dialog box without deleting any files from your hard disk.


**Add**

 To add one or more files to your system, select the filename(s) in the left box, and then choose the Add button. The filenames are moved to the right box. Then choose the OK button.

## **Remove**

 To remove one or more files from your system, select the filename(s) in the right box, and then choose the Remove button. The filenames are moved to the left box. Then choose the OK button.

### **Add All**

 To add all of a component's files to your system, choose the Add All button. All files from the left box are moved to the right box. Then choose the OK button.




**Create**


Choose this button to keep the existing PIF on your system (in addition to the program-item icon associated with the PIF) or to create a new, additional PIF (and icon) that you can use to run the application. You might choose this option if the existing PIF is set up with special parameters you don't use all the time--for example, it may load a particular file when the application is started.

The new PIF is created using information supplied by Windows for Workgroups about how to run the application. This information has been tested, so the application will most likely work on your system. You do not have this assurance with the existing PIF, because it was probably created for an earlier version of Windows.


## **Replace**

-  Choose this button to delete the existing PIF and create a new PIF to replace it. All program-item icons associated with the application through the old PIF will now use the new PIF to run the application.

**Cancel**

 Choose this button to keep the existing PIF on your system. No new PIF will be created.

### **Set Up Only Windows Components You Select**

 To add only some of the additional Windows for Workgroups components to your system, select this option.

A component is a group of useful but nonessential files, such as Screen Savers. This is useful if you have limited disk space available.

You can set up an entire component, such as Games, or you can select only certain files to set up.


#### **To add or remove a complete component**

- 1 To add, select the check box next to the Component description.  
To remove, clear the check box.
- 2 Choose the OK button.

#### **To add or remove part of a component**

- 1 Choose the Files button for the component.
- 2 Complete the dialog box that appears, and then choose the OK button.
- 3 In the Add/Remove Components dialog box, choose the OK button.

### **Set Up Applications Already on Hard Disk(s)**

 To set up applications already on your system to work with Windows for Workgroups, select this option.

For example, you may have a copy of WordPerfect that you would like to set up to run with Windows for Workgroups.

## **Set Up Printer(s)**

To set up a printer to use with Windows for Workgroups, select this option. During printer setup, you need to know the type of printer you have and the name of the port to which it is connected.

A port connects hardware (such as a printer or mouse) to your computer. There are two kinds of ports: parallel (such as LPT1) and serial (such as COM1). A port can be a socket located on the front or back of your computer, or it can be an internal connection, defined by the software, such as your system connection to a network printer.

### **Setup can make all modifications for you**

To have Setup make all the necessary changes, leave the first option selected and then choose the Continue button.

Setup saves your old system files as AUTOEXEC.OLD and CONFIG.OLD. Subsequent backup copies will have a three-digit extension (for example, .001). Or you can edit the filenames to save your old files under different names.

**You can review and edit changes before modifications are made**

Select this option to copy your AUTOEXEC.BAT and CONFIG.SYS files and then make changes to the copies.

Setup displays both the proposed new file and your original system file so that you can review the changes and make any further revisions yourself.

When you are satisfied with the changes, Setup creates backup copies of your original system files and saves the proposed new files as your AUTOEXEC.BAT and CONFIG.SYS files. Backup files are saved as AUTOEXEC.OLD and CONFIG.OLD in the directory where the original files were located. Subsequent backup copies will have a three-digit extension (for example, .001).



### **You can make the modifications later**

Use this option only if you are familiar with MS-DOS configuration files and want to use a text editor to make the changes after setting up Windows for Workgroups.

Select this option to make all the changes to your AUTOEXEC.BAT and CONFIG.SYS files yourself after Windows for Workgroups is set up.

Setup asks if you want to save copies of your system files with proposed changes as a record. You can then use these copies to make sure that you include all the necessary changes.

Backup files are saved as AUTOEXEC.OLD and CONFIG.OLD in the directory where the original files are located. If files already exist with those names, Setup assigns numeric extensions, using .000 as the first choice; if that file exists, the second choice is .001, and so on.

**Setup makes the following changes to AUTOEXEC.BAT:**

- Adds to your path the directory in which you are setting up Windows for Workgroups.
- Adds the SMARTDRV.EXE command line, if appropriate for your system configuration.
- Creates a TEMP directory in the Windows directory and sets the TEMP variable to it (if you do not already have a TEMP variable set).
- Adds commands (such as **net start**) that are necessary for connecting to shared resources.

**Setup makes the following changes to CONFIG.SYS:**

- Adds the HIMEM.SYS line.
- Adds the SMARTDRV.EXE /double\_buffer line, if appropriate for your system configuration.
- Updates RAMDRIVE.SYS, if it is in use.
- Updates EMM386.EXE, if appropriate.
- Adds device-driver lines for the network adapters and protocols that you will use with Windows for Workgroups.
- Updates your Microsoft or Hewlett-Packard mouse driver.
- Deletes any incompatible drivers.
- Adds or updates your EGA.SYS driver, if you are using an enhanced graphics adapter (EGA) or a Mouse Systems mouse.
- Adds the appropriate parameter to the 386MAX line, if present.

