

SwazBlanker/Pop

David Swasbrook

Copyright © Copyright(C)1995 David Swasbrook. All Rights Reserved.

COLLABORATORS

	<i>TITLE :</i> SwazBlanker/Pop		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	David Swasbrook	January 12, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1 SwazBlanker/Pop	1
1.1 Pop (23.08.95)	1
1.2 What it actually does...	1
1.3 Configuration preferences...	1
1.4 Bug fixes and updates...	2
1.5 index	2

Chapter 1

SwazBlanker/Pop

1.1 Pop (23.08.95)

```
SWAZBLANKER : Pop
=====
```

```
(C) 1995 David Swasbrook,
    All Rights Reserved.
```

```
Introduction
What it actually does
```

```
Interface
Configuration preferences
```

```
History
Bug fixes and updates
```

1.2 What it actually does...

```
Pop/Introduction
=====
```

```
The original idea for this blanker came from the Pop blanker on a Silicon
Graphics machine.
```

1.3 Configuration preferences...

```
Pop/Interface
=====
```

Save - save and use the current settings.

Use - use the current settings.

Test - test the blanker under the current settings

Cancel - cancel all changes.

Elements - number of elements to construct the pop explosion from.
Default: 200.

Blast Radius - size of pop explosion. Smaller values result in more
confined explosions, larger values disperse the explosion.
Default: 3.

Large Pixels - increases the size of drawn pixel elements.
Default: Off.

Display Mode - the screen mode to use. If the preferred screen cannot
be opened then the default screen mode will be tried, if
this fails then the minimum screen mode required for this
blanker will be tried, if that fails then the blanker will
quit and let SwazBlanker choose an alternative blank
method.
Default: Screen with best depth and color palette.

1.4 Bug fixes and updates...

Pop/History
=====

'1.0' o Initial release version

1.5 index

Pop/Index
=====

History
Bug fixes and updates

Interface
Configuration preferences

Introduction
What it actually does
