

Audio Configuration

Audiomedia Configuration

I/O Setup

Support for effects

Audiomedia Configuration

This command allows you to configure how Cakewalk Pro Audio interacts with your Audiomedia hardware. The following options are available in the basic settings dialog box:

Data Directory	Specifies the directory where Cakewalk Pro Audio will store audio data files.
Do Not Copy Imported Wave Files	Cakewalk Pro Audio will normally copy imported audio files into the Data Directory. If you have a large number of existing files that were created by another application, you can bypass the unnecessary file copy by checking off this option.

See Also:

I/O Setup
Support for effects

I/O Setup

This window allows you configure the Audiomedia's I/O options. It is nearly identical in form and function to the Session software I/O window.

- Sample Rate** Specifies the audio sample rate for a new .WRK file. Once any audio has been added to a .WRK file (either by recording audio or using **Insert | Wave File**) the sample rate for that .WRK file may no longer be changed. It is best to choose the **Sample Rate** immediately after choosing **File | New** to start a new song.
- Ch. 1/2 Input** Specifies the format of the Audiomedia's inputs.
- Main Output** Specifies the format of the Audiomedia's main outputs.
- Sync Mode** Controls whether the Audiomedia should playback from an external sample clock, or via its own internal clock.
- Input Gain** Controls the input gain (record level) for the Audiomedia's analog inputs.

See Also:

[Audiomedia Configuration](#)
[Support for effects](#)

