Distributed Software Management





NetWizard 3.1



Distributed Software Management

moni

Attachmate

What is software management

Electronic software distribution Remote configuration, support, and troubleshooting Hardware and software inventory

Software monitoring



What is software management


Software management cost analysis \$60 per application per year to manually install and update software

■\$40 per desktop to manually inventory a network

\$320,000/year for a 1000 node network with 4 applications per node

What is software management

Software management cost analysis




Source: Gartner Group

What is software management

Software management cost analysis

NetWizard saves money





Source: Gartner Group

Introducing NetWizard




 The software management solution for LANs and WANs
 Scalable to any size network
 Works in your existing networked computing environment

how?....


Peer to Peer Structure

Put the NetWizard manager on any Windows PC in the network Put Agents on any DOS, Windows 3.x, 95, NT, or Mac PC



Peer to Peer Structure

Flexibility: Move files from any node to any other node...



Peer to Peer Benefits

Operates at the transport level No need for Server to be running or even present Send a distribution to a remote PC without being able to see the remote Server it is attached to Independent of file server domains and Network Operating System Supports most LAN transport protocols

 Runs on any network using IPX, IPC, NetBIOS, or TCP/IP transport protocols
 Supports Multi-protocol support


Scalability: use on any size network You won't outgrow NetWizard

Efficiency: minimize repetitive WAN traffic


es are sent only once over expensive WAN li




BM receives distributions from main manager once and distributes them to the proper nodes in its branch...



BM collects inventory and metering information from remote Agents and sends it to the main NetWizard Manager once over expensive WAN links.




Cascaded BMs allow Distribution Fan Out



Cascaded BMs allow Distribution Fan Out

Multiple actions occur in paraliei



WAN

Cascaded BM's allow Distribution Fan Out

Multiple actions occur in parallel

Distribute large files to many agents without <u>but ing</u> a strain NetWork performance.




BM



•= =

Branch Mavigator



Safe Software Management


Distribution Automatic Rollback and Recovery

When an error condition is encountered, distribution is automatically undone, returning the Agent PC to its previous condition. Target PC is left unaffected.


Distribution UNDO Capability

At Administrator's discretion, distributions can be rolled-back off of the Agent's PC.

Distribution Rollback and Recovery Transaction **Error** encountered



NetWizard's User Interface



Hardware Inventory view

| 🗽 NetWizard\SUPERVISOR - [N | 🛓 NetWizard\SUPERVISOR - [NETWORK.NDB] | | | | |
|------------------------------|--|--------------------------------|--|--|--|
| PÉ File Node View Editors Op | tions <u>T</u> ools <u>W</u> indow <u>H</u> elp | <u>_ 8)</u> | | | |
| | V S 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ▶? | | | |
| Node: Cincinnati-SE | | Category: | | | |
| Inventory Date: 09/03/96 13: | 44 | Hardware | | | |
| | | Display Variable Names | | | |
| E Computer | NEC /Phoenix | | | | |
| BIOSVersion | LAP486SL Version 1.03 04/19/90 | | | | |
| | 486DX | | | | |
| Memory 🖉 | 15360 | | | | |
| 📃 🖳 Video | VGA, Western Digital 90C24a, 1024K | | | | |
| ⊡-©:Operating System | | | | | |
| -C:DOS | 7.0 | | | | |
| _ LC: Windows | 95 Version 4.00.950 | | | | |
| Mouse | Microsoft® Pointing Device Software, Microso | ft Pointing Device Driver, Ver | | | |
| E-J Ports | | | | | |
| | 1 | | | | |
| COMPorts | 1 | | | | |
| | | | | | |
| | A: | | | | |
| ⊢⊟Fixed | C: | | | | |
| E=Disk Space | | | | | |
| 🖹 🚍 Total Space | | | | | |
| l -⊖C | 790016KB | | | | |
| ☐ └── Total | 790016KB | | | | |
| Eree Space | | | | | |
| | | | | | |
| For Help, press F1 | | OK | | | |

Hardware Inventory view

| 🔪 NetWizard\SUPERVISOR - [NETWORK.NDB] | | | | | | |
|--|--|---------------------------|----------------------------------|--|--|--|
| | <u>√</u> iew E <u>d</u> itors <u>O</u> ptions <u>T</u> ools <u>W</u> | indow <u>H</u> elp | _ 뭔 × | | | |
| | | | | | | |
| ⊡-© Net₩ _ | Node: Cincinnati-S Inventory Date: 09/03/961 | — | Category: Hardware | | | |
| - <u>∃</u> M⊧ - <u>∃</u> PF | | | 🗖 <u>D</u> isplay Variable Names | | | |
| [문 특] | COMPorts | 1 | A | | | |
| | | | | | | |
| | | A: | | | | |
| - ⊡ ⊻i | | C: | | | | |
| | | | | | | |
| 🖻 🖏 DQ | i international Space | 790016KB | | | | |
| | | 790016KB | | | | |
| | | 73001080 | | | | |
| | | 547024KB | | | | |
| | Total | 547024KB | | | | |
| | By Network Information | | | | | |
| | - BR Network | Novell, Version 3.26.00 | | | | |
| | -B)NetworkNumber | 0000050 | | | | |
| | — ■ [®] NodeNumber | 0080C7D04A86 | | | | |
| | — Щ Э NICTуре | NDIS 3.1 DRIVER | | | | |
| | -IIIII TCPIPDescription | Microsoft Windows Sockets | Version 1.1. | | | |
| | - IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII | SEPC-2.cin.dca.com | | | | |
| - | | 129.231.50.58 | - | | | |
| | • | | | | | |
| For Help, pres | s F1 | | | | | |

Software Inventory view

| NetWizard\SUPERVISOR - [NETWORK.NDB] | | _ 8 × | | | |
|---|-----------------------|--------------|--|--|--|
| PÉ Eile Node View Editors Options Tools Window Help | | <u>– 8 ×</u> | | | |
| | ∋ ▶? | | | | |
| Node: Cincinnati-SE Inventory Date: 09/03/96 13:44 | Category: Software | nes | | | |
| Advanced Power Management Device Driver : C:\DOS\POWER.EXE (1 | 994 05/31 06:22) | | | | |
| Background Printing Utility : C:\DOS\PRINT.EXE (1994 05/31 06:22) | - | | | | |
| 표 🦲 Batch File Input Utility | | | | | |
| 🖅 🧰 Command Line Editor | | | | | |
| Control Panel 3.10 : C:\WINDOWS\CONTROL.EXE (1995 07/11 09:50) | 1 | | | | |
| 🕀 🧰 Debugging Utility | | | | | |
| | | | | | |
| Directory Caching Utility : C:\DOS\FASTOPEN.EXE (1994 05/31 06:22) | | | | | |
| Directory Tree Display Utility : C:\DOS\TREE.COM (1994 05/31 06:22) | | | | | |
| Disk Compare Utility : C:\DOS\DISKCOMP.COM (1994 05/31 06:22) | | | | | |
| ⊡ Disk Copy Utility | | | | | |
| Disk Defragmentation Utility : C:\WINDOWS\DEFRAG.EXE (1995 07/11 09:50) | | | | | |
| 🗄 🧰 Disk Format Utility | | | | | |
| Disk Integrity Check | | | | | |
| Disk Optimizer : C:\Program Files\E!PC\optimize.exe (1996 08/16 10:30) | | | | | |
| ⊡ Disk Partitioning Utility | | | | | |
| ⊕ DOS Command Interpreter | | | | | |
| Data Path Utility : C:\DOS\APPEND.EXE (1994 05/31 06:22) | | | | | |
| DOS Version Emulation Utility | | - | | | |
| ■1Dot-Matrix Printer Graphic Print Screen Utilitu · C·\DOS\GRAPHICS_CO | м 11444 05731 06-221 | | | | |
| For Help, press F1 | | | | | |

Double-Click to open a directory or file on a remote node and view or edit its contents

 Navigate interactively through agent directory trees
 Just like using File Manager on your workstation
 All in real time, without disturbing your users

Drag & Drop Distributions


To Copy or Delete files and directories, simply drag the desired icon to another

| | | - [DEPTREE.NDB] | | | → ⇒ |
|--|---------------------------|------------------------------|--------------|----------|------------|
| <u>File</u> <u>N</u> ode <u>V</u> iew E <u>d</u> itors | <u>O</u> ptions | <u>T</u> ools <u>W</u> indow | <u>H</u> elp | | \$ |
| | | 3 🖾 💓 🔄 🥌 | ? ⊾? | | |
| Root | * | Node: Sue's F | | | |
| | | | ation Agent | | WOOL |
| | Connec | ction Status: Remote | e Machine | | |
| Accountite Server | | MP | | 08/19/94 | 14: 🛨 |
| | _ ⊢⊂⊐⊤י | OOL | | 04/28/94 | 14:4 |
| Accounts Pay | _ - <mark>⊂</mark> _∪ | TIL | | 04/28/94 | 14: |
| | | INDOWS | | 12/09/94 | 10:: |
| Accounts Rec | | CCMAIL | | 12/09/94 | 10: |
| (Einenen) | | SYSTEM | | 12/09/94 | 10:1 |
| | | WSAGENT | | 12/13/94 | 10: |
| - Engineering | | | 5078 | 03/10/92 | 03:1 |
| | | | 630 | 03/10/92 | 03:1 |
| ├── Marketing | | ARCHES.BMP | 10358 | 03/10/92 | 03:1 |
| | | | 630 | 03/10/92 | 03:1 |
| Manufacturing | | ARS.BMP | 630 | 03/10/92 | 03:1 |
| - Mgr PC Hard Drive | | ASTLE.BMP | 778 | 03/10/92 | 03:1 |
| | | | 19918 | 03/10/92 | 03:1 |
| Sue's PC | | | 630 | 03/10/92 | 03:1 |
| | | FLOCK.BMP | 1630 | 03/10/92 | 03: |
| | | HONEY.BMP | 854 | 03/10/92 | 03:1 |
| | | LEAVES.BMP | 15118 | 03/10/92 | 03:1 |
| | | | 27646 | 03/10/92 | 03:1 |
| | ▰┃ | REDBRICK.BMP | 630 | 03/10/92 | 03: 🗣 |
| ÷ > | | | | | + |
| For Help, press F1 | | | | OK | |

■Quickly and effortlessly copy files from node to node(s) or delete files at a node(s) interactively.

Directory structure is automatically recreated at the target node, if not already present.

Node Status Screen



ODBC Database Integration

| | NetWizard - [DEPTREE.NDB] |
|---|--|
| | File Node Yiew Editors Options Tools Window Help □ ☞ ■ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● |
| | |
| | Rod Node: Sue's PC |
| | Everex/American Megatrends |
| | BIOSVersion Copyright 1987, American Megatrends Inc.All Rights Reserved. 402 |
| Database | CPU 80386 Memory 4352 |
| | VGA VGA |
| ■ <u>File View Options Tools</u> | = C: Operating System = −C: DOS 6.0 |
| | 1 LC: Windows 3.10 |
| | Microsoft® Windows(TM) Operating System, Microsoft Mouse drive |
| Metering List: Edit List | COMPorts 1 |
| Sample Test Application | |
| Export NetWizard | _ ↓ |
| | Hardware |
| information to any Concu Software | |
| | |
| ODBC Database, Status: Monitoring | |
| 27 | 251457536 |
| such as the Corporate 🛛 👔 💷 🖓 🖓 | For Help, press F1 OK |
| | |
| | |
| <u>SQL</u> | · · · · / / · · / / · · · · · · · · · · |
| Database view options tools window H | - DEPTREE.NDB |
| | |
| DISCHOULDIN | |
| (Oracle, <u>Distribution</u> : Status | NDB Status |
| | |
| Clean disk script | ● All ○ Selected |
| File Update Distribution | |
| Sybase) | Accounting Server |
| 2 Nodes Pending 2 Nodes Succeeded | John's PC Pending |
| 0 Nodes with Errors 0 Nodes Pending Undo | |
| Marketing | |
| | * |
| | |

Visual Script Editors

Powerful Visual Script Editors with built in Distribution Actions, make creating complicated scripts a breeze

■No script language to learn

No complicated syntax

Just fill in the blanks

| _ | NetWizard - [DEPTREE.NDB] | - + |
|---|--|----------------------|
| - | <u>File Node View Editors Options Tools Window Help</u> | \$ |
| Ľ | | |
| | Root NetWizard File Services Editor - Untitled File Edit Yiew Actions Distribute Help Acct B | pt Server 🛍 ne |
| | Fina If File Does Not Exist Cancel Eng Ignore Warning Cancel Mar Ignore File Attributes Ignore File Attributes | |
| 6 | Mgr PC Hard Drive Sue's PC * | |
| F | or Help, press F1 | OK |

A CONTRACT OF A CONTRACT OF

NetWizard Package Recorder

Package Recorder greatly reduces script development time Record installation of shrink-wrapped or custom application using Package Recorder Use Package Editor to automatically generate a NetWizard distribution script from recording Add conditional logic & special **commands using NetWizard Visual Script Editors**

| NetWizard Package Editor - N | ASOFFICE.PKG | | | | |
|---|----------------------------|--|--|--|--|
| <u>F</u> ile <u>E</u> dit <u>V</u> iew <u>A</u> ctions <u>D</u> istribute <u>H</u> el | p | | | | |
| | Ŋ 🗙 if ▶if ▶ ■ 🖅 🔭 💦 | | | | |
| Microsoft Office | | | | | |
| Distribution Actions: | | | | | |
| Verify that there is sufficient disk space for all of the files in the distribution | | | | | |
| If %[DISK_SPACE] = False | | | | | |
| Add an error entry in the status log and fail | the distribution! | | | | |
| End If ENDIF | NetWizard Package Recorder | | | | |
| Compressed Files | <u>Recordings</u> | | | | |
| System File Modifications | <u>About</u> | | | | |
| Idle | | | | | |
| For Help, press F1 | | | | | |
| | | | | | |
| | | | | | |


BARRELEARDERS AND STREAM ST STREAM ST STREAM STR

License Enforcement

Eliminates risk of license violations License enforcement for several licensing policies: **Concurrent** use, Site license, Per user or per workstation, or **Suite licenses** Varying enforcement levels: Silent, Warning, or Strict License queuing Prioritized license distribution **••Usage time limits**

| <u>1111 11</u> | <u>#</u>](6 | <u> </u> | | |
|------------------|--------------|-------------|-------------------------------------|-------------------|
| w Tal | ble | Week 🛓 | 06/12/95 ± - 07/03/95 ± | |
| ine | Ŧ | Show Legend | 🛛 Show License Qty. 🖾 Layered Chart | Data Point Labels |

Usage History for OpenMind for the Week(s) 06/12/95 - 07/03/95



NetWizard 3.1



Capabile of installing all 32-bit applications or application updates. Supports: Windows 95 & NT - Windows long-file names - Windows registration database Ideal for installing Windows 95

Migrating to Windows 95 using NetWizard Step 1 - Get control of your desktops Step 2 - Plan your hardware & software changes Step 3 - Deploy Windows 95 automatically and at your own pace **Step 4 - Distribute new applications** when you decide they're necessary

New NetWizard 3.1 Modules


e"Plus Pack 1.0" <Aug 96>

- Asynch Dial in/out capability
- Remote Control (Reachout 5.0)
- Win'95 & NT Policy Manager

Plus Pack 2.0 <Jan 97>
SNMP Integration (HP Openview demand)
NetWare NDS Integration
Distribution "Pull"

NetWizard - Plus Pack

1. Remote Control - NetWizard administrators can dynamically "take-over" remote machines with redirected video, keyboard, and mouse i/o. Supports all NetWizard platforms except Windows NT. 2. Modem connectivity between NetWizard components - NetWizard manager can communicate with remote nodes and remote nodes can communicate with the NetWizard manager using Asynch dial-out via RAS or any compatible interface. (RAS clients to RLN Servers for example). 3. Windows 95/NT Policy Management - NetWizard administrator can centrally define Windows 95 and Windows NT "policies" and distribute them (implement them) electronically using the new Policy Editor.





Remote Control

Easily troubleshoot remote problems and verify operations Seamlessly integrated with NetWizard Manager and Agent to yield point-nclick control Automatically installed at Manager and on agent workstations Components are transparently initiated and terminated on "viewer" (Manager) and "host" (Agent) ends "Chat" with end users Windows, DOS, Windows95 and IPX, TCP/IP, NetBIOS, IPC Licenced version of Reachout from Stac Electronics

Policy Editor

Centrally define and distribute Windows 95 Policies Apply policies to individual nodes or Groups of nodes Independent of file server access Many practical applications: **Define or restrict printer access** Ensure consistent system settings among groups Set or limit access to network services Will also work with Windows NT (version 4.0) policies.

NT Administrator Security
 Future Methods and Kenergrise Product (using MVS mainframe for file repository via SNA gateway)
 WebWizard Internet Initiatives"
 Aug 97>

 NetWizard Web Server: NW Mgr as Web Server, users access NW Home page to get software.

- Stand-alone Agents: process NW packages downloaded from Web Servers.
- Integration with Internet Security Scanners.





Questions

