

# Access for Windows 5250 Release 4.20

## ■ Display and Printer

### Emulation

- IBM 5291 Display (Models 1 and 2)
- IBM 5251 Display (Model 11) and 5292 Color Display (Model 1)
- tn5250 display
- IBM 5256 Printer
- IBM 3812 Printer
- Print Preview for full-page analysis

## ■ File Transfer

Windows query-based AS/400 file transfer program lets the user retrieve only what is needed

## ■ APPC-based (LU 6.2)

### Connectivity

- Through the Eicon AS/Router™

#### Split-stack

- Eicon Technology Gateways
- Microsoft SNA Server

#### Full-stack

- Desktop DLSw™ (RFC 1795 and 1434)
- 802.2 LLC
- Twinax (IBM PC Support Router)
- NetWare for SAA V. 1.x and 2.0 (Novell Router)
- SDLC (Eicon DOS Router)
- X.25 (Eicon DOS Router)

## ■ 5250 Terminal (LU 4, 7)

### Connectivity

- Through the Eicon Windows Client
  - Eicon SNA LAN Gateway

- Eicon InterConnect Server/Gateway

- Through the Eicon DOS Client
  - Older Eicon Gateways (V3R1 or earlier)
  - X.25 or SDLC

## ■ tn5250 Connectivity

Through WinSock 1.1 and a wide range of Berkeley Sockets 4.2-compliant TCP/IP stacks

## ■ ISDN Connectivity

Over 802.2 LLC in conjunction with Eicon Diva for Windows 3.x on the desktop

## ■ LANs Supported

- Novell NetWare
- TCP/IP
- NetBIOS-compatible

## ■ Administration

- Remote installation support via Microsoft Systems Management Server (SMS)
- LAN file server installation
- Un-Install utility
- Enable/disable entire menus and individual commands
- Fail-safe operation with Eicon SNA Gateway

## ■ Programming Interfaces

- WOSA-compliant WinHLLAPI
- WinAPPC 1.0 API support included
- Eicon Technology's AFWAPI

- EHLLAPI fully compatible with IBM OS/2 EE Version 1.1
- Supports DOS-box EHLLAPI
- EHLLAPI testing and tracing utility

## ■ Access for Windows Interface

- Integrated 3270/5250 desktop
- Multiple session display and printer support
  - MDI (up to 32 concurrent sessions)
  - SDI (up to 12 copies of Access)
- Mouse-activated Hot Spots
- Macro record and playback
- Graphical toolbar and toolbar editor
- Runs compiled macros from Access Tools for ProMacro scripting language
- Moveable Softkeys allows mouse-activation of commonly used commands
- Session-based configuration
- Full-screen sessions (no menus) with hot key to toggle to windowed state
- Dynamic font resizing
- Graphical keyboard remap
- Context-sensitive help and communications setup

## ■ Keyboards and Languages

- English, French, German, Spanish, and Italian language versions on one CD (International Edition CD only)
- All Help and user documentation is provided in English only
- Supports translation tables, code pages and keyboard layouts for the following countries: Austria, Belgium, Brazil, Canada, Central and Eastern Europe, Croatia<sup>r</sup>, Denmark, Finland, France, Germany, Greece, Holland, Hungary<sup>r</sup>, Italy, Latin America, Norway, Poland<sup>r</sup>, Portugal, Serbia<sup>r</sup>, Slovenia<sup>r</sup>, Spain, Sweden, Switzerland, Turkey, United Kingdom and United States.
- Custom code page utility

## ■ Communications Requirements

Requires one or more of the following:

- **LAN-based clients**
  - Eicon SNA LAN Gateways (IPX/SPX, NetBIOS and VINES)

- Eicon InterConnect Server/Gateway or Novell NetWare for SAA V. 1.x or 2.0 (IPX/SPX)
- Microsoft SNA Server for Windows NT

- **TCP/IP-based clients**

- Winsock 1.1 compliant TCP/IP stack with:
  - DLSw Router
  - tn5250 server

- **Dial-up Users**

- DLSw Router (TCP/IP-encapsulated SNA)
- tn5250 server
- Eicon Diva for Windows 3.x\*\*, ISDN line, and an NT-1 (for NA only) for 802.2 LLC over ISDN

- **Direct Connections**

- Eicon AS/Router™ (802.2 LLC)
- IBM PC Support Router (Twinax)
- Eicon DOS Router (X.25, SDLC)

## ■ Workstation Requirements

- Intel 386 or higher IBM-compatible PC
- Microsoft Windows 3.1 or Windows 95
- 22-26MB of space on the hard drive
- CD ROM drive required for installation (on file server or client)\*

## ■ Packaging Contents

- Access for Windows 5250 Rel. 4.20 CD
- One QuickStart Booklet
- Software License Agreement
- Software Registration Card

\* A 3.5" diskette Media Kit is available on demand

\*\* Available at later date

† Central and Eastern European code pages must be used for these countries. Keyboard layouts and translation tables are only supported for these languages if Microsoft Windows for Central and Eastern Europe is installed and running

<b>Ordering Information</b>	
<b>Product Name</b>	<b>Product Code</b>
Access for Windows 5250 Rel. 4.20 - International Edition	315-197
Access for Windows 5250 Rel. 4.20 (English)	315-368
<b>Related [items]</b>	
Access for Windows 3270 Rel. 4.20 - International Edition	
Access for Windows 3270 Rel. 4.20 (English)	
Access for Windows 3270 (English) Diskette Media Pack*	
Access for Windows 5250 (English) Diskette Media Pack*	
Microsoft SNA Server for Windows NT	
Novell NetWare for SAA 2.0	
SNA LAN Gateway for UNIX (SCO UNIX)	
SNA LAN Gateway for UNIX (SCO UNIX)	
SNA LAN Gateway V3R3 (DOS)	
SNA PC Gateway V3R3 (DOS)	
InterConnect Gateway for NetWare	
InterConnect Server	

\* Diskette Media Packs are only available after the CD-ROM media version has been purchased.



Designed for  
  
 Microsoft\*  
 BackOffice\*



**Eicon Technology Corporation**

Tel.: (514) 745-5500  
 Fax: (514) 745-5588

**In the United States, Canada, Latin America:**

Tel.: 1-800-80-EICON  
 (214) 239-3270  
 Fax: (214) 239-3304

**In Europe, Middle East, Africa:**

Tel.: +44 (0) 181 967-8000  
 Fax: +44 (0) 181 967-8050

**In Australia, New Zealand, Asia:**

Tel.: +61 (2) 9919-7200  
 Fax: +61 (2) 9929-6300

**Internet:**

North America: sales@eicon.com  
 Europe: sales.europe@eicon.com  
 Asia Pacific: sales.asiapac@eicon.com  
 Worldwide Web: <http://www.eicon.com/>



© 1996 Eicon Technology Corporation. All rights reserved.  
 All trademarks or registered trademarks are the property of their respective owners.