

*[technical specifications]*

eicon  
technology  
corporation

---

# ***EiconCard PacketBlaster***

## ■ Hardware Features

- ISA 16-bit
- Hitachi HD64570 @ 10 MHz
- RAM: 64 KB (static)
- Interrupt levels selectable via software (2, 3, 4, 5, 6, 7, 10, 11, 12, 14, 15)
- I/O address selectable via on-board switch (16 options)
- Two VHSI interface ports

## ■ Serial Ports

- Auto-detection of interface types:
  - V.24 and X.21bis (EIA RS-232-C)
  - V.35
  - X.21 with V.11 (X.27) signaling
  - V.36/RS-449
  - EIA-530
- 36-pin high-density D-type female connectors, supporting all interfaces with appropriate cable
- Line speed up to 2Mbps per port
- Internal or external clocking (DTE or DCE) or split (transmit internal, receive external)
- Protocol support: software dependent

## ■ Maximum Power Requirements

- 1.5 A at +5 Volts
- 155 mA at +12 Volts
- 45 mA at -12 Volts

## ■ Environment Requirements

- Operating temperature: 0°C to 50°C
- Operating humidity: 0 to 90% (non-condensing)
- Barometric operating pressure: 86 to 106 kPascals
- Maximum tolerance in power supply variation: +5% to -5%

## ■ Certification

- FCC Class B, Part 15
- CE marking

## ■ Warranty

- 5-year

## ■ Dimensions

- 6.905" x 4.2" (17.54cm x 10.67cm)

## ■ Supported OS platforms

- NetWare

■ **Packaging Contents**

- EiconCard PacketBlaster
- EiconCard PacketBlaster  
Installation Guide
- NetWare drivers diskette
- NetWare drivers installation guide

- 
- 
- 
- 

• <b>Product Name</b>	• <b>Product Code</b>
• EiconCard PacketBlaster for NetWare	• 305-674

• <b>Related Accessories</b>	
• V.24 VHSI modem cable	• 310-077
• V.24 VHSI null modem cable	• 310-078
• V.35 VHSI modem cable	• 310-076
• V.35 VHSI modem cable (France)	• 310-083
• X.21 VHSI modem cable	• 310-081
• V.36/RS-449 VHSI cable	• 310-079
• EIA-530 VHSI cable	• 310-080
• VHSI-to-VHSI null modem cable	• 310-075

**Eicon Technology Corporation**

Tel.: (514) 745-5500  
Fax: (514) 745-5588

**In the United States, Canada,**

**Latin America:**

Tel.: 1-800-80-EICON  
(214) 239-3270  
Fax: (214) 239-3304

**In Europe, Middle East, Africa:**

Tel.: (44) 181 967-8000  
Fax: (44) 181 967-8050

**In Australia, New Zealand, Asia:**

Tel.: (61) 2 9919-7200  
Fax: (61) 2 9929-6300

**Internet:**

North America: sales@eicon.com  
Europe: sales.europe@eicon.com  
Asia Pacific: sales.asiapac@eicon.com  
Worldwide Web: <http://www.eicon.com/>

