

[technical specifications]

eicon
technology
corporation

DIVA for Windows 95

■ Hardware Features

- DIVA
 - 160mm x 73mm
 - I/O address setting with software-based interrupt setting
 - DSP with 40 MHz internal clock, 16 MIPS
 - 96KByte on-board memory
 - Basic Rate Interface
- DIVA Piccola
 - 160mm x 80mm
 - ISA bus
 - Plug-and-play
- DIVA PCM
 - 85mm x 54mm x 5mm
 - Plug-and-play configuration by card and socket services
 - PCMCIA Type II
 - DSP with 40 MHz internal clock, 16 MIPS
 - 96KByte on-board memory
 - Basic Rate Interface
- DIVA Pro
 - 260mm x 82mm
 - ISA bus
 - Plug-&-Play
 - DSP with 133 MHz internal clock, 33 MIPS
 - Basic Rate Interface

■ Connection Types

- Switched & Permanent

■ B-Channel Layer 2

Protocols

- X.25 (LAPB)
- LAPD
- Transparent
- PPP

■ B-Channel Layer 3

Protocols

- X.25 PLP
- T.90 NL
- T.70 NL
- Transparent

■ D-Channel Protocols

- NI-1 (North America National ISDN-1)
- 5ESS (North America - AT&T)
- 1TR6 (Germany)
- DSS1, ETSI (Euro-ISDN)
- Japan
- Belgium
- France
- ATEL (Australia)
- X.25 PLP

■ Workstation Requirements

- 80386 or higher
- Microsoft Windows 95
- NT-1 Adapter (North America only)

■ **Package Contents**

- DIVA hardware
- Cabling (RJ45)
- DAA Mouse (for PCMCIA only)
- User Manual
- Direct Enabler
- Cardservice Enabler (PCM)
- B- and D- channel trace program

- IDI (ISDN Direct Interface)
-
-
-
-
-
-
-

• Product Name	• Product Code
• DIVA for Windows 95 (ISA)	• 305-032
• DIVA for Windows 95 (ISA) with Eicon NT-1	• 305-092
• DIVA for Windows 95 (PCMCIA)	• 305-025
• DIVA for Windows 95 (PCMCIA) with Eicon NT-1	• 305-090
• DIVA for Windows 95 (Piccola)	• 305-105
• DIVA for Windows 95 (Piccola) with Eicon NT-1	• 305-106
• DIVA for Windows 95 (Pro)	• 305-101
• DIVA for Windows 95 (Pro) with Eicon NT-1	• 305-102

-

Eicon Technology Corporation

Tel.: (514) 745-5500
 Fax: (514) 745-5588

In the United States, Canada, Latin America:

Tel.: 1-800-80-EICON
 (214) 239-3270
 Fax: (214) 239-3304

In Europe, Middle East, Africa:

Tel.: (44) 181 967-8000
 Fax: (44) 181 967-8050

In Australia, New Zealand, Asia:

Tel.: (61) 2 9919-7200
 Fax: (61) 2 9929-6300

Internet:

North America: sales@eicon.com
 Europe: sales.europe@eicon.com
 Asia Pacific: sales.asiapac@eicon.com

Worldwide Web:
<http://www.eicon.com/>

