

## **EXTREME 3D** **HELP CONTENTS**



[Menu commands](#)




[Tool palette](#)



[Browsers](#)



[Glossary](#)



[Keyboard shortcuts](#)

For an index to help topics, click the Search button at the top of the Extreme 3D Help window.

For more online help, choose the [Show Status Bar](#) command from the Window menu--instructions appear in the status bar at the bottom of the Extreme 3D window.

## Extreme 3D menu commands

Click a menu for information on commands in it:

[File menu](#)  
[Edit menu](#)  
[View menu](#)  
[Object menu](#)  
[Render menu](#)  
[Animate menu](#)  
[Window menu](#)  
[Help menu](#)

Or click a command or submenu:

[About Extreme 3D](#)  
[Adaptive Smoothing](#)  
[Align Camera](#)  
[Align](#)  
[All \(Hide\)](#)  
[All \(Show\)](#)  
[Animation Controls](#)  
[Animation Path](#)  
[Auto Rotate](#)  
[Auto Working Plane to View](#)  
[Back \(Orient to Object's\)](#)  
[Back Faces \(Display Polygon Faces\)](#)  
[Back](#)  
[Bitmap \(Export\)](#)  
[Both \(Align\)](#)  
[Both \(Display Polygon Faces\)](#)  
[Bottom \(Orient to Object's\)](#)  
[Bottom](#)  
[Bounding Box \(Render Style\)](#)  
[Camera \(Hide\)](#)  
[Camera \(Show\)](#)  
[Cascade](#)  
[Change Motion Style](#)  
[Clear All Tracks](#)  
[Clear Construction Objects](#)  
[Close Geometry](#)  
[Close](#)  
[Construction Objects \(Hide\)](#)  
[Construction Objects \(Show\)](#)  
[Control Points](#)  
[Convert Path to Profile](#)  
[Convert Profile to Path](#)  
[Copy](#)  
[Custom \(Perspective\)](#)  
[Cut](#)  
[Delete](#)  
[Display Polygon Faces](#)  
[Duplicate with Link](#)  
[Duplicate](#)  
[DXF \(Export\)](#)

**DXF (Import)**  
**Ease Settings**  
**Edit Network Jobs**  
**Enter Render Server Mode**  
**EPSF (Import)**  
**Exit**  
**Export**  
**Extreme 3D Tracks (Export)**  
**Extreme 3D Tracks (Import)**  
**Faceted (Render Style)**  
**Faceted Wireframe (Render Style)**  
**Fast Forward**  
**Final Render Setup**  
**Final Render to Screen**  
**Find**  
**Fit Polylines**  
**Fit to Window**  
**Four-View Setup**  
**FreeHand 4.0/5.0 (Import)**  
**Front (Orient to Object's)**  
**Front Faces (Display Polygon Faces)**  
**Front**  
**Get Info**  
**Global Effects**  
**Help**  
**Hidden Wireframe (Render Style)**  
**Hide (Animation Path)**  
**Hide**  
**History Backward**  
**History Forward**  
**Home**  
**Import**  
**Insert Keyframe**  
**Join Profiles**  
**Layers**  
**Left (Orient to Object's)**  
**Left**  
**Lights**  
**Linear (Motion Style)**  
**Local Lights (Hide)**  
**Local Lights (Show)**  
**Lock Working Plane**  
**Materials**  
**Metafile (Export)**  
**Metafile (Import)**  
**Moderate (Perspective)**  
**Narrow (Perspective)**  
**New View**  
**New Window**  
**New**  
**Next Keyframe**  
**Objects**  
**Open Geometry**  
**Open**  
**Orient to Object's**

**Orient to Working Plane**  
**Orient Working Plane**  
**Orientation (Align)**  
**Orthographic (Perspective)**  
**Paste**  
**Perspective**  
**Play**  
**Position (Align)**  
**Preferences**  
**Previous Keyframe**  
**Print Setup**  
**Print**  
**Redo**  
**Refresh**  
**Render Style**  
**Render to Disk**  
**Repeat Track**  
**Reverse Ordering (Control Points)**  
**Revert**  
**Rewind**  
**Right (Orient to Object's)**  
**Right**  
**Save As**  
**Save**  
**Scale Time**  
**Scenes**  
**Score**  
**Select All**  
**Select First Control (Control Points)**  
**Select Next Control (Control Points)**  
**Selected Objects (Hide)**  
**Selected Objects (Show)**  
**Separate End Caps**  
**Set Background**  
**Shaders (Render Style)**  
**Show (Animation Path)**  
**Show Ground Plane**  
**Show Status Bar**  
**Show Tool Space**  
**Show Working Plane**  
**Show**  
**Simplify Geometry**  
**Simplify Position Track**  
**Smooth (Motion Style)**  
**Smooth (Render Style)**  
**Smooth Polylines**  
**Step Backward**  
**Step Forward**  
**Stop**  
**Three-Quarters**  
**Tile**  
**To Ground (Orient Working Plane)**  
**To Object (Align Camera)**  
**To View (Align Camera)**  
**To View (Orient Working Plane)**

**To World (Orient Working Plane)**

**Top (Orient to Object's)**

**Top**

**Trim Curves (Hide)**

**Trim Curves (Show)**

**Undo**

**Uniform Smoothing**

**Units**

**Very Wide (Perspective)**

**Views**

**Watch Links**

**Wide (Perspective)**

**Window Setup**

**Wireframe (Render Style)**

**World**

## Keyboard shortcuts

Click a category for more information:

**[Object snapping](#)**

**[Tool modifiers](#)**

**[Object manipulation](#)**

In addition, keyboard shortcuts for menu commands are shown in the menus.

## Object Snapping Keys

<b>Key</b>	<b>Snapping Constraint</b>
<b>v</b>	Constrains the movement of the object vertically across the working plane, along the x-axis.
<b>h</b>	Constrains the movement of the object horizontally across the working plane, along the y-axis.
<b>n</b>	Constrains the movement of the object along a line normal to the working plane, along the z-axis.
<b>p</b>	Constrains the movement of the object perpendicular to geometry in the hit radius.
<b>t</b>	Constrains the movement of the object tangent to geometry in the hit radius.
<b>o</b>	Snaps to the plane on which the selected object was created.
<b>x</b>	Disables snapping.
<b>2</b>	Snaps to a location on the working plane.
<b>3</b>	Snaps to a location in 3D space, off the working plane.

## Tool Modifier Keys

**To specify a new tool as default tool,** press F3 and select the tool.

**To rotate the view,** press F3 or F4 and drag with the hand tool.

**To scale the view,** press F2 and drag with the hand tool.

**To zoom out,** press F3 and click with the zoom tool.

**To break a profile at a single point,** press F3 and click with the trim tool.

**To apply a material to an object and all its child objects,** press F2 and click the parent object with the bucket tool.

**To delete a control point,** press F3 and click with the control point tool.

**To undo a trim,** show the trim curve, then press F3 and click the trim curve with the 3D trim tool.



## Object manipulation keys

**To break a tangent line, creating a sharp corner on a spline curve,** press B while dragging the tangent line.

**To nudge the selected object one unit at a time,** press the Up, Down, Left, or Right arrow key.

**To nudge the selected object forward or backward on the z-axis one unit at a time,** press Shift+Up arrow or Shift+Down arrow.

**To rotate the selected object freely,** press F3 (to rotate around y and z only) or F4 (to rotate around x and y only) and drag.

**To rotate the selected object one unit at a time,** press F3 (to rotate around y and z only) or F4 (to rotate around x and y only) with the Up, Down, Left, or Right arrow key.

**To scale the selected object freely,** press F2 and drag.

**To scale the selected object by a factor specified in the Preferences dialog box,** press F2 with the Up or Down arrow key.

**To duplicate an object,** select the object and press Ctrl+D.

**When moving an object to a new layer in the Layers browser,** you can move its children to the same layer by pressing F3 and clicking the Move button.

**To automatically watch link the camera to an object,** press F3 and select the object with the watch link tool.

## Glossary

Click a glossary term to see a definition:

**absolute value**  
**adaptive smoothing**  
**alpha channel**  
**ambient**  
**angle of view**  
**animation controls**  
**animation value**  
**anti-aliasing**  
**aspect ratio**  
**back-facing polygons**  
**ball-joint link**  
**bevel**  
**Bezier curve**  
**bitmap**  
**booleans**  
**browser**  
**bump map**  
**cartesian coordinate system**  
**center point**  
**chamfer**  
**child object**  
**clipping plane**  
**codec**  
**color**  
**compound profile**  
**compression**  
**cone angle**  
**construction objects**  
**cross-section**  
**cubic mapping**  
**current time field**  
**cycle**  
**cylindrical mapping**  
**default materials**  
**default tool**  
**defining geometry**  
**deformation animation**  
**delta change**  
**diffuse**  
**distant light**  
**distributed rendering**  
**dithering**  
**dolly**  
**down tree**  
**dynamic display area**  
**easing**  
**end cap**  
**end time**  
**environment map**  
**establishing shot**  
**extrude**

eye point  
fall off  
final rendering  
flipping  
fog  
frame  
frames per second  
free form deformation  
free link  
fresnel factor  
front-facing polygons  
gimbel lock  
Gouraud shading  
grid scale  
ground plane  
heads-up orientation axis  
hierarchy  
hither plane  
hit radius  
hot key area  
hue  
intensity  
interactive renderer  
interpolate  
intrinsic mapping  
keyframe  
layer  
lathe  
lights browser  
light editor  
light objects  
light switch  
line  
linear motion style  
linking  
local lights  
lock link  
look-at point  
luminance  
materials browser  
material editor  
mercator map  
menu bar  
model  
moire pattern  
negative lights  
noise function  
normal  
nudge  
object  
object axis  
objects browser  
objects filter  
objects of rotation  
offset the animation

**omni light**  
**opacity**  
**orthographic perspective**  
**pan**  
**parent-child relationship**  
**parent object**  
**parent relative**  
**paste-replace**  
**perspective**  
**Phong shading**  
**pitch**  
**pixel**  
**playback controls**  
**playback head**  
**playback modes**  
**polygon**  
**polygon normal**  
**polygon resolution**  
**polylist**  
**polyline**  
**polymesh**  
**preset views**  
**preview FPS**  
**profile**  
**projection mapping**  
**projection tool**  
**property**  
**quaternion**  
**RGB**  
**reflection**  
**refraction**  
**render**  
**roll**  
**roughness**  
**roughness map**  
**saturation**  
**scale**  
**scale an animation**  
**scanline renderer**  
**scene**  
**score**  
**shading**  
**shadows**  
**simplifying geometry**  
**skin**  
**smooth motion style**  
**smoothing**  
**specular**  
**specular map**  
**spherical mapping**  
**spline**  
**spotlight**  
**start time**  
**status bar**  
**substitution animation**

**surface**  
**surface color**  
**surface objects**  
**surface geometry**  
**sweep**  
**tangent line**  
**texture map**  
**tiling**  
**tilt**  
**timeline**  
**time mode**  
**time scale**  
**time value**  
**time zero**  
**tool palette**  
**tool space**  
**track**  
**trackball**  
**track filter**  
**tracking shot**  
**trucking shot**  
**translucent**  
**transparency**  
**trim curve**  
**uniform smoothing**  
**up vector**  
**u-v coordinates**  
**value**  
**velocity**  
**vertex**  
**vertex animation**  
**vertex normals**  
**view**  
**view angle**  
**view relative**  
**views browser**  
**view distance**  
**view distance line**  
**view distance vector**  
**watch link**  
**window**  
**working plane**  
**workspace**  
**world**  
**world scale**  
**Yaw**  
**yon plane**  
**Z-buffer render**

**absolute value:** A value or change in a value of a property that is made with respect to the original value.

**adaptive smoothing:** Smoothing that is applied where needed, rather than uniformly.

**alpha channel:** The piece of information about a pixel that describes its transparency, relative to the other pixels. This is used in compositing images together; it is distinct from object transparency.



**ambient:** A light or color that saturates a whole scene. It simulates the light that suffuses a scene after reflecting off of many objects. Ambient color in Extreme 3D is used to do shading calculations and exists as compensation for the fact that light that bounces off other objects in the real world is not present in the Extreme 3D world.

**angle of view:** The angle between opposite faces of the viewing pyramid. The viewing pyramid is created at the center of the view by two lines that are drawn from the view center to the bounds of the view. The angle of view is larger for a more extreme perspective.

**animation controls:** The Extreme 3D window that contains the VCR-like controls used to change the current time and playback an animation.

**animation value:** The value of a keyframe that represents the change in the object's property. The animation value of each keyframe, in combination with its time values and the motion style applied to keyframe ranges, determines how the animation for a property is interpolated.

**anti-aliasing:** Removes jaggies, the stair-casing effect that occurs when object edges are rendered as pixels. It does so by blending the object's color with what is behind it. Anti-aliasing also refers to filtering texture maps to prevent distracting moire patterns.

**aspect ratio:** The ratio of height to width of an image.

**back-facing polygons:** Those polygons whose normals point away from the viewer or camera.

**ball-joint link:** A link in which the child can rotate around its center point and be scaled independently of its parent, but cannot move independently of its parent.



**bevel (also chamfer):** An angled or shaped cut, such as the kind found on the edge of a mirror or a piece of molding. Use the Bevel Extrude tool to create beveled objects from profiles.

**Bezier curve:** The type of spline used in Extreme 3D.

**bitmap:** A 2D raster image that is composed of pixels. Extreme 3D creates BMP, PICT, and TARGA bitmaps.

**booleans:** Refers to the joining or removing of one shape from another. See also **trim**  
**curve**.

**browser:** One of several windows in Extreme 3D that organizes scene elements. There is a browser associated with each type of scene element (**Objects browser**, **Views browser**, **Lights browser**, and **Materials browser**). The Lights and Materials browsers each have editors associated with them that allow you to edit the properties of the scene elements they contain (**Light editor** and **Material editor**).

**bump map:** A bitmap image file (PICT or BMP) that is used to modify surface normals. When applied like a texture map to a surface, the values in the image are treated like a height field. The normal is perturbed accordingly, creating the illusion of bumps on the surface. The color of the map is not applied to the surface.

**cartesian coordinate system:** A geometry system in which numbers are used to locate a point on a plane in relation to an origin where one or more lines intersect.

**center point:** The point of an object around which the object rotates. The center point of all objects can be moved. The location of an object's center point determines how it will be linked or aligned, and how its surface control points will move when edited.



**child object:** The subordinate object in a linked object hierarchy. By default, all objects are children of the world, so their positions and orientations are relative to the world's coordinate system until they are linked to another object. When linked, the child's position and orientation is relative to its parent.

**clipping plane:** A plane beyond which an object is not visible. A view of the world has six clipping planes: top, bottom, left, right, hither, and yon.

**codec:** a technique for compressing and decompressing a sequence of images (such as QuickTime or AVI movies) so they take up less space but can be displayed without a loss of information when they are re-opened. See also **compression**.

**color:** A property of lights and materials. Materials can be comprised of several colors. Color is represented as a combination of three values: red, green, and blue.

**compound profile:** A profile that is created by modifying or combining other profiles or parts of profiles.

**compression:** One of several techniques for storing images so they take up less space. These techniques can be based on color comparisons, difference comparisons, or hardware requirements. See also **codec**.

**cone angle:** Angle of the cone of light of a spotlight. In Extreme 3D, the maximum cone angle is 50 degrees.

**construction objects:** A set of reference objects--grids, axes, points, and lines--to which you can snap or align the components of your model. Construction objects do not appear in a final render.



**cross-section:** A means of creating a surface from two profiles by stretching one profile (the cross-section) along the shape of the second profile (the face).

**cubic mapping:** A method of placing a texture map on an object such that the map is replicated six times. When cubic mapping is applied to a cube, each face is covered by one copy of the map.

**current time field:** The fields at the top of the both the animation controls and the score that show and set the current animation time.

**cycle:** The repetition of a segment of animation used to create repetitive motions like pistons pumping, birds flying, and flags waving.

**cylindrical mapping:** A method of placing a texture map on an object such that the map is wrapped into a cylindrical shape around the object and then shrink-wrapped onto it. For example, cylindrical mapping can be used to place a label on a bottle.

**default materials:** The set of material prototypes in Extreme 3D that are used to generate a number of custom materials by editing their basic properties. Extreme 3D has 9 default materials.

**default tool:** The tool that automatically becomes the selected tool when you finish using any other tool. When you first launch Extreme 3D the arrow tool is the default tool. If you use a tool different from the arrow tool repeatedly, you might want to make it the default tool by selecting it while pressing the F4 key.

**defining geometry:** The profiles and tool settings from which a surface was created. Extreme 3D lets you edit defining geometry even after the surface has been created.



**deformation animation:** A method of animating changes to the shape of an object by using the free-form deformation tools.

**delta change:** The values of an object's position or orientation that represent the amount the value has changed from its previous value. If you know how much you want a value to change, use Delta to View and enter the known value into the position or orientation field.

**diffuse:** The surface color of an object. How the diffuse color looks in the Extreme 3D world depends on the angle at which the lights in the scene strike it. This is why the diffuse color of a sphere falls off as the surface curves away from the light source.

**distant light:** A light in the Extreme 3D scene that exists at a point infinitely far away and whose effect does not diminish over distance. Distant lights have orientation but not position values.

**distributed rendering:** The process of rendering one or more files on a single machine or over a network. With distributed rendering you can simultaneously render different frames of a single scene by using the processing power of several machines on a network.

**dithering:** A way of using many pixels of different colors to create the appearance of a color in-between those of the pixels.

**dolly:** A camera motion made with a film or video camera by moving the camera in a smooth gliding motion along the sight of the camera. With film and video cameras this move is usually performed with the aid of a wheeled vehicle called a dolly.

**down tree:** All those objects that are children to an object.



**dynamic display area:** The fields at the top of the score that display the keyframe values for the currently selected track at the current time.

**easing:** Controls the way animation is interpolated between keyframes. Easing in gradually accelerates the animation from zero velocity; easing out gradually decelerates the animation to zero velocity.

**end cap:** A special piece of geometry created by the lathe, sweep, and extrude operations and linked to the object to close their otherwise open ends.

**end time:** The field on the animation controls where you set the end point of the animation playback.

**environment map:** An image file (PICT or BMP) that provides an environment for reflective surfaces to reflect. This allows the user to "fake" reflections of a scene surrounding an object.

**establishing shot:** The initial view that usually encompasses the entire scene from which camera animation is begun. It is common in traditional film and video work to use establishing shots.

**extrude:** Creates a surface by extending a profile into space along a specified line. In a real-world example of this process, wood, metal, or clay are forced through a die of a certain shape. Water system conduit and pasta are made by extruding.

**eye point:** The location of the viewer relative to the Extreme 3D world. Views and the camera have an eye point.



**fall off:** The distance at which a light is at half intensity. In the real world, intensity falls off with respect to the distance of a light. In Extreme 3D you control the fall-off through this value.

**final rendering:** Uses the high-quality renderer, and can calculate all materials and effects. It takes longer to render with the final renderer. The time difference varies greatly depending on how complicated the scene is, the effects used, and which rendering options are selected.

**flipping:** A method of placing a texture map on an object that mirrors the texture map across the axis you specify.

**fog:** A lighting effect that simulates the effect of fog or haze. In Extreme 3D, use Global Effects to add fog to the scene.

**frame:** One of the many individual images contained in an animation.

**frames per second:** A preference that controls the number of frames that will be generated for each second of animation.

**free form deformation:** A technique for deforming the shape of objects. To use the free form deformation tools objects must be simplified. Extreme 3D has five different free-form deformation tools--stretch, twist, bend, taper and skew.

**free link:** A link in which the child object can move independently of its parent, but moves when the parent moves. The child changes scale, orientation, and position in response to corresponding changes in the parent's scale, orientation, and position.



**fresnel factor:** An optical effect that makes objects look more optically realistic. When brighten edges is selected in one of the smoothing dialog boxes, the reflection intensity increases at the object edges. That is, the edges are brighter and the same color as the light.

**front-facing polygons:** Those polygons whose normals point towards the viewer or camera.

**gimbel lock:** A situation in which an object loses the freedom to rotate around one or more of its axes. Extreme 3D's use of quaternions to calculate rotations prevents gimbel lock.

**Gouraud shading:** A shading calculation that computes shading only at polygon vertices and averages that color information across polygon faces to create a smooth rendered look and a fairly accurate idea the effect of lights. The **Smooth render style** uses Gouraud shading for interactive and final renders. The **Shader render style** use Gouraud shading for interactive renders.

**grid scale:** That part of the world to grid scale ratio that represents the size an object would be in the real world.

**ground plane:** A grid that is located at the center of the Extreme 3D world. It is oriented to the x-z plane to create a reference for the ground.

**heads-up orientation axis:** The axis that appears in the lower left corner of the workspace. It indicates the orientation of the view with respect to the world's coordinate system. The positive directions of each of the world's coordinates are represented by their letter names: x, y, and z.

**hierarchy:** The relationship of all the objects in Extreme 3D world to each other and to the world itself. The World browser and the score present a schematic way of looking at the Extreme 3D hierarchy.



**hit radius:** An area four pixels in diameter around the cursor in which Extreme 3D searches for objects to snap to.

**hot key area:** The space at the left end of the tool space that provides feedback about the current snap-to-grid setting.

**hue:** The particular shade or tint of a color.

**intensity:** The brightness of a light.

**interactive renderer:** Creates an approximate render of the scene. It works much more quickly than the final renderer. With this renderer, you can see shapes and colors, but some of the scene's details, like shadows and fog, are not rendered.

**interpolate:** The calculation done by the computer to estimate the unknown values that fall between two known values. The animation values between two keyframes are interpolations done by the computer.

**intrinsic mapping:** A means of placing a texture map on a surface using the object's own geometry as a guide to placement. Other placement techniques, such as spherical and cylindrical, assume the geometry of a sphere or a cylinder to guide the placement.

**keyframe:** The animation information that a property has at a specific time. Keyframes are indicated in the score as small rectangles distributed across the property's track. Keyframes are automatically created when you change values at any time other than time zero.



**layer:** A means of organizing objects in the Extreme 3D world so that they can be hidden and shown in related groups.

**lathe:** A means of creating a surface by rotating a profile around an axis. In the real world, wood or metal are turned on lathes against different shaped carving tools to create table legs and stair rails. In Extreme 3D the profile can be thought of as the carving tool which carves a surface.

**lights browser:** The window in Extreme 3D used for creating, organizing, and manipulating lights.

**light editor:** Displays the properties for the default lights and lets you edit the properties of lights as you customize them.

**light objects:** The objects in the workspace that represent omni lights and spotlights in the Extreme 3D world.

**light switch:** The property of a light that allows you to toggle the light's effect off and on. The default state for all lights is on.

**line:** The length that extends between two points. Use the line tool to draw a straight line in the workspace.

**linear motion style:** Calculates the unknown frame values between two known keyframe values or an animation track by figuring out the shortest distance between the two values.



**linking:** A technique for creating object hierarchies. When you link one object to another object, the second object becomes subordinate to the first object. The first object is called the parent object and the second object is called the child object. The child object's position and orientation are relative to its parent rather than to the world. Parents can have any number of children, which in turn can have their own children. A child, however, can only have a single parent.

**local lights:** The generic term for omni light and spotlight objects.

**lock link:** A link in which the child object is bound to its parent, changing scale, orientation, and position in response to corresponding changes in the parent's scale, orientation, and position. Neither the parent nor the child object can move, rotate, or be scaled independently of each other.

**look-at point:** The center of the view, that is, the point in the world at which the view converges. Views and the camera have a look-at point.

**luminance:** The brightness or value of a color. It also refers to the total amount of light emitted by an object.

**materials browser:** The main window in Extreme 3D for creating, organizing, and manipulating materials.

**material editor:** Displays the properties of the default materials and lets you edit the properties of materials as you customize them.

**mercator map:** A 2-dimensional map in which meridians are straight lines at right angles to the equator. A mercator map of the world distorts the north and south poles, but when mapped to a sphere or reflection mapped these features appear to be correct.



**menu bar:** Contains editing, viewing, object manipulation, animation, rendering, and file and window management commands.

**model:** An object hierarchy that is created by orienting and aligning surfaces with one another and linking them together.

**moire pattern:** A watery, wavy pattern that occurs when the stripes in striped patterns are close together and become aliased.

**negative lights:** lights with intensity values less than 0.

**noise function:** A mathematical calculation that uses randomness to generate a color pattern. This improves photorealism in 3D scenes.

**normal:** The direction that is perpendicular to a polygon's surface that is used by Extreme 3D to perform shading and smoothing calculations (also known as a **polygon normal**). Normals are not displayed and cannot be directly manipulated in Extreme 3D. However, the Display Polygons and Reverse Ordering commands, and the Render Edges Sharper option in the Uniform and Adaptive smoothing dialog boxes use surface normals to calculate shading when objects are rendered.

**nudge:** To move, scale, and rotate objects in very small increments in the workspace using the arrow keys. Set nudge increments in the Preferences dialog box.

**object:** Any reference guide, profile, surface, or model that can be moved, scaled, or rotated in the Extreme 3D workspace.



**object axis:** The axis that appears at the center of all objects when the Display Object Axis preference is selected. This axis indicates the orientation of the object in the 3D world's coordinate system.

**objects browser:** The window in Extreme 3D used for naming, moving, reorienting, and manipulating 3D objects and profiles.

**objects filter:** A filter field in the score that allows you to choose the type of objects to be displayed in the score list and for which you want animation information displayed.

**objects of rotation:** Objects created with the lathe tool. They are inherently circular, although they may be lathed through only a portion of the circle. Also called surface of rotation.

**offset the animation:** To move the beginning and ending times of an animation.

**omni light:** A light that has a position in the 3D world and is represented as an object within the 3D scene. It shines in all directions (360 degrees).

**opacity:** Determines how much an object's surface occludes those objects behind it. In Extreme 3D, the opacity value directly manipulates the alpha channel.

**orthographic perspective:** A viewing perspective that uses an infinite viewing distance. With an orthographic view there is no distortion of objects. Objects are lined up in the order they recede from the viewer and object size is displayed as if each object were the same distance from the viewer.



**pan:** A camera move accomplished by rotating the camera side-to-side about its vertical (y) axis.

**parent-child relationship:** The hierarchical relationship of linked objects that comprise a model.

**parent object:** An object that has one or more objects subordinate to it in a linked hierarchy.

**parent relative:** Each object in the world and the world itself exists within a coordinate system. The world's coordinate system is always indicated by the head-up orientation axis. The coordinate system of each object is indicated by the object's axis. When you enter values for an object's position and orientation properties in the Objects browser and parent relative is chosen, the object moves relative the its parent's coordinate system.

**paste-replace:** Pastes and replaces an object to the position and orientation of a selected object.

**perspective:** A way of viewing objects in 3D space that distorts them according to their view distance from the eye point of the view to duplicate the perspective of the real world. The shorter the view distance, the wider the perspective and the more distorted the object appears; the greater the view distance, the narrower the perspective.

**Phong shading:** A rendering algorithm that computes shading at every pixel, creating higher quality surfaces than Gouraud shading. Phong shading takes more time to render. Extreme 3D uses Phong shading in its 32-bit final render.

**pitch:** Rotation around an x-axis.



**pixel:** One of the small dots (picture elements) that make up a computer image.

**playback controls:** The buttons on the animation controls that work like standard VCR controls: **play, stop, rewind, fast forward, step backward, step forward.**

**playback head:** The marker in the score that can be dragged along the timeline to set the current time. The playback head updates automatically to the current frame when the current time is changed.

**playback modes:** The three settings on the animation controls that determine how the animation plays back. The **normal** setting plays the animation once from the start time to the end time; **loop** plays the animation repeatedly from the start time to the end time until you choose to stop; **reverse playback** plays the animation forward (from the start time to the end time), then plays it in reverse (from the end time to the start time continuously.)

**polygon:** A portion of a surface defined by straight edges. In Extreme 3D, polygons are the smallest unit of geometry and assumed to be flat or planar surfaces. Surfaces can be reduced to polygons by simplifying them twice. The process of reducing surfaces to polygons is sometimes called tessellating, or faceting the surface. For purposes of rendering control, any surface in Extreme 3D can be displayed or rendered as polygons without simplifying the surface by using the render styles available on the Object menu. Extreme 3D converts all surfaces to polygons in order to render them.

**polygon resolution:** The number of polygons that are drawn to represent an object's surface, as seen when you choose the wireframe render style.

**polylist:** A collection of polygons that describe a surface. A surface with a hole that is twice simplified results in a polylist. The polygons of polylist surfaces can have any number of sides. The vertices of adjacent polylist polygons are not necessarily shared.

**polyline:** A line that has more than two points and defines a sequence of straight lines.



**polymesh:** A rectangular array of vertices that describe a surface. Most surfaces that are twice simplified result in a polymesh. The polygons of a polymesh surface are created by connecting vertices in a prescribed rectangular pattern. The vertices of adjacent polymesh polygons are always shared.

**preset views:** A set of views available in the View menu that allow you to quickly change your view of the workspace and Extreme 3D world. These views enable you to see a model or a scene from several preset angles, including front, top, and right.

**preview FPS:** The field on the animation controls where you set a temporary frames-per-second rate for previewing animation sequences in the workspace.

**profile:** The fundamental defining geometry of any Extreme 3D object. Typically, models in Extreme 3D are created by drawing profiles using the line, polyline, spline, rectangle, square, polygon, circle, ellipse, arc, or tangent arc tools. Extreme 3D's geometry tools--extrude, lathe, sweep, or skin--can then be used to turn one or more profiles into a surface.

**projection mapping:** A method of placing a texture map on an object such that the texture is projected through the object's surface in much the same way that a photo transparency is projected through a movie screen or curtain.

**projection tool:** A tool that projects the shape of a profile onto a surface for the purpose of trimming the surface.

**property:** An attribute of an object that can be animated. Position, color, and visibility are all examples of object properties.

**quaternion:** A set of four values used by Extreme 3D to describe an object's axis and its rotation relative to that axis. Use of quaternions avoids gimbel lock.



**RGB:** An acronym that stands for red, green, blue. It is the combination of red, green, and blue color values that create a given color. Each pixel has its own RGB value. When 32-bit color depth is selected, each pixel also has alpha channel (opacity) information.

**reflection:** Light that is thrown back from the surface of an object.

**refraction:** Light that is bent as it passes through one medium (air for example) into another medium of a different density (glass for example).

**render:** Creating a two-dimensional picture or series of pictures from the 3-dimensional geometry, lights, and materials information contained in a scene file.

**roll:** Rotation of an object or camera around the z-axis.

**roughness:** One of the material attributes that affects the specular reflections from an object. In the real world this quality is determined by the physical roughness of a surface. The finish of a paint, for example, is determined by the height of particles left suspended on the paint. Paints that have a high gloss finish contain fewer bumps than paints that have a flat finish. The roughness attribute lets you have the same kind of control in 3D shading calculations. Extreme 3D uses a color for roughness that allows independent control of the red, green, and blue roughness values.

**roughness map:** A texture map that is used instead of a roughness color to control highlights. Roughness maps are often used with specular maps to achieve this effect.

**saturation:** The degree of intensity of a color. A color that has less gray in it is more highly saturated.



**scale:** Makes an object proportionately smaller or larger in all three dimensions.

**scale an animation:** Lengthen or shorten an animation.

**scanline renderer:** Extreme 3D uses a scanline renderer for 32-bit final renders. All 3D renderers need to solve the same problem: What happens when two pixels are in the same place, such as when one object is in front of another? Scanline renderers solve this problem by keeping track of the geometry of all objects in the scene and sorting objects by their distance from the camera at render time.

**scene:** An Extreme 3D world that you have customized by adding models, lights, materials and/or animation to, and saved in an E3D file.

**score:** The Extreme 3D window that contains all the time information about each object and property in the scene.

**shading:** The coloration of a surface that results from the light striking the surface at an angle.

**shadows:** A property of distant lights and spotlights that accurately renders shadows cast by one object onto the surface of another object. How dark the shadows are depends in part on the ambient color, as set in Global Effects.

**simplifying geometry:** The process of providing access to all the surfaces, splines, polygons, and vertices of the geometry that make up an object. When a 3D object is simplified in Extreme 3D, the geometry is accessible first as a surface. Each successive simplification removes a level of geometry until the geometry is represented as a set of polygons.



**skin:** Stretches a surface over a series of profile ribs. A canoe or an airplane wing are examples of objects that can be built by skinning.

**smooth motion style:** Calculates the unknown frame values between two known keyframe values or an animation track by interpolating the distance as a curve rather than as a straight line.

**smoothing:** A technique that allows you to interactively change the polygon resolution of a surface and set the polygon resolution for the final render. Extreme 3D supports two kinds of smoothing. **Adaptive smoothing** interprets the surface of a model as polygons that are concentrated more in areas where the surface bends or changes direction rather than in broad or flat expanses of surface. **Uniform smoothing** converts the surface of a model into a gridwork of evenly spaced polygons.

**specular:** The direct reflection of light off of a surface. The specular color determines the color of the specular highlight of a material.

**specular map:** A texture map used instead of a specular color to control highlights. Often specular maps are used with roughness maps to achieve this effect. Typical specular maps include images that are created with noise filters and images composed of cross-hatches or scratches.

**spherical mapping:** A method of placing a texture map on an object style that wraps the map like a cylinder around a sphere and then pinches the top and bottom of the image into poles, reducing the top and bottom into one point. Then the image is shrink-wrapped onto the object. By using a mercator map of the world and using spherical mapping on a sphere you can create a globe of the world. See also **mercator map**.

**spline:** A curve that is defined by three or more control points. The angle of the curve at each control point can be controlled by adjusting the control point's tangent lines. Extreme 3-D is a spline-based modeler, which means that all surfaces consist of a matrix of spline curves instead of a matrix of polygons. This gives you the ability to edit and animate surfaces as spline curves.

**spotlight:** A light that is represented as an object within the Extreme 3D scene whose beam is emitted as a cone of light that can be specified to be brighter in the middle than at the edge. Spotlights can have both positions and orientations.



**start time:** The field on the animation controls where you set the beginning point of the animation playback.

**status bar:** A help bar at the bottom of the Extreme 3D screen that gives you information about using Extreme 3D tools, menu items, and controls. When the cursor is over a tool in the tool palette, the status bar displays the name of the tool. When a tool is selected and the cursor is in the workspace, the status bar tells you how to use the tool. If there are several steps involved in using a tool, the status bar displays each step in succession--when you complete one step, the next is displayed.

**substitution animation:** A method of animating seemingly instant changes in which one object is substituted for another object at a specific frame.

**surface:** A matrix of spline-based control points and tangent line end points created by applying one of Extreme 3D's geometry tools to a profile.

**surface color:** This color is combined with the diffuse value to calculate the final color of an object.

**surface objects:** Three-dimensional objects built from one or more profiles using one of the 3D geometry tools.

**surface geometry:** The geometry that is exposed when a surface object has been simplified once. At this level the object appears as a matrix of spline-based control points.

**sweep:** Creates a surface by pulling a profile along a specified path. Sweeping is similar to extrusion, except that sweeping allows you to create more complex shapes that twist and bend because the profile can be swept along a curve instead of being restricted to a line. Sweeping does not have a real-world parallel, however an object like a faucet can be thought of as a swept object.



**tangent line:** A line that passes through the control point of a spline and is tangent to the curve. The tangent line can be used to adjust the angle of the curve.

**texture map:** A picture in the form of a PICT or BMP file that is applied to a surface by relating the internal coordinates of the picture (sometimes called u-v coordinates) to the object coordinates of the surface. Specular and bump maps are special kinds of texture maps.

**tiling:** A method of placing a texture map on an object that replicates the texture map across the surface of the object. The number of times the map is tiled is determined by the map's scale. You specify the scale when you place the map with one of the texture map placement tools.

**tilt:** A camera move that is performed by rotating the camera up and down about its horizontal (x) axis. Tilts are usually less than 180 degrees. They are sometimes called vertical pans.

**timeline:** The graduated scale along the top of the score that displays the time continuum of an animation as calculated by the frames-per-second value set in the Preferences dialog box.

**time mode:** A preference that determines how time is displayed in the current time field of the animation controls and the score.

**time scale:** The filter field in the score that allows you to set the granularity of the score's display of keyframes.

**time value:** The keyframe value that represents the moment in the animation in which a change takes place. The time value for each keyframe, in combination with its animation values and the motion style applied to keyframe ranges, determines how the animation for a property is interpolated.



**time zero:** The point at which animation begins in the Extreme 3D score. You can go to time zero by setting the current frame field or moving the playback head in the score to 0.

**tool palette:** The window that contains tools for creating, modeling, editing, and manipulating profiles and surfaces.

**tool space:** Displays numerical text and measurement information. When creating profiles and surfaces, you can edit these values.

**track:** Stores all the animation information that belongs to a single property for the length of the animation.

**trackball:** The cube in the browsers that represent the orientation of the current view or object.

**track filter:** A filter field in the score that allows you to choose the properties whose names you want displayed in the score list and for which you want animation information displayed.

**tracking shot:** A camera move that involves moving the camera in a smooth gliding motion past the subject on a plane parallel to it. Sometimes this is called a trucking shot.

**translucent:** A substance that lets light through but diffuses it so that objects cannot be clearly seen on the other side of it, such as frosted glass.



**transparency:** See opacity and alpha channel.

**trim curve:** A curve drawn on an object's surface after a profile has been projected onto the surface or another object has been intersected with it. The trim curve allows you trim away parts of the surface.

**up vector:** A line perpendicular to the eye point of the camera that allows the camera object to be rolled around the eye point. The up vector also keeps the camera from turning upside down when it is watch linked to another object. Any object that is watch linked has an implied up vector.

**u-v coordinates:** A rectangular 2D coordinate system imposed on a surface for the purpose of matching a texture map to a three dimensional surface.

**value:** The brightness of a color in a Hue, Saturation, Value color system.

**velocity:** The rate of change in an object's position relative to time.

**vertex:** The x, y, and z location of each corner of a polygon or control point.

**vertex animation:** A method of animating changes to the shape of an object by animating its surface control points directly in the workspace.



**view:** A means of changing your position relative to the world. Views can be thought of as the directions you give to the computer to fly you through the world in order to look at objects in it.

**view relative:** In view space, the positive X-axis always points to the right of the screen and the Y-axis always points up. When you enter values for an object's position and orientation properties in the Objects browser and select view relative, the object moves relative the view's coordinate system. For example, entering a value of one in the X field moves the object one unit to the right.

**views browser:** The window in Extreme 3D used for creating, organizing, and manipulating views.

**view distance:** The distance between the eye point and the look-at point of the camera or a view.

**view distance line:** The part of the camera object that represents the camera's view distance. It is indicated by a line between the eye point and look-at point.

**view distance vector:** The control point on the camera that adjusts the camera's view distance line and its perspective.

**watch link:** A linking technique in which the z-axis of an object stays oriented to, and "watches" the center of another object. When the parent moves, the child rotates to orient its z-axis to the watched object's new position. Both objects can move independently of one another. This link is most useful for making the camera and lights follow animated objects. Both objects can be part of other linked hierarchies.

**window:** The frame around and boundary of the workspace. The workspace size is determined by the size of the window. Up to ten windows can be open simultaneously in Extreme 3D and windows of different sizes are supported. The size of a final rendered image is determined by the size of the window that is selected when rendering begins.



**working plane:** The drawing grid that appears by default in the center of the workspace when you first open Extreme 3D. There is always one (and only one) working plane in the workspace. The working plane can be oriented to any position in the Extreme 3D world.

**workspace:** The portion of the Extreme 3D world that is visible in each Extreme 3D window. The workspace allows you to directly interact with the objects in the Extreme 3D world.

**world:** The volume of simulated 3D space in which Extreme 3D models are built and scenes are created. Every point in the world can be defined as a coordinate of the world's x, y, and z axes. This virtual world can accommodate almost any size model or scene including objects scaled to actual size. It is limited only by your computer's memory capacity and speed.

**world scale:** That part of the world to grid scale ratio that represents the size an object is on the screen.

**Yaw:** Rotation around the y-axis.

**Z-buffer render:** Extreme 3D uses a z-buffer renderer for interactive renders. All 3D renderers need to solve the same problem: What happens when two pixels are in the same place, such as when one object is in front of another? Z-buffer renderers solve this problem by storing the distance of each pixel from the camera plane (the z-distance). The pixel that corresponds to the object closest to the camera is rendered last (on top).

## **File menu**

Click a command or submenu to see information about it.

**New**  
**Open**  
**Close**  
**Save**  
**Save As**  
**Revert**  
**Import**  
**Export**  
**Print Setup**  
**Print**  
**Exit**

The File menu includes commands for creating, opening, closing, saving, and printing Extreme 3D scenes, and for exporting and importing files to and from other applications. Depending on the amount of memory in your computer, you can have up to four scenes open at a time.

## New

**Shortcut:** Control+N

Opens a new, untitled scene in Extreme 3D.

When it is first opened, the new scene has the attributes defined in the Extreme 3D defaults file. This file is called Default.E3D and is located in the Scripts folder or directory.

You can customize the defaults file. For example, you may choose to add commonly used views and lighting setups to it or change the measurement system to metric. To use the settings of the current file as the defaults, back up the current Default.E3D by renaming it. Then choose Save As from the File menu, choose the Scripts directory or folder, and name the current file Default.E3D.

Another way to save library items such as lights, custom views, and materials to the default file is to copy and paste those items from any Extreme 3D file to the Default.E3D file. To do so, open both files. Copy the desired items from the World browser of the first file and then paste them into the default file's World browser.



## Open

**Shortcut:** Control+O

Opens an existing scene file or MacroModel model. The standard directory dialog box appears, showing a list of scene files. All Extreme 3D scene files have the extension .E3D and MacroModel files use the extension .MDL (Windows). Locate the scene files by navigating the directories or folders. Open a scene by double-clicking its name or by selecting its name and clicking Open. Up to four scene files can be open at once, but only one scene is visible at a time.

**Note:** When opened in Extreme 3D, MacroModel models are converted to Extreme 3D scenes. Once saved in Extreme 3D format, they cannot be opened in MacroModel.

## Close

**Shortcut:** Control+F4

Closes the current scene.

## Save

**Shortcut:** Control+S

Saves the current version of the active scene. This replaces the previous version saved under the same name and allows you to continue working on the scene.

The first time you choose Save after creating a new scene, the Save As dialog box opens so that you can name the scene and choose a directory or folder in which to save it.

Extreme 3D scenes are in a cross-platform file format. Scenes created on the Macintosh can be opened in the Windows version and vice versa.

**Note:** The keyboard characters / \ . ? < > | and curly quotation marks can be used in Macintosh filenames but are not valid in Windows. Filenames that have illegal characters are automatically corrected in Windows.

Extreme 3D saves the following information with the scene:

- Current window configurations (to change default window configurations, change them in the DEFAULT.E3D file)
- Units settings
- Visibility of the working plane, construction objects, and ground plane
- Model information:
  - All geometry information
  - Render style
  - Linking information
  - Smoothness settings
  - Background color and background picture
- Animation information:
  - Tracks and keyframes
  - Score configurations, including object and track filters, and score position
  - Frame rate information
  - Time mode setting
  - Total length of the animation
- Views and camera settings
- Materials used in the scene
- Global effects settings.
- Final render settings.

## **Save As**

Allows you to save an untitled scene, change the name of the current scene, or save the scene to a different location. Type the name of the scene in the file name text field. If you change the location or drive listed in the directory dialog box, that location becomes the default in the Open dialog box.

## **Revert**

Reverts to the last saved version of the current scene. Extreme 3D asks you to confirm this command, since any changes you've made to the scene since the last time you saved the file will be lost.

## Import

Imports a file into Extreme 3D and merges the file's contents into the current scene. You can import information about profiles, 3D geometry, animation, or text, depending on the type of file you import. You cannot import information about lights or materials.

There are three options in the Files section of the Preferences dialog box that affect the type of files that you can import. For example, to import text into Extreme 3D, you must select the Import Text checkbox under the Files page in the [Preferences](#) dialog box.

The Import submenu lists the following file types:

- **Metafile**--A 2D image file format that can contain vector information.
- **EPSF**--A 2D file format created by illustration products such as Macromedia FreeHand. Extreme 3D reads files in EPSF format and creates profiles from them. Only geometry information is imported.
- **DXF**--An ASCII file format that can be converted into 2D or 3D geometry. (Note: There are a few variations within the DXF format; some will not import successfully.)
- **Extreme 3D Tracks**--ASCII files that allow motion data generated from Extreme 3D or other sources to be imported. The name of an object and the data that will be applied to it must appear in the file.
- **FreeHand 4.0/5.X**--A 2D file created with Freehand; Extreme 3D imports the geometry only, ignoring fill patterns and bitmaps.

When you choose an option from the Import submenu, the Import dialog box appears.

Use the options in the directory dialog box to locate the file to import. Click Open to import the file. After the file is imported, you may need to choose Fit to Window from the View menu to see all imported geometry in the workspace.

**Note:** Extreme 3D scene files cannot be imported. To include elements from a previously created scene in the current scene, open the desired file, copy the elements you want, and paste them into the current scene.

## Export

**Related topic:** [Exporting scenes](#)

Exports an Extreme 3D scene as a DXF, metafile, or bitmap file. Metafile and bitmap files are 2D file formats. DXF is a 3D file format. When you choose an option from the Export submenu, the Export dialog box appears.

Type the scene's filename in the file name field. Choose a location for the exported file and click Save. See the [Exporting scenes](#) help topic for a description of the attributes that are retained by each format.

## Exporting scenes

The following sections describe file format information for 2D and 3D file formats that Extreme 3D exports.

**Note:** There are options under the Files page of the [Preferences](#) dialog box that affect the export of some file types. For example, to export a DXF file with the construction geometry included, you must select the Output Construction Geometry to DXF checkbox.

### Exporting scenes in 2D formats

Depending on the file format, 2D scenes exported by Extreme 3D can contain 2D geometry, colors, shading, shadows, and anti-aliasing information. The following table describes the 2D formats that Extreme 3D uses to export 2D model information. Each of these formats retains some but not all of the model information that Extreme 3D exports.

- **Metafile:** A scene in metafile format contains rendered 2D geometry plus a bounding rectangle. Extreme 3D uses a metafile format that can be placed, offset, and scaled after it is imported. When you export scenes in metafile format, smooth shading, shadows, and anti-aliasing are not retained. Metafile format is useful for technical desktop publishing and high-resolution printing, and allows for rescaling of polygons.
- **Bitmap:** A scene exported in bitmap format is an image of the current frame of your Extreme 3D scene. When exported, all elements of the current frame are rendered exactly as they are on screen, except for any red selection lines. Bitmapped files do not retain information about individual objects from which the scene was created. However, the bitmapped image retains the appearance of shadows, shading, and anti-aliasing.

Attribute	Metafile	Bitmap
2D geometry	X	
Colors	X	X
Shading	X	X
Shadows		X
Anti-aliasing		X

### Exporting scenes in 3D format

DXF is a 3D format. Extreme 3D scenes saved in DXF format can be used in applications that use DXF files for CAD, rendering, and animation.

DXF models are exported as triangles. Adjust the surface smoothness of objects to control each object's polygon density.

To export the working plane and construction geometry (except construction points) with DXF files, use the Output Construction Geometry to DXF option on the Files page of the Preferences dialog box.

Extreme 3D Tracks exports position and orientation tracks only.

Attribute	DXF	Extreme 3D Tracks
2D geometry	X	
3D geometry	X	



Object hierarchy		
Lights		
Object names		
Layers	X	
Materials		
Animation		X*

\*Position and orientation tracks only

**Note:** When you export a 3D object, you lose some 3D geometry information. Only information about polygons is saved. Therefore, if you later reimport the scene into Extreme 3D, levels of information about geometry are lost. Polygon resolution can be controlled through the Adaptive or Uniform Smoothing dialog boxes.

## **Print Setup**

Opens the Print Setup dialog box for the installed printer. See the documentation that came with your computer for an explanation of the standard features in this dialog box.

## Print

**Shortcut:** Control+P

Prints the workspace of the current window of the scene. When you choose the Print command, the standard Print dialog box for the installed printer appears.

Bitmaps print at screen resolution. For information about rendering large images, or images whose size is different from the current window size, see the [Render to Disk](#) help topic.

## Exit

**Shortcut:** Alt+F4

Exits Extreme 3D. If any of the currently open scenes have unsaved changes, you are prompted to save.

## Edit menu

The Edit menu contains commands for undoing and redoing operations in Extreme 3D, and for handling Clipboard operations such as cutting, copying, and pasting, and for setting preferences. This menu also contains a command for finding items in the current scene.

Click a command to see information about it:

**Undo/Redo**

**History Backward**

**History Forward**

**Cut**

**Copy**

**Paste**

**Delete**

**Duplicate**

**Select All**

**Get Info**

**Find**

**Preferences**

## Undo, Redo, History Backward, and History Forward commands

### Undo/Redo

The Undo command undoes the last action in the active window. When you choose this command, the menu item changes to Redo.

**Shortcut:** Control+Z

In general, use this command when you've made a mistake. If you haven't executed an operation after the error, the screen is restored as it was before the mistake was made. Undo is also useful for double-checking your last action because the command name changes to indicate what will be undone.

Some commands--such as opening or saving a file, or selecting objects--are irreversible. When an action cannot be undone, you can revert to the last saved version of the file by using the Revert command on the File menu.

To undo more than one action, choose History Backward.

### History Backward

**Shortcut:** Control+H

Moves backwards through a history list of actions that have been performed and undoes up to the last 10 actions performed in the active window. All changes in the workspace, including view changes, enter the undo queue. If there are no more changes to undo, or if no changes have been made to the current scene since the last Save, this command is dimmed. When you make another scene active, the existing list of actions that you can undo is lost.

### History Forward

**Shortcut:** Shift+Control+H

Moves forward through a history list of actions that have been undone and performs those actions again. There are 10 redo actions in the history list. If there are no more actions left to redo, the command is dimmed.

## Cut

**Shortcut:** Shift+Delete or Control+X

Removes the selection from the scene and places it on the Clipboard. The Clipboard contents can then be pasted elsewhere in Extreme 3D. This command operates on multiple selected geometry objects in the workspace or a single selected geometry object in the World browser, a selected animation path in the workspace, selected tracks in the score, a selected keyframe or range of keyframes in the score, and a selected item in a current browser including a view, light, material, or image. When you cut an object that is a parent link to other objects, the child objects are cut as well. Child objects are highlighted in gray when the parent is selected. When cutting an animated object from the workspace, its animation tracks are cut as well. You can cut and copy objects among multiple open scenes.

### Cutting multiple objects

If the selection includes more than one geometry object, Extreme 3D adds a construction point to the selection when it is cut to the Clipboard. The construction point becomes a parent to the selected objects and serves as a reference point for maintaining the objects' spatial relationships to each other. This object appears in the World browser as ParentOfPasted.

Cutting an object that is selected by name in the score list cuts only the track data, not the object itself. Use this feature to share animation data with other objects. When an animated object is selected in the workspace and cut, the object and all its animation tracks are cut.

### Cutting tracks and keyframes

When a track is cut from the score, all the keyframes for the track are cut. The property itself is not removed.

**Note:** When cutting keyframe ranges, keyframes later in time adjust to fill in the space. To avoid this, cut each keyframe in the range separately. When tracks are cut from the score, the properties of the object to which they belong retain the values of the current time setting.

### Cutting elements from browsers

Selecting an element by name in a browser and using cut removes that element from the browser and from the scene. Only one element can be cut from a browser at a time.

## Copy

**Shortcut:** Control+Insert or Control+C

Places a copy of the selection on the Clipboard. The copied selection can then be pasted elsewhere. This command operates on multiple selected geometry objects in the workspace or a single selected geometry object in the World browser, selected animation paths in the workspace, selected tracks in the score, a selected keyframe or range of keyframes in the score, and a selected item in a current browser including a view, light, material, or image. When you copy an object that is a parent to other objects, the child objects are copied as well. Child objects are highlighted in gray when the parent is selected.

When copying an animated object, its animation tracks are copied as well. Materials are not copied with the object.

### Copying multiple objects

You can cut and copy objects among multiple scenes. If the selection includes more than one object, Extreme 3D links the selection to a construction point when it is copied to the Clipboard. The construction point becomes a parent to the selected objects and serves as a reference point for maintaining the objects' spatial relationships to each other. This object appears in the World browser as ParentOfPasted.

When an animated object is selected in the workspace and copied, its animation tracks are copied as well.

Copying an object that is selected by name in the score list copies only the track data, not the object itself. Use this feature to share animation data with other objects.



## Paste

**Shortcut:** Shift+Insert or Control+V

Pastes the Clipboard contents into the active window. This command operates on multiple selected geometry objects in the workspace or a single selected geometry object in the World browser, a selected animation path in the workspace, a selected track in the score, a selected keyframe or range of keyframes in the score, and a selected item in a current browser including a view, light, material, or object. When copying and pasting an element from one file to another, its values are retained. The copy has the same name as the original in any browser list in which it appears.

### Pasting objects into the workspace

If an object is selected in the workspace when another object is pasted, the pasted object replaces the selected object. This is useful for working with simple placeholder objects and then pasting the real objects in later.

If multiple objects are pasted in the workspace, the ParentOfPasted construction point is pasted into the workspace as well. Use the unlink or reparent tool to unlink the objects from the ParentOfPasted and reparent them to the world or another object in the scene.

**Note:** If multiple objects from one scene are scaled incorrectly when pasted into another scene, scale the ParentOfPasted to scale all of the pasted objects. This must be done before unlinking or reparenting objects from the ParentOfPasted.

### Pasting tracks and keyframes

Pasting a track into the score replaces all the values in the currently selected track with the values of the pasted track. Single keyframes are pasted at the current time into the currently selected track.

Single keyframes and single and multiple rotation keyframes retain their values when pasted into a new track. Multiple keyframes are pasted with values relative to the new track.

To paste all the tracks copied or cut from one object into another, select the object by name in the score. All tracks that apply to this object are pasted. Those that do not apply are ignored. The object itself is not replaced.

### Pasting elements into browsers

When an element is pasted into the Views, Lights, Materials, or World browser, the new element is added to that browser's list. Replacing the currently selected element with the element being pasted does not apply when pasting into a browser.

If you attempt to paste clipboard contents into an inappropriate browser--materials into the Views browser, for example--or into an inappropriate area in the appropriate browser--material color track keyframes into an object position track, for example--Extreme 3D beeps and does not execute the command.

**Tip:** Cutting and pasting objects to a library of Extreme 3D files is an excellent way to reduce display time, experiment with a copy of a scene in a new file, build a complex scene, or create a library of materials, lights, and views, which you can copy into other scenes. To create a library file, open a new Extreme 3D scene and use a name that

distinguishes it as a library. Then when you create materials, lights, and views that you want to use again, copy them into the library file. When you want to use the item in another scene, copy it from the library file. To avoid time-consuming screen redraws, keep the library scene small and copy and paste items between browsers.

## Delete

**Shortcut:** Delete

Removes the selection without copying it to the clipboard. This command operates on single or multiple selected geometry objects in the workspace, single selected geometry objects in the World browser, selected animation paths in the workspace, a selected track in the score, a selected keyframe or range of keyframes in the score, and a selected item in a current browser including a view, light, or material. If you accidentally clear a selection, reverse the action with the Undo command.

If you clear a numeric entry field in a browser, the field's value reverts to its minimum or zero.

**Note:** Clearing a light or material from the browser list does not remove it from the catalog. Delete is not available for items in catalog lists.

## Duplicate

**Shortcut:** Control+D

Duplicates the current selection. This command operates on selected geometry objects in the workspace and on a selected item in the current browser.

The results of using this command differ depending on whether a browser or the workspace is active. If a browser is active, a duplicate browser item is created that has all the same values as the original selection. When an object is selected in the workspace, a duplicate object is created and is offset from the original by 1 unit. All link and attribute information is preserved, except for watchlinks. Animation tracks are also preserved.

The duplicate object is named after the current selection with a period and a sequential number added to the end of the object's name (.1, .2, and so on) in the active browser's list.

**Note:** When you duplicate the Working Plane, the duplicate is created as a construction grid.

## Select All

**Shortcut:** Control+A

Selects all visible objects in the current window. All objects are highlighted as selected.

**Note:** In a scene containing parent objects, children objects are selected but are not affected by some operations. Those tools and commands that apply to children as well as parents are noted under the specific tools and commands.

## Get Info

**Shortcut:** Control+I

This command opens the appropriate browser and displays the settings for a selected item. For example, when you select a light in the World browser and choose Get Info, the Lights browser opens with the selected light highlighted. Open the Edit dialog box in the Lights browser to display settings for the selected light.

Use the About Extreme 3D command to find the number of objects, patches, and polygons in the scene. Choose About Extreme 3D from the Help menu.

## Find

**Shortcut:** Control+F

Opens the Find dialog box, in which you can search by name for any object--including geometry, lights, materials, and views--in the current scene.

If the same name is used for more than one item, the Find command searches the browsers in the order that they appear in the World browser. When it finds the named object, it opens the appropriate browser with the found object selected. Find is not case sensitive.

### Find What

Enter the partial or whole name of the item you're searching for in this text box.

### Use Whole Words

Finds only words that exactly match the find text. For example, if you are searching for the word "ax," Extreme 3D will find all single occurrences of "ax," but will not find "saxophone" or "fax."

### Add to Selection

Selects all the objects that match the text in the Find What field and adds them to the current selection. For example, if you enter "cat" in the Find What text field, Find will make everything that matches "cat" a part of the current selection in the workspace.

**Tip:** It's a good idea to use a consistent convention for naming objects. For example, you might name a selection of chair styles Chair 1, Chair 2, and so on. You could then use the Find command with Add to Selection to select all your chair models at one time.

## Find

Searches for the text in the Find What Field. Continue clicking Find until you have found all occurrences of the text.

## Preferences

Opens the Preferences dialog box, in which you can set Extreme 3D options the way that you find most convenient.

All preferences are saved in the Extreme 3D preferences file. Preferences are restored whenever a scene is opened. This file is called E3Dprefs.PRF.

The Preferences dialog box contains five pages that categorize preferences by operation. Each page is tabbed and labeled. Click a category for more information:

- [Geometry](#)
- [Animation](#)
- [Views](#)
- [Files](#)




## Geometry preferences

Contains options that affect creating and manipulating geometry in the workspace.

### Cap Ends

Automatically includes front and back caps on all lathed, swept, and extruded objects. Caps are geometry created by the lathe, sweep, and extrude operations and linked to the object to close their otherwise open ends. The default is on.

**Note:** End caps are separate objects and are a different geometry type than the patches that define the sides of an extrusion, sweep, or lathe. You cannot use the project or 3D trim tools on end caps unless you first use the Separate End Caps command on the Object menu to convert the geometry type.



### Snap to Ground Plane

Includes the ground plane as an object to consider in determining the snap location. With this option on, you can snap to the ground plane just like any other construction object. The default is on.

### Display Object Axis

Displays the object axis for all 3D geometry objects when they are selected in the workspace. The default is on.

### All Tools Sticky

Makes the most recently selected tool remain selected, rather than reverting to the current default tool. When this option is not checked, Extreme 3D always reverts to the default tool after a tool is used. The default is off.

**Note:** When All Tools Sticky is not active, you can make any tool the default tool by pressing F3 when selecting it.

### Nudge Position

Sets the increments for how much an object moves when it is nudged with the arrow keys. The nudge position uses the unit of measurement specified in the Units dialog box. The default is 0.1 units.

### Nudge Angle

Sets the increments for how much an object moves when its rotation is nudged with the arrow keys. The nudge angle is in degrees. The default is 5 degrees.

### Nudge Scale

Sets the increments for how much an object is scaled when its size is nudged with the arrow keys. The nudge scale amount is a scaling factor. The default is 1.2.

**Display Width**


Sets the number of decimal places for all numeric entry fields. The default is 4 decimal places.

**Entry Width**

Sets the number of decimal places for all numeric entry fields. The default is 4 characters.

**Fit Tolerance**

Used by the Fit Polylines command to determine how closely the new spline will conform to the original polyline. The default value is 0.5 pixels.



Cap Ends on vs. Cap Ends off

## Animation preferences

Contains options that affect animation.

### Play Animations Using

Sets the render style that is used for animation previews. Bounding Box Render Style redraws faster. Previewing animation using the Currently Selected Max Render Style may be slower, depending on the maximum render style for that window (set in the Window Setup dialog box). It is best for previewing the animation of background images, materials, texture maps, and lights. The default is Bounding Box Render Style.

### Display Time In

Determines the time scale for the score and animation controls windows. Choose either Frames, or Seconds, which displays the time in seconds: hundredths of seconds. The default is Frames.

### Frames Per Second

Controls the number of frames that will be generated for each second of animation. The fewer frames per second, the faster the motion appears. This value may be temporarily overridden by changing the preview value in the animation controls or the rate value in the Render to Disk dialog box. The default value is 30 frames per second, which is the standard frame rate for images output to NTSC video.

**Note:** Animations, once created, use absolute time, so even if you change the frame rate, the duration of the animation remains the same. For example, a 3 second animation at 30 FPS is still 3 seconds long if you change the frame rate to 15 FPS. Use the Scale Time command on the Animation menu to change the duration of an animation.

### Animate Visibility Changes

Determines whether changes to objects' visibility are animated. With this box checked, any change to the visibility of an object via Hide or Show, the use of layers, or the per-object visibility checkbox in the Objects browser, will result in an animation track for visibility. The default is off.

There are different ways to make an object appear in an animated scene. The ideal way to do this is to use visibility settings rather than setting its opacity to zero or scaling it very small.

## **Views Preferences**

Contains options that affect windows.

### **Create New View for New Window**

Adds a new view to the views list in the Views browser every time a new window is created. If this is not selected, the new window displays the current view. The default is on.

### **Display Heads-up Orientation Axis**

Displays the heads-up axis in the lower left corner of every window. This axis indicates the orientation of the view with respect to the world. The default is on.

### **Update All Windows During Animation Playback**

Redraws all open windows during animation playback. The default is off.

## Files Preferences

Contains options for importing images into Extreme 3D and saving files.

### Import Text

Imports text from a DXF or FreeHand 4.0 or 5.0 file as a separate object. The default is off.

### Output Construction Geometry to DXF

Includes the working plane and construction geometry (except construction points) with other geometry in any scene that is exported as a DXF file. This is useful only when the working plane and construction geometry are needed for reference when working with the DXF file. The default is off.

### Save Compact Files

Compresses an Extreme 3D file when it is saved. Compact files save all geometry. Some levels of geometry information are not saved, but are rebuilt the next time you open the file. It takes longer to open a file that has been saved with Save Compact Files enabled, but the file size is smaller. The default is off.

### Distributed Rendering Path

Displays the directory on the network in which images rendered using distributed rendering will be stored.

### Set Distributed Rendering Path

Designates the network directory for storing images created with distributed rendering.

The directory must be the same for the server and all submitting machines, and each machine must be able to read and write files to it. If the directory is not set correctly, the system will attempt to give you a warning message, but it may also write network control files to unintended places.

To set the distributed rendering path, click the Set Distributed Rendering Path button and locate the folder to use. Click OK to use that folder.

### Render Server Name

Designates the name of the server machine. Designating the server name is not necessary but it helps identify the systems in use.

## **View menu**

This menu contains commands for modifying the way you view objects in Extreme 3D. Commands on this menu do not modify objects, they only change your position relative to the object.

Click a command or submenu to see information about it:

**New View**

**Perspective**

**Fit to Window**

**Front**

**Back**

**Left**

**Right**

**Top**

**Bottom**

**Three-Quarters**

**Home**

**Align Camera**

**Orient to Object's**

**Orient to Working Plane**

## New View

Creates a new view by duplicating the current view. The new view then becomes the current view and is named after the view it duplicates. To help avoid confusion, a number is appended to the end of new view's name in the Views browser's list of views. To change the name of the view, enter a new name in the Views browser's text entry field while the new view is selected and press Enter. Use the Views browser to change the view settings of the new view to those you want.

To recreate the view that is available upon opening Extreme 3D, choose Home from the View menu before selecting New View. The following table lists the settings that belong to the default view and describes the ways to change view settings.

**Note:** The camera view is the only view that can animate. All view settings for the camera view can be animated and are represented by tracks in the score.

Here's how to change each view attribute:

- **Position** (Default value  $x=0, y=0, z=0$ ) -- Type values in the Views browser.  
Use the hand tool.  
Use the Fit to Window command on the View menu.  
Use Orient to Working Plane command on the View menu.  
Use Orient to Object's command on the Object menu.
- **Orientation** (Default value  $y=0, x=0, z=0$ ) -- Type values in the Views browser.  
Use the F3 or F4 key with the hand tool.  
Use the x, y, or z tools in the hand group.  
Use the Orient to Working Plane command on the View menu.  
Use the Orient to Object's command on the Object menu.
- **Scale** (Default value 1.0) -- Type values in the Views browser.  
Use the Fit to Window command on the View menu.  
Use the zoom tool.  
Use the F2 key with the hand tool.
- **Perspective** (Default value Narrow) -- Use the Perspective command on the View menu.



## Perspective

The commands on the Perspective submenu change the view distance to adjust the perspective of the view.

The shorter the view distance, the wider the perspective; the greater the view distance, the narrower the perspective. By default, view distance units are in inches. Change the default units using the Units command on the Object menu.

**Note:** The perspective of the camera view can be animated. This is done by selecting one of the perspective commands when the current window contains the camera view or when the camera view is the currently selected view in the Views browser. Changing the camera's projection plane point animates the view distance and hence the camera view's perspective.


By choosing an option from the Perspective submenu, you can alter the view distance, and therefore the appearance, of objects. Objects' position and orientation remain unchanged. The default perspective is Narrow. When you choose Fit to Window, the Perspective setting automatically changes to Moderate unless you are in Orthographic perspective. Orthographic perspective uses an infinite viewing distance. There is no distortion of the objects because there is no perspective.

<b>Perspective</b>	<b>View distance if units are in inches*</b>
Orthographic	infinite
Narrow	13.9
Moderate	6.9
Wide	4.1
Very Wide	2.1
Custom	The value you set in the Custom Perspective dialog box


\* The view distance uses the unit of measurement set in the Units dialog box.

The Custom item on the Perspective submenu opens a dialog box in which you can define a custom perspective for the scene. By entering a number in the View Distance field, you establish the distance between the viewer's eye and the screen. Use the values in the preceding table for reference when creating a custom perspective.

**Note:** You cannot set a custom perspective to a view distance less than 0.7 inches (17.63 centimeters) or greater than 13.9 inches (35.28 centimeters). Use the Orthographic view when you want a view distance greater than 13.9 inches.



1. 2.



3. 4.

**Different perspectives:** 1. Narrow, 2. Moderate, 3. Wide, 4. Very wide

## Fit to Window

**Shortcut:** Control+3

Scales the view and changes the perspective so that all visible objects can be seen in the workspace. If the view is zoomed out, it can also scale the view larger to fill a larger portion of the window. This command is useful for finding objects that are not included by the current view angle.

## Front

**Shortcut:** Control+5

Reorients the eye point of the view to look along the positive z axis in the direction of the negative z axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Back

Reorients the eye point of the view to look along the negative z axis in the direction of the positive z axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Left

**Shortcut:** Control+4

Reorients the eye point of the view to look along the negative x axis in the direction of the positive x axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Right

**Shortcut:** Control+6

Reorients the eye point of the view to look along the positive x axis in the direction of the negative x axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Top

**Shortcut:** Control+8

Reorients the eye point of the view to look along the positive y axis in the direction of the negative y axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0



## Bottom

**Shortcut:** Control+2

Reorients the eye point of the view to look along the negative y axis in the direction of the positive y axis of the world. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Three-Quarters

**Shortcut:** Control+9

Displays the scene in -30, -30, 0 orientation. The look-at point (the focus of the view), does not change.

All of the preset views use the following defaults:

- Position: 0, 0, 0
- Scale: 1.0
- Perspective: Narrow

The following table summarizes each view's orientation.

<b>Preset View</b>	<b>Orientation</b>
Front	0, 0, 0
Back	180, 0, 180
Left	0, -90, 0
Right	0, 90, 0
Top	-90, 0, 0
Bottom	90, 0, 0
Three-quarters	-30, -30, 0
Home	0, 0, 0

## Home

**Shortcut:** Control+1

Reapplies the defaults to the current view.

- Position: 0, 0, 0
- Orientation: 0, 0, 0
- Scale: 1.0
- Offset: Center of the world
- Perspective: Narrow

## **Align Camera**

Aligns the camera with the current view or selected object.

### **To View**

Aligns the camera's position, orientation, scale, and perspective to that of the current view and inserts keyframes at the current time in these camera property tracks.

### **To Object**

Aligns the camera's position and orientation to that of the selected object and inserts keyframes at the current time in the camera's position and orientation tracks.

## Orient to Object's

The commands on the Orient to Object's submenu determine the angle from which you view the selected object. When you choose a view from the submenu, the current view in the workspace changes to the one you selected. This command is not available if multiple objects are selected, except for children of the selected object.

These commands set the look-at point to be coincident with the center of the object. This is different from the view changes applied with the preset views on the View menu (such as Front, Back, Top). Orient to Object's interprets Front as the front of the object. The preset view commands on the View menu interpret Front as the view seen from the positive z direction of the world.

<b>Orientation</b>	<b>Shows</b>
Front	Front of the object at (0, 0, 0) orientation
Back	Back of the object at (0, 180, 0) orientation
Left	Left side of the object at (0, 90, 0) orientation
Right	Right side of the object at (0, 90, 0) orientation
Top	Top of the object at (90, 0, 0) orientation
Bottom	Bottom of the object at (90, 0, 0) orientation

## **Orient to Working Plane**

Sets the orientation of the current view to that of the working plane. This command is not available if Auto Working Plane to View is active.

## Object menu

This menu contains commands for manipulating objects in Extreme 3D.

Click a command or submenu to see information about it:

**Hide**

**Show**

**Orient Working Plane**

**Show Working Plane**

**Lock Working Plane**

**Auto Working Plane to View**

**Show Ground Plane**

**Join Profiles**

**Fit Polylines**

**Smooth Polylines**

**Align**

**Open Geometry**

**Close Geometry**

**Simplify Geometry**

**Control Points**

**Render Style**

**Separate End Caps**

**Duplicate with Link**

**Clear Construction Objects**

**Units**

## Hide

Commands on the Hide submenu remove selected objects, the camera, local lights, construction geometry, and trim curves from view.

**Shortcut:** Shift+Control+I

Hiding the camera hides the camera object only. The camera view is always available.

Hiding selected objects also hides the object's children.

Hidden objects are not rendered. To show a hidden object, select it by name in the World browser and then choose Show Selected Object. You may need to use Fit to Window to include it in the view. To show all hidden objects, choose All from the Show submenu.

Hiding construction geometry hides construction lines, points, and axes, and simplifies the appearance of the scene. To show and hide the working plane and ground plane, choose one of those commands on the Object menu. To show and hide the Heads-up Orientation axis or the object axis for all objects, select those options in the Preferences dialog box.

Objects can also be hidden by using the layers browser to assign them to a layer and then hiding that layer, or by toggling the visibility checkbox for the object to off in the Objects browser.

**Note:** Hiding or showing an object can modify its visibility track in the score. Use the Animate Visibility Changes preference to control this.



## Show

Shows a hidden object that has been selected by name in the World browser, the camera, local lights, construction objects, or trim curves.

Choose All to display all objects that have been hidden with the Hide command, layers, or any visibility state toggle.

When Camera is selected, the camera object appears in the current window, unless the current window is displaying the camera's view or the view in the current window isn't zoomed out far enough to encompass it. If the current window is not displaying the camera's view and the camera does not appear when Camera is selected, use Fit to Window.

Showing Selected Objects also shows that object's children. You can also select a hidden layer on the Layers browser and click Show to show that layer.

## Orient Working Plane

Sets the working plane parallel to the chosen plane. This command is dimmed when the working plane is locked or when Auto Working Plane to View is selected.

### To View

**Shortcut:** Shift+Control+V

Sets the working plane parallel to the screen. To automatically orient the working plane so that it is parallel to the screen whenever you change views, choose Auto Working Plane to View on the Object menu.

### To World

**Shortcut:** Control+U

Sets the working plane parallel to the world axes that most nearly face the current view.

### To Ground

**Shortcut:** Shift+Control+G

Sets the working plane coincident to the ground plane. The ground plane is always in a fixed location, oriented to the xz plane of the world with its center at 0, 0, 0.

## Show Working Plane

**Shortcut:** Control+Y

Toggles between displaying and hiding the working plane grid in the workspace. The working plane is displayed by default when Extreme 3D opens.

Regardless of whether the working plane grid is toggled on or off, all objects move relative to it. The labels h (horizontal) and v (vertical) provide orientation cues when the working plane is moved. The depth dimension is indicated by a line that extends from the center of the working plane. Snapping to this line is allowed.

## Lock Working Plane

**Shortcut:** Shift+Control+Y

Locks the working plane to its current orientation in the workspace. This command is not available when Auto Working Plane to View is active.

## Auto Working Plane to View

**Shortcut:** Shift+Control+Z

When active, shifts the working plane to be parallel to the screen whenever you change the view. It does not change the position of the working plane, only its orientation. For example, if you change the view from the front to the right, the working plane automatically rotates so that it is parallel to your new view. If you do not want the working plane to shift automatically with every view change, leave this command inactive. The default is on. This command is not available when Lock Working Plane is active.

Auto Working Plane to View is useful when animating in multiple windows. You may want to turn it off when modeling.

When Auto Working Plane to View is inactive you can use the Orient Working Plane to View on the Object menu to reorient the working plane on a one-time basis. The working plane tool works regardless of the Auto Working Plane to View status.

## Show Ground Plane

Toggles between showing and hiding the ground plane in the workspace. The ground plane is hidden by default. Snapping to the ground plane is optional and is set in the Preferences dialog box. The ground plane is always in a fixed location, oriented to the xz plane of the world with its center at 0, 0, 0. The ground plane cannot be selected.


## Join Profiles

**Shortcut:** Control+J

Joins separate profiles into a single object. To create a joined shape, select two or more open 2D shapes (such as lines, arcs, and open polyline shapes) whose endpoints are touching or within the snap radius and choose Join Profiles from the Object menu.

When the objects are joined, you can edit the object's shape by moving its control points.

- **Note:** The connecting end points of profiles need to be within the snap radius for Join Profiles to work. For profiles that are far apart, zoom out before joining. For detail work, it is useful to zoom in on the profiles to be joined and snap points to each other before joining them. Move one point to another with the 3 key pressed to ensure that points are snapping in all coordinates.




The circle segment and the three-sided polyline were brought into contact and then joined.



## Fit Polylines

Changes polylines into splines by approximating the polyline's control points and rounding the edges. Fit differs from the Smooth command because it reduces the number of control points in the object.

- The Fit Tolerance option in the Preferences dialog box determines how closely the surface of a fitted object follows the shape of its underlying geometry. If the Fit Tolerance is 1, then the fitted surface can be as much as 1 model unit away from the original underlying geometry. If the fit tolerance is very small, say 0.1, then the surface will approximate the original underlying geometry very closely.



Left: regular polyline. Right: fitted polyline.

## **Smooth Polylines**

Smooths objects that were created with the polyline tool by turning them into splines and rounding their edges.

## Align

The commands on the Align submenu control the position and orientation of selected objects in relation to their parents. If a selected object does not have a parent, it is aligned with the center of the world.



### Position

Places the center point of the selected object at the center point of its parent.


### Orientation

Aligns the selected object so that it has the same orientation as its parent.

### Both

Aligns the position and the orientation of the object with the center point of its parent.

When aligning objects' center points, you often need to relocate the center point of the individual objects so that objects have the correct position relative to each other. For example, if the bolt in the above illustration had its center point at the bolt's head, the nut would attach at the end of the bolt rather than the middle. You can move the center point of an object using the object center tool in the tool palette. Or you can first align the bolt and the nut and then move the bolt under constraint.



The nut is the child and the bolt is the parent. In the center, the nut is aligned to the bolt's position but not its orientation. On the right, the nut is aligned to the position and orientation of the bolt.

## Open Geometry and Close Geometry commands

### Open Geometry

**Shortcut:** Shift+Control+O (the letter)

Opens all selected objects so that they can be edited. This is the same as double-clicking the object. When an object is open for editing, its current level of editable components--profile, spline, or control points--appear in the workspace. These components appear by name in the World browser in hierarchical order under the object's name.

When editing geometry, you can drag control points to change the shape of the surface or profile (once the object has been simplified). However, when a control point is selected, pressing Delete or choosing Cut will delete the object. To delete individual control points, use the control point tool.

### Close Geometry

**Shortcut:** Shift+Control+W

Closes the selected object so that its editable components do not appear in the workspace. You can also double-click an open object to close it.


## Simplify Geometry

Changes the level of geometry at which an object can be edited. Simplifying a parent object does not simplify its children. Each child needs to be selected and simplified individually. There are three levels of geometry:

- **Defining geometry**--The original level of geometry. This geometry level provides the highest level of control over the object's shape. At this level, the object's underlying profiles are left intact and the general form of the object is modified by adjusting those profiles.
- **Surface geometry**--Presents the object's underlying profiles as a mesh of splines, each having control points and tangent bar endpoints. You adjust the form of the object by dragging the control points and tangent bar endpoints or by numerically editing a selected point in the Objects browser.
- **Polymesh or polylist geometry**--Presents the surface of the object as a mesh of polygons. An object with a hole, when simplified, produces the matrix as a polylist. Polygons in a polylist are triangular. An object without a hole, when simplified, produces the matrix as a polymesh. Polygons in a polymesh are rectilinear. The form of polylist or polymesh objects can be adjusted by dragging the points that represent the polygon vertices or by numerically editing a selected point in the Objects browser. Polylists cannot be trimmed with the trim tools; polymeshes can be trimmed with the trim tools. Separated end caps are trimmed polymeshes.

When you select an object and choose Simplify Geometry, Extreme 3D removes the current level of geometry from the object. When you open the object for editing, it displays the highest level of geometry that it retains. Editing control points of polylist or polymesh geometry provides you with the most localized editing of an object's shape, but results in the greatest loss of data.

**Note:** Extreme 3D cannot re-create a higher level of geometry after that information is removed. Only the Undo command can return to the higher level of an object once it is simplified. However, you can undo only the last ten operations. Saving a duplicate of your original geometry provides more freedom in experimenting with simplifying geometry and editing objects.



These are the three levels of editable geometry for the same object. The top left object displays its defining geometry--the underlying circle and center points that define the object are visible. The middle object displays surface control points. The bottom right object displays mesh geometry.



## Control Points

Use the commands on this submenu to select successive control points on an object or change their order.

### Select First Control

Opens the selected object and selects the first control point.

### Select Next Control

**Shortcut:** Shift+Control+T

Selects the next control point in the sequence. If the object is not open, it opens the object and selects the first control point.

### Reverse Ordering

- On a 2D object, Reverse Ordering changes the order in which control points are selected. Reversing the order of control points in a 2D profile often allows a skinned object built of several 2D profiles to be constructed without unexpected twists or folds in the object's surface. Reverse ordering of control points does not change the location of the spline's center point (the green point, usually located at one end of a spline).
- On a 3D object that has been simplified once or twice, Reverse Ordering reverses the order of its surface control points and changes the orientation of the polygons that make up the object. The shape of the object isn't affected, but polygons that were front-facing become back-facing and vice versa. For more information, see the [Display Polygon Faces](#) help topic.

**Note:** Some modeling applications orient shading normals in a direction opposite to those set in Extreme 3D. If you have imported such a model from another application, try selecting the objects and using reverse ordering. This will reverse the order of all the control points in the model, thereby reorienting the normals. Using reverse ordering before exporting an Extreme 3D model to another modeling application may make the Extreme 3D model display correctly in the other application, as well.

## Render Style

Applies one of the render styles to the selected object. In the Window Setup dialog box, the Max Render Style pop-up sets an upper threshold for the render style available in a given window. (This determines the maximum render style for interactive rendering.) When a render style is selected for a parent object, that style is applied to all of its children.

If you select a render style for a selected object and the workspace does not redraw the object in the chosen render style, change the Max Render Style setting and try again.

Click too see an illustration (each render style is applied to the same object):

**Bounding Box**

**Wireframe**

**Hidden Wireframe**

**Faceted**

**Faceted Wireframe**

**Smooth**

**Shader**

### Bounding Box

Draws the same red selection outline around the boundaries of the object that you see when you select it, but does not draw any of its other geometry features. This render style redraws the fastest of all render styles. It is most useful for animation previews or for speeding up the redrawing of finished objects in a complex scene while you build others.

### Wireframe

Draws lines for all polygons. The wireframe render style reveals the internal structure of the object. To select an object rendered in wireframe style, click on the polygon bounds, not on the spaces. The resolution of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

**Note:** Fast Wireframe is a special window render style that is useful for previewing animation. It is not available as an individual object render style.

### Hidden Wireframe

Draws lines only for the visible surface polygons of an object. All other polygon lines are hidden. Shading is done on a per polygon basis without using normals. Although this option does not reveal the internal structure of the object, for complex objects it may be easier to understand than the wireframe option.

### Faceted

Colors each polygon of the object, depending on the material properties of the object and the lighting. Polygon normals are used to do shading.

## Faceted Wireframe

Draws a combination of hidden wireframe and faceted rendering styles. Lines clearly delineate the object's front surface polygons, and shading is done using polygon normals and a constant color, which shows the effect of the lights.

**Note:** All of these fast interactive modes use the interactive renderer. They do not handle shadows or transparency.


## Smooth

Draws objects with smooth tonal gradations between polygons. Shading is calculated by interpolating vertex normals and reflected highlights are drawn using Gouraud shading.

## Shader

Draws objects using a preview renderer that provides a 32-bit draft mode preview of a model. For example, if an object has a texture map, Extreme 3D renders the image, but it isn't sampled or anti-aliased, and transparencies are not rendered. The result is that the rendering is fast, but the quality is not as high as a final render. Shading is calculated on a per-pixel basis using Phong shading.

The Shader rendering style is available only if 32-bit depth is selected in Window Setup. If Shader is selected when you switch from 32-bit to 8-bit depth, the Smooth render style is used automatically, even though the menu does not reflect that change.


















## Separate End Caps

Causes the end caps of surfaces to act as separate objects that are lock-linked to the main object. Until they are separated, end caps are polylists. You can move and manipulate separated end caps without changing the main body of the object.

**Note:** You cannot project trim curves onto end caps until they have been separated.

Separate End Caps works only on objects that have end caps, that is, surfaces that were built from closed 2D profiles and cubes created with the cube tool.

After you separate the end caps, the object can be thought of as three objects: the main body of the object and two lock-linked caps, one on each end. Because end caps are lock-linked to the main object, moving an end cap moves the main object too, and vice versa. Use the unlink tool to remove the link between the end cap and the main object.

**Note:** You can apply different materials to the end caps once they have been separated.

To edit an end cap, double-click the end cap. Drag the control point in the middle of the end cap to move it. Drag any of the outer control points to manipulate the shape of the end cap.

The end caps appear in the Objects browser as surfaces. The separated end cap surfaces consist of a trim curve and a surface from which the curve was made. The resolution of the trim curve is determined by the uniform or adaptive smoothing setting of the object when the end caps are separated. To see the trim curve, select it by name in the Objects browser or use Show Trim Curves on the Object menu.

## Duplicate with Link


**Shortcut:** Shift+Control+D

Duplicates the selected object and its children and makes the duplicate object a child of the original object. Duplicate with Link calculates the difference between 0,0,0 and the center point of the object and performs the same relative transformation to the duplicate that the object has to its parent.

Because this command recreates the relative position between the two objects, this command is useful for creating geometrically repeating forms such as spokes of a wheel, links in a chain, a stairway, or a circuit board with evenly distributed components.

**Note:** Duplicate with Link does not duplicate watch links.





The Duplicate with Link command duplicated the components and their position relative to each other.

## **Clear Construction Objects**

Deletes construction lines, points, axes, and grids from the world. When the construction object is the parent of an object, the construction object is not removed. The ground plane and working plane are special construction objects and cannot be cleared from the world. They may be hidden using the Show Ground Plane and Show Working Plane commands.

## Units

Opens the Units dialog box, in which you set the units of measurement displayed in the Objects browser, the Views browser, and wherever else measurements are displayed in Extreme 3D. The default unit is inches. Units values are saved in the scene file.

### World Scale

Sets the units used on the screen.

### Grid Scale

Sets the units for an object's size. The ratio established by World Scale and Grid Scale represents the ratio of the size an object appears in the view and the size it would be in the real world. For instance: If you are modeling a chair to scale and you want one inch on the screen to represent one foot in physical reality, set the World Scale to 1 inch and the Grid Scale to 1 foot. Grid Scale units do not affect how objects appear on the screen. They only affect values in numeric fields such as those in the Objects browser and the unit of measurement for font size in the Text Tool Preferences dialog box.

Enter a number and select units in the fields to the left of each scale to define the ratio. For example, to set 1 inch in a model equal to 2 feet in the real world, set the World Scale to 1 inch and the Grid Scale to 2 feet.

### Grid Divisions

This numeric field at the bottom of the dialog box sets the number of divisions that units in the Grid Scale are divided into. This affects the working plane, ground plane, and construction geometry. For example, if the Grid Scale is set to feet, entering 10 in the Grid Scale field sets 10 divisions for each foot of the grid. Each division of the grid equals one-tenth of a foot.

## Render menu

The Render menu contains commands that control how the model is rendered, including options for backgrounds and surface appearance. There are also commands for specifying final render options and performing a final render.

Click a command to see information about it.

**Final Render Setup**

**Global Effects**

**Set Background**

**Uniform Smoothing**

**Adaptive Smoothing**

**Display Polygon Faces**

**Edit Network Jobs**

**Enter Render Server Mode**

**Render to Disk**

**Final Render to Screen**



## Final Render Setup

Opens the Final Render Setup dialog box.

### Quality

There are four quality options that affect the sharpness of the final image by adjusting anti-aliasing (that is, by setting the number of times Extreme 3D calculates each pixel in the image). Quality affects the entire rendered scene: Lights and shadows are antialiased as well as objects.

As the quality gets better, Extreme 3D breaks some pixels into subpixels and then calculates the sharpness of each pixel. An adaptive process is used to determine which pixels should be divided, so the rendering time does not increase linearly. The increase in rendering time depends on the type and complexity of materials used, the level of detail in the scene, and other factors. The greater the number of calculations, the more accurate the image. However, more calculations increase rendering time.

The Best option gives the sharpest image. The following table lists the number of times Extreme 3D calculates the image for each anti-aliasing level.

<b>Quality level of anti-aliasing</b>	<b>Number of subpixels per sample group</b>
Low (1x1)	1
Good (2x2)	Up to 4
Better (4x4)	Up to 16
Best (8x8)	Up to 64

- Choosing the best quality option and using the 32-bit depth setting in the Window Setup dialog box produces the highest quality anti-aliased image.

### Final Smoothness Settings


When Final Smoothness Settings is selected, final render uses the Final Render Settings specified for each object in either the Adaptive Smoothing or Uniform Smoothing dialog box. (All objects, except polymesh and polylist objects, use either Adaptive or Uniform Smoothing.) If this option is not checked, final render uses the Interactive Render Settings for uniform and adaptive smoothing. Each object can have its own surface smoothness setting, so objects in the same scene may have a slightly different resolution.

- 


### Render Shadows

When Render Shadows is selected, the final rendering includes shadows, which are calculated for each light source listed in the Lights browser that has its shadows checkbox turned on. Because the scene is rendered once for each light, calculating shadows roughly multiplies the rendering time by the number of lights with shadows on. Depending on the material used, rendering time can be up to 30 percent longer with shadows.


-



The image on the left was rendered with Quality set to Low. The image on the right was rendered with quality set to Best. The magnified edges of each object show the difference in sharpness.



The image on the left shows how the joystick looks in the workspace using interactive rendering. The images on the right are both final renderings. The top right image has the Final Smoothness Settings option in the Final Render Setup dialog box turned off; therefore, the model is rendered using interactive render settings. The bottom right image has the Final Smoothness Settings option in the Final Render Setup dialog box turned on; therefore, the model is rendered using final render settings.



The scene on the left was rendered without shadows; the scene on the right was rendered with shadows.

## Global Effects

Global Effects applies special effects that create the look of fog or haze and sets the color of the scene's ambient light. Global Effects affect the entire scene, including all views, not just individual objects. Global Effects only appear in 32-bit final render. The Global Effects dialog box is dimmed if the current window's color depth is set to 8-bit.

### Fog

**Make it Foggy**--When enabled, fog is calculated for final render. As objects recede from the camera they are mixed with the color of the fog. You can turn off this option to render without fog while still retaining fog settings. Including fog in the scene does increase rendering time.

**Color**--Defines the color of the fog when it is totally saturated. The default color is blue. To achieve a realistic looking fog, set the color very close to the scene's ambient light color.

**Transparency**--The color from all lights in the scene that passes through the fog, affecting the color of the fog. For example, if the transparency color is red, the red color passes through the fog, while blue and green hues are mostly absorbed by the fog, thereby not influencing the color of the fog. The transparency color affects objects that are farther away from the eye point more intensely.

**Depth**--The distance at which the fog's density is approximately 50 percent. The density of the fog increases as it moves farther away from the eye point. The units used for the Depth Value are set in the Units dialog box on the Object menu.

### Ambient

**Ambient Color**--Sets the color for ambient light in the scene. In the real world, light is reflected multiple times off every object. Extreme 3D allows you to approximate ambient light with a single pervasive color that affects everything in the world. Ambient light provides a base level of illumination for a material. Each material's response to this color is controlled by its own Ambient slider in the Material's editor. Both the Ambient Color and each object's reaction to this color can be animated.

## **Set Background**

Opens the Set Background dialog box, which lets you change the background color or select an image to place behind the scene. The options in the Set Background dialog box apply to all views of the scene.

### **Background Color**

The color swatch shows the current background color. Click the color swatch to open the System Color Picker dialog box.

### **Use Background Image**

Check the Use Background Image checkbox to use the current image. To speed up redrawing, uncheck this box.

### **Image**

This option allows you to select a BMP image as a background for the scene. Click Load to choose the image you want to use. A standard directory dialog box opens. Once you have selected an image, its name appears in the display field above the Load button. When loaded, the background picture registers to the upper left corner of the workspace. The image is displayed at a constant scale, regardless of the Zoom setting. Any background image that you want to use for high resolution output must be a high resolution image. Click Remove to remove the current image and have no image selected.

## Uniform Smoothing

**Shortcut:** Shift+Control+U

Opens the Uniform Smoothing dialog box. Objects are defined and edited as smooth curves. The renderers sample polygons from these curves for display. Through these Uniform and Adaptive Smoothing dialog boxes you can control how these display polygons are sampled from the spline-based geometry and precisely control each object's rendering speed and quality.

Uniform smoothing samples the surface of a model into a gridwork of evenly spaced polygons. This dialog box sets the number of gridwork divisions (that is, the number of polygons) that are drawn between the object's control points during rendering. The greater the number of subdivisions, the finer the mesh and the smoother the rendered object will appear. Objects with a finer mesh take more time to render.

All geometry is created using the current smoothing type, either Uniform or Adaptive, the default, which is described in the next section.

To make Uniform the current smoothing type for all new objects, choose Uniform Smoothing from the Render menu while nothing is selected and click Default. The dialog box closes. All new geometry will use the current Uniform Smoothing settings.

If no object is selected in the workspace, you can set the surface smoothness defaults by setting the options and clicking Default. These changes will apply to any subsequently created objects. When no object is selected in the workspace, changes are discarded when you click OK or Cancel.

When Update is selected, changes are applied to currently selected objects. However, surface smoothness settings do not apply to the child objects of a selected parent object.

**Note:** To use the Final Render settings for the final render, you must also select Final Smoothness Settings in the Final Render Setup dialog box. If Final Smoothness Settings is not selected, Extreme 3D uses the Interactive Render Settings for the render.

## Smoothness Settings

Each object has two smoothness settings:

- **Final Render Settings**--Applies the resolution specified in the Row and Column subdivisions entry fields when the final object is rendered. To use the Final Render Settings values for the final render, you must also select Final Smoothness Settings in the Final Render Setup dialog box. If Final Smoothness Settings is not selected, Extreme 3D uses the interactive render settings values for the final render.
- **Interactive Render Settings**--Applies the resolution specified in the Row and Column subdivisions entry fields to the scene in the workspace.

**Note:** High smoothness settings take longer to render than low smoothness settings. You'll probably want a low interactive setting for speedy manipulation while creating the scene and a higher setting for final renders. Objects further away from the camera can frequently afford lower settings than those near the camera, so scenes will render faster.

## Row Subdivisions

Sets the number of row subdivisions used for smoothing objects. Rows are the polygons in the gridwork that are perpendicular to the object's defining profiles.

## Column Subdivisions

Sets the number of column subdivisions used for smoothing objects. Columns are the polygons in the gridwork that are parallel to the object's defining profiles.



## Render Edges Sharper

If this option is checked, Extreme 3D bases the rendering on the object's actual surface geometry rather than the approximation used for the polygon mesh. This gives objects with corners sharper edges.

**Tip:** You can use Adaptive rather than Uniform smoothing to improve the appearance of an object that has curves or twists, such as one that has been bent with the bend tool. Adaptive smoothing increases the number of polygons in the areas where the object bends the most.





The three footballs have different numbers of row and column subdivisions. From left to right, the number of rows and columns in each football increases.

## Adaptive Smoothing

**Shortcut:** Shift+Control+E

Opens the Adaptive Smoothing dialog box. Objects are defined and edited as smooth curves. The renderers sample polygons from these curves for display. Through these Uniform and Adaptive Smoothing dialog boxes you can control how these display polygons are sampled from the spline-based geometry and precisely control each object's rendering speed and quality.

Adaptive smoothing samples the surface of a model into polygons by concentrating more polygons in areas where the surface bends or changes direction rather than in broad or flat expanses of surface. The slider determines, on a relative scale from 0 to 1.0, how this polygon weighting is calculated. The value 1 gives the smoothest possible surface rendering but takes more time to render.

All geometry is created using the current smoothing type, either Adaptive (the default) or Uniform.

If you have changed the default smoothing type to Uniform, you can change it back to Adaptive by choosing Adaptive Smoothing from the Render menu while nothing is selected, then clicking Default. The dialog box closes. All new geometry will use the current Adaptive Smoothing settings.

Adaptive smoothing is useful for sampling polygons where they can be the most useful and is especially effective when exporting models to polygonally based tools.

If any objects are selected when this dialog box is opened, changes made in the dialog box apply only to the selected objects. If no object is selected, changes are discarded if you click OK or cancel. To apply these changes to any subsequently created objects, click the Default button.

**Note:** To use these settings in the final render, you must also select Final Smoothness Settings in the Final Render Setup dialog box. If Final Smoothness Settings is not selected, Extreme 3D uses the Interactive Render Settings values for the render.

## Smoothness Settings

Each object has two smoothness settings:

- ◆ **Final Render Settings**--Applies the resolution specified on the slider when the final object is rendered. To use the Final Render Settings values for the final render, you must also select Final Smoothness Settings in the Final Render Setup dialog box. If Final Smoothness Settings is not selected, Extreme 3D uses the interactive render settings values for the final render.
- ◆ **Interactive Render Settings**--Applies the resolution specified on the slider during model creation.

## Render Edges Sharper

If this option is checked, Extreme 3D bases the rendering on the object's actual surface geometry rather than the approximation used for the polygon mesh. This gives some surfaces sharper edges.

## Display Polygon Faces

Determines which polygons are displayed for a selected 3D object. The options are Front Faces, Back Faces, and Both. In Extreme 3D, front facing polygons are those whose normals point towards you; back facing are those whose normals point away from you.

When you create an object in Extreme 3D, Display Polygon Faces defaults to the most useful option for that object type. For example, if an object appears as a solid, such as a closed sphere, the polygon display defaults to Front Faces because all the back facing polygons are assumed to be facing the inside of the sphere and do not need to be shaded or rendered.

If you modify an object, you may need to change one of these options to make the object appear correctly on screen. For example, if an object is initially made as a lathed object with end caps, and you then decide to remove the end caps, you will see that some of the polygons on the inside (that is, the back-facing polygons) are not displayed. From some viewing angles this can make it look as if part of the object is missing. Turning back-facing polygons on or selecting Both should allow you to see the parts that appear to be missing.

When you import a model from another program, the normals may be oriented opposite to the way they are oriented in Extreme 3D, so the model may not appear correctly in Extreme 3D. Select the object and choose one of the other Display Polygon options until the object displays as you expect.

When a polygon display type is selected for a parent object, it is not applied to its children. Each child needs to be selected and have Display Polygon Faces applied individually.

### Front Faces

Draws all the surfaces of an object that are facing the viewer. Even if you are oriented to the back of the object, you are viewing the front-facing polygons, because the light-reflecting surfaces are pointed toward you.

### Back Faces

Draws all the surfaces of the 3D object that are facing away from the viewer (for example, the surfaces on the inside of a closed object.)

### Both

Draws all the objects' surfaces, regardless of whether or not they are visible on screen. This option takes the longest to render.

**Note:** Some modeling applications orient shading normals in a direction opposite to those set in Extreme 3D. If you have imported such a model from another application, the Display Polygons options may seem to produce the opposite effect. Try selecting the model and using the Control Points from the Object menu and selecting the Reverse Ordering option. This will reverse the order of all the control points in the model, thereby reorienting the normals. Using Reverse Ordering before exporting an Extreme 3D model to one of these other modeling applications will make the Extreme 3D model display correctly in the other application.

## Edit Network Jobs

Opens a dialog box that shows you the status of the distributed rendering system.

### Jobs

Contains a list of jobs in the job queue and the percentage of completion for each one.

### Set Priority

Allows you to edit the order of jobs in the queue list. The first job in the list has the highest priority as a scheduling task. To change a job's priority, select it and click one of the Set Priority buttons.

- **Highest**--Moves the selected job to the top of the list.
- **Lowest**--Moves the selected job to the end of the list.
- **Up**--Moves the selected job up one space in the list.
- **Down**--Moves the selected job down one space in the list.

### Errors

Allows you to manage jobs that have stopped due to errors.

- **Retry**--Schedules tasks in the selected job that have errors for reprocessing.
- **Skip**--Omits tasks in the selected job that have errors. Corresponding frames will be missing from the final output.
- **Delete Job**--Deletes the selected job. All work related to that job is discarded.

### Server Systems

Contains a list of server systems on the network and their status. There is no importance to the order of this list. The buttons allow you to control a particular server.

- **Stop Server**--Stops the selected server and takes the machine out of server mode. Extreme 3D either exits the program or takes you back to the menus, depending on how you got the machine into server mode.
- **Stop Task**--Stops the task that the selected server is processing. This task is then flagged as an error and must be either retried or skipped. Stop task is useful for manually rescheduling a task that has stopped or restarted a server machine.
- **Refresh**--Reads the current status of the distributed rendering system and updates the window. Since rendering is going on all the time, the dialog box updates only when it is initially displayed or when you click Refresh. The dialog updates every 15 seconds.

**Note:** If you look in the network rendering subdirectory on the network server system while it is rendering, you will see the network renderer's internal communications files. These files are automatically deleted when a job is completed. Do not delete them while the server is processing a job except while troubleshooting a server crash.

## Enter Render Server Mode

Puts the computer into a distributed rendering mode where it processes any tasks that have been submitted.

The dialog box shows you the current status of processing. Exit takes the machine out of server mode.

The Save As dialog box will appear before the server begins processing network jobs if changes to the scene have not been saved.

**Note:** A network is not required to make use of distributed rendering. If a directory on your machine is specified in Preferences, Enter Render Server Mode will initiate a batch rendering process and render any submitted images to the specified directory.

## Render to Disk

Renders the current scene to a file. Before doing a disk render, be sure to check the options selected in the Final Render Setup and Window Setup dialog boxes, which also affect rendering.

**Note:** Render to Disk is dimmed if the active window's Max Render Style is Fast Wireframe. To change the active window's Max Render Style, choose Window Setup from the Window menu. The Fast Wireframe render style uses an interactive renderer that is used for screen display only.

## Range

Specifies the number of images to be rendered. These values are displayed in seconds rather than frames if the Display Time In option on the Animation page of the Preferences dialog box is set to Seconds.

- **Single Frame**--The frame specified in the Frame field will be rendered. This value defaults to the current frame but can be changed by entering a new frame number.
- **Multiple Frames**--A series of frames is rendered. To render the entire animation, select All. To render a designated section, specify the start and end frames of that section by frame number in the From and To text fields.

**Rate**--When rendering multiple frames, enter a frame rate in the Rate field that is lower than the current default rate (set in Preferences), to render fewer frames for the sequence. This is a good way to do test renders for scene blocking and object relationship. The Number of Frames field displays the total number of frames that will be rendered.

## Renderer

Select either Interactive or Final. Interactive rendering is faster and better for previews. The final renderer uses the options specified in the Final Render Setup dialog box.

**Note:** In order to see most materials that have been applied to objects during interactive rendering, both the selected object and the current window must use the Shader render style.

- **Interactive**--The size of the rendered image is determined by the current window size as specified in the Window Setup dialog box. This size is displayed in the Active Window Size field. To make changes to this or any of the other display-only fields, close this dialog box and choose Window Setup from the Window menu. The maximum window size is 2048 x 2048 pixels.
- **Final**--Final Render Size field allows you to specify an output image size for Targa, BMP files that is different than the current active window size. The height and width fields accept values in pixels. The maximum size for BMP and Targa images is 8192 x 8192 pixels.
- **Constrain Aspect Ratio**--Computes the height and width of the high resolution output image based on the height and width of the active window. Given a value for height or width, the other value is automatically computed when you press Tab. Aspect ratio should be determined by the image size required by the final medium (multimedia, video, or print).

If the aspect ratio is not maintained, the screen display of the render may make the image look stretched or squished when rendering an image that is larger than the screen size. The rendered image will be correct.

## Output

**File Format**--Specifies the output file format. You can render in these formats:

- Targa 24-bit and 32-bit file sequence (TGA)
- BMP 24-bit and 32-bit file sequence
- AVI movie

For BMP and TGA sequenced files, the filename is truncated and the frame number and file extension are added to the name. For example, if the file name is Project, proj0000.TGA is the first frame in the sequence.

A few important points to note about these file formats:

- All of the file sequence formats, BMP and Targa, are useful for exporting animations directly into image manipulation or digital editing applications.
- 32-bit files are created with an alpha channel; 24-bit files are created without an alpha channel.
- Use the Targa 24-bit and 32-bit formats for cross-platform distributed rendering. Use Targa or BMP for single platform distributed rendering. The AVI format cannot be used for distributed rendering.
- Large final render size options do not apply to AVI movies, which can only render at the size of the currently selected window. If you change the Final Render Size while one of these formats is selected, the Render button is not available.

**Render**--Click Render to render the current scene using the options selected in the Final Render Setup, Window Setup, and Render to Disk dialog boxes. Render saves all settings, except the final render name and current time, which are saved elsewhere, and performs the render. A render progress counter appears that indicates what frame is being rendered and how much of the total rendering is completed. To stop rendering, press Esc or F11. To discard any changes made in the Render Disk dialog box, click Cancel. Large scenes or scenes with complex or multiple models may take a long time to complete.

When rendering to AVI format, you are prompted to save the movie file and then select compression options. Read the next section to learn more about software video compression.

**Submit Job**--Adds a task for network rendering. It creates a folder in the location specified on the Files page of the Preferences dialog box. The final output file will be saved in this folder. The folder is empty until you put a machine in server mode using Edit Render Server Mode. Once a machine is in server mode, all submitted jobs are rendered and stored in this folder.

You can use distributed rendering to create BMP or Targa images. You must use one of the Targa file formats to use both Windows and Macintosh systems to collaborate on a single distributed rendering job.

**Note:** You cannot use distributed rendering to create AVI movies.

The final output file will be saved in this folder in the location specified on the Files page of the Preferences dialog box.

## Setting AVI compression options

After naming the AVI file, the Windows Video Compression dialog box appears, allowing you to select compression options.

Compression is the process of decreasing file size by removing or restructuring the data in the file. All of the software compression/decompression algorithms (CODECs) listed here are supplied with Video for Windows. You may have additional hardware or software codecs (that appear in this dialog box) in your system that have been supplied by a different vendor.

**Tip:** Do your final render as sequential stills rather than as a digital movie so that you can interrupt the render and experiment with different compression methods.

**Compressor**--Click the pop-up to select a codec.

- **Cinepak Codec by Radius** is the default. It is ideal for playback from CD-ROM discs. It has better image quality and better playback speeds than the Microsoft Video 1 codec.
- **Intel Indeo(R) Video R3.2** is ideal for playback from CD-ROM discs. The quality is comparable to the Cinepak codec. It works well for highly detailed images.
- **Microsoft Video 1** is designed for compressing analog video (non-digitally generated images) and may produce undesirable results with animation data.
- **Microsoft RLE** is designed for compressing animation and other digitally generated images. It is only available for 8-bit images. This codec works well for images that contain large areas with the same color.
- **Full Frames (Uncompressed)** does not compress any data, so there is no degradation of quality, much more disk space is required to store the movie.

You can click the Configure button for some codecs to specify additional compression options.



**Note:** If compression quality is zero, a zero K file is written. If compression quality is 100, the file is saved uncompressed.

## Final Render to Screen

**Shortcut:** Control+R

Uses the final renderer and the current settings in the Final Render Setup dialog box to render the current view at the current time.

The output appears in the active window. Final Render to Screen automatically uses the best render style possible given the current window's color depth, regardless of the scene's current Max Render Style. However, Final Render to Screen is dimmed if the active window's Max Render Style is Fast Wireframe. The Fast Wireframe render style uses a fast interactive renderer to quickly display objects on screen; it cannot invoke the final renderer. All other window render styles can do a final render to screen. To change the active window's Max Render Style, choose Window Setup from the Window menu.

## **Animate menu**

The animate menu contains commands for setting up and controlling the animation of a scene.

Click a command or submenu to see information about it:

**Animation Controls**

**Score**

**Play**

**Stop**

**Rewind**

**Step Backward**

**Step Forward**

**Fast Forward**

**Insert Keyframe**

**Previous Keyframe**

**Next Keyframe**

**Simplify Position Track**

**Animation Path**

**Repeat Track**

**Clear All Tracks**

**Scale Time**

**Change Motion Style**

**Ease Settings**

**Auto Rotate**

## Animation Controls command

Opens or closes the animation controls, which control the current time and the length and playback of animation sequences. The animation controls window retains its position on screen when it is opened and closed.

**Click a part of the illustration for more information:**



**Shortcut:** Shift+Control+A

Choosing Animation Controls from the menu or using the accelerator key opens the animation controls if they are closed, brings them forward to the top of the stack of windows if they are covered by other windows, and closes them if they are at the top of the stack of windows.

## Counter (animation controls)

**Current frame field**--The current frame field at the top of the panel shows the current animation time. The time is displayed in either frames or seconds, depending on which option is selected in the Preferences dialog box.

**Start and End**--The start and end times determine beginning and ending points of the animation playback. To specify the start time, type the new time in the Start field and press Enter. To specify the stop time, type the new time in the End field and press Enter. If no start and end time are specified, the animation plays from frame zero to the last frame in the animation.

Use the start and end times to concentrate playback on a portion of the animation sequence while you are editing it. The length of the animation is not controlled by the end time, but by the frame number of the last keyframe in the score.

**Preview FPS**--Sets the frame rate (frames per second) for previewing animation sequences in the workspace. This setting overrides the Frames Per Second setting in the Preferences dialog box for previewing purposes. When you use this option to view the animation sequence at a lower frame rate than the final rendered sequence, Extreme 3D calculates fewer frames per second. This reduces interactive rendering time while still displaying a good approximation of movement in the sequence.

## Playback Mode (animation controls)

**Normal**--Plays the animation sequentially from the start time to the stop time. If start time and end time are both zero, the animation plays through its entire length.

**Loop**--Plays the animation repeatedly from the start time to the stop time until you choose to stop. If start time and end time are both zero, the animation plays repeatedly through its entire length.

**Auto Reverse**--Plays the animation forward (from the start time to the end time), then plays it in reverse (from the end time to the start time), repeating the pattern until you choose stop. If start time and end time are both zero, the animation plays forward and then backward repeatedly through its entire length until you choose to stop.

## Playback Controls (animation controls)

### Rewind

Moves the current time back to the start time. Clicking the Rewind button while pressing F3 moves the current time back to zero.

### Step Backward

**Shortcut:** Shift+Control+B

Moves the animation back one frame. If the current time display mode is set to seconds, the time change displayed depends on the frames per second setting. For example, at 30 frames per second, the time display changes by one frame, or 1/30th of a second.

### Stop

**Shortcut:** Shift+Control+S -- You can also press Control+Break, F11, or Esc to stop any task in Extreme 3D, including animation playback.

Stops the animation at the current time.

### Step Forward

**Shortcut:** Shift+Control+F

Moves the animation forward one frame. If the current time display mode is set to seconds, the time change displayed depends on the frames per second setting. For example, at 30 frames per second, the time display changes by one frame, or 1/30th of a second.

### Play

**Shortcut:** Shift+Control+P

Runs the animation sequence in the active window using the current playback mode, starting at the current time.

If the current time is earlier than the end time, the animation runs until it reaches the end time. If the current time is after the end time, the animation starts at the start time. If start time and end time are both zero, the animation plays through its entire length.

To pause the animation sequence while the animation is playing, click the Play button. Then, to begin playing the animation sequence again from the current time, click the Play button again.

### Fast Forward

Moves the current time forward to the end time. Clicking the Fast Forward button while pressing F3 moves the current time to the last keyframe in the score.

If the Start and End times are zero, Fast Forward moves the current time to the end of the animation.





## Animation Toggle (animation controls)

The button to the right of the current frame field of the animation controls should be red, for record animation, when the changes you are making in your scene are changes for which you want to create keyframes. To make changes for which you do not want to create keyframes (such as positioning a texture map or moving an object to edit another object behind it) be sure the button is off.

When the animation toggle is off, changes to already animated attributes are ignored, while changes to attributes that have not yet been animated are included. For example, if you animate only an object's position and then turn off the animation toggle, changes to the object's position are ignored until you turn the animation toggle on again. However, if you also resize the object with the animation toggle off, that change does affect the object, and the change is not animated (the previous object size is discarded.)

The Animation Toggle affects only those objects that already have animation tracks. Changes made at time zero to objects without animation tracks affect the objects regardless of the toggle state.


**Note:** Use the Animate Visibility Changes preference in the Preferences dialog box to toggle between animating visibility and not animating it.

## Score

**Shortcut:** Shift+Control+C

Opens and closes the score, which displays the tracks that contain detailed information about animation. The score can be thought of as the animation browser. Like other browsers, its window is labeled in the title bar. It is resizable, and retains its last position and the state of all of its settings when it is closed.

**Click a part of the illustration for more information:**



**Or click a name of a section of the score:**

[Keyframes](#)

[Object Filter](#)

[Playback head](#)

[Text Entry and Display fields](#)

[Time field](#)

[Time Scale](#)

[Track Filter](#)

[Tracks](#)

Choosing Score from the menu or using the accelerator key opens the score if it is closed, brings it forward to the top of the stack of windows if it is covered by other windows, and closes it if it is at the top of the stack of windows.

The score serves two functions. It lists all the Extreme 3D elements, such as objects, materials, and lights, and it lists the properties of each that can be animated, such as the position of an object or the color value of a material. The score also manages the animation tracks, the timelines associated with each property that are displayed to the right of the property name in the list.

## Object Filter (score)

The Object Filter provides you with a way to specify the types of Extreme 3D elements that you want the score list to display. The Object Filter pop-up contains seven different filters: Active Objects, All Objects, Profiles, Surfaces, Lights, Materials, and Camera.

The following table describes the elements that each filter option displays in the list when it is selected.

- Active Objects--Lists only the names of those objects that have already been animated and displays the tracks of those that also match the current track filter. This is the default.
- All Objects--Lists the names of all elements that can be animated and displays the tracks for all elements that match the current track filter.
- Profiles--Lists only the names of profile geometry objects and displays the tracks of those that match the current track filter.
- Surfaces--Lists only the names of surface geometry objects and displays the tracks of those that match the current track filter.
- Lights--Lists only the names of lights and displays the tracks of those that match the current track filter.
- Materials--Lists only the names of materials and displays the tracks of those that match the current track filter.
- Camera--Lists only the camera and displays the camera tracks that match the current track filter.

In addition to the Object Filter, there are several other ways to examine all the information in the score list. Use the Up and Down arrow keys to navigate through the score list. Click the triangle arrow to the left of any name in the list to display its hierarchy of objects and the properties associated with each object.

## Track Filter (score)

The Track Filter provides a way to specify which types of property tracks to display in the score list. The Track Filter pop-up contains six different filters: Active Tracks, All Tracks, Position Tracks, Orientation Tracks, Scale Tracks, and Color Tracks.

The following list describes which tracks each Track Filter option displays in the score when it is selected.

- Active Tracks--Displays only those tracks that currently contain animation information.
- All Tracks--Displays all tracks.
- Position--Displays only the position tracks.
- Orientation--Displays only the orientation tracks.
- Scale--Displays only the scale tracks.
- Color--Displays only the color tracks.

## Time field (score)

The current animation time is displayed in the Time field. It appears in the time format specified in the Preferences dialog box.

**Note:** Whether the Preference setting is frames or seconds controls how keyframes are placed and moved in the score. Frame mode snaps keyframes to the current FPS setting.

## Time Scale (score)

The current Time Scale Units appear in the timeline along the top of the score directly above the tracks. To change the time scale, use the Time Scale Zoom pop-up. When you select a smaller frame count from the list (for example, 5 frames), you can focus on a small portion of the animation. The frame/second markers in the timeline, as well as the tracks, expand accordingly. When you select a larger frame count (for example, 3 seconds), a larger portion of the animation tracks are visible, the distance between keyframes appears smaller, and the frame/second markers contract. You can set the time scale to 0.1 frames, which lets you place multiple keyframes between frames. Because the keyframe changes occur between frames, this is useful for making sudden movements like camera jumps.

## Text Entry and Display fields (score)

Across the top of the score to the right of the filters and time information is a dynamic display area. This area provides text entry field(s), slider bars, or color swatches for displaying and entering values for the property track that is selected in the score list (for example, a position value, a lathe angle, or a color value.) To change a value, click in the text entry field, type in a value, and press Enter. A keyframe with that value is created for the selected property at the current time.

**Note:** Numbers can be entered, and are occasionally displayed, in scientific notation. For example, you can enter a number such as  $1.5e-2$ , which is equal to .015.

## Playback head (score)

The playback head on the timeline is represented by a small triangle. Its marker is a vertical line that extends from that triangle through the time line and through all tracks. The playback head indicates the current time. Dragging the playback head to either edge of the timeline changes the current time and scrolls that portion of the score into view.

When you enter a new time in the current time field, either on the score or on the animation controls, the playback head moves to the corresponding spot on the timeline. Likewise, dragging the playback head or clicking the timeline changes the current time field on the animation controls.

To do a quick preview of part of an animation, drag the playback head along that section of the timeline. The active window displays a bounding box version of the animation as the playback head moves, if Bounding Box preference is set. When the playback head is released, the active window is drawn in its default render style and all other windows update to the current frame. Setting the Update All Windows preference plays the animation in all windows. This results in a slower preview.

Dragging the playback head while pressing F3 updates the score's time values and text entry fields as the playback head moves.

When the playback head is dragged along the time scale, its marker snaps to time increments (tick marks).

Insert Keyframe and Paste are applied relative to the current position of the playback head unless a keyframe is selected in the current track.



## Tracks (score)

A track stores all the animation information that belongs to a single property for the length of the animation. Before a property is animated, its track is indicated by the gray triangle to the right of its name. Once a property has been animated, its track is indicated in the score by a bar that extends to the last frame of its animation.

The property's values at time zero are displayed in the text entry fields when the property is selected. Changes can be made to a property's time zero values. These changes affect that property's starting point.

## Selecting tracks

To select a track, click its property name in the score list. Selected tracks are highlighted using your system's current highlight color.

High level names in the score list (Geometry, Lights, Materials) and the next level of names below them (Object, Key Light, Blue Plastic, for example) serve as labels and provide the necessary visual hierarchy to understand the relationship of properties to objects. The high level names cannot be animated, so they do not have tracks.

## Cutting, copying, and pasting tracks

Tracks can be cut, copied, and pasted. Animation information that is cut or copied can only be pasted into another track of the same type (for example, color information can only be pasted into another color track.)

To cut or copy a track, select the entire track by clicking the name of the property in the score list and selecting Cut or Copy from the Edit menu. To paste a track, select the name of the property track you are pasting to and choose Paste from the Edit menu.

To cut or copy all the tracks of an object, select the object name and choose Cut or Copy. To paste these tracks onto another object, select that object by name in the score and choose Paste. All tracks that apply to the new object are pasted. Those that do not apply are ignored. Tracks can only be cut and pasted between similar objects. For example, materials tracks can only be pasted into other materials; surface tracks can only be pasted into other surfaces.

All animation information can be removed from a track by selecting the entire track and choosing Clear from the Edit menu. Except for cutting and copying all the tracks of one object, multiple track selection is not allowed for any of these commands. See the [Keyframes](#) help topic for information on cutting, copying, and pasting keyframes.

**Note:** When a track is cut from the score, the property it represents retains the value it has at the current time setting. To restore a property to its unanimated state, set the current frame field to 0 before cutting the track.

## Track display

Tracks display several types of animation information. The information displayed in a track depends on the type of track it is and the property that it represents.

Gray tracks or track sections indicate that a new value is assigned to each frame. This value is calculated by interpolating between the value of the keyframe immediately preceding it and the value of the keyframe immediately following it. Position, Orientation,

and Color tracks have values that change for every frame between keyframes.

White track sections indicate that the values of the keyframes contained within the range do not change. White tracks also indicate those parts of any track where the starting value of a property is unchanged.

Two-tone gray tracks represent instant on and off state changes. Visibility is an example of a state change. If visibility is on in frame 0 and off in frame 5, the object stays visible until frame 5. It does not gradually disappear, as it would if the visibility value was being interpolated for every frame. White tracks or track sections represent the parts of the animation in which the state is off. The keyframe on the left determines the value for the range. The keyframe on the right indicates the state change.

### **Gray scale ramp displays**

When easing has been applied to an interval of time in a track, it is visually represented in that track by a gray scale ramp. The duration of the ease and the keyframes it affects is represented by the size of the ramp and the range of keyframes over which it extends. For more information about easing, see the [Ease Settings](#) help topic.

## Keyframes (score)

Keyframes represent the animation information that a property has at a specific time. They are indicated in the score as small rectangles distributed across a track. Although all properties have values at every moment in an animation, keyframes provide a way to precisely control when an action happens (for example, when a ball turns purple, when an object starts to rotate, or where an object is at a given time.) A keyframe is created at the current time whenever you make a change to a property.

It is possible to make change to the scene without adding keyframes by using the Animation Toggle on the animation controls to temporarily suspend animation. For more information, see the [Playback Controls](#) help topic.

### Keyframe display

The current keyframe is indicated by a red selection bar drawn in the middle of the keyframe. Keyframes within ease intervals are highlighted in blue.

### Selecting keyframes

Click a keyframe to select it. When selected, a keyframe is marked with a vertical red line and can be dragged anywhere along the track within the bounds of the two keyframes on either side of it. Dragging a keyframe assigns it a new time. A keyframe at the end of a track can be dragged without limit out in time (to the right). A keyframe can be moved back in time (to the left) until it reaches the previous keyframe.

A range of keyframes can be selected by shift-clicking any two keyframes on the same track. When multiple keyframes are selected, the selection range is displayed in the current system highlight color. This selected range of keyframes can be dragged to any place on the track within the bounds of the two keyframes on either side of it. If eases have been applied to the keyframes on either side of this selection, the eases are updated accordingly. You can move the first and last keyframes of an eased range, but you cannot move keyframes within an eased range. To deselect all the keyframes, click once anywhere in the track except on the keyframe.

### Adding keyframes

To add a keyframe, select a track in the score and set the current frame to the time that you want the change to occur (either in the animation controls or with the playback head). Then toggle the animation toggle to red and change the object or property in the workspace or in a browser. Once a property has a track, you can add keyframes by selecting a track and choosing Insert Keyframe.

### Cutting, copying, and pasting keyframes

Keyframes can be cut, copied, pasted, and cleared, either as individual keyframes or as a range of keyframes. If a group of keyframes that are not immediately adjacent to each other are either cut or copied, all the keyframes in the range, from the earliest to the latest in time, are also cut or copied.

Keyframes can be pasted anywhere in the track, including at time zero. If a range of keyframes is copied from one track and pasted into a new track in the score, they must be pasted into the same kind of track from which they were copied. For example,

keyframes copied from a material color track cannot be pasted into an object position track. If no keyframe is selected in the target track, the paste occurs at the current time and keyframes in the rest of the track are pushed out.

If a single keyframe is selected, the paste occurs at that keyframe time and its value is replaced by that of the pasted keyframe.

If a range of keyframes is selected, the values for the range are replaced by those of the pasted keyframes.

Single keyframes retain an absolute value when they are pasted into a new track as do single or multiple keyframes for rotations. All other multiple keyframes are pasted with values relative to the new track. That is, the copied keyframes adjust their value to fit the track into which they are being pasted.

**Note:** If a new scene is opened while the score or animation controls are active, they update to the current time saved with the new scene. Other scenes that are currently open, however, do not jump to the new time. The score and animation controls maintain their current positions and sizes. (Duplicates of the score and animation controls are not created.) The FPS value is derived from the new scene.

## Play

**Shortcut:** Shift+Control+P

Runs the animation sequence in the active window, starting at the current time.

If the current time is earlier than the end time, the animation runs until it reaches the end time. If the current time is after the end time, the animation plays from first keyframe to last keyframe. If Play is selected while the animation is running, the animation sequence pauses. When Play is selected again, the animation sequence begins playing again from the current time.

When the animation sequence reaches the end time, all the windows are redrawn at the current frame. Setting the Update All Windows Preference plays the animation in all windows. This results in a slower preview.

Play can be selected from the menu whether or not the animation controls are open.

## Stop

**Shortcut:** Shift+Control+S -- You can also press Control+Break, F11, or Esc to stop any task in Extreme 3D, including animation playback.

Stops the animation at the current time. Stop can be selected from the menu whether or not the animation controls are open.

## **Rewind**

Moves the current time back to the start time.

Selecting Rewind while holding down F3 moves the current time back to zero. Rewind can be selected from the menu whether or not the animation controls are open.

## Step Backward

**Shortcut:** Shift+Control+B

Moves the animation back one frame.

If the current time display mode is set to seconds, the time change displayed depends on the frames per second setting. For example, at 30 frames per second, the time display changes by 1/30th of a second. Step Backward can be selected from the menu whether or not the animation controls are open.

**Note:** The preview FPS setting does not affect this command.



## Step Forward

**Shortcut:** Shift+Control+F

Moves the animation forward one frame.

If the current time display mode is set to seconds, the time change displayed depends on the frames per second setting. For example, at 30 frames per second, the time display changes by 1/30th of a second. Step Forward can be selected from the menu whether or not the animation controls are open.

**Note:** The preview FPS setting does not affect this command.

## **Fast Forward**

Moves the current time to the end time. If the Start and End times are zero, Fast Forward moves the current time to the end of the animation.

Selecting Fast Forward while pressing F3 moves the current time to the last keyframe in the score. Fast Forward can be selected from the menu whether or not the animation controls are open.

## **Insert Keyframe**

Adds a new keyframe to the selected track at the current time. To add a keyframe, a track must already exist for that property. To create a track, select the property in the score and modify its parameters in the score or the workspace at a nonzero time.

## **Previous Keyframe**

Moves the current time back to the previous keyframe for the selected track.

## **Next Keyframe**

Moves the current time forward to the next keyframe for the selected track.

## **Simplify Position Track**

Gives you independent control of the x, y, and z values of the position of an object. To use this option, select the position track of an object in the score and then choose Simplify Position Track.

Once simplified, the x, y, and z positions of the object are represented by separate tracks in the score, hierarchically related to the object. Each track can then be treated like any other track. Once you simplify a position track, the animation path can no longer be displayed as a spline in the workspace.

## Animation Path

### Show

Displays the animation path representing the positional movement of the selected object as a spline curve in the workspace. Once displayed the animation path can be selected, opened, and edited in the same way as all splines.

Position paths can also be simplified into discrete x, y, and z positions. Once they have been simplified, however, they can only be represented in the score and cannot be shown as splines in the workspace. For more information, see the [Simplify Position Track](#) help topic.

### Hide

Hides the selected object's animation path in the workspace.

### Convert Profile to Path

Converts a profile in the workspace into an animation position path for a selected object, replacing that object's current position path.

To convert a spline to an animation path, select the object's position track in the score and select the profile for the new path in the workspace, then choose Convert Profile to Path. The track's current keyframes are deleted and the new path's control points define the path's new keyframes.

### Convert Path to Profile

Duplicates a selected animation path and converts it to a profile. You can then use this profile to create 3D geometry based on an existing animation path.

To convert an animation path to a profile, select the path in the workspace or in the World browser and choose Convert Path to Profile. (Use the Animation Path command to make an object's path visible in the workspace.)

## Repeat Track

Duplicates animation keyframes for an object or property track selected in the score. If you select an object name in the score, all of its tracks will be repeated. Select an individual property track to repeat only that track without modifying the object's other property tracks.

**Number of Times to Repeat**--Indicates the number of times to duplicate the selected track's keyframes.

**Repeat Down Tree**--When an object is selected, all of the tracks for this object's children will also be repeated. When a property track is selected, the corresponding children's property tracks will also be repeated.



## Clear All Tracks

Deletes all animation tracks in the score. Use this command to erase all tracks in the score and start animating again from scratch. You can undo this command.

**Note:** Set the current time to zero before using Clear All Tracks to restore all property values to their unanimated state.

## Scale Time

Scales and offsets an animation track. You can scale time for an individual property track, all the property tracks of an object, or all tracks in the scene.

To open the Scale Time dialog box, select a track in the score and choose Scale Time from the Animate menu.

**Apply Scaling To**--Determines which tracks will be modified.

- **Selected Track Range**--Applies the scale or offset to the currently selected track or range of a track. It is selected by default when a track is selected in the score.
- **All Tracks of Selected Object**--Applies the scale or offset to all tracks of the object that is selected in the score. If an object currently has a range selected for one of its tracks, but Selected Track Range is selected, the selected range is ignored. This is the default when an object is selected in the score.
- **All Tracks of All Objects**--Applies the scale or offset to every track in the scene. This includes object tracks, material tracks, camera tracks, and so on. Because all tracks are affected, any existing track range selection is ignored when applying the scale or offset to all tracks.

**Scaling Factor**--The amount by which the tracks are scaled. For example, if the selected track extends from frame 10 to frame 30 and is given a scaling factor of 0.5, the scaled track extends from frame 10 to frame 20. When scaling, the position of the leftmost keyframe of the affected track is always fixed. Keyframes to the right of the selected range are pushed out for a scaling factor greater than 1.0 and pulled in for a scaling factor less than 1.0. Negative numbers are not accepted. The default scaling factor is 1.0.

The scaling range is based on the minimum and maximum time values for a given selection. When scaling a single track, the selection extends from the first keyframe to the last keyframe in the track. When scaling all tracks of an object or the entire scene, the selection extends from the earliest to the latest keyframe time of the affected tracks.

**Time Offset**--Shifts the starting position of selected tracks forward in time by the number of frames specified. (You can use a negative value to move the track backward in time as long as its starting time is still greater than zero.) The offset is applied to the first keyframe of the selection and the rest of the track shifts in time to follow the new position of the first keyframe. The default time offset is 0.

When a track is both scaled and offset, scaling is applied first.

## Change Motion Style

The commands on this submenu change the motion style for selected keyframes to linear or smooth by modifying the tangent points for the control points they represent. Select any two keyframes to apply motion style to those keyframes and all the keyframes between them.

### Smooth

Makes the motion path of an object a smooth, gradual curve between keyframes. For each control point affected, the smooth command makes the control point and both of its tangents collinear. This kind of motion is good for fluid movement, like a bird gliding or a person ice skating.

### Linear

Makes the motion path of an object the shortest possible distance between keyframes, though the speed may vary due to easing in or out. Changes in the path direction are abrupt at keyframes. This kind of motion is useful for mechanical motion or motion that needs to happen at a specific time, like a ball hitting a bat.

## Ease Settings

Displays the Ease Settings dialog box, which controls the way animation is interpolated between keyframes. Ease settings control the time over which an object travels along its path. To apply easing to a track, you must have at least two keyframes selected. The keyframes need not be adjacent. Easing is applied to all the keyframes enclosed by the selected keyframes. You can move the first and last keyframes of an eased range, but you cannot move keyframes within an eased range. Easing can be applied to all types of tracks.

**Ease-In**--Gradually accelerates the animation from zero velocity.

**Ease-Out**--Gradually decelerates the animation to zero velocity.

The slider lets you control the portion of the segment over which easing in or easing out extends. A large value performs the ease slowly, that is, over a larger portion of the selected range. A small value performs the ease quickly, that is, over a smaller portion of the selected range. Dragging one slider handle updates the other if the one being dragged is pushed past the other's current position. Keyframe ranges to which eases have been applied are indicated in the score by a gray scale ramp on the selected track.

To modify a track so that it accelerates into its motion from rest, select a range of keyframes, beginning with the key that should have a velocity of zero, and apply an Ease-In. Similarly, to modify a track so that its motion decelerates to rest, select a range of keyframes, ending with the key that should have a velocity of zero and apply an Ease-Out. Combining Ease-In and Ease-Out on the same range of keyframes results in motion that starts and ends at a velocity of zero.

**Ease with Constant Acceleration**--Maintains constant acceleration when applying an ease to the selected track.

By default, Ease with Constant Acceleration is not selected, which provides natural easing for most motion. This is achieved by using a minimum energy solution in which the maximum change in velocity occurs in the middle of the selected easing range. Checking Ease with Constant Acceleration provides unchanging acceleration throughout the selected range. This is useful for creating motion similar to that of a ball rolling down a hill.

## Auto Rotate

Opens a dialog box in which you can specify the axis around which the selected object will rotate and the number of degrees it will rotate. Although you can still set keyframes for rotations manually, Auto Rotate allows degrees of rotation greater than 180 and is especially useful for objects that spin repeatedly. Auto Rotate creates four keyframes for every 360 degrees of rotation.

Keyframes for the rotation are calculated so that the rotation is completed at the current keyframe. Therefore, Auto Rotate cannot be performed at time zero. Extreme 3D adds keyframes for the rotation between the current keyframe and the keyframe that immediately precedes it.

Auto Rotate does not record the rotation history of the object, so you cannot select the object or its rotation track and view the rotation state in the Auto Rotate dialog box. To change the degrees of rotation after using Auto Rotate, delete the objects Orientation track and choose Auto Rotate again.

**Degrees to Rotate**--Specifies the amount of rotation for the selected object.

### Axis of Rotation

**Object's X Axis**--The object rotates around its x axis.

**Object's Y Axis**--The object rotates around its y axis.

**Object's Z Axis**--The object rotates around its z axis.

**Working Plane's Z Axis**--The object rotates around the working plane's z axis.

**Note:** To define precisely where a rotation begins, add a keyframe to the Orientation track at that time, then set the current frame to the rotation end time and apply the Auto Rotate command.

## Help menu

Click a menu command for more information:

[Help](#)

[About Extreme 3D](#)

## **Help command**

Invokes Extreme 3D help.

## About Extreme 3D

Displays a screen with copyright and credits information, the version number of this release, and registration information for this copy of Extreme 3D. This box also displays useful information about the number of objects, patches, and polygons in the current scene. Click anywhere in the box to close it.

**Note:** The working plane and animation paths are not included in the object count unless they are visible in the workspace.



## Browsers

Extreme 3D includes six browsers, which you can view by selecting commands from the Window menu.

**Click a browser for more information:**

**Objects**

**Views**

**Materials**

**Lights**

**World**

**Layers**

## Window menu

The commands on the Window menu create new document windows, open and close browsers, hide and show the tool space and status bar, and list open scenes and views.

**Click a menu command or submenu for more information:**

**Cascade**  
**Tile**  
**Refresh**  
**Window Setup**  
**New Window**  
**Four-View Setup**  
**Objects**  
**Views**  
**Materials**  
**Lights**  
**World**  
**Layers**  
**Watch Links**  
**Show Tool Space**  
**Show Status Bar**  
**Scenes**

At the bottom of the menu are the names of windows that are open in the current scene. A checkmark indicates the active view.

## **Cascade**

Stacks multiple windows on top of each other and offsets them by the height of the title bar, so that each title bar is visible. A window behind another window can be moved to the top by clicking its title bar or by selecting its name from the window menu.

## **Tile**

Places multiple windows side by side on the screen by resizing them to fit. Up to 10 windows can be open at a time.

## Refresh

**Shortcut:** Shift+Control+R or F5

Refreshes the workspace in the current window.

## Window Setup

Sets the properties of individual windows including image size, color depth, and the window's maximum render style.

### Image Size

The Image Size pop-up contains options for setting the screen dimensions, in pixels, of the current window. The default size is Custom, 512 x 342 pixels. To set the image size, make a selection and click OK. If there is not enough memory to set the selected image size, Extreme 3D beeps and reverts to the previous size setting.

The possible screen dimensions, in pixels, are:

- 160 x 120 (Multimedia)
- 240 x 180 (Multimedia)
- 320 x 240 (Multimedia)
- 384 x 288 (Multimedia)
- 640 x 480 (NTSC Video)
- 648 x 486 (NTSC Video)
- 768 x 576 (PAL Video)
- Custom

The Custom Size option opens a dialog box that allows you to set a custom image size.

**Note:** Image size is stored with each window. This setting determines the maximum size of the workspace for a given window. Final output requirements should be used to determine the size of any window that contains the camera view.

### Color Depth

Offers the choice of 8-bit depth (256 colors) or 32-bit depth (millions of colors). These choices determine which rendering options are available.

- **8-bit depth (256 Colors)**--When 8-bit depth is selected, only the interactive and final 8-bit renderers are available. Colored lights and the Shader render style are not available with 8-bit depth. This means that texture maps and some materials will not render. Because this rendering option only uses 256 possible colors, it requires less memory than rendering with millions of colors, so it is faster. Use it for general work, animation previewing, and grayscale images for which you don't need 32-bit color resolution.

- **32-bit depth (Millions of Colors)**--When 32-bit depth is selected, the highest quality renderer is used for final render. Colored lights are visible when rendered with this option. Specular reflections on objects and shading are rendered more accurately than with the 8-bit renderer. Images rendered with 32-bit color are rendered with an alpha channel. In Windows, the alpha channel is rendered only if selected in the file type pop-up.

**Note:** Changing bit depth from 32 to 8 may result in unexpected changes to colors.

### Max Render Style

This pop-up specifies the threshold rendering style for the current window. This means that if the rendering style is applied to a specific object of a lower quality than the Max Render Style of the window, the object will be rendered in the style specifically assigned to it. If not, it will be rendered in the Max Render Style of the window. The lowest quality of render styles is Bounding Box. The highest is Shader.

For example, if an object's rendering style is Wireframe and the Max Render Style of the current view is Faceted, the object is rendered as Wireframe. However, if the object's rendering style is Shader and the Max Render Style of the current view is Faceted, the object will be rendered as Faceted.

See the following table for the ranking of rendering style qualities. Windows have the same render styles as objects plus an additional style, Fast Wireframe, which looks just like wireframe but renders faster. It is useful for speeding up rendering time for test renders. Background colors and pictures do not appear in Fast Wireframe mode. Also, the Final Render to Screen and Render to Disk commands are not available when the active window's Max Render Style is Fast Wireframe. Because the Fast Wireframe render style is for interactive previews only, it cannot be used when rendering to screen or to disk.

The following table lists the various render styles (from lowest to highest) and shows their uses:

### **Bounding Box**

- Draws the outside boundaries and basic geometry information of the object.
- Redraws the most quickly of all rendering styles.
- Useful for animation previews or for speeding up the redrawing of finished objects in a complex scene as you build others.

### **Fast Wireframe**

- Looks like wireframe but previews faster. (Ideal for previewing animation.) Cannot render to screen (final) or to disk.

### **Wireframe**

- Draws the edges of all polygons.
- Reveals the internal structure of the object.
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

### **Hidden Wireframe**

- Draws lines only for the front surface polygons of an object. All other polygon lines are hidden.
- Shading is done on a per-polygon basis, without using normals.
- May be easier to interpret than the wireframe option.
- Gives a clearer representation of the object's outer shape.
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

### **Faceted**

- Draws a flat shade on each polygon of the object, depending on the material properties of the object and the lighting.
- Uses Polygon normals for the shading.
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

### **Faceted Wireframe**

- Draws a combination of hidden wireframe and faceted rendering styles.
- Lines clearly delineate the object's front surface polygons.
- Shading uses polygon normals and a constant color, which shows the effect of the lights.
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

### **Smooth**

- Draws objects with smooth tonal gradations between polygons.
- Shading is calculated using vertex normals; reflected highlights are drawn. Intensities are interpolated between vertices. (This is also known as Gouraud shading.)
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.

### **Shader**

- Draws objects using a preview renderer that provides a draft mode preview of a model.
- Texture maps are rendered but not sampled or anti-aliased; transparencies are not rendered.
- Draws quickly, but the quality is not as high as a final render.
- Normals are interpreted for lighting calculations; also known as Phong shading.
- Number of polygons can be adjusted using the Adaptive or Uniform Smoothing dialog boxes.



## New Window

**Shortcut:** Shift+Control+N

Creates a new window with the current view settings and the current Window setup. The new window displays the scene name and adds Default View:2 (or 3, and so on) next to the name. You can then name this view in the Views browser and edit it to define new settings for it. The names of all open windows are listed at the bottom of the Window menu. Up to 10 windows can be open at a time.

**Note:** The option Create New View for New Window in the Preferences dialog box is on by default. Turn this option off if you don't want to create a new view for every new window.

## Four-View Setup

Opens a set of four windows that provide a standard four-view configuration. Clockwise from the lower left window they display the left, top, front, and camera views. When the four-view setup is selected, all other windows are modified for the new views or closed. The Max Render Style for all windows, except the one containing the camera view, is set to wireframe. You cannot undo this command.

If the left, top, or front views are locked, they are unlocked when the four-view setup is selected. The camera view retains its locked status.

## Objects

**Shortcut:** Control+T

Shows/Hides the Objects browser, in which you can select and edit objects, their defining geometry, selected vertices, and some properties.

The accelerator key opens the Objects browser if it's closed, brings it forward to the top of the stack of windows if it's covered by other windows, and closes it if it's at the top of the stack of windows. The Objects browser retains its last position and the state of its settings when it is closed.

**Note:** When multiple objects are selected they are all affected by Objects browser actions. The Objects browser displays only the values of the last object selected.

## **Object name (Objects browser)**

The Objects browser displays the name of the object that is currently selected for editing. It also displays the properties and values of the current object. To edit a different object, select the object by clicking it in the workspace or clicking its name in the World browser list. To rename the current object, highlight its name and type in a new one.

To locate an object that is part of a model hierarchy, double-click its parent's name in the World browser list. If you select more than one object in the workspace, only the name of the last object selected appears in the object name box.

## Placement page (Objects browser)

The text entry fields in the Objects browser let you edit the position, orientation, and scale of the selected object. If you open an object and select some of its control points, changes to the position, orientation, and scale apply to the selected control points.

### Position

The numbers in the Position fields show, from top to bottom, the x, y, and z coordinates of the object. To change the object's position, edit the numbers in these fields and press Enter to apply the new values; press Tab to apply the new values and advance to the next field. To lock the x, y, or z position coordinate for an object, select the checkbox next to the numeric field. When this checkbox is selected, the corresponding coordinate cannot be changed from the workspace; it can only be changed by editing the value in the position field.

### Orientation

The numbers in the orientation fields show the object's rotation around the x, y, and z axes, from top to bottom. These numbers are expressed in degrees. To change the object's rotation, edit the numbers in these fields and press Enter to apply the new values; press Tab to apply the new values and advance to the next field. To lock the x, y, or z orientation coordinate for an object, click the checkbox next to the numeric field. When this checkbox is selected, the corresponding coordinate cannot be changed with the trackball or from the workspace; it can only be changed by editing the orientation field.

### Scale

The scale field shows the scale of the object, expressed as a decimal. To change the scale of the object, edit the numbers in this field and press Enter to apply the new value; press Tab to apply the new value and advance to the next field. To lock an object's scale, click the checkbox next to the numeric field. When this checkbox is selected, the scale cannot be changed in the workspace.

### Numbers Are

The pop-up in the Objects browser controls how position and orientation changes are applied to the object.

- **Delta to View**--Enters the difference between the current position or orientation, relative to the view and a new position or orientation in the view's coordinate system.
- **Parent Relative**--Changes the position or orientation of the selected object relative to its parent object. For an unlinked object, Relative to Parent is the same as relative to world.
- **View Relative**--Changes the position or orientation of the selected object using the view's coordinate system.
- **Working Plane**--Changes the position or orientation of the selected object relative to the working plane.

## Info page (Objects browser)

### Layer Name

Reflects the name of the layer to which the object is currently assigned. An object's layer cannot be changed from the Objects browser. Use the layers browser to change an object's layer. An object can be assigned to only one layer.

### Material

Reflects the name of the material that is currently assigned to the object. Use the Materials browser, the eye dropper, or the paint bucket tool to change the material assigned to an object. An object's material cannot be changed from the Objects browser.

### Mapping Type

An object can be assigned a mapping type in the Objects browser, or its mapping type can be set by choosing a particular texture placement tool. If it is assigned a mapping type in the Objects browser, it must be mapped interactively using the associated texture placement tool. In either case, the mapping type is saved with the object and is displayed in the Objects browser.

- **Intrinsic**-- The four corners of the two-dimensional texture map are matched to the geometry coordinates of the object to which the map is being applied. This is sometimes referred to as rubber sheet mapping. Use the intrinsic texture placement tool to interactively adjust the map on the object. End caps are not mapped. To place a texture map on end caps, use cubic mapping, or separate the end caps and use projective mapping.
- **Cubic**--Replicates the map so that each face of a cube can be covered by it. Cubic mapping isn't represented by a cubic mapping tool. Use the projection tool to interactively adjust the map on the object.

**Note:** Once you have placed the map using the intrinsic tool, reset the mapping type to cubic in the Objects browser.

- **Spherical**--Wraps the right and left sides of the texture map into a spherical shape and then pinches the top and bottom of the image into poles, reducing the top and bottom into one point. Then the image is shrink-wrapped onto the object. Use the spherical texture placement tool to interactively adjust the map on the object.
- **Cylindrical**--Wraps a 2D texture map into a cylindrical shape and then shrink-wraps it onto the object. Use the cylindrical texture placement tool to interactively adjust the map on the object.
- **Projective**--Projects the image like a photo transparency onto the XY planes of the object's surfaces. Use the projective texture placement tool to interactively adjust the map on the object. Use the material orientation tool to project onto a different plane.

**Visible**--Determines if the object is hidden or visible at the current time. If the checkbox is checked, the object is visible in the workspace. If unchecked, it is hidden. If the object is currently visible, hide it by clicking the Visible checkbox or choosing Hide from the Object menu. (You can also hide an object by hiding its layer in the [Layers browser](#).) The Visible checkbox reflects the object's current visibility state, regardless of where it was set. Invisible objects are not rendered.

**Tile**--Replicates the texture map across the surface of the object. The number of times the map is replicated is set interactively using the texture placement tool. See the [Materials application tool group](#) help topic.

**Texture X Flip**--Rotates the texture map, or neighboring tile textures if the surface is tiled, around the x axis of the object.

**Texture Y Flip**--Rotates the texture map, or neighboring tile textures if the surface is tiled, around the y axis of the object.

## Defining Geometry pages (Objects browser)

The values of the object's profile geometry are displayed on a third page. The heading on that page depends on the profile(s) that are associated with the object:

**Line**--Displays the length of the defining line.

**Rectangle**--Displays the width and height of the defining rectangle.

**Square**--Displays the width and height of the defining square.

**Circle**--Displays the radius of the defining circle.

**Ellipse**--Displays the semi-major radius of the defining ellipse and semi-minor radius of the defining ellipse.

**Polygon**--Displays the radius and number of sides of the defining polygon.

**Polyline**--Displays the number of line segments and length of the defining polyline.

**Lathe**--Displays the lathe angle (in degrees) of the defining lathe operation.

**Arc**--Displays the angle and radius of the arc.

**Bezier**--Displays the length of the curve.

**Sweep**--Displays the amount that the beginning and ending of the sweep is scaled, and the number of profiles used to make the sweep.

**Skin**--Displays the status of the Distribute Along Curve Length and Linear Surface Between Profiles options which you can set before creating the skin in the Skin Preferences dialog box.

If the Distribute Along Curve Length checkbox is checked, the sweep was made by matching the control points of profiles based on their length. If the Linear Surface Between Profiles checkbox is checked, the sweep was made using a linear surface between the skin profiles. For more information, see the [Skin tool preferences](#) help topic.

**Orientation trackball**--Using the orientation trackball, you can manually change the rotation of the object. Click and drag the x, y, or z face of the trackball to rotate the trackball and the model in the selected view. In the workspace, the bounding box and axis of the selected object reflect the changes you make using the trackball.



## Views

**Shortcut:** Control+E

Shows/Hides the Views browser.

### Views list

The Views browser displays the names of all the views in the scene. The view that is currently active and available for editing is highlighted, and the values of its orientation, position, and scale properties are displayed. To edit a different view, select it from the list in the Views browser. Changes to the selected view appear in the workspace as you make them. To change the name of the view, type a new name in the text field at the bottom of the browser.

The Default View, a front view, is included with Extreme 3D; it is the first view you see upon opening the application. A default camera view, The Camera, is also included. Default views are saved with Extreme 3D's defaults file in the Scripts directory or folder. Extreme 3D automatically reads the default file's contents when creating a new scene. Neither the default view nor the camera view can be deleted. You can create a custom default view.

The fields on the right side of the Views browser allow you to edit the position, orientation, and scale of the selected view. When you type a number in the numeric field and press Enter, the view is immediately redrawn using that value. Press Tab to apply the new value and advance to the next field.

### Orientation

The numbers in the orientation fields show the rotation of the eye point around the center of the view. These numbers are expressed in degrees. The distance between the eye point and the look-at point is determined by the Perspective setting.

For the position and orientation fields, positive values for x shift the view to your left, positive values for y shift the view down, and positive values for z shift the view closer to you. When the view is shifted, the object appears to shift in the direction opposite to the change in view. However, changing values in the Views browser modifies only the view, not the object.

### Position

The numbers in the position fields show the coordinates of the view's look-at point. From top to bottom, the x, y, and z coordinates describe a point in absolute, or world, space. When the view is rotated or scaled, it is rotated or scaled around this point.

**Note:** In viewspace, the eye point is at 0,0,0 and the view is along the negative z axis. Therefore, if you compare the camera view's position values in the Views browser with its view position values in the Objects browser or score, you will note they are the inverse of each other. If the camera's position is updated in the Views browser, the score updates the camera position by calculating this inverse value.

### Scale

The scale field shows the scale of the view, expressed as a decimal--1.0 equals 100

percent. For example, at 2.0 the objects appear twice as large on the screen. If you set the scale to 0.5, the objects appear half as large. To change the scale of the view, edit the numbers in this field and press Enter to apply the new value; press Tab to apply the new value and advance to the next field. The center of the view always remains the same.

## Lock View

Clicking the Lock View checkbox locks the values of the view. This constrains the view to the current values should you try to change the view in the workspace or in the browser.

## Orientation trackball

To change the orientation of the view manually, use the trackball at the right side of the Views browser. Click and drag the x, y, or z face of the trackball cube to rotate the trackball. When you use the trackball, a simplified image of the view is redrawn in the workspace as fast as your processor allows. The heads-up orientation axis in the lower left corner of the view updates to reflect the orientation of the trackball when you release the mouse button.

**Numbers are**--This pop-up indicates how position and orientation changes are to be applied to the view.

- **View Absolute**--When this option is selected, Extreme 3D resets the view to the exact values that you type in the numeric fields. This is the default.
- **Delta to View**--Reflects the difference between the current setting and the new setting.

**Note:** View changes made using the hand and zoom tools also affect the current view. The trackball and position, orientation, and scale fields update appropriately to reflect those changes.

# Materials

## Related topics:

[Material Editor](#)  
[Standard material attributes](#)  
[Texture editor](#)  
[Default materials](#)

**Shortcut:** Control+M

Shows and hides the Materials browser. Use the Materials browser to select, apply, edit, delete, and create new materials in the current scene or save them for use in other scenes.

**Note:** To learn about material attributes and see examples of interesting effects created with materials, see the Materials Lab in the Explore section of the Extreme 3D Access application.

## Materials in Scene

The materials being used in the current scene are listed in the Materials in Scene column of the Materials browser. Gray Plastic is the only material listed by default.

To select a material, click its name in the Materials in Scene list. The material name is highlighted in the list and appears in the text entry field below the list. To change the name of the current material, place the text cursor in the text entry field, type in the new name, and press Enter. An example of the current material, applied to a standard object using the current lights, renders in the preview box. (Because the scene's current lights are used to calculate the preview, you may need to adjust the lighting before selecting materials.)

**Note:** Materials with low opacity values do not display as transparent. The preview also doesn't preview fog or light effects.

To apply a material to an object, select the object, select a material from the Materials in Scene list, and click Apply. To apply the material to the children of the selected object, press F2 while clicking Apply.

You can also use the bucket tool to apply the current material to objects. Using the bucket tool while pressing F2 applies a material to the parent object and its children. To select an object's material and make it the current material, press F3 and click the object whose material you want to pick up. You can then apply that material to other objects in the workspace.

Materials in the Materials in Scene list can be cut, copied, pasted, and duplicated.

There are nine basic material types. To create a custom material from one of the basic material types, select the material in the Materials in Catalog list and click the left double arrow button. Then you can change a material's properties to customize its appearance. To do so, click Edit or double-click the material's name. That material's attributes, which vary depending on the material type, are displayed in the Material Editor.

The default material type that the current material was created from is displayed below the Materials in Catalog list.

To save any customized materials for use in other scenes, move them into the Materials in Catalog group by selecting each material and clicking the right double-arrow button. Materials are saved in the current catalog as .MAT files. They will appear in the catalog the next time you select that catalog.

## Materials in Catalog

The Materials in Catalog list includes a set of default material types that can be used to generate a number of different materials by editing their basic properties. A variety of materials can be created using a single default material. For example, Chrome, Gold, and Copper are all materials generated from the Chrome+Glass default material.

The default materials available in the catalog are: Chrome+Glass, Marble, Mondo Map, Organic Magic, Plastic, Scratched Metal, Solid Pattern, Texture Map, and Tiles. Each default material provides a departure point for creating new materials that share similar characteristics. The catalog may also contain materials that you have moved from the Materials in Scene list and any images that have been converted into texture maps.

To copy a default material from the catalog to the Materials in Scene list, select the default material and click the left double-arrow button or double-click the material's name. The material appears in the Materials in Scene list and is named after the material in the catalog, followed by an instance number. The material is automatically previewed. You can either use the default material as is or create a new material by editing it.

To open another materials catalog, click the Select Catalog button. This opens the standard directory dialog box allowing you to search your system for additional catalogs, such as the presets CD that comes with Extreme 3D. Catalogs can contain both .MAT (materials) files and .TEX (texture map) files.

**Note:** Materials you create and catalog are saved into the current catalog. To create a new catalog, make a new folder on your system, then choose this folder in Extreme 3D by clicking Select Catalog.

Clicking the New Texture button creates a new instance of the Texture Map default material and opens a standard directory dialog box. Choose a BMP file and click Open. The image is converted into a .TEX file and a new instance of the Texture Map default material named after the image appears in the Materials in Scene list.

If the current catalog exists on a CD or other non-writable media, you are prompted to save the new texture map material in a different catalog.

## Material Editor

### Related topics:

[Standard material attributes](#)

[Texture editor](#)

[Default materials](#)

The appearance of any surface depends upon three elements: the attributes assigned to the material, the orientation of the surface, and the light at that point in space. For each basic material type you can use the Material Editor to change its attributes. To enter the Material Editor, select the material you want to edit from the Materials in Scene list and click Edit.

**Note:** To change the orientation of the surface, use the [material orientation tool](#).

Use the [Lights browser](#) to change the lighting. The preview button updates the previewer in the Materials browser and displays the current material with the current settings.

## Standard material attributes

### Related topics:

[Material Editor](#)

[Texture editor](#)

[Default materials](#)

The following paragraphs describe the basic set of material attributes that are common to most materials. For other attributes that are specific to a given material, look for the material by name in the section describing each material. To see examples of these attributes, see the Materials Lab in the Explore section of the Extreme 3D Access application.

In general, if the control for a material property is a slider, a decimal, or a pop-up, the value can be animated.

**Color**--The color determines the surface color of the object. Click the color chip to open the System Color Picker. The actual color that you use in the scene depends on the color of the lights shining on the object. For Example, a red light shining on a blue object will look black.

**Diffuse**--If a material has a surface color, there is a corresponding Diffuse slider that directly controls the intensity of the diffuse light reflected by the object. When the value of the slider is set to 0.0, the surface appears black and reflects no diffuse light. When the value is 1.0, the surface reflects a maximum amount of diffuse light. In this case, the object appears to have the full surface color as set in the Surface Color attribute. (Diffuse works just like the Lightness attribute in a Hue, Saturation, Lightness color system.) Diffuse reflection is also affected by the angle at which the light strikes it. That is why the diffuse reflection from a sphere falls off as the surface curves away from the light source.

You can change the diffuse value of a material by dragging the slider or entering a value in the field to the right of the slider.

Because the diffuse reflection of the surface color is dependent on the angle at which the light hits the object's surface, the color's hue, saturation, and brightness change under different lighting conditions and at different angles to the light. For example, if there are a lot of bright lights in the scene and the diffuse slider is set to the maximum value, your object may look washed out. To be sure you are setting the surface color value to the color you want, make sure you adjust the diffuse value under the lighting conditions you will be using for the scene.

**Tip:** Most surfaces reflect light in two ways: diffuse and specular. The diffuse reflection accounts for the color of the object, while the specular color is what makes it look shiny or matte.

**Specular**--The specular color controls the intensity and color of the specular highlight. The specular highlight is the direct reflection of the light source off of the object. If the Specular color is a shade of gray, the specular highlight is the same color as the light. When the Specular color is close to white, the surface reflects all the light hitting it. When the Specular color is any other color, it modifies the color of the light by that color. The most familiar example of a colored specular object is a colored Christmas tree ornament. A white light reflected in the ornament takes on the color of the ornament. This means a pure blue light striking a pure red specular object will have no specular highlight of either color.

**Roughness**--This color also affects the specular reflections from an object. In the real

world this quality is seen in paints that have high gloss, semi-gloss, satin, or flat finishes. The roughness attribute lets you have the same kind of control. The darker the roughness color, the glossier the finish, and the smaller the highlight. By allowing the roughness to be a color, the size of red, green and blue reflections can be controlled independently. The visual effect of this is that the specular highlight can have a colored halo. This mimics the reflection of an atmospheric halo around the light and very finely textured surfaces. Images render faster if the roughness color is a shade of gray.

**Tip:** If the Specular and Roughness colors closely match the Diffuse color, then the surface looks metallic. If the Specular color is white, the material looks like plastic.

**Ambient**--Controls how much of the global ambient color the material responds to. It determines the minimum illumination for that object. The main use of the ambient color is to fill in shadows that are too dark. Because the ambient color is constant over the whole surface, it has the effect of reducing the apparent contrast of the scene. Surfaces with a high ambient value and a low diffuse value appear flatter and darker. Surfaces with a low ambient value and a high diffuse value have darker shadows.

**Tip:** Fog can also have the effect of reducing the materials contrast. The color of the ambient light for the scene is set in Global Effects. You can change how much the global ambient color affects a given material by dragging the slider or by entering a value in the field to the right of the slider.

**Opacity**--Determines how much an object's surface occludes those objects behind it. A material that has an opacity value of 1 produces a surface with a completely solid or opaque appearance, like metal. If a material has an opacity of 0, it produces a transparent, glass-like surface. Opacity has no effect on the color or lighting of the object, it only controls how much of the color behind it shows through.

Opacity effects only appear in 32-bit final renders of the image. The opacity setting also manipulates the alpha channel in the final image.

**Tip:** To animate the disappearance of an object, make its diffuse, specular, ambient, and opacity values go to zero .

## Texture editor

### Related topics:

**Material Editor**  
**Default materials**

In addition to the standard material attributes, both texture map materials, Mondo Map and Texture Map, display image thumbnails for every attribute that can be mapped. Clicking on any image thumbnail opens the Edit Texture dialog box. This displays the list of images that are converted and ready for use as texture maps. To convert an image for use as a texture map, click Load. The standard directory dialog box opens, allowing you to search for a bitmap. Choose a BMP file and click Open. (This image cannot be animated.) This converts the bitmap for use as a texture map and stores it as a .TEX file in the Extreme 3D Scripts directory or folder. Whenever a texture map material is copied back to the catalog, its texture map image is copied to that catalog's directory.

**Note:** A .TEX file converted from a bitmap is approximately 4/3 the size of the original bitmap.

**Note:** Selecting Cancel in the Edit Textures dialog box does not cancel the conversion process or delete the .TEX file. To delete a .TEX file from the texture map list in the Edit Textures dialog box, you must quit Extreme 3D, throw the file away at the operating system level, and then restart Extreme 3D.



## Default materials

**Related topic:** [Material Editor](#)

Extreme 3D includes the following default materials:

[Chrome+Glass](#)

[Marble](#)

[Mondo Map](#)

[Organic Magic](#)

[Plastic](#)

[Scratched Metal](#)

[Solid Pattern](#)

[Texture map](#)

[Tiles](#)

## Chrome+Glass

Chrome+Glass creates a highly reflective material that reflects the environment map assigned to it. This is useful for surfaces such as polished chrome, gold, copper, and glass.

The Chrome+Glass material takes all its color from the map it is reflecting. That color gets modified by each of the properties on the Optics properties sheet. This is not a raytracing reflection. It uses a prerendered image as a reflection map. To reflect other objects in the scene you'd need to first render an image from that point in space and then use that image as a reflection map.

### Chrome+Glass: Optics

**Opacity**--Creates transparency without refraction. A value of 0 is totally transparent and allows anything behind the object to be seen.

**Reflection Color**--Determines the color of the reflected light. It is the same as the specular value on other materials. (For example, set the Reflection Color to yellow to create a gold material.) To see any reflections, the Reflections checkbox must also be checked.

**Glass Color**--Determines the color of the refracted light. To create the look of red glass, check both Render Glass and Reflections checkboxes. To create the look of polished metal, select only Reflections and not Render Glass.

**Brighten Edges**--Creates an optical effect called the Fresnel factor. When checked, the reflection intensity increases at the edges, which is optically realistic. That is, the edges are brighter and are the color of the light. When unchecked, the refraction is uniform in intensity and color, and creates a flatter, more artistic-looking edge.

**Environment Map**--Specifies an image to be refracted and reflected. Clicking on the image opens a list of available images that have been converted for use as Extreme 3D environment maps. You can select an environment map from the list or you can convert a bitmap image into an environment map. To do this, select Load.

### Chrome+Glass: Bumps

**Bump Style**--Determines the appearance of the bumps.

- **None** results in no bumps.
- **Smooth Bumps** creates a random bumpy surface that moves both above and below the original surface.
- **Smooth Knobs** creates bumps above the original surface.
- **Jagged** creates bumps with sharp changes in direction like crumpled tin foil or broken rocks.

**Bump Scale** determines the overall size of the bump pattern in model units.

**Bump Height** determines the height of the bumps in model units.









## Marble

Marble creates a solid texture material. Objects to which solid texture materials are applied appear to be carved out of a solid mass of material. Marble creates a material with marble-like stripes. The stripes can be reoriented to any direction using the material orientation tool.

Each instance of the Marble shader describes a solid "shader space" around the center point of the object. Different objects have different center points, so they have different "marble spaces." To make two adjacent blocks appear to have been carved from the same block of marble, move their center points to the same position. Likewise, if you duplicate a marble sphere a few times you can change the center point of each sphere arbitrarily to make each look like each was carved from a different piece of marble.

**Note:** The marble shader does not render as quickly as simpler materials.

### Marble: Colors

**Band Size**--Four different colors can be selected on the color page. The Band Size settings determine the relative thickness of each color.

You do not need to use all four colors. One or more bands can be set to zero. However, because the bands are blended together, even a zero width band may be visible.

### Marble: Surface

On the Surface page you can specify the Standard Material attributes: The amount of Diffuse reflection, the Specular and Roughness colors, the sensitivity to the scene's Ambient color, and the Opacity value. These settings affect all four colors equally. All of these standard attributes are discussed earlier in this section.

### Marble: Effects

**Material Scale**--Determines the size of the stripes, in model units, relative to the object. This value can be animated.

**Turbulence**--Determines how tangled and nonlinear the striations are. A value of 0 creates a very linear striped look. A value of 1 creates a meandering maze of striations. This value can be animated.







## Mondo Map

Mondo maps associate a different bitmap image with each one of several specific attributes of an object's surface. This allows you create complex mapped surfaces like car paint, tiled floors and special effects. The time that Mondo Maps requires for rendering is compounded by the number of different maps you use. If you only want a single image or a simple reflection, use the Texture Map or Chrome+Glass default materials instead.

The mapping style, which determines how a two-dimensional texture map is applied to the surface of a three-dimensional object, depends on the texture placement tool you choose for that object. The texture placement tools allow you to interactively place and adjust a texture map on an object.

Once an object has been mapped using the interactive texture map placement and material orientation tools, its mapping type is saved with the object. You can view and change the mapping style of an object's texture map from the Info page of the Objects browser. Other options that provide additional ways of specifying how the texture map is applied, such as tiling, are also available in the Objects browser.

The same map style, tiling, and flip settings are used for all maps in the Mondo Maps material except the environment map. Therefore it is best to get all the maps oriented to the object before turning on tiling in order to insure more predictable results.

### Mondo Map: Map

**Mapped**--To apply a map to the surface of an object, check the Mapped checkbox and click the Texture Map thumbnail image. This opens the Edit Texture dialog box that displays the list of texture maps currently in your Scripts directory or folder.

**Texture Map**--This image is mapped to the surface color of the object.

**Alpha Use**--Determines how the alpha channel from the texture map image is used.

- **Override Alpha** assigns the alpha channels a value of 1, making them opaque. This is an especially useful setting if the alpha channels of the images you are using have a setting you don't want the texture maps to use.
- **Composite over Color** uses the value of the image's alpha channels to composite the texture map over the object's surface color. A higher alpha channel value in the image reveals less of the surface color. This setting is useful for producing decal effects. For example, to create the effect of a label on a bottle, create a label on a large canvas and mask only the label. The rest of the bottle will be the color specified on the Surface page.
- **Existence of Surface** applies all of the standard material properties of the surface to the texture maps. To see the effects of this setting create a texture map that has a black background and an alpha channel value of 0. Apply this map to an object using the Existence of Surface setting. Wherever the texture map has color, the object has color that can be affected by the specular, roughness, and diffuse sliders. Wherever the map has alpha channel information, the object can be made totally transparent by setting the Opacity slider (on the Surface page) to 0.
- **Luminance map** uses the alpha channel value as a luminance value. A high alpha channel value produces a bright glow wherever the texture map has alpha information. A low alpha channel value produces a dim glow. The glow takes its color from the color information of the texture map. This setting is useful for creating windows that glow independently of the scene light.

## Mondo Map: Surface

The basic set of material attributes common to most materials are defined on the Surface page. For objects using the Mondo Map material, these attributes are applied to any place on the surface of the object that is not covered by a map.

## Mondo Map: Bump

A bump map modifies the appearance of an object making it look bumpy.

**Bump Mapped**--To apply a bump map to the surface of an object, check the Bump Mapped checkbox and click the Bump Map thumbnail image. This opens the Edit Texture dialog box that displays the list of texture maps currently in your Scripts directory or folder.

Grayscale images will produce the most predictable results for bump mapping, while color images may not.

**Bump Scale**--Determines how bumpy the surface will appear after mapping. A value of 1 will create a very bumpy surface.

## Mondo Map: Environment

Environment maps are used to represent a surrounding environment that is reflected by the surface of the object.

**Environment Mapped**--To use an environment map during rendering, check the Environment Mapped checkbox and click the Environment Map thumbnail image to open the Edit Texture dialog box. Environment maps are modified by the specular map but not by the roughness map.

**Environment Intensity**--Scales the reflection to be relative to the light.

## Mondo Map: Specular

**Specular Mapped**--A specular map allows the reflectivity of an object to be determined by an image. (The image's alpha channel is ignored.) Specular maps can be used to create certain special effects like scuffed floors, soap bubble surfaces, and pearlescent surfaces. The specular map appears wherever there are specular highlights on the object. The Specular color on the Surface page controls the intensity of the specular map. When the Specular color is black, the specular map is not visible.

To apply a specular map to the surface of an object, check the Specular Mapped checkbox and click the Specular Map thumbnail image to open the Edit Texture dialog box.

**Roughness Mapped**--Roughness maps are used to create surfaces of varying shininess like polished granite, in which a reflection can be seen in some parts of the surface but not in others. The reflection varies between shiny and dull over the surface. To calculate the object's roughness, the Roughness color on the Surface page is multiplied by the color of each pixel of the roughness map. The resulting color determines the roughness at that point. (The image's alpha channel is ignored.)

To apply a roughness map to the surface of an object, check the Roughness Mapped checkbox and click the Roughness Map thumbnail image to open the Edit Texture dialog box.



## Organic Magic

Organic Magic creates solid texture materials where the object appears to be carved out of a solid mass of material. Organic Magic combines two plastic-like materials in a semi-random pattern. The Organic Magic pattern is controlled by the type of filter selected and the attributes assigned to that filter. The material orientation tool can be used to reorient the pattern to any axis of the object. Organic magic is useful for creating materials that look like clouds, granite, gasses, sky, and planets.

Each instance of the Organic Magic shader describes a solid "shader space" around the center point of the object. Different objects have different center points, so they have different spaces. To make two adjacent blocks appear to have been carved from the same block of material, move their center points to the same position. Likewise, if you duplicate a sphere a few times, you can change the center point of each sphere arbitrarily to make it look like each was carved from a different piece of material.

**Note:** If an object using an Organic Magic material has a vertex or free form deformation animation, the material will appear to pass over the object as the object changes shape.

### Organic Magic: Filtering

The Filtering page is used to define the patterns that are used to create the solid texture.

**Filter type** determines how the transitions between the two main materials are blended:

- **Natural Blend** results in a blurry mix of the two colors using a random pattern. There are no sharp edges between one material and the next.
- **Linear Blend** creates a linear transition between the two materials where they meet. The definition between the materials is more distinct than if you use no filter. This is the default.
- **Edge Blend** creates areas of material 1 with rings of material 2 surrounding the areas. The Material Proportions slider controls the size of the rings relative to the areas they surround.
- **Smooth Blend** creates a smoothly blended transition where the two materials meet. It is less prone to artifacts than Linear Blend.
- **Sharp Transition** creates very defined transitions wherever the materials meet, with no mixture between the two materials. The edge is anti-aliased according to the Quality setting specified in the Final Render Setup dialog box.

**Filter complexity** determines the amount of detail in the semi-random loose pattern:

- **Simple** applies the filter once.
- **Complex** applies the filter five times.

**Faster**--Calculates the pattern more quickly. Faster should be used for previewing. However, it can introduce artifacts which occasionally produce some interesting effects. If you have chosen a high contrast filter, like sharp edges, you may not notice a difference in the appearance of the final surface when Faster is checked. For a low contrast filter, like edge blending, the Faster option can cause the surface to have noticeable artifacts or banding and appear less smooth.

**Bump**--The Bump slider is used in conjunction with the Bump Filter to create a relief pattern. When the Bump slider has a value greater than 0, the Bump Filter has an affect. They produce the same effects filters, and in addition they create the appearance of depth wherever the materials meet by making Material 2 appear higher and Material 1 appear lower. (Except in the case of the Edge Blend filter, where the opposite is true.) Using the same filters for edge blending and Bump Filter produces a more realistic effect, but any combination is possible.

**Scale**--Sets the scale for which the pattern is applied to the surface. The scale is based on the unit of measurement that is specified in the Units dialog box.


**Material Proportions**--Determines the amount of each material to be used in the pattern. The value indicates the proportion dedicated to Material 1, with the remainder being reserved for Material 2. A setting of 0.7 means that the pattern will consist of 70 percent of Material 1 and 30 percent of Material 2. A setting of 0.5 means that the final pattern will consist of equal amounts of each material. The pattern rarely consists of 100 percent of either material.

### **Organic Magic: Material 1 and Material 2**


Use the Material 1 and Material 2 pages to identify the two main materials and set the standard material properties for each.













## **Plastic**

Plastic is used to create materials that produce plastic or ceramic surfaces. Plastic uses only the standard material attributes.

## Scratched Metal

The scratched metal material produces surfaces that appear to have microscopic scratches in them. The scratches cannot be seen but they affect the way light is reflected. The scratches can be arranged in several scratch patterns over the surface. The material orientation tool can be used to orient the scratch patterns to any plane of the object. Metal uses the standard material attributes. Metal is used to create materials that look like scratched or lathed metal surfaces and can also be used to simulate some fabric looks.

### Scratched Metal: Scratches

**Scratch Patterns**--Does not produce real scratches that have depth but imitates the scratch patterns typical of a variety of metal surfaces. The direction of all scratch patterns can be rotated in any direction using the material orientation tool.

- **Constant** creates a pattern that looks like constant scratches that are parallel to the object's axis.
- **Turned** creates a pattern that looks as if the metal was turned on a lathing machine about the y axis. A different axis can be selected with the material orientation tool.
- **Stripes** creates the appearance of metal that has been sanded in varying directions.
- **Engine Turning** creates the repeating circular pattern of burnished metal. The engine blocks of some cars have this look.
- **Checkered** creates a pattern of alternating squares with scratches at 90 degrees to each other. Shrinking the scale of this pattern can create a cloth-like appearance.
- **Irregular Patches** creates semi-random patches with scratches at 90 degrees to each other.
- **Random Swirls** creates the look of meandering scratches.
- **Jagged Swirls** creates the look of crumpled aluminum foil.

**Scratch Scale**--Determines the size of the pattern of scratches.


**Scratch Depth** imitates the way light disperses from metal surfaces that are scratched to varying depths. On a surface with a Scratch Depth value of 1, the reflection and highlights are stretched out over a broad area, like a metal surface that is deeply scratched. A value of 0 will create a surface with no apparent scratches and a symmetric highlight that makes the surface look more like plastic.

### Scratched Metal: Surface


The Surface page is used to set the standard material attributes of the material. All of the attributes apply as they do for plastic. Set the slider to specify how much of the global ambient light affects the surface. You can also set the diffuse and opacity values, and the roughness and specular colors for the surface.

**Tip:** To best create the look of metal, make the Specular and Roughness colors


identical to the surface color and make the material totally opaque.























## Solid Pattern

Solid Pattern creates a solid texture composed of stripes or layers. It combines two colors in a pattern of concentric shapes that are applied in strata to the object's geometry. An object to which Solid Pattern is applied appears to be carved out of these layers. Each of the two materials has the standard set of material attributes. The concentric shapes can be distorted or reoriented using the material orientation tool. You can also change the pattern's center by moving the object's center point. Solid Pattern is useful for creating wood or other layered materials.

**Note:** If an object using a Solid Pattern material has a vertex or free form deformation animation, the material will appear to pass over the object as the object changes shape.

### Solid Pattern: Pattern

All the patterns consist of layers, with each layer alternating between the two materials. The layers can have one of several different spatial patterns.

**Pattern Type**--Determines which of these patterns is applied. Each type works best with an object of similar shape. For example, the spherical pattern matches the pattern layers to the geometry of a sphere. However, you can use any type with any object shape.

- **Spherical** is a series of concentric spheres. Starting from the innermost sphere, each sphere contains another, slightly larger sphere.
- **Cylindrical** is a series of concentric tubes, or cylinders, radiating from the y axis. The axis can be reoriented using the material orientation tool.
- **Cubic** is a series of nested cubes.
- **Planar** consists of a series of layers or planes of infinite extent, piled up on top of each other. Use the [material orientation tool](#) to change the direction of the pattern.

**Pattern Scale**--Sets the distance between each layer of the strata. It is based on the unit of measurement specified in the Units dialog box.

**Edge Sharpness**--Is a filter that determines the sharpness of delineation between the two materials as they appear next to each other. If the number is large, like 0.8, the two materials form a sharp edge. A smaller number like 0.1 results in a smooth blend between the two materials.

- **Material Proportions**--Determines the relative proportion of each material as it is distributed in the layers that make up the pattern. The number you enter indicates the fraction of the pattern dedicated to material 1, with the remainder being reserved for material 2. A material weighting value of 0.5 means that the final pattern consists of all layers of equal size, with alternating materials.

**Note:** The material weighting also introduces an asymmetric blend between the two materials, which enhances its wood-grain appearance.

### Solid Pattern: Warp

**Turbulence**--Indicates the amount of disturbance to add to the pattern. This gives the

layers a swirling or warped look.

**Turbulence Scale**--Determines the size of the disturbances that will distort the layers relative to the pattern scale.

**Bumpiness**--Used to create a relief pattern. When the Bump slider has a value greater than 0, material 2 appears higher and material 1 appears lower.


**Keep Moire Patterns**--When the distance between layers is less than a pixel, moire or aliasing patterns can occur. Check this checkbox to allow these moire patterns to show. Otherwise, the effects will be filtered out. Depending on the look you are trying to achieve, you may want to include the moire pattern. If not, deselect the checkbox to filter it out.


### **Solid Pattern: Material 1 and Material 2**

Each of these two materials are like the default plastic material. Any of their attributes can be set independently of the other material.













Left: Low Edge Sharpness. Right: High Edge Sharpness



## Texture Map

The Texture map material allows a bitmap image to be applied to the surface of an object. This is useful for producing surfaces that look like labels or wallpaper, or for creating surfaces that render quickly.

### Texture Map: Map

The Map page specifies what image to use for the texture map and how to use its alpha channel.

**Texture**--Displays a thumbnail image of the map currently associated with the material. To choose a different map or create a new one, click the thumbnail. This opens the Edit Texture dialog box.

After you have assigned a map to the material, use one of the texture placement tools to interactively place and adjust the map on the surface of an object. The texture placement tool you choose determines the object's mapping style. This mapping style is saved with the object and establishes how the two-dimensional texture map is applied to the object's three-dimensional surface. For more information, see the [Materials application tool group](#) help topic.

The Info page of the Objects browser lets you view and change the mapping style of the current object. Other mapping options available in the [Objects browser](#), such as tiling, provide additional information for applying the texture map to the object.

- **Override Alpha** assigns the alpha channel a value of 1 making it opaque. This is an especially useful setting if the alpha channel of the image you are using has a setting you don't want the texture map to use.
- **Composite over Color** uses the value of the image's alpha channel to combine the map with the object's surface material. A higher alpha channel value in the image reveals less of the surface material. This setting is useful for producing decal effects, where a label is placed on top of another material.
- **Existence of Surface** setting applies all the standard material properties of the surface to the texture map. To see the effects of this setting create a texture map that has a black background and an alpha channel value of 0. Apply this map to an object using the Existence of Surface setting. Wherever the texture map has color, the object has color that can be affected by the Specular, Roughness, and Diffuse sliders. Wherever the map has alpha channel information, the object can be made totally transparent by setting the Opacity slider to 0.
- **Luminance map** uses the alpha channel value as a luminance value. A high alpha channel value produces a bright glow wherever the texture map has alpha information. A low alpha channel value produces a dim glow. The glow takes its color from the color information of the texture map. This setting is useful for creating windows that glow independently of the scene light.

### Texture Map: Surface

The Surface page is used to set the standard material attributes of the material. The color applies only where the texture map doesn't cover the object's surface. The other attributes apply as they do for plastic. Set the slider to specify how much the global ambient color affects the surface. You can also set the diffuse and opacity values, and the roughness and specular colors for the surface on this page.

## Tiles

Solid Tiles creates both solid and surface textures of tile using two colors in various patterns. Objects to which tiles are applied as solid texture appear to be carved out of a solid mass of material. The material orientation tool can be used to orient the tile patterns to any direction of the object. Tiles is useful for creating tiled walls and floors as well as grids.

## Tiles

**Filter**--There are ten filter options.

The seven two-dimensional patterns are (click to see an illustration): **Checks**, **Grid**, **Triangles**, **Bricks**, **Dots**, **Triangle Grid**, and **Hexagonal Grid**. The three three-dimensional patterns are (click to see an illustration): **Cubes**, **Grid**, and **Spheres**.

All patterns are anti-aliased.

**Mapping**--Two choices determine how the patterns are applied.

- **Solid Texture** mapping style projects the patterns through the material, with 3D patterns varying in the third dimension. Use the material orientation tool to place patterns using this style.

- **Note:** If an object using a Solid Texture has a vertex or free form deformation animation, the material will appear to pass over the object as the object changes shape.

- **Intrinsic Surface Map** uses the pattern like a texture map, applying it just to the surface of the object. Use the Intrinsic texture placement tool to place patterns using this style. Using the material as a map rather than as a solid texture speeds up rendering time.

- **Tile Scale**--Determines the size of each tile. It changes the distance between each repeating tile pattern. A value of 0.2 is a good starting default for most patterns.

- **Material Proportions**--Determines the amount of each material for the pattern. The sphere and dot filters use it as the radius of the spheres and dots. On the grid and brick filters it changes the mortar between the grids or bricks. The other filters ignore this value.

## Tiles: Material 1 and Material 2

Select the material and specify the settings for the diffuse and opacity options for the two regions of the pattern. Set colors for the roughness and specular attributes. One material provides the color of the pattern element. The other material is the color of the pattern background.




































## Lights

**Shortcut:** Control+L

Shows/hides the Lights browser.

Use the Lights browser to create, edit, and delete the lights in the current scene.

### Light pointer

At the top of the Lights browser is the light pointer. The narrow end of the light pointer represents the direction the light is pointing. To edit the orientation of a selected light (that is, the angle at which the light is shining) drag the end of the light pointer. As you move the light pointer, the numbers in the orientation fields are updated. These numbers are expressed in degrees and are relative to the current view.

**Note:** If the light pointer appears to move in a direction opposite the mouse, this means the light is behind the light pointer facing you.

When a new view is created, the light pointer updates to reflect the current light's orientation in the new view. You can also change the orientation of the current light by directly editing the numbers in the orientation fields. To adjust the position of the light, use the arrow tool to drag the light icon in the workspace.

Click Update Scene to see the change in the workspace.

**Note:** Omni lights do not have a direction, so the light pointer does not affect them.

### Lights in Scene

The Lights in Scene list shows the available lights in the current scene.

To edit a light's attributes, click its name in the Lights list and click Edit, or double-click the name. The Light Editor window appears, displaying the options for that type of light, either distant, spotlight, or omni light.

To create a new light, copy or duplicate a light that is selected in the workspace or in the Lights browser. You can also copy a light from the Lights in Catalog list and edit its values. To move a light into the scene, select it in the Lights in Catalog list and click the left double-arrow button.

Change the name of the selected light by typing a new name in the field below the lights list, at the bottom of the browser.

When you've set the light attributes, click Update Scene to redraw the scene in the workspace using the newly defined light. Light settings affect both the objects in the workspace and the preview in the Materials browser. You can copy any light from the Lights in Scene list to the catalog by clicking the right double-arrow button.

### Lights in Catalog

The Lights in Catalog column displays the complete list of available lights in the current lights catalog. In addition to default light types, the catalog contains any lights that you have customized and moved into that catalog. To copy a light from the catalog to the Lights in Scene list, select that light and click the left double-arrow button. A copy of the light will appear in the Lights in Scene list.

Extreme 3D's default lights are:

- **Distant Light**--A distant light is similar to sunlight. By default, a distant light is a white light at 90 percent intensity. It points toward the center of the view from a position that is infinitely far away and shines in a definite direction. Any object surface facing the distant light is illuminated by it. The intensity of a distant light is independent of its position or distance from the light. Distant lights can have shadows and can be turned on and off. Because distant lights have an infinite position, they are not represented in the scene by a light icon.
- **Omni Light**--A point light that shines in all directions (360 degrees). It has a position in space that can be set in the Objects browser or interactively in the workspace. Omni lights can have intensity fall off, and can be turned on and off. Omni lights cannot cast shadows. Because omni lights shine in all directions, the light pointer and orientation fields do not affect them. They do have positions and are represented in the scene as objects.
- **Spotlight**--By default a spotlight is a white cone of light at 90 percent intensity. It has a position in space that can be set by value in the Objects browser or interactively by moving the spotlight icon in the workspace. It shines as a cone of light in a specific direction that can be set by the light pointer, by value in the Objects browser, or interactively in the workspace. Spotlights can have shadows, dust effects (which create visible light sources), and distance falloff, and can be turned on and off.

## Light Editor

Each of the three types has a specific set of parameters that can be edited by the Light Editor. Click a type of light for more information:

[Distant](#)

[Omni](#)

[Spotlight](#)

## Distant Light

**Light Switch**--Turns the light on in the scene. You can turn the light off without losing its settings. The Light Switch can be animated

**Color**--Shows the color of the current light. To change the light color, click the color chip. This opens the System Color Picker dialog box, in which you can select a new color. For more information about this dialog box, see the User's Guide for your operating system software. Color effects for lights work best with the bit depth set to 32-bit color in the Window Setup dialog box.

**Intensity**--Controls the brightness of the light. Change the intensity of a light by typing a value between -20 and +20 in the numeric field. The higher the number, the brighter the light. A negative light subtracts light from the scene, making objects darker.

**Casts Shadows**--When Casts Shadows is selected and Render Shadows is selected in the Final Render Setup dialog box, a shadow is calculated for this light.



## Omni Light

### Omni Light: Settings

**Light Switch**--Turns the light on in the scene. You can turn the light off without losing its settings. The light switch state can be animated.

**Color**--Shows the color of the current light. To change the light color, click the Color chip. This opens the System Color Picker dialog box, in which you can select a new color. For more information about this dialog box, see the User's Guide for your operating system software. Color effects for lights work best with bit depth set to 32-bit color in the Window Setup dialog box.

**Intensity**--Controls the brightness of the light. Change the intensity of a light by typing a value between -20 and +20 in the numeric field. The higher the number, the brighter the light. A negative light removes light from the scene, making objects darker.

**Use Fall Off**--Enables the use of the Fall Off distance.

**Fall Off**--This is the distance at which the light is at half intensity. The light intensity continues to decrease as the distance increases.

## Spotlight

### Spotlight: Basics

Spotlights have a number of attributes. The Basics options set these spotlight attributes:

**Light Switch**--Turns the light on in the scene. The Light Switch state can be animated. You can turn the light off without losing its settings. Turn off lights to speed up test renders.

**Color**--Shows the color of the current light. To change the light color, click the Color chip. This opens the System Color Picker dialog box, in which you can select a new color. For more information about this dialog box, see the User's Guide for your operating system software. Color effects for lights work best in 32-bit depth.

**Intensity**--Controls the brightness of the light. Change the intensity of a light by typing a value between -20 and +20 in the numeric field. The higher the number, the brighter the light. A negative value removes light from the scene.

**Use Fall Off**--When checked, the Fall Off distance is calculated.

**Fall Off**--The distance over which the light loses half of its value. The distance is measured in model units.

**Cone Angle**--The angle of the light and dust cones. (Set the radius for the cones on the Dust page.) The maximum angle is 50 degrees (plus or minus 25 degrees around the light's axis.) A slider value of 0 creates a cone angle of 0 degrees. A slider value of 1.0 creates a maximum cone angle of 50 degrees.

**Cone Fuzziness**--The percentage of the cone of light that is softened or fuzzed. A value of 0.5 softens half of the radius of the cone from the outer edge inward. A value of 1 softens the whole cone of light.

**Casts Shadows**--When Casts Shadows is selected and Render Shadows is selected in the Final Render Setup dialog box, a shadow is calculated for this light.

### Spotlight: Dust Cone

Spotlights can also create effects such as dust and glows. The options on the Dust Cone page create these effects:

**Dustiness**--Sets the overall intensity of the glowing dust.

Keep Dustiness rather low in most cases. This is the number of particles which reflect light, and too many particles can overwhelm the scene.

**Use Fall Off**--When checked, the dust cone's Fall Off distance is calculated.

**Fall Off**--The distance over which the dust cone loses half of its value. The distance is measured in model units.

**Starting Radius**--Sets the radius of the light cone, which determines the size of the light and dust cones. Set the angle for the cones on the Basics page.

**Dust Turbulence**--Gives an uneven and smoky character to the dust.

**Turbulence Scale**--Determines how dispersed or thick the dust is in the air. With a high

number it is possible to make dust clouds.

**Turbulence Offset**--Sets the relative amounts of dust and empty space.

**Dust shadows**--When this checkbox is checked, shadows for the dust are rendered. Dust shadows increase rendering time.

## World

**Shortcut:** Control+B

Shows and hides the World browser, which gives you access to all objects in every other browser. The World browser provides a schematic look at the relationship of objects to each other and is organized according to those hierarchical levels.

At the highest level in the scene hierarchy, the World browser displays the name of the original parent object (the world) and below it the list of categories of elements in the scene: Objects, Views, Materials, and Lights. Each of these categories is associated with one of the browsers.

By double-clicking the names of objects in the World browser, you can move up and down in the scene's hierarchy. Double clicking the name of a category displays the list of parent objects or elements in that category. Double-clicking the name of a parent object or element displays a list of its children and its properties. To get more information about any object or element, select it in the World browser and choose Get Info from the Edit menu. The browser associated with that object or element's category opens with the object or element selected. For example, if you choose Get Info when a light is selected, the Lights browser opens with information on that light.

Clicking a name selects the object or element. When an object or element is selected, you can edit its name by typing a new name in the text field at the bottom of the browser and pressing Tab or Enter.

**Note:** You cannot edit the category names: Objects, Views, Materials, or Lights.

Double-clicking the name of a child object in the list moves that object to the top of the hierarchy; the names of its children and properties now appear in the child list. If an object has no children, nothing is listed. When you have reached the bottom of a specific hierarchy, double-clicking once again displays that object's parent at the top; the child entry is displayed in the child list with its siblings.

**Tip:** It's a good idea to use a consistent convention for naming objects. For example, you might name a selection of chair styles Chair 1, Chair 2, and so on. You could then use the Find command with Add to Selection to select all your chair models at one time.

Use the Left arrow key to navigate to the object's parent. The Right arrow key navigates to the object's first child. The Up and Down arrows navigate through the current list.

When a parent object appears at the top of the browser, you can add to its list of children by pasting an object from the Clipboard. When you attempt to paste an object or element that does not belong in the current browser--materials into the View category, for example--Extreme 3D beeps and does not execute the command.

When a child object is selected, you can cut, copy, duplicate, and clear selected objects in the child list, or drag an object to change its position in the list. All changes appear in the corresponding Objects, Lights, Materials, or Views browser.

## Layers

**Shortcut:** Shift+Control+L

Shows and hides the Layers browser, which lets you assign objects to layers and then quickly hide, show, and select the objects in those layers. This is useful for managing large scenes--you can show only the group of objects you are working on. The current layer has an asterisk (\*) next to its name. When new objects are created they are automatically assigned to the current layer.

## Layers

To create a new layer, click New. A new layer, named layer 2, layer 3, and so on, appears in the list. To rename a layer, select it, type in a new name in the text field, and press Enter. To make any layer the current layer, select it and click Current, or double-click the layer name.

To delete a layer, select the layer name and click Delete. Any object assigned to that layer is then assigned to the current layer. You cannot delete the current layer.

When you click Hide, all the objects in that layer are set to invisible and disappear in the workspace. Click Show to make all the objects in a layer visible. Objects can be made visible on an individual basis by clicking the Visible checkbox on that object's Info page in the Objects browser.

## Objects

In the workspace, select the object. In the Layers browser, select the layer that it will belong to and click Move.

**Note:** Child objects are not automatically assigned to their parent's layer. Press F3 while clicking Move to move the children to a new layer along with the parent.

To select all the objects in a layer, click Select. After selecting the layer, you make changes to the whole layer by cutting or copying the objects, nudging them, applying materials, and so on.

**Note:** To affect the objects in the workspace (for example, cutting or nudging) you must make the workspace rather than the Layers browser active by clicking one of the selected objects, then performing the action. Don't click off of the selected objects or the entire layer will be deselected.

## **Watch Links**

Opens the Watch Links dialog box, which contains a list of all the watch links created with the watch link tool. Use it to unlink the watch link relationships between objects.

The list items appear in the form Object1 -> Object2, where Object1 is the name of the watcher object, and Object2 is the name of the watched object. Click a list item to select it. This also selects the two watch-linked objects in the workspace.

## **Delete**

Click Delete to remove the currently selected watch link from the list.

## **Show Tool Space**

Displays the tool space. The tool space displays the editable fields of information that are needed by the current command or tool.

## **Show Status Bar**

Turns on and off the context-sensitive help bar at the bottom of the screen.



## Scenes

**Shortcuts:** Press Control+F6 or Control+Tab to view the next open scene. Press Shift+Control+F6 or Shift+Control+Tab to view the previous open scene.

Displays the names of open scene files on the Scenes submenu. A checkmark indicates the active scene. Up to four scenes can be open at once.

## Tool palette



### Related topics:

[Tool preferences](#)  
[Cursor feedback](#)  
[Status bar for tools](#)  
[Tool space](#)

Click a tool in the illustration for more information.

The Extreme 3D tool palette contains tools you can use to create and modify profiles and 3D geometry, and to adjust your view of the scene. Select a tool by clicking it in the tool palette.

A shaded notch in the lower right corner of a tool indicates that the tool is one of a group of tools that perform related functions. When you click and hold one of these tools, the tool group pops out.

The arrow tool is the default tool. It automatically becomes the selected tool again after you finish using any tool. You can make any tool the default tool by pressing a modifier key and clicking the tool.

To make a tool the default tool, Press F3 and select the tool.

**Tip:** You can make the last selected tool the default tool by checking the All Tools Sticky option in the Preferences dialog box.



The entire tool group pops out when you click and hold the hand tool on the tool palette.

## Tool preferences

Some tools have dialog boxes for setting tool preferences. These tools are identified by a white notch in the lower left corner.

- Open the dialog box by double-clicking the tool. For information about preferences for specific tools, see the help topic for that tool.



## Cursor feedback (tools)

Unless otherwise noted, Extreme 3D uses the **arrow cursor** for selection, the **cross-hair cursor** for point placement, and the **modified cross-hair cursor** for reference point placement.

In addition, many Extreme 3D tools have custom cursors that show you what tool you're currently using and prompt you through various steps in using the tool. Most Extreme 3D cursors provide feedback to show you what type of object the "hot spot," or selection area, is currently over.

When the cursor is over a profile, such as an ellipse or polyline that has not been extruded, a **hollow dot** appears next to the cursor.

When the cursor is over 3D geometry, a **solid dot** appears next to the cursor.

When using Extreme 3D's tools where profiles and objects overlap, the cursor feedback helps you to determine which type of object or control point you're about to select.

Any tool that begins a process that takes longer than five seconds to complete displays the hourglass during wait time. Tools that have special state cursors are noted in the tool descriptions in Extreme 3D Help.



+



+



4.

## Status bar for tools

The status bar help at the bottom of the screen gives you information about using Extreme 3D tools, menu items, and controls. When the cursor is over a tool in the tool palette, the status bar displays the name of the tool. When a tool is selected and the cursor is in the workspace, the status bar tells you how to use the tool. If there are several steps involved in using a tool, the status bar displays each step in succession--when you complete one step, the next is displayed.

Use Show Status Bar in the Window menu to turn the status bar on or off.

## Tool space

When you select a tool, the tool space above the status bar displays information about that tool. For most tools, the space displays numerical data for the tool. If you have not used the tool previously during the current session, Extreme 3D displays default values in the tool space; otherwise the last values used appear.

You can define an object by typing values in the editable fields in the tool space and pressing Enter. When you press Enter without modifying the values in the tool space, Extreme 3D applies the current values.

Fields in the tool space are separated by vertical lines.

**Note:** When using the spline and polyline tools, which allow multiple values to be entered, press Enter after entering the values for each segment. Press Shift-Enter to terminate the process.

Move between editable fields in the tool space by pressing the Tab key, or press Shift-Tab to move backward.

The information displayed in the tool space depends on the selected tool. For information on using the tool space with a specific tool, refer to the section on that tool in Extreme 3D Help.



## **Center-corner toggle**

At the bottom of the tool palette is the center-corner toggle, which modifies how several tools operate.

- When the toggle is set to center, the first point establishes the center, and dragging the cursor sizes the object about that center.
- When the toggle is set to corner, the first point is locked down, and dragging the cursor sizes the object's bounds from corner to corner.

If the operation of a tool can be modified using the center-corner toggle, that fact is noted in the description of the tool in Extreme 3D Help.

## • **Arrow tool**

### **Related topics:**

[Selecting hidden objects](#)  
[Opening and editing an object](#)  
[Moving objects](#)  
[Rotating objects](#)  
[Nudging objects](#)  
[Scaling objects](#)  
  
[Arrow Tool Preferences](#)

The arrow tool selects, opens, closes, edits, and moves objects. Select multiple objects by holding the Shift key while using the arrow tool or by drawing a marquee around the objects.

Each object, when selected with the arrow tool, is enclosed in a red bounding box. The axis, located at the object's center, is labeled with a tick mark at the ends of the x and y axes. Only positive directions are indicated. You cannot snap onto the bounding box or the axis.

The object's coordinate axis is displayed by default. The Preferences dialog box has an option for enabling and disabling this feature. You can disable the axes only for the workspace as a whole, not on a per-object basis.

The object axis indicates the orientation of the object.

**Tool space:** When the arrow tool is selected, the numbers in the tool space show the cursor's position in the workspace. The coordinates represent locations in the world.

In the default view, the origin (0,0,0) is at the center of the screen. Units shown are those selected in the Units dialog box. As the arrow tool moves over 3D objects, the tool space shows the coordinates of the 3D geometry that the tool will snap to at that point.

## Selecting hidden objects

Objects that are hidden or that do not appear in the current view can be selected by name in the World browser or by using the Find command on the Edit menu.




## Opening and editing an object

To edit an object--that is, to change the shape of its underlying defining geometry--an object must be open. To open an object, double-click it or choose Open Geometry from the Object menu.

An open object displays the control points and lines that define its geometry.

- To close an object, double-click it or choose Close Geometry from the Object menu. A closed object can be moved, scaled, rotated, and modified with the deformation tools, but its shape cannot be edited.



---

This 3D object is open for editing. Moving the control points changes the shape of the object.

## Moving objects

**Related topics:**    [Nudging objects](#)

When you drag selected objects, Extreme 3D always moves them parallel to the current working plane and indicates where they are being moved by placing the object's bounding box in the new location before redrawing the object.

## Rotating objects

Use the arrow tool to rotate an object around its center. You can move the center of the object using the move object center tool in the control point tool group. To rotate an object in the workspace, select the object with the arrow tool and drag it in the desired direction while pressing a modifier key.

### **To rotate an object:**

- Around x and y only, press F4 while dragging the object
- Around y and z only, press F3 while dragging the object.

To constrain rotation to a specific axis, lock the orientation of the other two axes in the Objects browser.

## Nudging objects

**Related topic:**     [Moving objects](#)

Use the arrow keys on the keyboard to nudge objects--move, scale, and rotate them by specified increments.

To nudge an object's position, select the object and press an arrow key.

To nudge an object's scale, press F2 while nudging the object with the Up and Down arrow keys.

### **To nudge an object's rotation:**

- Around its x axis only (pitch), press F4 and the Up and Down arrow keys.
- Around its y axis only (yaw), press F3 or F4 and the Left and Right arrow keys.
- Around its z axis only (roll), press F3 and the Up and Down arrow keys.

The Preferences dialog box lets you set increments for nudging.

The units for the Nudge Position and Nudge Scale fields are determined by the options in the Units dialog box. The unit for Nudge Angle (orientation) is degrees.

## **Scaling objects**

Use the arrow tool and the F2 key to scale objects. When the object is scaled, it grows or shrinks around its center point.

## Arrow Tool Preferences

Use the options in the Arrow Tool Preferences dialog box to select the planes within which you can drag surface control points and tangent points when editing. Constraining these points to specific planes gives you increased control when editing objects.

Double-click the arrow tool to open the Arrow Tool Preferences dialog box.

### Move Surface Relative To:

- **Surface Tangents**--This option applies only when you are editing a point's surface tangents on an open object. Otherwise, Bounding Box to View is used.

The points move in the plane defined by the point being moved and the line normal to the surface. To visualize this, imagine a plane that touches the object only at the point you are editing. The surface tangents option allow you to move the point only within that plane. This is useful when you want to edit an irregular point on an object--for example, to edit the bump and not the log.

- **Bounding Box to View**--When you select an object you'll see its bounding box. The face of the bounding box that is most nearly parallel to the screen defines the plane in which control points move when this option is selected. This is the default option, and is suitable in most cases.

- **Working Plane**--With this option on, the points move only within a plane that is parallel to the working plane.

By manipulating the working plane, you can easily pull points along any arbitrary axis or plane using this option.

**Note:** The point being edited will stay on the plane established by any of these arrow tool preferences. However, dragging while 3D snapping is in effect can cause the point to move off the established plane.

## View tool group

**Related topic:** [View Tool Preferences](#)

Click a tool to see more information about it:



This tool group consists of the hand and rotation tools. Use these tools to set the position and orientation of the current view. This lets you move around the scene and see it from any position in three-dimensional space. All of the tools in this group use the hand cursor.

**Note:** If the camera is watch linked to an object (where the object is the parent), it cannot rotate independently, so it is not possible to rotate the camera's view.



## View Tool Preferences

Options in the View Tool Preferences dialog box let you specify the center of rotation and scale for view changes. This option applies to all of the tools in the view tool group.

Double-click any of the view tools to open the View Preferences dialog box.

### Rotate and Scale View Relative To:

- ◆ **Look-at Point**--The view rotates and scales around its own center point. This is the default.
- ◆ **Center of Selected Objects**--The view rotates and scales around the center of the bounding box of the selected object. If no object is selected, the view rotates and scales around its center point. If multiple objects are selected, the view rotates and scales around the center of a bounding box that surrounds all of the selected objects.
- ◆ **Eye Point**--The view rotates and scales around its eye point. The eye point can be thought of as the origin of the view--the position in the world of the camera or the viewer that is looking at the scene.



## Hand tool

Moves the view's position along the screen. How this movement affects the coordinates in the Views browser depends on the orientation of the view.

To move the view's position, select the hand tool and drag the workspace in the desired direction. As you drag, the view moves and all objects in the scene move as well.

## Rotating the view

To rotate the view:

- Around the x and y screen axes, press F4 while dragging in the workspace with the hand tool.
- Rotate the view around the y and z screen axes, press F3 while dragging in the workspace with the hand tool.

## Scaling the view

To scale the view, click and drag with the hand tool while pressing F2. When a view is scaled, it grows or shrinks around its center point or according to the current preference setting.

**Note:** Dragging while pressing the N key moves the camera view along the working plane's z axis.



## **X-, Y-, and Z-rotation tools**

Rotate the current view around the x, y, or z axis of the screen. Each of these rotations is performed as an exact view change around a single axis without affecting the scale or perspective of the view.



The x-rotation tool -- Performs a pitch (rotates view around the x axis).



The y-rotation tool -- Performs a yaw (rotates the view around the y axis).



The z-rotation tool -- Performs a roll (rotates the view around the z axis).

## Placement tool group

Click a tool to see information about it:



The placement tool group consists of the rotate point tool, the rotate axis tool, and the placement tool. These tools allow you to rotate and place an object with great precision.



## **Rotate point tool**

Rotates an object around a specified point.

### **To rotate an object around a point:**

**1 Define the center of rotation.**


Click to define the point around which the object will rotate.

**2 Click a point on the object that you want to use as a handle for rotating the object.**

**3 Drag the handle point around the center of rotation.**

**Tool space:** You can also enter rotation values in the tool space to rotate a precise number of degrees. To do this, click to define the point around which the object will rotate. Then type the number of degrees of rotation in the tool space and press Enter.

**Tip:** This tool can be particularly useful when the center of rotation is snapped to a construction line.



The object rotates around the defined center of rotation.



## **Rotate axis tool**

Rotates an object around an axis in 3D space.

### **To rotate an object around an axis:**

**1 Define the axis.**

Click to define the axis start point. Click again to define the end point.


**2 Click a point on the object that you want to use as a handle for rotating the object.**

**3 Drag the handle to rotate the object around the defined axis.**


The object rotates around the axis you defined.

**Tool space:** You can also enter rotation values in the tool space to rotate a specific number of degrees.

**Tip:** This tool can be particularly useful when the axis is snapped to a construction line.









## Placement tool

Places an object precisely in relation to another object by connecting the objects at two points, then rotating one object around the axis that the two points form.

### To place an object:

- 1 Click a point on the first object that will coincide with the second object and drag it to the target point on the second object.**


After the object snaps into place, the point becomes a pivot around which the object can rotate.


- 2 Click and drag a second point on the first object to a second point on the target object.**


The two points form an axis around which the first object can rotate. After you move the first object away, the object's edge remains aligned to the axis on the second object.

- 3 If you want, rotate the first object around the axis by clicking and dragging the first object.**

**Tip:** This tool is easiest to use if you set up the objects and view so that you can see both faces of the objects.









## **Zoom tool**

Changes the scale of the current view so you can zoom in to a part of an object or zoom out to view an entire scene. By zooming in, you can edit and align objects very precisely. By zooming out, you can set up a view to render or you can preview and position objects in relation to each other. This tool uses the magnifying glass cursor.

### **To zoom in on a particular portion of the view:**

- ▶ **Select the zoom tool and drag a rectangle around the area you want to see more closely.**

The center of the rectangle becomes the new look-at point, and the view changes to fit the contents of the rectangle on the screen.

### **To zoom in to a particular point in a view:**

- **Click that point with the zoom tool.**

That point becomes the new look-at point, and the view is scaled by the scale factor displayed in the tool space.

### **To zoom out:**

- **Press F3 while zooming.**

**Tool space:** While you drag the zoom rectangle, the current zoom scale appears in the tool space. The value is expressed as the number of times that you want the view to increase or decrease in scale.

To zoom in or zoom out by a factor, type a zoom factor into the tool space. For example, to double the current view scale, type 2 in the tool space. To zoom out by 50 percent, type 0.5 in the tool space.

**Note:** Zooming can also be controlled in the Scale field of the Views browser. Zooming in on a very small area from a very large view can result in the object not being displayed on the screen. This happens when the view zooms in past the plane that the object is on. Choose Fit to Window from the View menu to see all visible objects in the workspace.



## Working plane tool

Reorients the working plane.

There is only one working plane in Extreme 3D. It serves as a grid for drawing and moving objects. All profiles and objects are drawn and moved relative to the working plane. Like a drafting table, the working plane is flat, but it can be moved and rotated using the arrow tool. Although the working plane behaves as if its dimensions are infinite, it appears as a finite visible grid when displayed on the screen. The measurements of the working plane grid are determined in the Units dialog box. Several tools in the tool palette use the coordinates of this grid.

The horizontal and vertical coordinates of the working plane are labeled h and v. These correspond to the H and V modifier keys, which constrain the movement or placement of a point or object to the horizontal or vertical coordinates of the working plane. In snapping, if Extreme 3D fails to find a snap location within the hit radius, objects snap to the working plane.

### To reorient the current working plane:

- 1 If it isn't already showing, make the working plane visible by choosing Show Working Plane from the Object menu.**
- 2 Select the working plane tool and define the origin (center) of the working plane by clicking once.**
- 3 Define the x axis (horizontal direction) of the working plane by clicking a second time.**
- 4 Define the y axis (vertical direction) of the working plane by clicking a third time on a point that's included in the plane.**



The surface defined by the three clicks is the new working plane.

### To align the working plane to an object:

- **Press the O (not zero) key while clicking the object.**

**Tool space:** When the arrow tool is not over an object in the workspace, the tool space coordinates identify the working plane's location under the arrow tool. In the default view, the origin of the working plane (0,0,0) is at the center of the screen.

**Note:** If Auto Working Plane To View option on the Object menu is enabled, the working plane always shifts to face you directly when you change the view.





## Construction geometry tool group

Click a tool to see information about it:



This tool group consists of the four types of construction geometry: construction point, construction line, construction axis, and construction grid. Use these tools to create construction geometry--frameworks that provide visual references, like scaffolding, for your scene.

Construction geometry remains on the screen and can be moved or rotated with the arrow tool like any other object. 2D and 3D objects can snap to construction geometry. Construction geometry does not appear in final renders.

- **To make construction geometry objects invisible and visible as you work:  
Use the Hide and Show commands on the Object menu.**
- **To permanently remove construction geometry in the workspace:  
Choose Clear Construction Objects from the Object menu.**



## **Construction point tool**

Places a reference point in the workspace. Objects can snap to this point.

### **To place a construction point:**

- **Select the construction point tool and click once in the workspace.**  
You can move the construction point using the arrow tool.
-



These construction points were placed in the workspace, then used as reference points for drawing the spline curve.



## **Construction line tool**

Places a construction line in the workspace. A construction line can be snapped to or used as a visual reference.

**To place a construction line:**

- 1 Select the construction line tool.**
- 2 Click once to place the center of the line, then drag the line around its center point.**

You can move, rotate, and scale the construction line using the arrow tool.

- ◆ **Construction axis tool**

Creates a three-axis construction object to align and orient objects.


- ◆ **To create a construction axis:**

- ◆ **Select the construction axis tool and click to define the center of the construction axis.**

- ◆ If you click directly on an object with the construction axis tool, the construction axis is oriented to that object.

To place the axis at the origin (0, 0, 0) in the world, press Enter after selecting the tool.

**Tip:** When animating, you can attach a watch link between the camera and a construction axis in the scene. The camera will then watch the construction axis as it changes position. For more information, see the [Watch link tool](#) help topic.





## Construction grid tool

Creates a reference grid. Each point and line on the grid can be snapped to or used as a visual reference. You can move and rotate a construction grid using the arrow tool or hand tool. Units on the grid are set in the Units dialog box.

### To create a grid:



- 1 Select the construction grid tool and click where you want the origin of the grid to be.**
- 2 Drag the grid to the desired size.**

### To create a grid parallel to an object's surface:

- **Press the Snap to Object (O) key while placing the construction grid.**  
The Snap to Object key causes the grid to snap to 3D geometry and assume the orientation of the object you are snapping to.

**Center-corner toggle:** When the corner toggle is set, you can draw the construction grid from the perimeter.

**Tool space:** When the construction grid tool is selected, the tool space displays the width and height of the construction grid. Change the dimensions of the construction grid by tabbing to the numeric fields, typing new numbers, and pressing Enter. These numbers you type in will be rounded to the nearest grid division for the unit of measurement specified in the Units dialog box.





## **Text tool**

Click for more information: [Text Tool Preferences](#)

Creates profiles of characters and words that can be extruded to form 3D objects. Extreme 3D extracts the TrueType and Adobe Type 1 font outlines to form the letters.

The text tool uses the text insertion cursor.

### **To create a character or line of text:**

- 1 Select the text tool and click the point in the workspace where you want to place the lower left corner of the first character.**
- 2 Type the text in the tool space. Press Enter when you've finished.**  
You can type up to 63 characters at a time.

Once the letters have been created, you can edit them like any other spline or polyline object. Select the first character to move or manipulate the entire line of text. (The second and subsequent characters are free linked to the first character.) Select individual characters to edit them as individual objects. Use the unlink tool to unlink a character from the line of text.

**Note:** When you perform a 3D geometry operation on linked text profiles, links are discarded.

**Tool space:** When the text tool is selected, the tool space text entry area is used to enter the desired text.

## Text Tool Preferences

Double-click the text tool to open the Text Tool Preferences dialog box, where you can set the font and size of text.

From the Font pop-up you can choose any of the available TrueType and Adobe Type 1 fonts in your system. To change the font size, enter a number in the Size field. It uses the units set in the Units dialog box, not points. The default text size is 1 inch tall.

You can also import text from a DXF, FreeHand, or PICT file if you select the Import Text option in the Preferences dialog box.



## **Polyline tool**

Creates open or closed polygons. A polyline in Extreme 3D is a line that has more than two points. Polylines can be used alone or combined with other profiles to create complex models. A polyline can also be used to create a path for a sweep object. For more information, see the [Sweep tool](#) help topic.

### **To draw a polyline:**

**1 Select the Polyline tool and click to define its points.**

**2 Double-click to complete the polyline.**

To create a closed polyline shape, complete the object by double-clicking the start point.

**Tip:** You can also use the polyline tool to create smooth, predictable 3D spline curves. To do so, approximate the shape of the curve with the polyline tool, then use the Smooth Polylines command on the Object menu to make it into a spline.

**Tool space:** When the polyline tool is selected, type the angle and length of the next line segment and press Enter to draw that segment. Press Shift-Enter to terminate the process.

Angle is expressed in degrees; length is expressed in the units set in the Units dialog box.



## Line tool

Draws a line on the current working plane. A line in Extreme 3D has two points. To draw lines with more than two points, use the polyline tool. To draw curves, use the spline tool. Lines can be used alone or combined with other profiles to create complex models. A line can also be used to create a path for a sweep object. For more information, see the [Sweep tool](#) help topic.

### To draw a line:

- **Select the line tool and drag in the workspace.**  
Alternatively, click to define the start point and click again to define the end point. Extreme 3D draws the line between the defined points.

**Tool space:** When the line tool is selected, the tool space displays editable fields for the angle and length of the line.

To define a line in the tool space, click to specify the start point, enter the length and angle of the line, and press Enter.

Angle is expressed in degrees; length is expressed in the units set in the Units dialog box.



## Spline tool

Creates open or closed splines on the working plane. A spline in Extreme 3D is a Bezier curve. You can use a spline as part of a profile or use it to create a path for a sweep object. For more information, see the [Sweep tool](#) help topic.

You can also use a spline as an animation motion path. See the [Animation Path submenu](#) help topic for more information.

### To create a spline:

- 1 Select the spline tool, click to define the start point of the spline, then drag to define the tangent for the point.**
- 2 Continue to click and drag to add new control points and tangent lines to the spline curve.**
- 3 Double-click to finish drawing the spline.**  
Double-clicking does not automatically close the spline curve. To make a closed spline curve, double-click on top of the first point.

You can also click points in the workspace and let Extreme 3D automatically define the tangent lines. Tangent lines can be adjusted after creating the spline. To do so, double-click the finished spline to open it, then click any point on the spline to display its tangent.

**Tool space:** When the spline tool is selected, type the angle and length of that segment of the spline, then type the angle and length of that segment's tangent point. Press Enter to draw the segment. Press Shift-Enter to terminate the process.

Angle is expressed in degrees counterclockwise from the horizontal on the current working plane; length is expressed in the units set in the Units dialog box.

**Modifier keys:** Press F3 while clicking a point on a spline to set the tangent line for the next point, which you can define by dragging and releasing. This allows you to create a control point with a sharp corner. This only works when creating a spline, not when editing an existing spline.

While editing a spline, press the B (break tangent) key while dragging a tangent point to move it independently, producing a discontinuity on the spline. This is especially useful for creating discontinuities in the animation position path in the workspace.



An unmodified control point and tangent line of a spline.



A tangent line that has been broken with a modifier key, giving the spline a sharp corner.

## Arc tool group

Click a tool for more information:



The arc tool group consists of the center arc tool and the tangent arc tool. Use these tools to create curved line segments on the current working plane. Use these objects as part of a profile or as a basis for 3D objects.



## Center arc tool

Draws an arc profile by specifying its center and radius.


### To create a center arc:

- 1 Select the center arc tool.**
- 2 Click to define the center of the arc and drag the radius.**
- 3 Click and drag again to define the portion of the arc you wish to create (included angle).**

Alternatively, you can select the tool and then click to define the center, start, and end points of the arc.

**Tool space:** When the center arc tool is selected, the tool space displays editable fields for the Radius, the Start Angle, and Included Angle of the arc. To define a center arc using the tool space, click to specify the center point for the arc, then type the values and press Enter.





1. First click defines the arc's center.
2. Second click defines the arc's radius.
3. Third click defines the size of the arc in degrees.
4. Release the mouse to complete the arc.






## **Tangent arc tool**

Draws an arc profile by specifying the line to which it is tangent.

**To create a tangent arc:**

- 1 Select the tangent arc tool.**
- 2 Click to define the starting point of the arc.**
- 3 Then drag a line to which the arc will be tangent.**
- 4 Finally, drag to define the arc's end point.**

● **Tool space:** When the tangent arc tool is selected, the tool space displays editable fields for the tangent angle, the chord angle, and the chord length. To define a tangent arc using the tool space, click to specify the origin of the arc, then type in the values and press Enter.



1. First click defines the arc's starting point.
2. Second click defines the arc's tangent.
3. Third click defines the arc's end point and completes the arc.



## **Regular polygon tool**

Creates regular polygons. A regular polygon is a profile of three or more sides, all of equal length.

### **To create a polygon:**

- 1 Select the polygon tool and click to define the object's center.**
- 2 Set the number of sides in the tool space.**
- 3 Drag away from the center to define the object's perimeter.**

**Tool space:** The polygon's radius and number of sides are set in the tool space. The default is six sides. You can set up to 256 sides.

**Center-corner toggle:** When the corner toggle is set, clicking or clicking and dragging defines a rectangle that describes the bounding box of the polygon.

## Rectangle tool group

Click a tool for more information:



The rectangle tool group consists of the rectangle tool and the square tool, which allow you to create rectangular and square profiles.



## Rectangle tool

Creates rectangular profiles. When you've made a rectangle, you can use it as a basis for 3D objects, or use the profile modifier tools to make a compound profile.

### To make a rectangle:

- **Select the rectangle tool and click to define a center point of the profile, then drag away from the center point to define its size.**

You can independently control both the width and height of the profile.

**Tool space:** When the rectangle tool is selected, the tool space displays editable fields for the width and height of the object. To define a rectangle using the tool space, click to specify the start point, type the width and height of the rectangle and press Enter.

**Center-corner toggle:** With the corner toggle set, click to define the starting corner of the object, then drag to the opposite corner.



## Square tool

Creates square profiles. When you've made a square, you can use it as a basis for 3D objects, or use the profile modifier tools to make a compound profile.

### To make a square:

- **Select the square tool and click to define a center point of the profile, then drag away from the center point to define its size.**

**Tool space:** When the square tool is selected, the tool space displays an editable field for the width of the object. To define a square using the tool space, click to specify the start point, type the width of the square and press Enter.

**Center-corner toggle:** With the corner toggle set, click to define the starting corner of the object, then drag to the opposite corner.

## Circle tool group

Click a tool for more information:



The circle tool group consists of the circle and ellipse tools.





## Circle tool

Creates circular profiles. Once you've made a circle, you can use it to make more complex objects.

### To create a circle:

- **Choose the circle tool from the tool palette and drag in the workspace to create the profile.**

You can also click to define the center point and click a second point to set the radius.

**Tool space:** The tool space displays the radius of the circle. To define a circle using the tool space, click once to define the starting point and then type the radius in the tool space. Press Enter to set the value in the tool space and draw the circle.

**Center-corner toggle:** With the corner toggle set, click a point on the perimeter of the circle and click or drag to create the opposite side.



## Ellipse tool

Creates elliptical profiles. Once you've made an ellipse, you can use it to make more complex objects.

### To create an ellipse:

- **Choose the ellipse tool from the tool palette and drag in the workspace to create the profile.**

You can also click to define the center point and click a second point to set the radius. The two clicks define the center and corner of the rectangle that bounds the ellipse.

**Tool space:** The tool space displays the width and height of the ellipse. To define an ellipse using the tool space, type the width and height of the ellipse and press Enter.

**Center-corner toggle:** With the corner toggle set, click a point on the perimeter of the ellipse and click or drag to create the opposite side.

## Materials application tool group

Click a tool for more information:



The materials application tool group consists of the bucket tool and the eyedropper tool, which let you apply the current material type to 3D geometry and pick up a material from a piece of geometry, making it the current material.



## **Paint bucket tool**

Applies the current material to any object you select. For example, if you create a material called Aluminum, you can set selected objects to have those material properties. The paint bucket tool uses the paint bucket cursor.

- **To apply the current material to an object:**
  - **Click the object with the paint bucket tool.**
- **To apply the current material to several objects:**
  - **Drag a marquee around the objects to select them and then click one of the selected objects with the paint bucket tool.**
- **To apply a material to an object and all the child objects in its hierarchy:**
  - **Press the F2 key while clicking the parent object.**



## **Eyedropper tool**

Picks up the material on an object and makes it the current material. When you create 3D geometry, it automatically uses the current material. The eyedropper tool uses the eyedropper cursor.

### **To copy an object's material attributes:**

- **Select the eyedropper tool and click the object whose material you want to copy.**

That object's material becomes the current material. It can then be applied to other objects using the bucket tool or the Apply button in the Materials browser.

## Texture map tool group

**Related topic:** [Placing a texture map](#)

Click a tool for more information:



The texture map tool group consists of the intrinsic, cylindrical, spherical, and projective texture placement tools, and the material orientation tool. These tools define how a texture map, which is selected in the Materials browser, is placed on the object. Extreme 3D uses a u-v coordinate system to apply a two-dimensional image to a three-dimensional surface. The u value is the width of the image and the v value is the height of the image.

## Placing a texture map

All of the texture map placement tools are interactive. You can experiment with the exact placement by releasing the mouse and adjusting the placement of the tool. The new position of the texture map updates in the workspace every time you release the mouse.

The type of tool you use determines the mapping type for the texture map. In general you should choose the tool that matches the object type you are mapping onto. (That is, use the spherical texture placement tool on spheres, and so on.) Use the intrinsic texture placement tool for objects that do not map to any of the standard shapes. The mapping type appears on the Info page of the Objects browser and can be changed after the map is placed.

**Note:** To do cubic mapping; use the projective placement tool, then change the mapping style to Cubic in the Objects browser.

### To place a texture map:

**1 Use the Materials browser to assign a texture map to an object.**

You may want to hide other objects in the workspace to speed up the screen redraw.

**2 Choose the appropriate texture placement tool and use these modifier keys to apply the map:**

You can also use the tool space to enter exact values for texture map position and orientation. See the individual tool descriptions for more information.

- To specify the starting point of the texture map (except Projective mapping style), press F4 while clicking in the workspace

- To control the width of coverage (except Projective mapping style), press F3 while dragging in the workspace

- To scale the texture map, press F2 while dragging in the workspace
- 

**3 When you're finished specifying the location of the texture map, press Enter or double-click the workspace to complete the placement.**

**4 Use the material orientation tool to reorient the texture map, if needed.**

To use the material orientation tool to change the orientation of the map, press F3 or F4 while dragging in the workspace

- 

**5 Press Enter or double-click in the workspace to complete the reorientation.**


You can place an intrinsic texture map on an object's end caps only if the end caps have been separated. For more information, see the [Separate End Caps](#) help topic.



Specifying the starting point




Controlling the width of the texture map



Scaling the texture map





Drag the texture map's orientation axis while pressing the appropriate modifier key to re-orient the texture map.



## **Intrinsic texture placement tool**

Calculates the surface of an odd-shaped object and interactively adjusts a texture map to fit it. Sometimes this is referred to as rubber sheet mapping. You can change the guides of the intrinsic texture placement tool interactively to fit a texture map precisely to any object.

**Tool space:** The tool space displays the u and v offset (position) and scale for the texture map. To define the placement of the texture map using the tool space, press Tab to move to the tool space, then enter the values and click OK.



## Cylindrical texture placement tool

Calculates the surface of a cylindrical object so you can interactively adjust any texture map to fit it.

**Tool space:** The tool space displays the starting angle (the position where the texture map should begin on the surface), the angle (the amount of the surface that will be covered by the texture map), and the v offset and scale (the vertical position and size of the texture map). To define the placement of the texture map using the tool space, press Tab to move to the tool space, then enter the values and click OK.



## Spherical texture placement tool

Calculates the surface of a spherical object so you can interactively adjust any texture map to fit it.

**Tool space:** The tool space displays the starting angle (the position where the texture map should begin on the surface), the angle (the amount of the surface that will be covered by the texture map), and the v offset and scale (the vertical position and size of the texture map). To define the placement of the texture map using the tool space, press Tab to move to the tool space, then enter the values and click OK.



## **Projective texture placement tool**

Projects a texture map directly on to the front and through to the back of an object as it is oriented to the screen. You can change the guides of the projective placement interactively to fit a texture map precisely to any object.



## **Material orientation tool**

Orients the texture map along the surface of an object to guide you in placing the texture map. Use the material orientation tool to define the x, y, and z axes of the material upon the object.

You can also use the material orientation tool to reorient all of the material types, except for plastic.

**Tool space:** The tool space displays the x, y, and z coordinates for the texture map's orientation. To define the placement of the texture map using the tool space, press Tab to move to the tool space, then enter the values and click OK.

## Mirror tool group

Click a tool for more information:



The mirror tool group consists of the 2D and 3D mirror tools and the offset tool.

- The mirror tools create mirror images of profiles and 3D geometry, either duplicating the object or flipping it across a mirroring plane.
- The offset tool creates a duplicate copy of a profile that is set off from the original by the same distance at each point.

### Mirror Tool Preferences

Double-click the 2D or 3D mirror tool to open the Mirror Tool Preferences dialog box.

To duplicate an object and mirror it, select Copy Mirrored Objects in the Mirror Tool Preferences dialog box. For example, you can create a pair of airplane wings by modeling one wing and then copying and mirroring it across the body of the airplane. If this option is not selected, the object is flipped across the mirroring plane, but not duplicated.



## 2D Mirror tool

Creates a copy of a profile or 3D surface that is its mirror image, or flips the profile across a mirroring plane.

### To create a mirrored profile:



**1 Select the 2D mirror tool and click the object that you want to mirror.**

**2 Click and drag an axis on the current working plane.**

The mirrored profile is flipped across this axis.

● By default, the 2D mirror tool creates two objects that mirror one another. To only change the position of the selected object, without creating a copy of itself, change the option in the Mirror Tool Preferences.









## **3D Mirror tool**

Flips a profile or 3D surface across a mirroring plane, or creates a copy of an object that is its mirror image.

**To create a mirror image of an object across an arbitrary plane:**

- 1 Select the 3D mirror tool and select the object.**
- 2 Click three points to establish three corners of the mirror plane.**

By default, the 3D mirror tool creates two objects that mirror one another. To change the position of the selected object, making it a mirrored image of itself, change the option in the Mirror Tool Preferences.





## Offset tool

Creates a copy of a profile and offsets it from the original by the same distance at each similar point, like an outline. You can use this tool to offset any profile, whether it's closed or open.

### To offset a profile:

- **Select the offset tool, then click the profile and drag.**  
As you drag away from the profile's center, the offset profile grows. Drag toward the profile's center to make the offset smaller.



An offset is different from a scaled duplicate in that the proportions of the shape change to maintain a consistent difference from the original profile.

When offsetting splines, extra control points may be added so that the shape of the new profile closely matches the original. On some splines an offset can twist acute angles. Adjust the tangent handles of the twisted angles after performing the offset.

**Tool space:** When the offset tool is selected, the tool space displays an editable field for the offset distance. To define the offset using the tool space, select the object with the offset tool, type the offset value, and press Enter to draw the object.

S S

## Profile modifier tool group

Click a tool for more information:



The profile modifier tool group consists of the fillet tool and the 2D trim tool.

- The fillet tool rounds corners on profiles.
- The 2D trim tool lets you cut away parts of profiles.



## Fillet tool

Rounds corners on profiles by replacing the corners with arcs. You can fillet lines, polylines, splines, regular polygons, and rectangles. The fillet tool uses a fillet cursor.

### To fillet a corner:

**1 Select the fillet tool.**

**2 To change the fillet's radius, tab to the tool space and enter a new radius before clicking the corners of the object.**

By default, Extreme 3D fillets a .25-inch radius. Small objects may require a smaller fillet radius.


**3 Click one side of the corner where you want the fillet to occur.**

**4 Then click the opposite side of the corner.**

You can also create a fillet out of two profiles that intersect, such as a line through an ellipse.

**Note:** After filleting, the arc is a separate profile. To reconnect the pieces, use the Join Profiles command on the Object menu.

**Tool space:** When the fillet tool is selected, the tool space displays an editable field for the fillet radius.



Filleting the upper right corner of the square produces the smooth corner shown here.





## 2D trim tool

Removes a section of geometry, such as a line segment or a corner, from an object. You can then insert and join other geometry into this space to form compound profiles. This is useful for creating nonstandard profiles for modeling. The 2D trim tool uses the trim cursor.



### To trim a profile:



- 1 **Select the 2D trim tool and click to define the beginning of the segment to be removed.**
- 2 **Click a second time to define the end of the segment to be removed.**
- 3 **Click a third time on the portion of the profile to remove.**

To cut the profile into two pieces, press F3 while clicking a point on the object.

**Tip:** Cutting an object into two pieces can be useful for changing the start and end points of a curve.

**Note:** All clicks must fall on lines within the same object. When trimming a small part of a 2D object, if it seems to get rid of the part you want to keep, try zooming in.





## Control point tool group

Click a tool for more information:



The control point tool group consists of the control point tool and the move object center tool.

- The control point tool lets you add and remove control points on open or closed profiles and simplified 3D geometry.
- The move object center tool lets you move the object center on profiles and 3D geometry.



## **Control point tool**

Adds and removes control points for both profiles and 3D objects. The control point tool uses the control point cursor.

### **To add a control point to an object:**

**1 Display the object's defining geometry by choosing Open Geometry from the Object menu.**

Some objects must be simplified before the control points are available; select the object and choose Simplify Geometry from the Object menu.

**2 Once the control points are displayed, select the control point tool.**

**3 Click any place on the object, except where one already exists, to add a new control point.**

A new control point appears where you clicked. This control point can be selected and dragged like any other control point.

### **To add a control point to closed 2D shapes and specify it as the first point on the profile:**

- **Press F2 while adding the point.**

You can also click an existing point to specify it as the first point.

### **To delete a control point:**

- **Press the F3 key while clicking an existing control point.**



## **Move object center tool**

Repositions an object's center point--the point around which the object rotates and is scaled, and the point to which the object's parent and children are aligned. The move object center tool uses the object center cursor.

### **To reposition an object's center:**

**1 Double-click the object with the arrow tool to open it for editing.**

The center of the object is displayed as a small green dot. This step is not required, but it is useful so that you can see the center point after moving it.

**2 Using the move object center tool, click anywhere on the object and drag to indicate the new position of the center point.**

The center point moves to the location where you released the mouse button.

## Surface modifier tool group

**Related topic:**     **Trim Preference**

Click a tool for more information:



The surface modifier tool group consists of the projection, 3D trim, and intersection tools.

- The projection tool projects an image of a profile onto a piece of 3D geometry and marks it with trim curves.
- The 3D trim tool lets you cut away pieces of 3D geometry that have been marked with trim curves created with the projection and intersection tools.
- The intersection tool marks the intersection of two pieces of geometry with trim curves.

## Trim Preferences

The tolerance for trimming is set by double-clicking the 3D trim tool.

All 3D geometry is represented in the workspace as polygonal approximations of a surface. The trim tolerance represents the difference in the distance between the actual surface and the polygon that represents the surface. The smaller the number, the closer the trim will be to the actual surface of the object.

### Tolerance Options:

- **Use Display Tolerance**--Uses the object's interactive smoothing values.
- **Use Custom Tolerance**--Lets you define a custom trim tolerance.

How precise you need the trim tolerance to be is determined by factors such as the object's scale or how close it will be to the camera in any given scene or image.

Trim tolerances are measured in model units. A user-defined value increases the time it takes to complete the trim and the number of points in the trim.

**Note:** Trim curves do not use Final Smoothness Settings.





## Projection tool

**Related topic:**     [Trim Preference](#)

Projects a 2D profile onto the front and back faces of a 3D object. (Both faces of the object will have trim curves projected on them.) You can then use the 3D trim tool to cut out the projected shapes.

### Setting up the projection

When using the projection tool, make sure the projecting object is placed directly in front of the area that you want to project onto. Projection direction is along the normal of the object being projected and goes to the object being projected onto. Some perspective settings may make it difficult to determine whether the profile is positioned correctly.

The easiest way to set up a projection is to change your perspective to Orthographic. In Orthographic view, you view the objects without a sense of perspective, so it is easy to see how one object will project a shape onto another.

● When you place the object that will be projected over the target object, the projecting object remains visible when deselected as long as it is in front of the target object. Otherwise, it disappears behind or inside the other object when it is deselected.

#### To perform a projection:

**1 Once the projection profile is properly positioned, choose the projection tool.**

**2 Select the 2D projection profile.**

**3 Press F3 and drag to set the direction of the projection (optional).**

By default, the direction of the projection is along the Z axis of the projected object. You can override this default and define a new direction of projection by drag-clicking two points. In most cases, the working plane, the projected object, and the object onto which the profile is projected are all parallel, so the default direction of projection is not obvious. When the projected object is rotated slightly, it is clearer that it is projecting along its Z axis.

**4 Select the target object.**


Extreme 3D places an outline of the projected image (the trim curve) onto the front and back faces of the object. Use the 3D trim tool to cut away an area marked by the trim curve. You may need to move the original profile out of the way to see the trim curve, which is blue when it is deselected. Trim curves cannot be edited, moved, or smoothed.

● **Note:** Projecting and trimming cannot be performed on end caps because they are already trimmed surfaces. You must separate the object's end caps in order to use these commands on them. To do so, select the object and choose Separate End Caps from the Object menu.


### Creating 3D geometry with trim curves

After projecting a trim curve, you can turn it into a regular polyline profile by simplifying it. Once a trim curve is simplified, it is no longer a trim curve.

To simplify it, select it and choose Simplify Geometry from the Object menu. You can then, edit it, extrude it, and create other 3D geometry from it. This is a good way to create a piece of 3D geometry that conforms exactly to another piece that it extrudes from. This works best on flat or slowly curving surfaces.



When perspective is Moderate, it may look like the profile is not aligned correctly for the projection. In Orthographic perspective, you can see how the objects line up.



After projecting the profile onto the object, move it aside to see the trim curve. Use the 3D trim tool to cut out the area defined by the trim curve.



## 3D trim tool

**Related topic:** [Trim Preference](#)

Removes single, closed areas of 3D objects that have been defined with the projection and intersection tools. After defining the area that will be trimmed, blue trim curves appear on the object.

### To trim a 3D object:

**1 Select the 3D trim tool.**

**2 Click the trim curve.**

The arrow pointer displays a hollow circle when the cursor is directly over the trim guide.

**Note:** The Show and Hide commands on the Object menu let you show and hide trim curves.

**3 Click the area on either side of the trim curve that you want to trim.**

After you have selected the trim curve, the cursor becomes a matte knife cursor, reminding you that any surface you click next will be cut. The 3D geometry within the bounds of the trim curve is removed.

**Note:** The polygon face display setting is important when trimming. Trimming lets you see backfacing polygons when a hole is created. In order to display back faces, Back Faces or Both must be set using the Display Polygons command on the Object menu.

### To undo a trim:

**1 Navigate the hierarchy in the World browser and select the trim curve.**

You can't select it in the workspace because it's not visible.

**2 Choose Show from the Object menu and Selected Objects from the submenu.**

The trim curve becomes visible in the workspace. (You can also select Trim Curves from the Show submenu to display all of the trim curves in the workspace.)

**3 Press F3 and click the trim curve with the 3D trim tool.**

The trimmed area is restored.



## Intersection tool

**Related topic:** [Trim Preference](#)

Draws trim curves at the points where two objects intersect. After using the intersection tool, use the appropriate trim tool (2D or 3D) to cut away parts of the object.


**To mark an intersection of two objects:**

- 1 Place two objects so that they intersect.**
- 2 Choose the intersection tool.**
- 3 Click near the intersection points of the first object and then the second.**  
Extreme 3D marks the intersection points with a blue trim curve.

When showing the intersection of 3D objects, Extreme 3D highlights the area of intersection. For 2D profiles, one intersection point is placed closest to the intersecting area.

Intersecting two 3D shapes will produce two trim curves--one attached to each 3D shape. In most cases, you may need to hide one of these objects to trim away part of its surface. If it seems like 3D trimming is not working, then you may be selecting the trim curve of object A and a surface of object B. If you hide objects, you'll be able to reliably select the desired object's trim curve.

**Note:** To define object intersections on an object's end caps, you must first separate the end caps. However, after end caps are separated, the object becomes three objects: the main body and two end caps, which makes these operations more difficult. An easier way to do this is to use the cross section tool to create the object (a cylinder or cube, for example). Because the cross section tool does not create objects with end caps, intersection and trimming operations are simplified greatly.



## Unlink tool group

Click a tool for more information:



The unlink tool group consists of the unlink and reparent tools.

- The unlink tool breaks existing links.
- The reparent tool moves an object up one level in the link hierarchy.





## **Unlink tool**

Separates linked objects. When you break a link, the object reverts to the default parent, the world. The unlink tool can break all links except a watch link. To break a watch link, use the Watch Links command on the Window menu.

The unlink tool uses the unlink cursor to remind you that you're breaking a link.

### **To break a link:**

- **Click the child object that you want to unlink with the unlink tool.**

**Note:** You can also break a link by linking a child to a new parent or to the world, or by using the reparent tool.



## **Reparent tool**

Moves the children of a selected linked object up one level in the link hierarchy. After applying the reparent link, the children of the linked object have the same parent as the former parent object.

The reparent tool uses the reparent cursor to remind you that you are changing the hierarchical relationship of two objects.

### **To change an object's parent:**

- **Click the object with the reparent tool.**  
The object's children move up one level in the link hierarchy.
- **Modifier keys:** Press F3 while clicking a parent object to place all of the objects in its hierarchy on the same level as the parent.



Because the pit is linked to the avocado, it stays with it when the avocado is removed.



By reparenting the pit, it stays with the plate when the avocado is removed.

In this example, the avocado halves and the banana are free linked to the plate. The avocado pit is free linked to the avocado. To remove the avocado but leave the pit behind, use the reparent tool to remove the avocado from the link hierarchy. The pit stays linked to the plate.

## Link tool group

Click a tool for more information:



This tool group consists of the free link, lock link, ball-joint link, and watch link tools, which allow you to create hierarchical relationships among objects and to edit the object hierarchy. By linking individual objects together, you can simulate the movement of complex mechanical and biological objects. By establishing hierarchical relationships among objects, you can make changes in one part of the hierarchical structure that affect other objects in the structure.

When you link two objects together, one object becomes the **parent** and the other becomes the **child**. The child object moves as the parent object does. For example, when you link the movable joystick handle (the child) to a base (the parent), the handle moves through space when the base does.

● By default, all objects have the world as their parent. Using the different link tools, you can define a new parent for an object, and specify how freely the child rotates and moves in relation to the parent. There are four types of links in Extreme 3D:

- **Free link:** The child can move and rotate independently of the parent but the parent drags the child along when it moves. When the parent rotates, the child rotates around the parent's center point. This is the least constrained type of link.
- **Lock link:** The child can't rotate independently of the parent, and it always rotates around the parent's center point. The child moves when the parent moves and vice-versa; neither can move independently of the other.
- **Ball-joint link:** The child can rotate independently of the parent, but can't move independently of the parent. When the parent rotates, the child rotates with it around the parent's center point.
- **Watch link:** The z axis of the child object stays oriented to, and "watches" the center of the parent object. When the parent moves, the child rotates to orient its z axis to the parent's new position. Both parent and child can move independently of one another.


An object can have a watch link and a hierarchical link. Each object's link constraints can be modified in the Objects browser.

Most link relationships are shown in the workspace. When you select the parent of a free, locked, or ball-joint link in the workspace, all child objects are automatically selected and highlighted in gray bounding boxes. To view the link relationships of watch links, use the Watch Links dialog box on the Window menu. Objects are listed according to their link hierarchies in the score and the World browser.

**Note:** You cannot link objects to the working plane.

Links cannot be animated. That is, an object cannot be linked, unlinked, or have its link changed over the course of the animation. However, an object can be animated in any direction that is not constrained by its link.

**Tip:** Break sequences up into separately submitted rendering jobs to give the appearance of animated links.



The joystick handle is linked to the ball using a lock link; the ball is linked to the base using a ball-joint link; the base is linked to the table using a free link.




## Free link tool

Links two objects with a free link in which the child object can be moved and rotated independently from its parent. When the parent moves, the child moves with it. When the parent rotates, the child rotates around the parent's center point.



### To create a free link:

- **Click the child object with the free link tool and drag a line to its new parent. The free link tool uses the free link cursor to remind you which kind of link you are creating.**



The cup is the child free-linked to the tray, which is the parent. The cup can move freely around the tray, but whenever the tray is moved the cup moves with it.



## **Lock link tool**


Creates a link in which the child object rotates around the parent's center as the parent rotates. With a lock link, the parent and child always move together: neither can move independently.

- The lock link tool uses the lock link cursor to remind you which kind of link you are creating.

### **To create a lock link:**

- **Click the child object with the lock link tool and drag a line to its new parent.**





The socket is lock-linked to the base. It has the same orientation as the base and moves with it.



## **Ball-joint link tool**

Creates a link in which the child object can rotate on all axes, but only moves as its parent moves. When the parent rotates, the child rotates around the parent's center. Some human joints, such as the shoulder, have ball-joint links.

- The ball-joint link tool uses the ball-joint link cursor to remind you which kind of link you are creating.

### **To create a ball-joint link:**

- **Click the child object with the ball-joint link tool and drag a line to its new parent.**



The handle is linked to the base (the parent) with a ball-joint link. The handle can move back and forth, but the handle always remains attached to the same location on the base.



## Watch link tool

Identifies a link between two objects in which the z axis of the child object stays oriented to the center of the parent object. Both objects can move independently of one another. This is most useful for creating tracking links between a light or camera and an object in the scene.

The watch link tool uses the watch link cursor to remind you which kind of link you are creating.

### **To create a watch link:**

- **Click the child object with the watch link tool and drag a line to its new parent.**

The child orients its negative z axis to the center of the parent when either of them moves. The child can still rotate around its own center, but will follow the parent in all its movements. If the object selected as the child already has orientation tracks anywhere in the scene, a link will not be allowed and a beep will sound.

Watch links are not duplicated when the object is duplicated or duplicated with links.

### **To automatically watch link the camera to an object:**

- **Press F3 while clicking an object with the watch link tool.**

The camera is the child and reorients itself to watch the object as it moves.

**Note:** If the camera is watch linked to an object (where the object is the parent), it cannot rotate independently.

To see which objects currently have watch links, or to break a watch link, select Watch Links from the Window Menu.

## Extrude tool group

Click a tool for more information:



This tool group consists of the extrude and bevel extrude tools, which pull profiles along an extrude depth line to create objects. For example, you can turn circles into cylinders and squares into cubes.



## Extrude tool

Pulls profiles along a depth line to create objects.

### To extrude a profile or set of profiles:

- 1 Select the extrude tool and click the profile to be extruded. Use Shift-click to select more than one profile.**

If the selected profile contains other profiles, and those profiles are also selected, they are also extruded, creating holes in the larger object.

The extrusion profiles need not be planar. Extrusion profile curves can have points in the x, y, and z dimensions.

- 2 Click and drag the depth for the 3D object. You can drag along any axis. Extreme 3D always extrudes along the z axis of the working plane.**

**Tool space:** When the extrude tool is selected, the tool space displays an editable field for the extrude depth. To specify the depth of the extruded object, type the depth in the tool space and press Enter.

### End cap preferences

To automatically include front and back caps on all 3D objects, including extruded objects, use the Cap Ends option in the Preferences dialog box.



## Bevel extrude tool

Creates an extruded object with beveled edges.

**1 Select the bevel extrude tool and click the profile to be extruded. Use shift-click to select more than one profile.**

If the selected profile contains other profiles, and those profiles are also selected, they are also extruded, creating holes in the larger object.

The extrusion profiles need not be planar. Extrusion profile curves can have points in the x, y, and z dimensions.

**2 If necessary, change the bevel width in the tool space.**

**3 Click and drag the depth for the 3D object.**

You can drag along any axis. Extreme 3D always extrudes along the z axis of the working plane.

**Tool space:** When the bevel extrude tool is selected, the tool space displays editable fields for the extrude depth and bevel width. To specify these parameters, type numbers in the tool space and press Enter.

**Note:** The extrude depth must be greater than the bevel width.

## End cap preferences


To automatically include front and back caps on all 3D objects, including extruded objects, use the Cap Ends option in the Preferences dialog box.

## Bevel Preferences

You can set the style of the bevel in the Bevel Preferences dialog box. Open the dialog box by double-clicking the bevel extrude tool.

### Bevel Options:

- **Bevel Front**--Applies a bevel to the front cap of the extruded shape.
- **Bevel Back**--Applies a bevel to the back of the extruded shape.
- **Hard Bevel**--Applies a chamfered bevel to the object; if this option is not checked, a curved bevel is applied.
-



From left to right: Hard Bevel (chamfered), Front and Back, Back only, No Bevel



## 3D Primitives tool group

Click a tool for more information:



The 3D primitives tools draw basic 3D objects.



## Cone tool

Draws a cone on the working plane.

### To draw a cone:

- **Select the cone tool and click in the workspace.**

A cone is drawn with the default height and width of 1.0 model units.

You can also drag in the workspace to draw the cone. Click to define the apex and then drag to define the base. Release the mouse button when the cone is the desired size.

**Tool space:** The dimensions for the cone appear in the tool space. To define the cone using the tool space, type the dimensions you want in the tool space and press Enter or click in the workspace to draw the object.

**Center-corner toggle:** When the corner toggle is set, click to define the starting point of the object and drag to define a point on the perimeter.



## Sphere tool

Draws a sphere on the working plane.

### To draw a sphere:

- **Select the sphere tool and click in the workspace.**

The sphere is drawn with the default radius of .5 model units.

You can also drag in the workspace to draw the sphere. Click to define the center and then drag to define the radius. Release the mouse button when the sphere is the desired size.

**Tool space:** The dimensions for the sphere appear in the tool space. To define the sphere using the tool space, type the dimensions you want in the tool space and press Enter or click in the workspace to draw the object.

**Center-corner toggle:** When the corner toggle is set, click to define the starting point of the object and drag to define a point on the perimeter.



## Cube tool

Draws a cube on the working plane.

### To draw a cube:

- **Select the cube tool and click in the workspace.**  
The object is drawn with the default width of 1.0 model units.

You can also drag in the workspace to draw the cube. Click to define the center and then drag to define the radius. Release the mouse button when the cube is the desired size.

**Tool space:** The dimensions for the cube appear in the tool space. To define the cube using the tool space, type the dimensions you want in the tool space and press Enter or click in the workspace to draw the object.

**Center-corner toggle:** When the corner toggle is set, click to define the starting point of the object and drag to define a point on the perimeter.



## Sweep tool

### Related topic: Sweep Tool Preference

Pulls a profile along a path to create a 3D swept object. For example, sweeping a circle along a line produces a cylinder, which could be done using the extrude tool, as well. However, sweeping a circle along a spline curve creates a segment of curved tubing, like a bent pipe.

#### To create a swept object:

**1 Select the sweep tool.**

**2 Click the profile (or Shift-click to select multiple profiles) that you want to specify as the sweep profile.**

Selecting multiple sweep profiles that overlap or are entirely contained within another profile creates swept objects with interior cavities.

**3 Select the profile that you want to specify as the sweep path. The sweep is performed immediately after selecting the sweep path.**

By default, the swept object inherits the position and orientation of the original sweep path, so if multiple profiles and a single path were used, some of the final swept objects may be obstructed by others. To change this default, use the Sweep Preferences dialog box.

The profile and path need not be planar curves. Both can have curves that have points along all three coordinates, x, y, and z.

• **Tool space:** When the sweep tool is selected, the tool space displays editable fields for the beginning scale and ending scale of the sweep. This allows you to create a tapered sweep object--a nautilus shell, for example, or a lamp post, like the one below. The spacing of control points or polygon vertices affects the change in scale. Where control points or vertices are far apart, the taper is more gradual. Where control points or vertices are close together, the taper is steeper.

•

## Sweep Tool Preferences

Open the Sweep Tool Preferences dialog box by double-clicking the sweep tool in the tool palette.

**Number of Sections**--Controls the number of interior cross-sections for each segment of the sweep path. (A segment is the area between two control points.) The greater the number of cross-sections, the smoother the swept object will appear. This is particularly useful in making a sweep path with steep or irregular turns look smoother. The default number of cross-sections is 1.


You can view the number of sections in a swept object on the Sweep page of the Objects browser.

### **Sweep with Respect To:**


- Fix Path Location--Aligns the sweep profile to the path. This is the default setting. The resulting object inherits the position and orientation of the path.
- Fix Profile Location--Aligns the sweep path to the profile. The resulting 3D object inherits the position and orientation of the profile.

### **End cap preferences**

To automatically include front and back caps on all 3D objects, including swept objects, check the Cap Ends preference in the Preferences dialog box.



The tube was created by sweeping the two concentric circles (top illustration) along the sweep path.



Editable text fields were used to set the beginning and ending scale of the tapered lamp post.





## Lathe tool

Rotates a profile around a defined axis, creating a 3D object.

### To lathe a profile:

**1 Select the lathe tool.**

**2 Click the profile to be lathed.**

If the selected profile contains other profiles, and those profiles are also selected, they are lathed as holes. This is more obvious if the lathe angle is less than 360 degrees, because otherwise the hole is entirely enclosed inside of the object.

**3 Click and drag a line to define the axis around which the object will be lathed, or click two points of the axis in the workspace.**


The placement of the axis in relation to the object determines the shape of the final object.

**Tip:** To create a donut (torus), draw a circle and then draw the lathe axis outside the circle.

**Tool space:** When the lathe tool is selected, the tool space displays an editable field for the lathe angle, expressed in degrees. By default, an object is lathed 360 degrees around the specified axis. However, you can type any lathe angle in the tool space. If you want a half-lathe, for example, type 180 degrees in the tool space and press Enter. Then define the axis around which you want to lathe. You can edit the lathe angle in the Objects browser. The lathe angle can be animated.

## End cap preferences

To automatically include front and back caps on all 3D objects, including lathed objects, use the Cap Ends option in the Preferences dialog box. You will see end caps only if the lathe angle is less than 360 degrees.



## Deformation tool group

Click for more information: [Deformation Tool Preferences](#)

Or click a tool for more information:



This tool group consists of the twist, bend, taper, stretch, and skew tools. These tools deform objects over a defined range in a number of ways.

To deform 3D objects, their surface geometry must be simplified. When you select an object that hasn't been simplified for use with any of the deformation tools, a dialog box appears, giving you the option to simplify the object or deselect it. The deformation tools use the arrow cursor when you select the object to be deformed. You can perform the deformation interactively when the cursor changes to a hollow arrow.

For greater control when using all of these tools, insert additional control points, particularly when deformations are confined to a specific region of the object.

All deformations can be animated. When experimenting with deformations, make sure that the current time in the score is set to zero, or that the animation toggle is off, if you don't want deformation changes to animate in the scene.

## Deformation Tool Preferences

The Deformation Tool Preferences dialog box specifies the axis along which the tool deforms the selected object. Open the dialog box by double-clicking a deformation tool in the tool palette.

By selecting the options in this dialog box, you can set the tool to deform the object along a particular axis or plane.

### Deform Along:

- **Object's X Axis**--The tool deforms around the object's x axis (deforms the object's y-z plane).
- **Object's Y Axis**--The tool deforms around the object's y axis (deforms the object's x-z plane).
- **Object's Z Axis**--The tool deforms the object around the object's z axis (deforms the object's x-y plane). This is the default.
- **Working Plane's Z Axis**--The tool deforms the object along the z axis of the working plane, rather than along the object's coordinates.

### Opposite Direction

When this checkbox is selected, the object deforms in the opposite direction

### Deform Down Tree

When this option is checked, the children of the selected object also deform.



## Twist tool

Twists the selected object around the object's axis, as defined in the Deformation Tool Preferences dialog box. By default, the object is twisted around its z axis.

Using this tool you can apply a twist over the entire length of the object. Alternatively, you can twist a section of the object.

### To perform an unlimited twist:

**1 Select the twist tool and click the object.**

**2 Drag anywhere in the workspace.**

The object continues to twist as long as you drag.

### To perform a limited twist, you must define the beginning and end of the section to be twisted.

**1 Select the twist tool and click the object.**

**2 Press F3 and click the beginning and ending points for the twist.**

**3 Drag anywhere in the workspace.**


When you drag the object, the object twists between the points. Tangents outside the section may move slightly to provide a smoother transition between the twisted and untwisted section of the object.

**Note:** To gain greater control over a limited twist, add more control points to the part of the object that you want to twist.



**Tool space:** When this tool is selected, the tool space displays an editable text field showing the twist angle. The amount of twist is expressed as an angle in degrees of counterclockwise twist.

**Modifier keys:** Press F3 to define the beginning and end of the section to be twisted.



Left to right: no twist, boundary of a limited twist, limited twist, unlimited twist



## Bend tool

Bends the selected object within a plane, as defined in the Deformation Tool Preferences dialog box. Deformation Preferences settings constrain bending as follows:

Setting	Bending plane
Object's X Axis	Y-Z plane
Object's Y Axis	X-Z plane
Object's Z Axis	X-Y plane
Working Plane's Z Axis	X-Y plane

**Note:** Select the working plane's z axis preference and rotate the working plane to control the direction of the bend.

Using this tool you can apply a bend over the entire length of the object. Alternatively, you can limit the bend to a section of the object.

### To perform an unlimited bend:

- 1 Select the bend tool and click the object.**
- 2 Drag anywhere in the workspace.**  
The object continues to bend as long as you drag.


To perform a local bend, you must also define the beginning and end of the section to be bent.

- 1 Select the bend tool and click the object.**
- 2 Press F3 and click the starting and ending points of the section you want to bend.**
- 3 Drag anywhere in the workspace.**

When you drag the object, the object bends between the points. Tangents outside the section may move slightly to provide a smoother transition between the bent and unbent sections of the object. To make a sharper bend or to confine the bend further, add extra control points around the bend start and stop points before bending.

● **Tool space:** When this tool is selected, the tool space displays an editable field for the bend angle, expressed in degrees of counterclockwise bend.

**Modifier keys:** Press F3 to define the beginning and end of the section to be bent.



Left to right: before bending, bending along entire length, limited bend





## **Taper tool**

Tapers the selected object along an axis, as defined in the Deformation Tool Preferences dialog box. By default, the object tapers along its z-axis.

Using this tool you can apply a taper over the entire length of the object. Alternatively, you can taper a section of the object.

### **To perform an unlimited taper:**

**1 Select the taper tool and click the object.**

**2 Drag anywhere in the workspace.**

The object continues to taper as long as you drag.

To perform a limited taper, you must also define the beginning and end of the section to be tapered.

**1 Select the taper tool and click the object.**


**2 Press F3 and click to define the starting and ending points of the taper.**

**3 Drag in the workspace.**

When you drag, the object tapers between the points. Tangents outside the section may move slightly to provide a smoother transition between the tapered and untapered section of the object.

**Tool space:** When this tool is selected, the tool space displays an editable field for the amount of taper, expressed as a scaling factor for the amount of taper applied to the end of the taper.

**Modifier keys:** Press F3 to define the beginning and end of the section to be tapered.



Left to right: original object, tapered along entire length, limited taper



## Stretch tool

Stretches the selected object along the object's axis, as defined in the Deformation Tools Preferences dialog box. By default, the object is stretched along its z axis. You can apply a stretch over the entire length of the object. Alternatively, you can stretch a section of the object.

### To perform a global stretch:

**1 Select the stretch tool and click the object.**

**2 Drag anywhere in the workspace.**

The object continues to stretch as long as you drag.

To perform a limited stretch, define the beginning and end of the section to be stretched.

**1 Select the stretch tool and click the object.**

**2 Press F3 and click to define the starting and ending points of the section you want to stretch.**

**3 Drag anywhere in the workspace.**

When you drag the object, the object stretches between the points. Tangents outside the section may move slightly to provide a smoother transition between the stretched and unstretched section of the object.

●  
**Tool space:** When this tool is selected, the tool space displays an editable field for the scaling factor to be applied to the stretched object.

**Modifier keys:** Press F3 to define the starting and ending points of the stretch.



Top to bottom: original object, limited stretch, unlimited stretch



## Skew tool

Shifts an object along a plane, as defined in the Deformation Tool Preferences dialog box. Deformation Preferences settings constrain skewing as follows:

Setting	Skewing plane
Object's X Axis	Y-Z plane
Object's Y Axis	X-Z plane
Object's Z Axis	X-Y plane
Working Plane's Z Axis	X-Y plane

**Note:** Select the Working Plane's Z Axis preference and rotate the working plane to control the direction of the skew.

Using this tool you can skew the entire length of the object. Alternatively, you can skew only a section of the object.

### To perform an unlimited skew:


- 1 Select the skew tool and click the object.**
- 2 Drag anywhere in the workspace.**  
The object continues to skew as long as you drag.

To perform a limited skew, you must also define the beginning and end of the section to be skewed.

- 1 Select the skew tool and click the object.**
- 2 Press F3 and click to define the starting and ending points of the skew.**
- 3 Drag anywhere in the workspace.**  
When you drag the object, the object skews between the two points. Tangents outside the section may move slightly to provide a smoother transition between the skewed and unskewed section of the object.

**Tool space:** When this tool is selected, the tool space displays an editable field for the skew amount, expressed as the maximum distance any point of the object will be shifted.

**Modifier keys:** Press F3 to define the starting and ending points of the skew.



## Skin tool group

Click for more information: [Skin tool preferences](#)

Or click a tool for more information:



This tool group consists of the skin tool and the cross-section tool. The skin tool stretches a surface between two or more profiles. The cross-section tool stretches one profile along the shape of a second profile.

## Skin Tool Preferences

Open the Skin Tool Preferences dialog box by double-clicking the skin tool.

- **Linear Surface Between Profiles**--Creates a noncurved surface between the skin profiles. By default, this option is off, and a curved surface is created between skin profiles.

From the same skin profiles, Extreme 3D created two different objects.

- **Auto Profile Direction**--When you skin two open profiles, this option reconciles the order of the points along the open skin profiles and sets the location of the start point of all profiles to the location of the start point of the first profile of the skin.

For example, when this option is selected, and one skin profile is created from top to bottom and another is created from bottom to top, Extreme 3D reconciles them so that the points go in the same direction. When this option is not selected, Extreme 3D skins the profiles in the order that the points on the skin profiles were created.

- **Note:** You can also achieve this same effect manually for a single profile by choosing Reverse Ordering from the Control Points submenu on the Object menu. This reverses the order of control points in the profile.




- **Distribute Along Curve Length**--Matches the control points of profiles based on their length. The length of the first curve is calculated and control points are distributed uniformly along its length. Then each successive profile length is calculated and its control points are uniformly distributed. Extreme 3D makes the skin by matching control points by their location on the profile.

For example, the first control point, located at half the length of the first profile, is matched to the control point that is located at half the length of the second profile. This option works well with profiles that do not have the same number of control points. You can change the start and end points of any profile manually using the 2D trim tool. Holding the F3 key, trim at the new start point. Then use the Join Profiles command on the Object menu to join the profiles. The point at which you trimmed is now the first control point.


## End cap preferences

To automatically include front and back caps on all 3D objects, including skinned objects, check the Cap Ends checkbox in the Preferences dialog box.





Left to right: original profiles, Linear Surface Between Profiles off, Linear Surface Between Profiles on



Left: Auto Profile Direction off  
Right: Auto Profile Direction on



## Skin tool

**Click for more information:** [Skin tool preferences](#)

Creates a new object by stretching a surface between a series of two or more profiles. By skinning a series of arcs, for example, you can make a canoe or an airplane wing. You can skin a path, such as a spline, or closed shapes, such as rectangles.

### To create a skinned object:

**1 Create the skin profiles and situate them in their desired positions and orientations.**

You may want to rotate some profiles to achieve the desired shape of the skinned object.

**2 Select the skin tool, then select the profiles to be skinned in the order that they should be skinned.**

**3 Double-click or press Enter to perform the skin.**

You can also create a skin by first selecting all of the skin profiles and then selecting the skin tool. A dialog box opens asking whether you want to create the skin or deselect the profiles.

- If you choose Create, the tool determines a probable ordering of the profiles and produces the skinned object.


- If you choose Deselect, the profiles are no longer selected and you must reselect them by clicking them in the order you want them to be skinned.

The order in which profiles are selected plays a part in the look of the final skinned object. Extreme 3D creates the skinned object by matching the control points of one profile with those of the next profile. The Skin Preferences dialog box provides options for how the control points on the skin profiles are matched to perform the skin.


**Note:** Curves are skinned from the first point of the first profile to the first point of the second profile, and so on. If your profiles don't skin as expected, open them up and check the relative positions of the first points on each curve. You can use the control point tool to specify a different first control point.

**Note:** Skin profiles need not have the same number of vertexes or control points.





The profiles on the left were selected and then skinned to form the smooth 3D object on the right.



The profiles in bold have more control points than the other profiles. To create a shape with notches, you need cross-sections with different numbers of control points



## Cross-section tool

Creates 3D objects from two profiles that become the face and the cross-section of the object. The face and cross-section profiles can be created using any of the 2D tools.

In an operation that is a cross between lathing and skinning, Extreme 3D stretches the cross-section over the front profile. When the 3D object is generated, the front profile maintains its shape, while the cross-section may be stretched to conform to the dimensions of the front profile.

### To generate a 3D object:

**1 Draw the profiles that you will use as a front profile and cross-section.**

**2 Select the cross-section tool and click the profiles.**

The first profile you click becomes the object's cross-section. The second object you click becomes the front and side profile.

**3 Press F3 and drag to define the axis for the cross-section or front profile. The axis must cross the front profile.**

**4 After the cross-section and front profile are defined, press Enter to build the 3D object.**

Extreme 3D automatically pulls the cross-section along the front profile and lathes the front profile in the direction of the axis.

**Modifier keys:** Press F3 and drag to define the axis for the cross-section or front profile.

