



Sound Forge for 32 Bit Windows Version 3.0c DEMO, x86 Platform

7/1/95

© Copyright 1991-1995 Sonic Foundry, Inc. All rights reserved.

The Sound Forge 3.0 for 32 Bit Windows DEMO contains all features of the Sound Forge 3.0 for 32 Bit Windows package with the following restrictions:

1. You cannot Save any changes to your sound files.
2. You cannot use the Clipboard to Paste data into other applications.
3. You cannot Record new sound data.
4. You cannot Send or Receive samples from Samplers (Internal or External).
5. The program will run for only 15 minutes per session.
6. The Sonic Foundry Virtual MIDI Router (VMR) is not included (for Windows 95 only).
7. Some of the tutorial sound files are not included.

To really get a feel for the usability and features of Sound Forge 3.0, we highly recommend you take the time to browse the Help file. Especially the Keyboard and Menu Shortcuts.

Ordering Information

Sound Forge 3.0 for 32 Bit Windows is available directly from Sonic Foundry for \$595.00.

For pricing and availability on all Sonic Foundry products please call or write:

Sonic Foundry, Inc.
100 South Baldwin Street, Suite 204
Madison, Wisconsin 53703

(608) 256-3133 (Sales and Main Line)
(608) 256-7300 (FAX)
(608) 256-6689 (BBS)
CompuServe: GO SONIC
Internet: sales@sfoundry.com

The remaining text is the Release Notes for Sound Forge 3.0.

This document contains additional information not available in the printed documentation or on-line Help.

Contents

This document contains information on the following topics:

- 1.0 Minimum System Requirements
- 2.0 Installation
- 3.0 More Common Questions and Answers
- 4.0 Sonic Foundry, Inc.

1.0 Minimum System Requirements

The following lists the minimum system requirements for using Sound Forge for 32 Bit Windows:

- 386 microprocessor (486 DX recommended)
- VGA display
- 8 megabytes of RAM
- 5 megabytes of hard disk space for program installation
- 32 Bit Windows Operating System with compatible Sound Card:
 - Microsoft Windows 95 Final Beta (final release recommended)
 - Microsoft Windows NT 3.5 or later
- Large and fast hard disk for temporary file storage

Sound Forge will run very well on the above listed configurations. However, if you do not have a 486 DX (or better) microprocessor, then a math coprocessor is highly recommended. Sound Forge's Digital Signal Processing (DSP) functions will operate many times faster with a math coprocessor.

2.0 Installation

The Setup program for Sound Forge for 32 Bit Windows will install all components required to operate the program onto your hard disk. The following is a complete list of the files that are copied onto your hard disk and the location that they are placed:

C:\WIN95\ or C:\WINNT\
FORGE32.INI

C:\WIN95\SYSTEM or C:\WINNT\SYSTEM32
CTL3D32.DLL
MSVCRT20.DLL

C:\FORGE30\
FORGE32.EXE
FORGE.HLP
FORGE32.CFG
FRGAFX32.DLL
FRGBFX32.DLL
FRGCFX32.DLL
FRGFLT32.DLL
FRGKRN32.DLL
FRGSMP32.DLL

FRGSYN32.DLL
FRGUSR32.DLL
FRGUTB32.DLL
README32.WRI
TUTFILL.WAV
TUTMUSIC.WAV
TUTOR1.WAV
TUTOR2.WAV
TUTORSMP.WAV

A Program Manager group titled "Sound Forge" will be created with a Sound Forge for 32 Bit Windows program icon and a Release Notes icon. No changes will be made to your WIN.INI or SYSTEM.INI files.

Additional files with a .SFP extension will be created by Sound Forge in the directory in which it is installed. These additional files contain saved Presets. The SFP extension stands for Sound Forge Presets.

In addition to the Sound Forge program, Disk 2 contains the Sonic Foundry Virtual MIDI Router (VMR) for 16 Bit Windows. This component is for Windows 95 users only and is *not* installed by the Sound Forge Setup program. If you choose to install this component (special setup instructions for Windows 95 are contained in a separate document in the Sound Forge package), then the following file will be copied to your hard disk:

C:\WIND95\SYSTEM\
SFVMID.DRV

The Sonic Foundry Virtual MIDI Router adds information to your SYSTEM.INI file.

It is strongly recommended that Windows 95 users install the Sonic Foundry Virtual MIDI Router (VMR). Windows NT users should not install the Sonic Foundry Virtual MIDI Router (VMR). This driver is not compatible with Windows NT.

3.0 More Common Questions and Answers

The following is a list of Common Questions and Answers that are not contained in the printed documentation or on-line Help.

Q: My Process, Effects, and Tools menus have disappeared, what happened?

A: If you find that your Process, Effects, and Tools menus have disappeared even though you have a Data Window open, then you need to re-run the Sound Forge Setup program. The actual cause of your menus disappearing is the deletion (or absence) of the FORGE32.INI file in your C:\WIN95\ directory (or C:\WINNT\ directory for Windows NT users). The FORGE32.INI file contains information written by the Setup program that is required by Sound Forge to use Plug-In's.

Q: I can't open any .VOX files. I get an error message saying my VOX files are of an unknown type and cannot be opened.

A: You must have the List Files by Type drop-down list in the Open dialog set to the "Dialogic VOX ADPCM (*.vox)" entry to open VOX files with Sound Forge. The VOX file format contains no information about the data that it stores. Because of this, Sound Forge cannot auto-determine the file's type and must be told explicitly that the file is a Dialogic VOX file in the ADPCM format.

Q: I can't open any Sounder/SoundTool .SND files. I get an error message saying "Internal Error - Illegal File Type" when I try to open these files.

A: You must have the List Files by Type drop-down list in the Open dialog set to the "Sounder/SoundTool (*.snd)" entry to open Sounder and SoundTool SND files with Sound Forge.

4.0 Sonic Foundry, Inc.

If you need to contact Sonic Foundry, we can be reached in the following ways:

Sonic Foundry, Inc.
100 South Baldwin Street, Suite 204
Madison, Wisconsin 53703

(608) 256-3133 (Sales and Main Line)
(608) 256-5555 (Technical Support)
(608) 256-7300 (FAX)
(608) 256-6689 (BBS)
CompuServe: GO SONIC
Internet: techsupp@sfoundry.com
 sales@sfoundry.com