

INPUTOUTPUTLIB

Conversion program

COLLABORATORS

	<i>TITLE :</i> INPUTOUTPUTLIB		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Conversion program	February 2, 2023	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	INPUTOUTPUTLIB	1
1.1	Overview of INPUTOUTPUTLIB	1
1.2	INPUTOUTPUTLIB	1
1.3	INPUTOUTPUTLIB	1
1.4	INPUTOUTPUTLIB	2
1.5	INPUTOUTPUTLIB	2
1.6	INPUTOUTPUTLIB	2

Chapter 1

INPUTOUTPUTLIB

1.1 Overview of INPUTOUTPUTLIB

Overview

An Acid Software Library

Converted to AmigaGuide by

Red When Excited Ltd

Used with the permission of Acid Software

1.2 INPUTOUTPUTLIB

Statement: DefaultInput

Modes :

Syntax : DefaultInput

DefaultInput causes all future Edit\$ functions to receive their input from the CLI window the Blitz 2 program was run from. This is the default input channel used when a Blitz 2 program is first run.

1.3 INPUTOUTPUTLIB

Statement: DefaultOutput

Modes :

Syntax : DefaultOutput

DefaultOutput cause all future Print statements to send their output to the

CLI window the Blitz 2 program was run from. This is the default output channel used when a Blitz 2 program is first run.

1.4 INPUTOUTPUTLIB

Statement: PopInput

Modes :

Syntax : PopInput

After input has been re-directed (eg using WindowInput/FileInput), PopInput may be used to return the channel to it's previous condition.

1.5 INPUTOUTPUTLIB

Statement: PopOutput

Modes :

Syntax : PopOutput

1.6 INPUTOUTPUTLIB

| INPUTOUTPUTLIB |

Overview

Command Index

DefaultInput

DefaultOutput

PopInput

PopOutput
