

# **INTUIFONTLIB**

Conversion program

**COLLABORATORS**

|               |                                |                  |                  |
|---------------|--------------------------------|------------------|------------------|
|               | <i>TITLE :</i><br>INTUIFONTLIB |                  |                  |
| <i>ACTION</i> | <i>NAME</i>                    | <i>DATE</i>      | <i>SIGNATURE</i> |
| WRITTEN BY    | Conversion program             | February 2, 2023 |                  |

**REVISION HISTORY**

| NUMBER | DATE | DESCRIPTION | NAME |
|--------|------|-------------|------|
|        |      |             |      |

# Contents

|          |                                    |          |
|----------|------------------------------------|----------|
| <b>1</b> | <b>INTUIFONTLIB</b>                | <b>1</b> |
| 1.1      | Overview of INTUIFONTLIB . . . . . | 1        |
| 1.2      | INTUIFONTLIB . . . . .             | 1        |
| 1.3      | INTUIFONTLIB . . . . .             | 2        |
| 1.4      | INTUIFONTLIB . . . . .             | 2        |

---

## Chapter 1

# INTUIFONTLIB

### 1.1 Overview of INTUIFONTLIB

Overview

An Acid Software Library

Converted to AmigaGuide by

Red When Excited Ltd

Used with the permission of Acid Software

### 1.2 INTUIFONTLIB

Statement: LoadFont

---

Modes :

Syntax : LoadFont IntuiFont#,Fontname.font\$,Y size [,style]

LoadFont is used to load a font from the fonts: directory. Unlike BlitzFonts any size IntuiFont can be used. The command WindowFont is used to set text output to a certain IntuiFont in a particular Window.

The LoadFont command has been extended with an optional style parameter. The following constants may be combined:

```
#underlined=1
#bold=2
#italic=4
#extended=8 ;wider than normal
#colour=64 ;hmm use colour version I suppose
```

---

## 1.3 INTUIFONTLIB

Statement: IntuiFont

---

Modes :

Syntax : IntuiFont A Font for use by intuition

## 1.4 INTUIFONTLIB

---

| INTUIFONTLIB |

---

Overview

Command Index

IntuiFont

LoadFont

---