

S_NAME,C,20
vxAppendBlank
vxAppendFrom
vxAreaDbf
vxAreaNtx
vxBof
vxBottom
vxBrowse
vxBrowseCase
vxBrowsePos
vxBrowseSetup
vxChar
vxClose
vxCloseAll
vxCloseNtx
vxCollate
vxCopy
vxCopyStruc
vxCreateDbf
vxCreateNtx
vxCtlBrowse
vxCtlBrowseMsg
vxCtlFormat
vxCtlGrayReset
vxCtlGraySet
vxCtlHwnd
vxCtlLength
vxCtlPenWidth
vxCtlStyle
vxDateFormat
vxDateString
vxDbfCurrent
vxDbfDate
vxDbfName
vxDeallocate
vxDecimals
vxDeleted
vxDeleteRange
vxDeleteRec
vxDescend
vxDouble
vxEmpty
vxEof
vxErrorTest
vxEval
vxEvalDouble
vxEvalLogical
vxEvalString
vxExactOff

vxExactOn
vxField
vxFieldCount
vxFieldName
vxFieldSize
vxFieldTrim
vxFieldType
vxFile
vxFilter
vxFilterReset
vxFormFrame
vxFound
vxGetVersion
vxGo
vxInit
vxInteger
vxIsMemo
vxIsRecLocked
vxJoin
vxJoinNoAuto
vxJoinReset
vxLocate
vxLocateAgain
vxLockDbf
vxLocked
vxLockRecord
vxLong
vxMemoEdit
vxMemoRead
vxMenuDeclare
vxMenuItem
vxNtxCurrent
vxNtxDeselect
vxNtxExpr
vxNtxName
vxNtxRecNo
vxNumRecs
vxPack
vxPrinterDefault
vxPrinterEnum
vxPrinterSelect
vxRecall
vxRecNo
vxRecord
vxRecSize
vxReIndex
vxReplDate
vxReplDateString
vxReplDouble

vxReplInteger
vxReplLogical
vxReplLong
vxReplMemo
vxReplRecord
vxReplString
vxSeek
vxSeekFast
vxSeekSoft
vxSelectDbf
vxSelectNtx
vxSetAlias
vxSetAnsi
vxSetCollate
vxSetDate
vxSetErrorCaption
vxSetErrorMethod
vxSetHandles
vxSetLanguage
vxSetLocks
vxSetMeters
vxSetRelation
vxSetString
vxSetupPrinter
vxSkip
vxSum
vxTableDeclare
vxTableField
vxTableFieldExt
vxTableReset
vxTestNtx
vxTop
vxTrue
vxUnlock
vxUseDbf
vxUseDbfRO
vxUseNtx
vxWindowDereg
vxWrite
vxWriteHdr
vxZap
vxCreateSubNtx
vxIsPicture
vxIsSubNtx
vxMemoClear
vxNtxSubExpr
vxNumRecsSub
vxPictureImport
vxPictureRead

vxLockRetry
vxMemCompact
vxMemoPos
vxMemRealloc
vxNumRecsFilter
vxSetSelect
vxUseDbfAgain
vxUseDbfEX

F_NAME,C,200
 TrueOrFalse% = vxAppendBlank()
 vxAppendFrom(DbffFileName\$)
 AreaNum% = vxAreaDbf(DbffFileName\$)
 AreaNumNtx% = vxAreaNtx(NtxFileName\$)
 TrueOrFalse% = vxBof()
 TrueOrFalse% = vxBottom()
 Call vxBrowse(ThisForm.hWnd,DbfHandle%,NtxHandle%,EditMode%,Filter%,EditMenu%,StartRec&,Caption\$,Rtn&)
 Call vxBrowseCase(Case%)
 Call vxBrowsePos(Left%,Top%,Width%,Height%)
 Call vxBrowseSetup(Menus%, PrintMenu%, QCol%, V3D%, FontName\$, FontSize%, Weight%, Italic%, Hdr%, MinMax%, Th
 string\$ = vxChar(FieldName\$)
 TrueOrFalse% = vxClose()
 TrueOrFalse% = vxCloseAll()
 TrueOrFalse% = vxCloseNtx(NtxHandle%)
 Call vxCollate(CharMap%)
 TrueOrFalse% = vxCopy(NewDbffFileName\$)
 TrueOrFalse% = vxCopyStruc(NewDbffFileName\$)
 TrueOrFalse% = vxCreateDbf(NewDbffFileName\$,NumFields%,FileStructure)
 NtxHandle% = vxCreateNtx(NtxFileName\$, NtxExpr\$)
 TrueOrFalse% = vxCtlBrowse(hWnd%, DbfArea%, NtxArea%, EditMode%, StartRec&, MemohWnd%, MemoField\$)
 RecNum& = vxCtlBrowseMsg(hWnd%, Msg%, ByVal Param)
 TrueOrFalse% = vxCtlFormat(TextLen%, PictureFormat%, Decimals%)
 Call vxCtlGrayReset
 Call vxCtlGraySet
 hWnd% = vxCtlHwnd(ControlName)
 Call vxCtlLength(FieldName\$)
 Call vxCtlPenWidth(Width%)
 Call vxCtlStyle(A_Control,Effect%)
 Date\$ = vxDateFormat(DateFieldName\$)
 Date\$ = vxDateString(DateFieldName\$,DateFormat%)
 CurrentSelectArea% = vxDbfCurrent()
 LastDate\$ = vxDbfDate()
 CurrentDbf\$ = vxDbfName()
 TrueOrFalse% = vxDeallocate()
 TrueOrFalse% = vxDecimals(NumericFieldName\$)
 TrueOrFalse% = vxDeleted()
 TrueOrFalse% = vxDeleteRange(StartRec&,EndRec&)
 TrueOrFalse% = vxDeleteRec()
 ComplimentedString\$ = vxDescend(SearchString\$)
 Call vxDouble(NumericFieldName\$)
 TrueOrFalse% = vxEmpty(FieldName\$)
 TrueOrFalse% = vxEof()
 TrueOrFalse% = vxErrorTest(ErrorStruct)
 TrueOrFalse% = vxEval(xBaseExpr\$)
 TrueOrFalse% = vxEvalDouble(Expr\$,Val&)
 TrueOrFalse% = vxEvalLogical(Expr\$,Logical\$)
 TrueOrFalse% = vxEvalString(Expr\$,String\$)
 vxExactOff

```

vxExactOn
FieldContents$ = vxField(FieldName$)
NumofFields% = vxFieldCount()
FieldName$ = vxFieldName(FieldNumber%)
FieldLen% = vxFieldSize(FieldName$)
FieldContents$ = vxFieldTrim(FieldName$)
FieldType$ = vxFieldType(FieldName$)
TrueOrFalse% = vxFile(FileName$)
Call vxFilter(xBaseFilter$)
vxFilterReset
Call vxFormFrame(Form.hWnd)
TrueOrFalse% = vxFound()
Version$ = vxGetVersion()
TrueOrFalse% = vxGo(RecNum&)
Call vxInit
Integer% = vxInteger(FieldName$)
TrueOrFalse% = vxIsMemo(FieldName$)
TrueOrFalse% = vxIsRecLocked()
Call vxJoin(DbHandle%,NtxHandle%,JoinExpr$,KeyType%,Title$)
Call vxJoinNoAuto
Call vxJoinReset
RecordNum& = vxLocate(XExpr$, Direction%)
RecordNum& = vxLocateAgain(XExpr$, Direction%)
TrueOrFalse% = vxLockDbf()
TrueOrFalse% = vxLocked()
TrueOrFalse% = vxLockRecord()
LongNum& = vxLong(FieldName$)
Call vxMemoEdit(Form.hWnd,MemoFieldName$)
String$ = vxMemoRead(MemoFieldName$,LineWidth%)
Call vxMenuDeclare(NumofMenuItems%)
Call vxMenuItem(MenuIndex%,MenuLevel%,MenuCaption$,MenuType%)
ActiveNtx% = vxNtxCurrent()
TrueOrFalse% = vxNtxDeselect()
IndexExpr$ = vxNtxExpr(NtxHandle%)
NtxName$ = vxNtxName(NtxHandle%)
RecNum& = vxNtxRecNo()
NumRecs& = vxNumRecs()
TrueOrFalse% = vxPack(Form.hWnd)
Printer$ = vxPrinterDefault()
Printer$ = vxPrinterEnum(PrinterIndex%)
TrueOrFalse% = vxPrinterSelect(Printer$)
TrueOrFalse% = vxRecall()
RecNum& = vxRecNo()
TrueOrFalse% = vxRecord(RecordStructure)
RecSize% = vxRecSize()
TrueOrFalse% = vxReIndex()
Call vxReplDate(FieldName$, DateString$)
Call vxReplDateString(DateField$,NewDateValue$)
Call vxReplDouble(FieldName$,Amount#)

```

Sheet1

Call vxReplInteger(FieldName\$,Amount%)
Call vxReplLogical(FieldName\$,Logical%)
Call vxReplLong(FieldName\$,Amount&)
Call vxReplMemo(FieldName\$,MemoString\$)
Call vxReplRecord(RecordStructure)
Call vxReplString(FieldName\$,TextString\$)
TrueOrFalse% = vxSeek(SearchString\$)
TrueOrFalse% = vxSeekFast(SearchString\$)
TrueOrFalse% = vxSeekSoft(SearchString\$)
LastDbfHandle% = vxSelectDbf(DbHandle%)
LastNtxHandle% = vxSelectNtx(NtxHandle%)
TrueOrFalse% = vxSetAlias(AliasName\$,DbfHandle%)
Call vxSetAnsi(TrueOrFalse%)
Call vxSetCollate(TrueOrFalse%)
Call vxSetDate(Format%)
Call vxSetErrorCaption(NewErrorTitle\$)
Call vxSetErrorMethod(TrueOrFalse%)
NumAvailHandles% = vxSetHandles(NumofRequestedHandles%)
Call vxSetLanguage(Language%)
Call vxSetLocks(OnorOff%)
Call vxSetMeters(OnorOff%)
TrueOrFalse% = vxSetRelation(RelatedDbfHandle%,Relationship\$)
Call vxSetString(NumVal%)
Call vxSetupPrinter(Form.hWnd)
TrueOrFalse% = vxSkip(RecsToSkip&)
Call vxSum(FieldName\$,ReturnAmt&)
Call vxTableDeclare(Colour%,BOFExpr,EofExpr,Scope%,QuickKey%,Columns%)
Call vxTableField(Col%,Heading\$,Expr\$,Type%)
Call vxTableFieldExt(Col%,Heading\$,Expr\$,Type%,Width%,DbfHandle%)
Call vxTableReset
TrueOrFalse% = vxTestNtx(NtxHandle%)
TrueOrFalse% = vxTop()
TrueOrFalse% = vxTrue(FieldName\$)
TrueOrFalse% = vxUnlock()
DbfHandle% = vxUseDbf(DbFile\$Name\$)
DbfHandle% = vxUseDbfRO(DbFile\$Name\$)
NtxHandle% = vxUseNtx(NtxFile\$Name\$)
Call vxWindowDereg(Form.hWnd)
TrueOrFalse% = vxWrite()
TrueOrFalse% = vxWriteHdr()
TrueOrFalse% = vxZap()
NtxHandle% = vxCreateSubNtx(NtxFile\$Name\$, NtxExpr\$, ForCond\$)
TrueOrFalse% = vxIsPicture(MemoField\$Name\$)
TrueOrFalse% = vxIsSubNtx(NtxArea%)
j% = vxMemoClear(MemoField\$Name\$)
Expr\$ = vxNtxSubExpr(NtxArea%)
NumRecs& = vxNumRecs()
TrueOrFalse% = vxPictureImport(BMPFile\$Name\$, MemoField\$Name\$)
TrueOrFalse% = vxPictureRead(PicHwnd%, MemoField\$Name\$)

Sheet1

```
vxLockRetry ErrorMode%, Wait%  
Bytes& = vxMemCompact()  
vxMemoPos(x%, y%, wide%, height%, title$)  
j% = vxMemRealloc(dbfs%, ntxs%, Buffer%)  
Recs& = vxNumRecsFilter()  
Call vxSetSelect(OnorOff%)  
j% = vxUseDbfAgain(DBFName$)  
j% = vxUseDbfEX(DBFName$)
```


HELP_ID,C,20