

**ADFormat**

**COLLABORATORS**

	<i>TITLE :</i> ADFormat		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		February 6, 2023	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME

# Contents

<b>1</b>	<b>ADFormat</b>	<b>1</b>
1.1	ADFormat - Contents . . . . .	1
1.2	ADFormat - Overview . . . . .	1
1.3	ADFormat - Requirements . . . . .	2
1.4	ADFormat - Legal stuff . . . . .	2
1.5	ADFormat - Installation . . . . .	3
1.6	ADFormat - Usage . . . . .	3
1.7	ADFormat - Known Bugs . . . . .	4
1.8	ADFormat - History . . . . .	4
1.9	ADFormat - Future . . . . .	4

---

## Chapter 1

# ADFormat

### 1.1 ADFormat - Contents

Overview

Gives you a brief overview

Requirements

What do you need to run ADFormat

Legal Stuff

The standard Disclaimer

Installation

How to get it on disk

Usage

How to use ADFormat

Known bugs

What is to be fixed in future releases?

History

What has changed

The Future

What's up next?

You MUST read the

Legal Stuff

chapter before using ADFormat.

### 1.2 ADFormat - Overview

I like AmigaGuide(tm). I like AD2HT, too. But the thing which I ↔  
did't like was  
the ugly layout of the Autodocs after they processing. No Multi-Column layout

---

and no justification. First I thought about writing a new AD2HT, but then I thought, wait, why don't you just reformat the existing ones?

That's what ADFormat does. It takes an AmigaGuide converted Autodoc file (the ones produced by AD2HT) and reformats the main node of it, with adjustable column number. The buttons are formatted so that all buttons will become as big as the biggest button in the main node.

Additionally, ADFormat can produce a "Return to Autodoc-it"-Button at the top of an Autodoc's Function list. This will greatly improve the handling of the autodocs.

This program is sort of a fast hack, I wrote it on a rainy afternoon in august '93. It may still be buggy, see the

Known Bugs  
section.

### 1.3 ADFormat - Requirements

To use ADFormat, you need the following :-

- An Amiga Computer.
- at least Kickstart 37.175 (not tested with V36, it may work)
- Workbench 2.0

Optionally, the following :-

- AmigaGuide
- AD2HT
- The Amiga Autodocs

The last three item are not essential, but It won't make much sence 8-).

### 1.4 ADFormat - Legal stuff

Legal Stuff:

ADFormat is public domain. You can use it as you like, but AT YOUR OWN RISK. ADFormat is distributed with NO special purpose whatsoever, and in no way can DIgital Dimensions or the author be held responsible for any damage caused by the use or misuse of this program. No warranty, neither expressed or implied, is granted by DIgital DIMensions.

ADFormat was written by Hans-Jörg Frieden in 1993.

DIgital DIMensions are:

Hans-Jörg Frieden  
Schloßstraße 176  
54293 Trier  
Germany  
Email:

Thomas Frieden  
Schloßstraße 176  
54293 Trier  
Germany

---

```

inf01@uni-trier.de           inf02@uni-trier.de
or hfrieden@treveris.uni-trier.de  tfrieden@treveris.uni-trier.de

```

Phone: Germany 0651/66410.

Watch out for other products from

```

|_____\ |
|    | |
|    | | gital
|____/ | mensions

```

ADFormat is public domain. You can use it at your own risk, copy it, or do what you want, as long as you don't claim it as yourself. You can use part of the source code in your programs, as long as you DO NOT USE ADFormat FOR COMMERCIAL PURPOSE. That simply means that you should not make more money out of it than we do.

Donnations are very welcome, but not necessary.

If you like/use ADFormat and you have access to EMail, then please send me a mail and tell me what you think of it. Look above for the EMail address. BTW, mail me, too, if you DON'T like it, and tell me why.

If you have suggestions, bug reports or something like that, or you want anything special build into a future version, please contact us also. If it is possible, and I have the time to do it, it will be done.

Should you phone, you can talk german, english, frensh, polish, japeese or any language you like, but I will only understand german and english (and a little frensh - don't count on this). Please also keep in mind that other countries may have other time, and please don't call between 10pm and 10am.

## 1.5 ADFormat - Installation

Installing ADFormat is easy - Just copy it into a directory somewhere within your path - C: would be nice. You may want to copy this Guide file to somewhere where you store your documentation files.

No installer script is supplied - It would take longer to write one than it took to write the program. Installation is easy, though, for someone who knows how to use the shell.

## 1.6 ADFormat - Usage

ADFormat may only be used from the Shell. The argument template is

```
FROM/A,TO/K,COL/K/N,VERBOSE/S,BACKLINK/S
```

FROM is the file you want to convert. This argument must be present.

- TO is an optional parameter which specifies an alternate output file. By default, ADFormat overwrites the original file.
- COL specifies how much columns of buttons you would like to have. COL may be any number, but no checks are performed. You may specify e.g. 1000 columns, but this won't look `_THAT_` good.
- VERBOSE prints debug informations while processing the file. This option is kind of a debug switch, and not much use.
- BACKLINK Generates a "Back to Autodoc-it" button at the top of the function list. This is usefull only if you use the Autodoc-it file for your autodocs.

#### Examples:

```
ADFormat intuition BACKLINK COL 3
```

Formats intuition autodoc with three columns and the "Back to autodoc-it" button.

```
ADFormat intuition to intuition.out
```

Format intuition with 1 column, writing it out to intuition.out

## 1.7 ADFormat - Known Bugs

Currently, I am not aware of any bugs. Should you discover some, ↔  
let me know.

(See

Legal Stuff  
for address)

## 1.8 ADFormat - History

### Revision History

Date	Revision	Comment
15-Aug-93	1.0	First public release

## 1.9 ADFormat - Future

If you should have any ideas on what features ADFormat is missing, ↔  
please

let me know (See

Legal Stuff  
for address)

---