

# *Alpha* L<sup>A</sup>T<sub>E</sub>X **Menus**

**Version 3.2t**

Tom Scavo

L<sup>A</sup>T<sub>E</sub>X\*trscavo@syr.edu\*

February 1997

## List of Tables

### Notes:

The command keys listed in these tables assume the flags `smartScripts` and `useDollarSigns` are set to true and false, respectively.

An ellipsis in the first column of a table means that the command requires additional input from the user.

An ellipsis in the `kLATEX Commandl` column of a table indicates that the command *wraps* the current selection or the chosen file.

<b>LaTeX</b>
<b>Process</b>
<b>Goto</b>
<b>LaTeX Utilities</b>
<b>LaTeX Palette</b>
<b>Documents</b>
<b>Page Layout</b>
<b>Sectioning</b>
<b>Text Submenus</b>
<b>Math Submenus</b>

Table 1: The short L<sup>A</sup>T<sub>E</sub>X menu

LaTeX
Process
Goto
LaTeX Utilities
LaTeX Palette
Documents
Page Layout
Sectioning
Text Style
Text Size
International
Environments
Boxes
Miscellaneous
Math Modes
Math Style
Math Environments
Formulas
Greek
Binary Operators
Relations
Arrows
Dots
Symbols
Functions
Large Operators
Delimiters
Math Accents
Grouping
Spacing

Table 2: The long L<sup>A</sup>T<sub>E</sub>X menu





```

tabular tabular|l|c| 1|c|Process & 1c|Key Binding \ Typeset file.tex &
$Cmd T$ \ View file.dvi & $Shf Cmd V$ \ Print file.dvi & $Shf Cmd P$ \
Typeset Clipboard & $Shf Cmd T$ \ Typeset Selection & \ dvips file.dvi & \
View file.ps & \ Print file.ps & \ bibtex file.aux & \ makeindex file.
idx & \ Other Files & \ Remove Auxiliary Files & \ Remove Temporary
Files & \ tabular & tabular|l|c| 1|c|Process & 1c|Key Binding \ &
\ & \ & \ & \ & \ Open file.ps & \ & \ & \ Open file.

```

Table 3: The Process submenus

Open?	Key Binding
file.log	
file.aux	
file.toc	
file.lof	
file.lot	
file.idx	
file.blg	
file.ilg	
Any TeX File	*SHF CMD O*

Table 4: The **Open?** submenu



Goto	Key Binding
LaTeX	*SHF CMD S*
BibTeX	
MakeIndex	
Next Tab Stop	*TAB*
Prev Tab Stop	*SHF TAB*
nth Tab Stop	*CTL TAB*
Next Command	*KPAD6*
Prev Command	*KPAD4*
Next Command Select	*SHF KPAD6*
Prev Command Select	*SHF KPAD4*
Next Command Select With Args	*SHF OPT KPAD6*
Prev Command Select With Args	*SHF OPT KPAD4*
Next Environment	*CMD KPAD6*
Prev Environment	*CMD KPAD4*
Next Environment Select	*SHF CMD KPAD6*
Prev Environment Select	*SHF CMD KPAD4*
Next Section	*CMD KPAD2*
Prev Section	*CMD KPAD8*
Next Section Select	*SHF CMD KPAD2*
Prev Section Select	*SHF CMD KPAD8*
Next Subsection	*KPAD2*
Prev Subsection	*KPAD8*
Next Subsection Select	*SHF KPAD2*
Prev Subsection Select	*SHF KPAD8*

Table 5: The **Goto** submenu

LaTeX Utilities	Key Binding
Choose Command?	*SHF CMD C*
Insert Literal Tab	*OPT TAB*
Insert Tab Stop	*OPT 8*
Delete Tab Stops	*CMD TAB*
Delete Comments	
Convert Quotes	
Convert Dollar Signs	
Short LaTeX Menu	

Table 6: The **LaTeX Utilities** submenu





```

tabular 1|c|Documents & 1|c|Command & 1|c|Key Binding \ New Document & &
$Shf Cmd N$ \ article & tabular[t]@-0.9exl .[]article. \ .[] \ .
document. \ + ...+ \ .document. tabular & \ report & tabular[t]@-0.
9exl .[]report. \ .[] \ .document. \ + ...+ \ .document. tabular & \
book & tabular[t]@-0.9exl .[]book. \ .[] \ .document. \ + ...+ \ .
document. tabular & \ letter & tabular[t]@-0.9exl .[]letter. \ .. \ .. \
.. \ .document. \ .letter. \ .. \ + ...+ \ .. \ .letter. \ .
document. tabular & \ slides & tabular[t]@-0.9exl .[]slides. \ .[] \ .
document. \ + ...+ \ .document. tabular & \ generic & tabular[t]@-0.9exl.[]
<classname>. \.[] \.document. \+ ...+ \.document. tabular & \
options & & \ usepackage & +[]...+ & $Ctl Opt U$ \ filecontents & tabular
[t]@-0.9exl +filecontents<filename>+ \ + ...+ \ .filecontents. tabular

```

**Table 7: The Documents submenu** Rebuild Documents Submenu & & \tabular



tabular 1|c|Page Layout & 1|c|Command & 1|c|Key Binding \ maketitle &  
Table 8. The Page Layout submenu

Sectioning	LATEX Command	Key Binding
part	\part...	
chapter	\chapter...	
section	\section...	
subsection	\subsection...	
subsubsection	\subsubsection...	
paragraph	\paragraph...	
subparagraph	\subparagraph...	
appendix	\appendix	

Table 9: The **Sectioning** submenu



lot lot**Text submenus:**



```

tabular tabular@|1|1|1| 1|c|Text Style &1|c|Command &1|c|Key Binding \
emph & +...+ & $Ctl Opt E$ \ underline & +...+ & $Ctl Cmd U$ \ textup & +
...+ & \ textit & +...+ & $Ctl Opt I$ \ textsl & +...+ & $Ctl Opt S$ \
textsc & +...+ & $Ctl Opt H$ \ textmd & +...+ & \ textbf & +...+ & $Ctl
Opt B$ \ textrm & +...+ & $Ctl Opt R$ \ textsf & +...+ & $Ctl Opt W$ \
texttt & +...+ & $Ctl Opt Y$ \ textnormal & +...+ & \ tabular &
tabular|1|1|1|@ 1|c|Text Style &1|c|Command &1|c|Key Binding \ em & +...+
& $Shf Ctl Opt E$ \& & \ upshape & +...+ & \ itshape & +...+ & $Shf Ctl
Opt I$ \ slshape & +...+ & $Shf Ctl Opt S$ \ scshape & +...+ & $Shf Ctl
Opt H$ \ mdseries & +...+ & \ bfseries & +...+ & $Shf Ctl Opt B$ \
rmfamily & +...+ & $Shf Ctl Opt R$ \ sffamily & +...+ & $Shf Ctl Opt W$ \
ttfamily & +...+ & $Shf Ctl Opt Y$ \ normalfont & +...+ & \ tabular

```

**Table 10:** The **Text Style** submenus

Text Size	LATEX Command	Key Binding
<small>tiny</small>	<code>\tiny ...</code>	*CTL OPT 1*
<small>scriptsize</small>	<code>\scriptsize ...</code>	*CTL OPT 2*
<small>footnotesize</small>	<code>\footnotesize ...</code>	*CTL OPT 3*
<small>small</small>	<code>\small ...</code>	*CTL OPT 4*
<small>normalsize</small>	<code>\normalsize ...</code>	*CTL OPT 5*
<small>large</small>	<code>\large ...</code>	*CTL OPT 6*
<small>Large</small>	<code>\Large ...</code>	*CTL OPT 7*
<small>LARGE</small>	<code>\LARGE ...</code>	*CTL OPT 8*
<small>huge</small>	<code>\huge ...</code>	*CTL OPT 9*
<small>Huge</small>	<code>\Huge ...</code>	*CTL OPT 0*

Table 11: The **Text Size** submenu

International	L <sup>A</sup> T <sub>E</sub> X Command
ò	\`...
ó	\'...
ô	\^...
ö	\"...
õ	\~...
ç	\cc
œ	\oe
æ	\ae
ä	\aa
ø	\o
Ç	\cC
Œ	\OE
Æ	\AE
À	\AA
Ø	\O
ß	\ss
ı	?\`
ı	!\`

Table 12: The **International** submenu



