

```
Application(A1;"WordPerfect";Default;"ES")
Display(On!)
InhibitInput(Off!) //allows wp to accept chars during macro
OnError Call(MacroError@)
InsertedText:=0
Hndle := 0 //init vars
Box:=0
PMessage:=""
DllLoad(Hndle;?PathShared+"wpch61.dll") //load dll that contains bmps
DllLoad(User;"User.exe")
Call(PW@)
Call(Text@)
CoachPromptClose("PW")
```

```
Label(Page1@)
Msg:=1
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
Else
    If(Result="BackButton")
        Go(End@)
    EndIf
EndIf
If(InsertedText=0)
    Call(PW@)
    Display(Off!)
    FileInsert(?pathprogram+"ciclismo.";0;1)
    ViewPage()
    SelectSentence()
    AttributeRelativeSize (Size: Large!)
    AttributeAppearanceOn (Attrib: Bold!)
    SelectMode(Off!)
    PosDocTop()
    LineSpacing(2)
    MarginLeft (MarginWidth: 1.3")
    BookMarkFind("les3mark1")
    IndentLeftRight()
    PosDocTop()
    CoachPromptClose("PW")
    Display(On!)
    InsertedText:=1
EndIf
```

```
Label(Page2@)
Msg:=2
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
Else
    If(Result="BackButton")
        Go(Page1@)
    EndIf
EndIf
```

```
Label(Page3@)
Msg:=3
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page1@)
Else
    If(Result="BackButton")
        Go(Page2@)
    EndIf
EndIf
```

```
Label(Page4@)
Msg:=4
Call(MsgBoxMdlis@)
Choice:=0
loopbreak:=0
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
If(Choice=2)
    Go(Page3@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page4@)
EndIf
PosDocTop()
```

```

Label(Page5@)
Msg:=5
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "ReplaceMenu";
    ReplaceMenuLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    FindDlg
)
CoachFilterEnable(
    Command:"ReplaceMenu"
)
HandPos:=5
Region:="WordPerfect.Menu.EditMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.FindDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=3
        Region:="WordPerfect.Menu.FindDlg"
        PMessage:=MenuPrompt1
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachAnimate(1;"Move to WordPerfect.Menu.FindDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachMessageBoxClose(0)
CoachFilterDisable(
    Command:"ReplaceMenu"
)
If(Choice=2)
    Go(Page4@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page5@)

```

Endif
Go(Page6@)

```
Label(ReplaceMenuLbl@)
If(ReplaceMenuLbl[2]=0)
    CoachMessageBoxClose(0)
    loopbreak:=1
    ReplaceMenuLbl:=0
Else
    ReplaceMenuLbl:=1
EndIf
Return
```



```
Label(Page6@)
Msg:=6
Call(MsgBoxMdlMS@)
steps:=1
UserDo:=0
Choice:=0
loopbreak:=0
```

```
CoachSetDialogFilter("WordPerfect.FindandReplace";FindDlgCB@)
```

```
HandPos:=6
While(loopbreak=0)
  If(UserDo=1)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
  If(Choice<>0)
    CoachMessageBoxClose(0)
    loopbreak:=1
  EndIf
Endwhile
```

```
CoachRemoveDialogFilter("WordPerfect.FindandReplace")
If(UserDo=1)
  MatchSelection()
  CoachAnimate(2;"{Alt+I}{home}{ctrl+delete}biker{Alt+W}{home}{ctrl+delete}cyclist{Alt+F}")
EndIf
If(Choice=1)
  MatchSelection ()
  CoachAnimate(1;"doubleclick on WordPerfect.FindandReplace.FindEdit")
  CoachAnimate(2;biker)
  CoachAnimate(1;"doubleclick on WordPerfect.FindandReplace.SearchReplaceEdit")
  CoachAnimate(2;cyclist)
  CoachAnimate(1;"click on WordPerfect.FindandReplace.FindBttn")
EndIf
If(Choice=2)
  CoachAnimate(2;"{Esc}")
  PosDocTop()
  Go(Page5@)
EndIf
If(Choice=3)
  CoachAnimate(2;"{Esc}")
  Call(ErrorBox@)
  PosDocTop()
  Go(Page5@)
EndIf
CoachSetDialogFilter("WordPerfect.FindandReplace";FindDlgCB@)
Go(Page9@)
```

```
Label(FindDlgCB@)
  FindDlgCB:=1
  Switch(FindDlgCB[5])
    CaseOf 273:
      Switch(FindDlgCB[6])
        CaseOf 25: // find button
          If(msg = 6)
            UserDo:=1
          EndIf
        CaseOf 21: // replace button
          If(msg = 9)
            FindDlgCB:=0
            Choice:=4 // pass through and skip other options
          EndIf
        CaseOf 22: // replace all button
          If(Msg = 10)
            FindDlgCB:=0
            Choice:=4
          EndIf
        CaseOf 2: // close button
          If(Msg = 11)
            FindDlgCB:=0
            Choice:=4
          EndIf
      EndSwitch
    EndSwitch
  Return
```

```
Label(Page9@)
Msg:=9
Call(MsgBoxMdlMS@)
Choice:=0
loopbreak:=0
HandPos:=3
Region:="WordPerfect.FindandReplace.ReplaceBtn"
Call(Point@)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachRemoveDialogFilter("WordPerfect.FindandReplace")
CoachPromptClose("One")
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.FindandReplace.ReplaceBtn")
EndIf
If(Choice=2 or Choice=3)
    CoachAnimate(2;"{Esc}")
    If(Choice = 3)
        Call(ErrorBox@)
    EndIf
    Display(Off!)
    PosDocTop()
    SearchString(cyclist)
    ReplaceString(biker)
    ReplaceAll(0)
    PosDocTop()
    Display(On!)
    Go(Page5@)
EndIf
CoachSetDialogFilter("WordPerfect.FindandReplace";FindDlgCB@)
```

```
//Label(Page10@)
Msg:=10
Call(MsgBoxMdlMS@)
Choice:=0
loopbreak:=0
HandPos:=3
Region:="WordPerfect.FindandReplace.ReplaceAllBtn"
Call(Point@)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachRemoveDialogFilter("WordPerfect.FindandReplace")
CoachPromptClose("One")
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.FindandReplace.ReplaceAllBtn")
EndIf
If(Choice=2 or Choice=3)
    CoachAnimate(2;"{Esc}")
    If(Choice = 3)
        Call(ErrorBox@)
    EndIf
    Display(Off!)
    PosDocTop()
    SearchString(cyclist)
    ReplaceString(biker)
    ReplaceAll(0)
    PosDocTop()
    Display(On!)
    Go(Page5@)
EndIf
CoachSetDialogFilter("WordPerfect.FindandReplace";FindDlgCB@)
```

```
//Label(Page11@)
Msg:=11
Call(MsgBoxMdlMS@)
Choice:=0
loopbreak:=0
HandPos:=3
Region:="WordPerfect.FindandReplace.CloseBtn"
Call(Point@)
While(loopbreak=0)
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachRemoveDialogFilter("WordPerfect.FindandReplace")
CoachPromptClose("One")
If(Choice=1)
    CoachAnimate(1;"Click on WordPerfect.FindandReplace.CloseBtn")
EndIf
If(Choice=2 or Choice=3)
    CoachAnimate(2;"{Esc}")
    If(Choice = 3)
        Call(ErrorBox@)
    EndIf
    Display(Off!)
    PosDocTop()
    SearchString(cyclist)
    ReplaceString(biker)
    ReplaceAll(0)
    PosDocTop()
    Display(On!)
    Go(Page5@)
EndIf
```

```

Label(Page20@)
Msg:=20
Call(MsgBoxMdlMS@)
Flash:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "PrintMenu";
    PrintMenuLbl@;
    All!;
    Token!;
    ;
    "WordPerfect";
    PrintDlg
)
CoachFilterEnable(
    Command:"PrintMenu"
)
HandPos:=5
Region:="WordPerfect.Menu.FileMenu"
Call(Point@)
While(loopbreak=0)
    CoachGetRegionInfo("WordPerfect.Menu.PrintDlg";ExistVar:Exist)
    If(Exist=1 and Flash=0)
        CoachPromptClose("One")
        HandPos:=2
        Region:="WordPerfect.Menu.PrintDlg"
        PMessage:=MenuPrompt3
        Call(Point@)
        PMessage:=""
        Flash:=1
    EndIf
    If(Exist=0 and Flash=1)
        CoachPromptClose("One")
        Flash:=0
    EndIf
    If(Choice=1)
        CoachPromptClose("One")
        CoachAnimate(1;"Move to WordPerfect.Menu.PrintDlg")
        Choice:=0
    EndIf
    If(Choice=2 or Choice=3)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachFilterDisable(
    Command:"PrintMenu"
)
If(Choice=2)
    Call(PW@)
    Display(Off!)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()

```

```
DeleteCharNext()
FileInsert(?pathprogram+"bikememo.";0;1)
ViewPage()
SelectSentence()
AttributeRelativeSize (Size: Large!)
AttributeAppearanceOn (Attrib: Bold!)
SelectMode(Off!)
PosDocTop()
LineSpacing(2)
MarginLeft (MarginWidth: 1.3")
BookMarkFind("les3mark1")
IndentLeftRight()
PosDocTop()
CoachPromptClose("PW")
Display(On!)
Go(Page4@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    Go(Page20@)
EndIf
Go(Page21@)
```

```
Label(PrintMenuLbl@)
If(PrintMenuLbl[2]=0)
    CoachPromptClose("One")
    CoachMessageBoxClose(0)
    loopbreak:=1
    PrintMenuLbl:=0
Else
    PrintMenuLbl:=1
EndIf
Return
```



```

Label(Page21@)
Msg:=21
Call(MsgBoxMdlMS@)
UserDo:=0
Choice:=0
loopbreak:=0
CoachFilterAdd(
    "PrintDlg";
    PrintDlgLbl@;
    All!;
    Mouse!;
    "Click on WordPerfect.Print.PrintBtn";
    "WordPerfect"
)
CoachFilterEnable(
;
    "PrintDlg"
)
HandPos:=3
Region:="WordPerfect.Print.PrintBtn"
Call(Point@)
While(loopbreak=0)
    If(UserDo=1)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
    If(Choice<>0)
        CoachMessageBoxClose(0)
        loopbreak:=1
    EndIf
Endwhile
CoachPromptClose("One")
CoachFilterDisable(
;
    "PrintDlg"
)
If(UserDo=1)
    CoachAnimate(2;"{Esc}")
EndIf
If(Choice=1)
    CoachAnimate(1;"Move to WordPerfect.Print.PrintBtn")
    CoachAnimate(2;"{Esc}")
EndIf
If(Choice=2)
    CoachAnimate(2;"{Esc}")
    Go(Page20@)
EndIf
If(Choice=3)
    Call(ErrorBox@)
    CoachAnimate(2;"{Esc}")
    Go(Page20@)
EndIf
Go(Page22@)

```

```
Label(PrintDlgLbl@)
If(PrintDlgLbl[2]=0)
    UserDo:=1
EndIf
PrintDlgLbl:=1
Return
```

```
Label(Page22@)
Msg:=22
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page22@)
Else
    If(Result="BackButton")
        Go(Page20@)
    EndIf
EndIf
Call(PW@)
Display(Off!)
PosDocVeryTop()
SelectMode(On!)
PosDocBottom()
DeleteCharNext()
Display(On!)
CoachPromptClose("PW")
```

```
Label(Page23@)
Msg:=23
Call(MsgBox@)           //display standard msgbox
If(Result="MenuButton")
    Call(ErrorBox@)
    Go(Page23@)
Else
    If(Result="BackButton")
        Call(PW@)
        Display(Off!)
        FileInsert(?pathprogram+"ciclismo.";0;1)
        ViewPage()
        SelectSentence()
        AttributeRelativeSize (Size: Large!)
        AttributeAppearanceOn (Attrib: Bold!)
        SelectMode(Off!)
        PosDocTop()
        LineSpacing(2)
        MarginLeft (MarginWidth: 1.3")
        BookMarkFind("les3mark1")
        IndentLeftRight()
        PosDocTop()
        CoachPromptClose("PW")
        Display(On!)
        Go(Page20@)
    EndIf
EndIf

//Les4x:=" X "
Les4x:="[X] "

Go(End@)
```

```
Label(ErrMsg@)
Msg:=24
Call(PostOK@)
If(Result="QuitButton")
    Display(Off!)
    PosDocVeryTop()
    SelectMode(On!)
    PosDocBottom()
    DeleteCharNext()
    Display(On!)
    Go(End@)
EndIf
Return
```

Label(MacroError@)
Return

```
Label(MsgBox@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "MenuButton";
    Button!;
    "Menu";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MsgBoxMdlMS@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    MdlCallback@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    "Mostrar >>")
```

Return


```
Label(MsgBoxMdl@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Modeless!;
    Mdl@CallBack@;
    ;
    "MenuButton";
    Button!;
    " Menu ";
    "BackButton";
    Button!;
    " << ";
    "ForwardButton";
    Button!;
    " >> ")
Return
```

```
Label(MdlsCallBack@)
  If(MdlsCallBack[3]="MenuButton")
    Choice:=3
    Return
  EndIf
  If(MdlsCallBack[3]="BackButton")
    Choice:=2
    Return
  EndIf
  If(MdlsCallBack[3]="ForwardButton")
    Choice:=1
    Return
  EndIf
Return
```

```
Label(PostOK@)
CoachMessageBox (
    Msg[Msg,8];
    Msg[Msg,1];
    Msg[Msg,2];
    Hndle;
    Msg[Msg,6];
    Msg[Msg,7];
    0;
    255;
    0;
    20;
    Msg[Msg,5];
    Msg[Msg,4];
    Msg[Msg,3];
    "MS Sans Serif";
    12;
    "MS Sans Serif";
    10;
    Simple!;
    ;
    Result;
    "OKButton";
    Button!;
    "Regresar a la lección ";
    "QuitButton";
    Button!;
    " Menu ")
Return
```

```
Label(Point@)
CoachPrompt(
    "One";
    PMessage;
    "MS Sans Serif";
    10;
    Hndle;
    222;
    HandPos;
    0;
    0;
    Region
)
Return
```

```
Label(PW@)
  CoachPrompt(
    "PW";
    "\bUn momento, por favor\b ";
    "MS Sans Serif";
    10;
    Hndle;
    ;
    Specify!;
    50;
    50;
    )
Return
```

Label(Text@)

Declare Msg[24,12]

//=====

Msg[1,1]:= "\bLección 4: Conclusión\b" // Title

Msg[1,2]:= "Lección 4. Esta lección le llevará aproximadamente cinco minutos y \n"+
"explica los fundamentos básicos de las siguientes tareas:\n"+
"\n"+
"● Cómo encontrar y reemplazar palabras\n"+
"● Cómo imprimir un documento\n"+
"\n"+
"Para continuar, elija \b>>\b. Para regresar al menú principal, \n"+
"escoja \bMenú\b."

Msg[1,3]:= 50 // X position
Msg[1,4]:= 50 // Y position
Msg[1,5]:= 8 // Addition BMP Position
Msg[1,6]:= 107 // Head BMP
Msg[1,7]:= 640 // Additional BMP
Msg[1,8]:= 0 // MsgBox Name (always 0)
Msg[1,9]:= "" // misc. controls
Msg[1,10]:= "" // misc. controls
Msg[1,11]:= "" // misc. controls
Msg[1,12]:= "" // misc. controls

//=====

Msg[2,1]:= ""
Msg[2,2]:= "En las lecciones anteriores aprendió a crear, editar \n"+
"y formatear documentos. Es posible que desee hacer \n"+
"cambios de última hora."

Msg[2,3]:= 95
Msg[2,4]:= 95
Msg[2,5]:= 0
Msg[2,6]:= 107
Msg[2,7]:= 0
Msg[2,8]:= 0
Msg[2,9]:= ""
Msg[2,10]:= ""
Msg[2,11]:= ""
Msg[2,12]:= ""

//=====

Msg[3,1]:= ""
Msg[3,2]:= "WordPerfect le permite encontrar y reemplazar \n"+
"palabras específicas en su documento."

Msg[3,3]:= 95
Msg[3,4]:= 95
Msg[3,5]:= 8
Msg[3,6]:= 107
Msg[3,7]:= 641
Msg[3,8]:= 0
Msg[3,9]:= ""
Msg[3,10]:= ""

```

Msg[3,11]:= ""
Msg[3,12]:= ""

//=====
Msg[4,1]:= ""
Msg[4,2]:=
    "Para encontrar y reemplazar, lo primero es la      \n"+
    "ubicación del punto de inserción.\n"+
    "\n"+
    "► Asegúrese de que el punto de inserción esté \n"+
    "   en la parte superior del documento."
Msg[4,3]:= 95
Msg[4,4]:= 95
Msg[4,5]:= 0
Msg[4,6]:= 107
Msg[4,7]:= 0
Msg[4,8]:= 0
Msg[4,9]:= ""
Msg[4,10]:= ""
Msg[4,11]:= ""
Msg[4,12]:= ""

//=====
Msg[5,1]:= ""
Msg[5,2]:=
    "► Escoja \bEncontrar y reemplazar,\b en el menú de \bEditar\b.      "
Msg[5,3]:= 95
Msg[5,4]:= 95
Msg[5,5]:= 0
Msg[5,6]:= 107
Msg[5,7]:= 0
Msg[5,8]:= 0
Msg[5,9]:= ""
Msg[5,10]:= ""
Msg[5,11]:= ""
Msg[5,12]:= ""

//=====
Msg[6,1]:= ""
Msg[6,2]:=
    "► Escriba \bvelocipedista\b en el cuadro \bEncontrar\b.      \n"+
    "\n"+
    "► Oprima la tecla \bTab\b \n"+
    "\n"+
    "► Escriba \bciclista\b en el cuadro \bReemplazar por\b.\n"+
    "\n"+
    "► Elija \bEncontrar próximo\b."
Msg[6,3]:= 5
Msg[6,4]:= 95
Msg[6,5]:= 0
Msg[6,6]:= 107
Msg[6,7]:= 0
Msg[6,8]:= 0
Msg[6,9]:= ""
Msg[6,10]:= ""
Msg[6,11]:= ""

```

Msg[6,12]:= ""

biker:="velocipedista"
cyclist:="ciclista"

//ONLY TRANSLATE BIKER IN QUOTES
//ONLY TRANSLATE CYCLIST IN QUOTES

Rval:=82 //LOCALIZE TO KEYVALUE OF LAST LETTER IN "BIKER"
Tval:=84 //LOCALIZE TO KEYVALUE OF LAST LETTER IN "CYCLIST"

//=====

Msg[9,1]:= ""
Msg[9,2]:=

"> Elija \bReemplazar por\b para reemplazar la vez que aparece velocipedista. "

Msg[9,3]:= 5
Msg[9,4]:= 95
Msg[9,5]:= 0
Msg[9,6]:= 107
Msg[9,7]:= 0
Msg[9,8]:= 0
Msg[9,9]:= ""
Msg[9,10]:= ""
Msg[9,11]:= ""
Msg[9,12]:= ""

//=====

Msg[10,1]:= ""
Msg[10,2]:=

"> Escoja \bReemplazar todo\b para reemplazar todas \n"+
" las veces velocipedista en todo el documento."

Msg[10,3]:= 5
Msg[10,4]:= 95
Msg[10,5]:= 0
Msg[10,6]:= 107
Msg[10,7]:= 0
Msg[10,8]:= 0
Msg[10,9]:= ""
Msg[10,10]:= ""
Msg[10,11]:= ""
Msg[10,12]:= ""

//=====

Msg[11,1]:= ""
Msg[11,2]:=

"Se ha reemplazado velocipedista en todo el documento. \n"+
"Para dejar de utilizar esta función,\n"+
"\n"+

"> Elija \bCerrar\b."

Msg[11,3]:= 5
Msg[11,4]:= 95
Msg[11,5]:= 0
Msg[11,6]:= 107
Msg[11,7]:= 0
Msg[11,8]:= 0
Msg[11,9]:= ""
Msg[11,10]:= ""
Msg[11,11]:= ""


```

Msg[11,12]:= ""

//=====
Msg[20,1]:= ""
Msg[20,2]:=
    "Ahora está listo para imprimir su documento.\n"+
    "\n"+
    "► Escoja \bImprimir,\b en el menú de \bArchivo\b o bien\n"+
    "    elija el icono de Imprimir en la Barra de funciones."
Msg[20,3]:= 95
Msg[20,4]:= 95
Msg[20,5]:= 8
Msg[20,6]:= 107
Msg[20,7]:= 644
Msg[20,8]:= 0
Msg[20,9]:= ""
Msg[20,10]:= ""
Msg[20,11]:= ""
Msg[20,12]:= ""

//=====
Msg[21,1]:= ""
Msg[21,2]:=
    "El cuadro de diálogo Imprimir le ofrece una variedad de    \n"+
    "opciones. El documento completo ya está seleccionado.    \n"+
    "\n"+
    "► Escoja \bImprimir\b."
Msg[21,3]:= 95
Msg[21,4]:= 95
Msg[21,5]:= 0
Msg[21,6]:= 107
Msg[21,7]:= 0
Msg[21,8]:= 0
Msg[21,9]:= ""
Msg[21,10]:= ""
Msg[21,11]:= ""
Msg[21,12]:= ""

//=====
Msg[22,1]:= ""
Msg[22,2]:=
    "Si este fuera su propio documento,\n"+
    "se estaría imprimiendo en este momento.    "
Msg[22,3]:= 95
Msg[22,4]:= 95
Msg[22,5]:= 8
Msg[22,6]:= 107
Msg[22,7]:= 645
Msg[22,8]:= 0
Msg[22,9]:= ""
Msg[22,10]:= ""
Msg[22,11]:= ""
Msg[22,12]:= ""

//=====
Msg[23,1]:= ""

```

```

Msg[23,2]:=
"Esto concluye la Lección 4. Ud. ha aprendido\n"+
"los fundamentos básicos de:\n"+
"\n"+
"● Cómo encontrar y reemplazar palabras\n"+
"● Cómo imprimir un documento\n"
Msg[23,3]:= 50
Msg[23,4]:= 50
Msg[23,5]:= 8
Msg[23,6]:= 107
Msg[23,7]:= 640
Msg[23,8]:= 0
Msg[23,9]:= ""
Msg[23,10]:= ""
Msg[23,11]:= ""
Msg[23,12]:= ""

//=====
Msg[24,1]:= ""
Msg[24,2]:=
"Escoja Menú para regresar al menú Principal, \n"+
"o bien elija Regresar a la lección"
Msg[24,3]:= 50
Msg[24,4]:= 50
Msg[24,5]:= 0
Msg[24,6]:= 107
Msg[24,7]:= 0
Msg[24,8]:= 0
Msg[24,9]:= ""
Msg[24,10]:= ""
Msg[24,11]:= ""
Msg[24,12]:= ""

MenuPrompt1:="► Escoja \bEncontrar y reemplazar\b "
MenuPrompt3:="► Escoja \bImprimir\b "
Return

```

```
//*****  
// DO NOT TRANSLATE BELOW THIS POINT  
//*****
```

```
Label(End@)  
Chain(?pathprogram+"wpw61es.tut")
```

```
//LOCALIZE TO CORRECT FILENAME
```