

ADB09

COLLABORATORS

	<i>TITLE :</i> ADB09		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY		July 7, 2022	

REVISION HISTORY

NUMBER	DATE	DESCRIPTION	NAME

Contents

1	ADB09	1
1.1	AmigaDOS For Beginners - Part 9 - The RUN Command	1
1.2	Part 9 - The RUN Command - General Usage	1
1.3	Part 9 - The RUN Command - Extra Facility	3

Chapter 1

ADB09

1.1 AmigaDOS For Beginners - Part 9 - The RUN Command

AMIGADOS FOR BEGINNERS

BY FRANK BUNTON

COPYRIGHT © FRANK P. BUNTON 1993-1998

PART 9 - THE RUN COMMAND

Location - v1.x - "c" directory
 - v2+ - Internal

Purpose - To make a program operate in a background CLI process.

Availability - All AmigaDOS Versions

General Usage

Extra Facility
=== End of Text ===

1.2 Part 9 - The RUN Command - General Usage

General Usage of RUN

The syntax for this command can be one of:-

RUN filename

RUN filename +

There are no options.

I will explain the use of the + under the heading

Extra Facility

. Forget

about it for the time being.

Although RUN will not give an error if no file name is supplied, it is a bit pointless to do so!!

I said in Part 4 Using Shell & CLI that you start off a program from a Shell/CLI window by either of:-

```
> ProgramName
> RUN ProgramName
```

In explaining the difference we need to understand that an I/O (Input/Output) Window is one in which a program can display its output for the user to see and in which the user can interact with the program by entering data from the keyboard or using the mouse.

Launching a Program Without The RUN Command

When launching the program without the RUN command, the program normally takes over the CLI process from which it was launched. Thus there will be no prompt displayed in the window, and the window cannot be used for anything else until that program has been exited.

Some programs will use the Shell/CLI window from which they were launched for their I/O operations. Others will open their own I/O window but still leave the Shell/CLI from which they were launched useless for other things.

However, some programs have been written in such a way that they detach themselves from the CLI process from which they were launched even if RUN is not used. They open their own I/O window and so the original Shell/CLI window is left completely free for other things.

Launching a With The RUN Command

The use of the RUN command tells AmigaDOS to operate the program in the background. This means that it will be allocated its own CLI process and therefore it will not take over the process from which it was launched. As it is run as a background process AmigaDOS does not open an I/O window for it even though it has a process number allocated to it.

This is very handy for programs that do not need to need to have any I/O.

If the program does need to have I/O but does not open its own window then it uses the window of the process from which it was launched. In theory, this window is free for others things but it makes it very difficult if you are trying to do something in it and the other program is busy outputting to the window!

In this sort of situation it is best to open a new Shell/CLI window, start up the program in that, and go back to your other Shell/CLI window for your other things.

=== End of Text ===

1.3 Part 9 - The RUN Command - Extra Facility

An Extra Facility With RUN

Skip this part of the article if you like. It is unimportant, rather obscure and, to my mind, useless. I include it for those who may be interested.

If you add a plus sign (+) to the end of the RUN command line, as in:-

```
> RUN programname +
```

then press return, the program will not be run immediately. AmigaDOS will wait for you to add another command line. However, there will not be any prompt showing. A number of command lines can be entered in this way and they will be put into a queue until a command line is entered without the plus sign.

The extra commands added in this way need not have RUN in them. Only the first one in the chain has to have RUN.

Once the return key has been pressed on a command line without the plus sign, the commands in the queue will start to be operated in the order in which they were entered.

Even though programs queued in this way are launched with the RUN command, the next command line in the queue will not be operated until the previous program has been exited or has finished its job unless that previous program detaches itself from the CLI process.

=== End of Text ===
