OneTouchMac

COLLABORATORS			
	TITLE : OneTouchMac		
ACTION	*NAME*	*DATE*	*SIGNATURE*
WRITTEN BY		July 7, 2022	

REVISION HISTORY			
NUMBER	DATE	DESCRIPTION	NAME

Contents

Chapter 1

OneTouchMac

1.1 Main

Well, I know that reading Doc is boring, but please, read it,
it's really short ! :)

If you have any problems or suggestions, E-Mail me at:
    sebju@club-internet.fr

What's OneTouchMac ?

Why this Name ?

How to Install it ?
 VERY IMPORTANT !!!

Legal Things
 Must Read it ANYWAYS

1.2 What

What's OneTouchMac ?

This a simple program witch allows you to boot from another startup-sequence
by pressing the left, right or middle mouse button.
You can execute 3 differents startups, depending on witch mouse button you press.
If you press a mouse button, the REAL STARTUP-SEQUENCE Will Stop Loading.

NOTE THAT THIS PROGRAM ONLY WORK WITH MOUSE CONNECTED TO THE ORIGINAL
AMIGA MOUSE PORT

1.3 Why

Why This name ?

I made this little program to boot the MacOS via shapeshifter in "Quick
mode" without loading the workbench or typing commands after a boot with
"no startup-sequence". By this way I can boot MacOS with all the ressources
and directly on the boot, near a real MAc. So I called it OneTouchMac ! :)

But don't be affraid, you can of course boot other startup and softs...

1.4 Install

INSTALATION: VERY EASY !

before using OneTouchMac, you must run the "install" script or copy the files "gui ←
    " ,
"GUI4CLI", "OneTouchMac" and "OneTouchMac.gc in your "C" directory

There's to way to insert the command in the startup sequence. A simple one, and a ←
    ...
less simple one. :)

- Install via the OneTouchMac Pref program

  Well it's quite easy, just select the file you want with one of
  the three "get" buttons (a requester will appear).
  For exemple, if you want to assign a startup to the left mouse button, clik on ←
      the "get"
  button witch is on the submenu "Left Mouse Button".
  Then click "Install" button (or select other file for other button). Now, when ←
      you will reboot,
  if you press the left Mouse button (keep it pushed until your file is launched) ←
      the
  file you've selected will be executed (and startup-sequence will be alted). Else ←
      , your
  startup-sequence will be executed normaly.

  If you want to Remove the OneTouchMac program from your startup-sequence, just
  press the "remove" button in OneTouchMac pref. Other way, if you want to fully ←
      uninstall
  OneTouchMac (that's to say to delete ALL OneTouchMac related files) use the ←
      Uninstall
  script. This one will delete all things about OneTouchMac and will restore your ←
      initial
  startup-sequence.

- Install Manually:

  In the first line of your startup-sequence (before "c:Setpatch") you must
  type "FailAt 1".
  just under this line (also before "c:setpatch") type your command. that is to ←
      say:

  FailAt 1
  OneTouchMac <LMB or MMB or RMB> <your startup file>

```
you can enter 3 startup files, exemple :

OneTouchMac LMB Startup1 MMB Startup2 RMB startup3

In this exemple, when you will boot, if you press the left Mouse button, the  ←
    file "Startup1"
will be executed. If you press the Middle Mouse button, the file "startup2" will ←
     be executed, etc...
You can enter theses arguments in diferent position, exemple :

OneTouchMAc RMB Startup3 MMB Startup1

That's all. Don't forget to enter the full path of each files, or use the pref  ←
    program, it's better.
```

1.5 Legal

```
LEGAL THINGS:

You can distribute this software only if I'm warned.
The source code is no longer given as I don't think it's
very usefull. If you want it, just mail me. If you modify it to adapt it
or to optimize it (???), please tell me and send me your version
```