

KEY,C,40
IBM PC
IBM compatible
Mac
microprocessor
CPU
operating system
platform
desktop PC
laptop PC
tower PC
software
graphical user interface
system unit
key lock
boot
floppy drive
floppy disk
CD-ROM drive
CD-ROM disk
hard drive
bay
internal bay
external bay
power supply
peripheral device
cooling fan
motherboard
system speaker
sound card
port
modem
mouse
keyboard
monitor
printer
data
instructions
bus
bit
byte
RAM
kilobyte
megabyte
gigabyte
cache
BIOS
CMOS
ROM

DEFINITION, PICTURE,C,8

POST
system settings
expansion slot
expansion card
scanner
LIF socket
Zif socket
LCC socket
overdrive socket
parallel port
serial port
system clock
megahertz
integrated circuit
maximum addressable memory
word size
data bus width
math coprocessor
application software
clock speed
sleep mode
internal clock speed
external clock speed
multimedia
overdrive processor
read/write memory
volatile
DIP
bank
memory expansion card
SIPP
memory slot
SIMM
DIMM
high end system
EDO
access time
nanosecond
parity
parity SIMM
non-parity SIMM
conventional memory
DOS
expanded memory
640K barrier
extended memory
upper memory
high memory
device driver

memory resident program
dip switch
jumper
SRAM
DRAM
internal cache
external cache
non-volatile
booting
CMOS setup program
firmware
flash BIOS
plug and play
bug
real-time clock
NVRAM
capacitor
drive type number
of cylinders
of heads
of sectors
capacity
write precompensation
landing zone
monochrome
reboot
cursor
8-bit
16-bit
32-bit
PCMCIA
ISA
EISA
VESA
PCI
MCA
PS/2
Windows 95
network interface card
Type I
Type II
Type III
Type IV
backward compatible
video card
video accelerator card
MS Windows
Internet
online service

I/O card
integrated motherboard
controller card
interface card
video capture card
television tuner card
hot swappable
input device
storage device
local bus
ribbon cable
parallel cable
tape drive
disk drive
LPT
printer cable
DB-25 connector
centronics connector
gender changer
unidirectional
bidirectional
serial cable
COM
MIDI port
USB port
daisy chain
data transfer rate
PS/2 port
AT keyboard port
PS/2 connector
SCSI port
video port
game port
joystick
MDA
CGA
Hercules
EGA
VGA
SVGA
clock cycle
read/write head
drive motor
full-height drive
half-height drive
double density
high density
extended density
combo floppy drive

paper liners
read/write slot
write protect notch
shutter
track
sector
cluster
FAT
format
write protect
backup
cartridge drive
Zip drive
Jaz Drive
power cable
platter
head crash
disk cache
hard drive controller
IDE
floppy drive controller
SCSI
EIDE
IDE connector
SCSI connector
ST-506/412
MFM hard drive
RLL hard drive
ESDI
multitasking
reformat
partition
fragmented file
removable hard drive
MTBF
cost per MB
external hard drive
hard card
data compression
data compression software
drivespace
doublespace
read only
pit
land
CD-R drive
polycarbonate
spiraling track
caddy

DVD
MPEG-2
external CD-ROM drive
watt
brownout
power surge
blackout
surge protector
UPS
joules/second
watts/second
EMI/RFI filtering
line noise protection
Web
digital audio
WAV file
audio input line
3D sound
FM synthesis
wave table synthesis
audio digitizer
mixer
DSP
multimedia upgrade kit
wave blaster expansion slot
daughter board
voice
polyphony
multitimbrality
frequency response range
email
telecommute
fax
upload
download
external modem
internal modem
bits per second
baud rate
digital signal
analog signal
protocol
MNP
V.42
V.42bis
Hayes compatible
error correction
communications software
fax modem

document
word processor
voice modem
DB-9 connector
full-flow serial cable
standard mouse
cordless mouse
bus mouse
PS/2 mouse
serial mouse
mouse driver
mouse pad
mouse cursor
clicking
double clicking
right clicking
drag
trackball
touchpad
trackpoint
typewriter section
cursor control section
numeric keypad section
Num Lock key
toggle key
function key section
status lights
Caps Lock Key
Scroll Lock key
PrtSc key
Pause Key
CTRL key
ALT key
ESC key
reset switch
IBM PC keyboard
IBM XT keyboard
IBM PC AT keyboard
IBM PS/2 keyboard
enhanced 101 keyboard
Windows keyboard
ergonomic keyboard
5-pin din connector
AT connector
6-pin mini-DIN connector
keyboard buffer
keyboard mapping
Dvorak keyboard
QWERTY keyboard

keyboard cover
color monitor
monochrome monitor
CRT
flat panel display
active matrix
passive matrix
dual scan
pixel
resolution
dot pitch
TFT
text mode
graphics mode
video graphic standards
frequency
multisync monitor
phosphor burn
screen saver
true color
refresh rate
interlaced monitor
non-interlaced monitor
video bandwidth
flat screen
Energy Star
password protection
64-bit
video coprocessor
3-D processor
video RAM
VRAM
video driver
impact printer
nonimpact printer
hard copy
continuous form paper
tractor feed
single sheet paper
friction feed
sheet feeder
emulation mode
font
dot matrix printer
print head
pages per minute
draft mode
near letter quality mode
color capable

characters per second
inkjet printer
laser printer
toner
dots per inch
printer description language
HP-PCL
PostScript
scalable fonts
carriage width
printer ribbon
toner cartridge
printer self test program
printer driver
desktop publishing
OCR software
hand-held scanner
flatbed scanner
document feeder
scanning speed
local area network
file
network server
network workstation
ARCnet
ethernet
fast ethernet
token ring
unshielded twisted pair
UTP
shielded twisted pair
STP
coaxial cable
coax
ThinNet
ThickNet
fiber optic cable
network administrator
desktop scanner
GUI
repartitioning
Windows 3.11
Windows 98
System 7
power switch
on/off switch
virus protection
kilobit
megabit

edge connector
CMOS battery
Sound Blaster compatible
AdLib compatible
RAM upgrade
Bps
CCITT Group 3 Fax
carpal tunnel syndrome
network software
twisted pair