

HP's policy for upgrading HP 3000 systems mandates that systems must be returned for credit and must have

Preconfigured Systems

Description

HP 3000 SERIES 955 AND 960

Series 955 Preconfigured System*

Includes MPE/iX FOS, IMAGE/SQL and SQL software with a Class License to Use on Series 955.

- HP PA-RISC System Processor

- Floating point coprocessor

- 96 Mb memory (six 16 Mb cards)

- One Memory Controller Card

- Dual Channel I/O Buses (CIBs)

- Two CTB adapters and ten I/O slots

- Two HP-IB device adapters

- 6 Meter AUI cable, ThickMAU and tap for SPU attachment for ThickLAN cable; ThinMAU with integrated AUI cable for attachment to ThinLAN cable

- Powerfail battery backup system

Support Tape media

Configures system to 380 VAC, 50Hz

Configures system to 415 VAC, 50Hz

Server version

Add-on 16 Mb memory. An additional memory controller (P/N A1103A) required to support memory sizes greater than 128 Mb.

Substitute one HP-FL channel for one HP-IB channel

Delete TurboIMAGE (SQL-only)

Delete ALLBASE/SQL (TurboIMAGE-only)

Delete TurboIMAGE and ALLBASE/SQL (MPE-only)

Series 955 Preconfigured System*

Includes MPE/iX FOS, IMAGE/SQL and SQL software with a Class License to Use on Series 955.

- HP PA-RISC System Processor

- Floating point coprocessor

- 96 Mb memory (six 16 Mb cards)

- One Memory Controller Card

- Dual Channel I/O Buses (CIBs)

- Two CTB adapters and ten I/O slots

- Two HP-IB device adapters

- 6 Meter AUI cable, ThickMAU and tap for SPU attachment for ThickLAN cable; ThinMAU with integrated AUI cable for attachment to ThinLAN cable

- Powerfail battery backup system

Support Tape media

Configures system to 380 VAC, 50Hz

Configures system to 415 VAC, 50Hz

Server version

Add-on 16 Mb memory. An additional memory controller (P/N A1103A) is required to support memory sizes greater than 128 Mb.

Substitute one HP-FL channel for one HP-IB channel. Customers can return additional memory through memory expansion return credits.

Return credit 4 Mb memory with MICRO LX/GX/RX

Return credit 81 Mb disk with MICRO LX

Return credit 152 Mb disk with MICRO LX/GX/RX

Return credit 304 Mb disk with MICRO LX/GX/RX

Upgrade from MICRO 3000 or 3000LX with 2 Mb

* Select a System Support Option. Refer to Table 1 on page 50.

Preconfigured Systems (cont'd)

Description

Series 955 Preconfigured System (cont'd)

Upgrade from MICRO 3000 with 4 Mb 3000GX/RX with 2 Mb

Upgrade from MICRO 3000XE

Upgrade from pre-Series II/30/33, HP 2000

Upgrade from Series III

Upgrade from HP 250

Upgrade from HP 260

Upgrade from Series 37, 37XE, 39, 40 with no memory

Upgrade from Series 39HP, 42, 44 with no memory

Upgrade from Series 48, with 1 Mb memory

Upgrade from 42XP, 52 with 4 Mb memory

Upgrade from Series 58 with 4 Mb memory

Upgrade from Series 64 with 2 Mb memory

Upgrade from Series 68 with 2 Mb memory

Upgrade from Series 70 with 4 Mb memory

Upgrade from Series 925LX with 24 Mb memory

Upgrade from Series 925 with 32 Mb memory

Upgrade from Series 935 with 48 Mb memory

Return Series 922LX

Return Series 922RX

Return Series 922

Return Series 932

Return 304 Mb disk mechanism

Return 670 Mb disk mechanism

Delete TurboIMAGE (SQL-only)

Delete ALLBASE/SQL (TurboIMAGE-only)

Delete TurboIMAGE and ALLBASE/SQL (MPE-only)

Series 960 Preconfigured System*

Includes MPE/iX FOS, IMAGE/SQL and SQL software with a Class License to Use on Series 960.

HP PA-RISC System Processor
Floating point coprocessor
128 Mb memory (eight 16 Mb cards)
Two Memory Controller Cards
Dual Channel I/O Buses (CIBs)
Two CTB adapters and ten I/O slots
Two HP-IB device adapters
6 Meter AUI cable, ThickMAU and tap for SPU attachment
for ThickLAN cable; ThinMAU with integrated AUI cable
for attachment to ThinLAN cable
Powerfail battery backup system

Support Tape media

Configures system to 380 VAC, 50Hz

Configures system to 415 VAC, 50Hz

Server version

Add channel adapter

Add-on 16 Mb memory. (See option 504)

Add memory controller (necessary for configurations with
more than 128 Mb memory)

Substitute one HP-FL channel for one HP-IB channel.

Return credit 4 Mb memory with MICRO LX/GX/RX

* Select a System Support Option. Refer to Table 1 on page 50.

Preconfigured Systems (cont'd)

Description

Series 960 Preconfigured System (cont'd)

Return credit 81 Mb disk with MICRO 3000 LX

Return credit 152 Mb disk with MICRO LX/GX/RX

Return credit 304 Mb disk with MICRO LX/GX/RX

Upgrade from MICRO 3000 or 3000LX with 2 Mb

Upgrade from MICRO 3000 with 4 Mb, 3000GX/RX with 2 Mb

Upgrade from MICRO 3000XE

Upgrade from pre-Series II/30/33, HP 2000

Upgrade from Series III

Upgrade from HP 250

Upgrade from HP 260

Upgrade from Series 37, 37XE, 39, 40 with no memory

Upgrade from Series 39HP, 42, 44 with no memory

Upgrade from Series 48, with 1 Mb memory

Upgrade from 42XP, 52 with 4 Mb memory

Upgrade from Series 58 with 4 Mb memory

Upgrade from Series 64 with 2 Mb memory

Upgrade from Series 68 with 2 Mb memory

Upgrade from Series 70 with 4 Mb memory

Upgrade from Series 925LX with 24 Mb memory

Upgrade from Series 925 with 32 Mb memory
Upgrade from Series 935 with 48 Mb memory
Return Series 922LX
Return Series 922RX
Return Series 922
Return Series 932
Return 304 Mb disk mechanism
Return 670 Mb disk mechanism
Return Series 920
Delete TurboIMAGE (SQL-only)
Delete ALLBASE/SQL (TurboIMAGE-only)
Delete TurboIMAGE and ALLBASE/SQL (MPE-only)
Select a System Support Option. Refer to Table 1 on page 50.
Preconfigured Systems (cont'd)

Description

HP 3000 SERIES 980/100, SERIES 980/200, AND SERIES 980/300

Series 980/100 Preconfigured System*

Includes MPE/iX FOS, IMAGE/SQL and SQL software with
a Class License to Use on Series 980/100.

- HP PA-RISC System Processor
- Floating point coprocessor
- 192 Mb memory (two 64 Mb cards, four 16 Mb cards)
- Two Memory Controller Cards
- Dual Channel I/O Buses (CIBs)
- Two CTB adapters and ten I/O slots
- Two HP-IB device adapters
- 6 Meter AUI cable, ThickMAU and tap for SPU attachment
for ThickLAN cable; ThinMAU with integrated AUI cable
for attachment to ThinLAN cable
- Powerfail battery backup system

Support Tape media

Configures system to 380 VAC, 50Hz

Configures system to 415 VAC, 50Hz

Add-on 16 Mb memory

Add-on 64 Mb memory

Delete one 16 Mb memory board

Substitute one HP-FL channel for one HP-IB channel. (Customers
can return additional memory through memory expansion return credits.)

Return credit 4 Mb memory with MICRO LX/GX/RX

Return credit 81 Mb disk with MICRO 3000 LX

Return credit 152 Mb disk with MICRO LX/GX/RX

Return credit 304 Mb disk with MICRO LX/GX/RX

Upgrade from MICRO 3000 or 3000LX with 2 Mb

Upgrade from MICRO 3000 with 4 Mb, 3000GX/RX with 2 Mb

Upgrade from MICRO 3000XE
Upgrade from pre-Series II/30/33, HP 2000
Upgrade from Series III
Upgrade from HP 250
Upgrade from HP 260
Upgrade from Series 37, 37XE, 39, 40 with no memory
Upgrade from Series 39HP, 42, 44 with no memory
Upgrade from Series 48, with 1 Mb memory
Upgrade from 42XP, 52 with 4 Mb memory
Upgrade from Series 58 with 4 Mb memory
Upgrade from Series 64 with 2 Mb memory
Upgrade from Series 68 with 2 mb memory
Upgrade from Series 70 with 4 mb memory
Upgrade from Series 925LX with 24 Mb memory
Upgrade from Series 925 with 32 Mb memory
Upgrade from Series 935 with 48 Mb memory
Upgrade from Series 949 with 64 Mb memory
Return Series 922LX
Return Series 922RX
Return Series 922
Return Series 932
* Select a System Support Option. Refer to Table 1 on page 50.
Preconfigured Systems (cont'd)

Description

Series 980/100 Preconfigured System (cont'd)
Return 304 Mb disk mechanism
Return 670 Mb disk mechanism
Return Series 948
Return Series 958
Return Series 920
Delete TurboIMAGE (SQL-only)
Delete ALLBASE/SQL (TurboIMAGE-only)
Delete TurboIMAGE and ALLBASE/SQL (MPE-only)
Series 980/200 Preconfigured System*
Includes MPE/iX FOS, IMAGE/SQL and SQL software with
a Class License to Use on Series 980/200.
Two HP PA-RISC System Processors
Floating point coprocessor
256 Mb memory (four 64 Mb cards)
Two Memory Controller Cards
Dual Channel I/O Buses (CIBs)
Two CTB adapters and ten I/O slots
Two HP-IB device adapters
6 Meter AUI cable, ThickMAU and tap for SPU attachment
for ThickLAN cable; ThinMAU with integrated AUI cable
for attachment to ThinLAN cable

Powerfail battery backup system
Support Tape media
Configures system to 380 VAC, 50Hz
Configures system to 415 VAC, 50Hz
Add-on 16 Mb memory
Add-on 64 Mb memory

Substitute one HP-FL channel for one HP-IB channel. (Customers can return additional memory through memory expansion return credits.)

Return credit 4 Mb memory with MICRO LX/GX/RX
Return credit 81 Mb disk with MICRO 3000 LX
Return credit 152 Mb disk with MICRO LX/GX/RX
Return credit 304 Mb disk with MICRO LX/GX/RX
Upgrade from MICRO 3000 or 3000LX with 2 Mb
Upgrade from MICRO 3000 with 4 Mb, 3000GX/RX with 2 Mb
Upgrade from MICRO 3000XE
Upgrade from pre-Series II/30/33, HP 2000
Upgrade from Series III
Upgrade from HP 250
Upgrade from HP 260
Upgrade from Series 37, 37XE, 39, 40 with no memory
Upgrade from Series 39HP, 42, 44 with no memory
Upgrade from Series 48, with 1 Mb memory
Upgrade from 42XP, 52 with 4 Mb memory
Upgrade from Series 58 with 4 Mb memory
Upgrade from Series 64 with 2 Mb memory
Upgrade from Series 68 with 2 Mb memory
Upgrade from Series 70 with 4 Mb memory
Upgrade from Series 925LX with 24 Mb memory
Upgrade from Series 925 with 32 Mb memory
* Select a System Support Option. Refer to Table 1 on page 50.
Preconfigured Systems (cont'd)

Description

Series 980/200 Preconfigured System (cont'd)
Upgrade from Series 935 with 48 Mb memory
Upgrade from Series 949 with 64 Mb memory
Return Series 922LX
Return Series 922RX
Return Series 922
Return Series 932
Return 304 Mb disk mechanism
Return 670 Mb disk mechanism
Return Series 948
Return Series 958
Return Series 920

Delete TurboIMAGE (SQL-only)
Delete ALLBASE/SQL (TurboIMAGE-only)
Delete TurboIMAGE and ALLBASE/SQL (MPE-only)
Series 980/300 Preconfigured System*
Includes 320 Mb memory (four 64 Mb cards and four 16 Mb cards), MPE/iX FOS, IMAGE/SQL and SQL software with a Class License to Use on Series 980/300.
Support Tape media
Configures system to 380 VAC, 50Hz
Configures system to 415 VAC, 50Hz
Add-on 16 Mb memory
Add-on 64 Mb memory

Replace four 16 Mb cards (standard) with one 64 Mb card.
(NOTE: Some performance degradation with odd number of 16 Mb or 64 Mb cards.)

Substitute one HP-FL channel for one HP-IB channel. (Customers can return additional memory through memory expansion return credits.)

Return credit 4 Mb memory with MICRO LX/GX/RX
Return credit 81 Mb disk with MICRO 3000 LX
Return credit 152 Mb disk with MICRO LX/GX/RX
Return credit 304 Mb disk with MICRO LX/GX/RX
Upgrade from MICRO 3000 or 3000LX with 2 Mb
Upgrade from MICRO 3000 with 4 Mb, 3000GX/RX with 2 Mb
Upgrade from MICRO 3000XE
Upgrade from pre-Series II/30/33, HP 2000
Upgrade from Series III
Upgrade from HP 250
Upgrade from HP 260
Upgrade from Series 37, 37XE, 39, 40 with no memory
Upgrade from Series 39HP, 42, 44 with no memory
Upgrade from Series 48, with 1 Mb memory
Upgrade from 42XP, 52 with 4 Mb memory
Upgrade from Series 58 with 4 Mb memory
Upgrade from Series 64 with 2 Mb memory
Upgrade from Series 68 with 2 Mb memory
* Select a System Support Option. Refer to Table 1 on page 50.
Preconfigured Systems (cont'd)

Description

Series 980/300 Preconfigured System (cont'd)
Upgrade from Series 70 with 4 Mb memory
Upgrade from Series 925LX with 24 Mb memory
Upgrade from Series 925 with 32 Mb memory
Upgrade from Series 935 with 48 Mb memory

Upgrade from Series 949 with 64 Mb memory
Return Series 922LX
Return Series 922RX
Return Series 922
Return Series 932
Return 340 Mb disk mechanism
Return 670 Mb disk mechanism
Return Series 948
Return Series 958
Return Series 920
Delete TurboIMAGE (SQL-only)
Delete ALLBASE/SQL (TurboIMAGE-only)
Delete TurboIMAGE and ALLBASE/SQL (MPE-only)
Series 980/400 Preconfigured System*
Includes 384 Mb memory (six 64 Mb cards), MPE/iX FOS,
IMAGE/SQL and SQL software with a Class License
to Use on Series 980/400.
Support Tape media
Configures system to 380 VAC, 50Hz
Configures system to 415 VAC, 50Hz
Add-on 16 Mb memory
Add-on 64 Mb memory
Substitute one HP-FL channel for one HP-IB channel
Return credit 4 Mb memory with MICRO LX/GX/RX
Return credit 81 Mb disk with MICRO 3000 LX
Return credit 152 Mb disk with MICRO LX/GX/RX
Return credit 304 Mb disk with MICRO LX/GX/RX
Upgrade from MICRO 3000 or 3000LX with 2 Mb
Upgrade from MICRO 3000 with 4 Mb, 3000GX/RX with 2 Mb
Upgrade from MICRO 3000XE
Upgrade from pre-Series II/30/33, HP 2000
Upgrade from Series III
Upgrade from HP 250
Upgrade from HP 260
Upgrade from Series 37, 37XE, 39, 40 with no memory
Upgrade from Series 39HP, 42, 44 with no memory
Upgrade from Series 48, with 1 Mb memory
Upgrade from 42XP, 52 with 4 Mb memory
Upgrade from Series 58 with 4 Mb memory
Upgrade from Series 64 with 2 Mb memory
Upgrade from Series 68 with 2 Mb memory
Upgrade from Series 70 with 4 Mb memory
* Select a System Support Option. Refer to Table 1 on page 50.
Preconfigured Systems (cont'd)

Description

Series 980/400 Preconfigured System (cont'd)

Upgrade from Series 925LX with 24 Mb memory
Upgrade from Series 925 with 32 Mb memory
Upgrade from Series 935 with 48 Mb memory
Upgrade from Series 949 with 64 Mb memory
Return Series 922LX
Return Series 922RX
Return Series 922
Return Series 932
Return 340 Mb disk mechanism
Return 670 Mb disk mechanism
Return Series 948
Return Series 958
Return Series 920
Delete TurboIMAGE (SQL-only)

Delete ALLBASE/SQL, includes MPE/XL and System
Dictionary (IMAGE/SQL-only system)

Delete TurboIMAGE, ALLBASE/SQL, and System Dictionary
(MPE-only system)

* Select a System Support Option. Refer to Table 1 on page 50.

HP 3000 Corporate Business Systems

Description

HP 3000 Corporate Business System DX*

Standard System Software includes:

Systems Management Software

- TurboSTORE/XL II w/on-line backup for rewritable optical disk
- AutoRestart/XL
- ThinLAN 3000/XL
- Management Node Software for the OpenView console
- OpenView console software

Performance Management Software

- HP LaserRX/MPE
- RX Forecast
- GlancePLUS/XL

Standard Integrated Hardware includes:

- Central Processing Unit and SPU cabinet
- Error correcting memory with on-board memory controllers
- One 802.3 Local Area Network (LAN) Interface Channel/
Console Card for Network and Datacomm. and Terminal

Sheet1

- Controller (DTC) communications and console attachment
- Power supply
- Integrated powerfail battery backup system
- One Small Computer System Interface (SCSI) card
- One HP-IB Interface with Precision Bus adapter (PBA-IB)
- One HP-FL Fiber-optic link peripheral interface card (PB-FL)
- Embedded HP-PB (Precision Bus) I/O card cage with seven remaining single-high card slots available
- Floating point coprocessor on each processor
- Vectra PC Console

Processor -- Must order one of Option 8XX.

990 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 990 DX by 1-128 users.

992/100 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/100 DX by 1-128 users.

992/200 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/200 DX by 1-160 users.

992/300 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/300 DX by 1-160 users.

992/400 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/400 DX by 1-160 users.

990 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 990 DX by 1-128 users.

992/100 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/100 DX by 1-128 users.

992/200 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/200 DX by 1-160 users.

992/300 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/300 DX by 1-160 users.

992/400 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/400 DX by 1-160 users.

990 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 990 DX by 1-128 users.

* Select HP Premier Account Support. Refer to Table 1.1 on page 51.
HP 3000 Corporate Business Systems (cont'd)

Description

HP 3000 Corporate Business System DX (cont'd)

992/100 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/100 DX by 1-128 users.

992/200 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/200 DX by 1-160 users.

992/300 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/300 DX by 1-160 users.

992/400 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/400 DX by 1-160 users.

990 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 990 DX by 1-128 users.

992/100 DX with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/100 DX by 1-128 users.

992/200 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/200 DX by 1-160 users.

992/300 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/300 DX by 1-160 users.

992/400 DX with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/400 DX by 1-160 users.

User License Upgrade Options:

Upgrade 128 to 160 user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL. (MUST order for 990 or 992/100 if Opt. U02, U03 or U04 is ordered.)

Upgrade to 256 user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL

Upgrade to 384 user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL

Upgrade to unlimited user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL.

Upgrade 128 to 160 user license for MPE/iX FOS and IMAGE/SQL.

(MUST order for 990 or 992/100 if Opt. U07, U08 or U09 is ordered.)

Upgrade to 256 user license for MPE/iX FOS and IMAGE/SQL

Upgrade to 384 user license for MPE/iX FOS and IMAGE/SQL

Upgrade to unlimited user license for MPE/iX FOS and IMAGE/SQL

Upgrade 128 to 160 user license for MPE/iX FOS and ALLBASE/SQL.

(MUST order for 990 or 992/100 if Opt. U12, U13 or U14 is ordered.)

Upgrade to 256 user license for MPE/iX FOS and ALLBASE/SQL

Upgrade to 384 user license for MPE/iX FOS and ALLBASE/SQL

Upgrade to unlimited user license for MPE/iX FOS and ALLBASE/SQL

Upgrade 128 to 160 user license for MPE/iX FOS.

(MUST order for 990 or 992/100 if Opt. U17, U18 or U19 is ordered.)

Upgrade to 256 user license for MPE/iX FOS

Upgrade to 384 user license for MPE/iX FOS

Upgrade to unlimited user license for MPE/iX FOS

Consulting:

Consulting Implementation Services

Power -- Must order one of Options 017 or 018

200-240 VAC 50/60 Hz single phase for Europe

200-240 VAC 50/60 Hz single phase for North America and Asia

Memory:

Replace 192 Mb with 256 Mb
Add 64 Mb
Add 128 Mb
Add 256 Mb
Add 384 Mb
Add 512 Mb
Add 640 Mb
Add 768 Mb

* Select HP Premier Account Support. Refer to Table 1.1 on page 51.

HP 3000 Corporate Business Systems (cont'd)

Description

HP 3000 Corporate Business System DX (cont'd)

Upgrade Options:

Return MICRO 3000/3000LX

Return MICRO 3000GX/RX

Return MICRO 3000XE

Return Series II, III, 30, 33, 37, 37XE

Return HP 250/260

Return Series 39, 40, 42, 44, 48

Return Series 42XP, 52, 58

Return Series 64, 68

Return Series 70

Return Series 920 or 917LX

Return Series 925LX

Return Series 922LX or 927LX

Return Series 925, 922RX, 922 or 937LX

Return Series 935, 932, 947LX or 937

Return Series 949, 948

Return Series 955 or 967LX

Return Series 960, 958

Return Series 950, 947 or 957LX

Return Series 957

Return Series 967

Return Series 977

Return Series 980/100

Return Series 980/200

Return Series 980/300

Return Series 980/400

Software Delete Options:

Delete Systems Management S/W and Vectra PC Console

Delete Performance Management Software

Country/Language

U.S. English localized keyboard, power cord

English/Europe localized keyboard, power cord

German localized keyboard, power cord, manuals

Spanish localized keyboard, power cord
French localized keyboard, power cord, manuals
Australian localized keyboard, power cord
Dutch localized keyboard, power cord
Spanish/Latin American localized keyboard, power cord
Norwegian localized keyboard, power cord
Swiss/German localized keyboard, power cord
Swiss/French localized keyboard, power cord
Swedish localized keyboard, power cord
English (UK) localized keyboard, power cord
Flemish localized keyboard, power cord
Finnish localized keyboard, power cord
Danish localized keyboard, power cord
Italian localized keyboard, power cord

NOTE: A console localization option is required.

* Select HP Premier Account Support. Refer to Table 1.1 on page 51.

HP 3000 Corporate Business Systems (cont'd)

Description

HP 3000 Corporate Business System*

Standard Integrated Hardware includes:

- Central Processing Unit and SPU cabinet
- Error correcting memory with on-board memory controllers
- One 802.3 Local Area Network (LAN) Interface Channel
 - Console Card for Network and Datacomm. and Terminal Controller (DTC) communications and console attachment
- Power supply
- Integrated powerfail battery backup system
- One Small Computer System Interface (SCSI) card
- One HP-IB Interface with Precision Bus adapter (PBA-IB)
- One HP-FL Fiber-optic link peripheral interface card
- Embedded HP-PB (Precision Bus) I/O card cage with seven remaining single-high card slots available
- Floating point coprocessor on each processor
- HP 700/96 Console

Processor -- Must order one of Option 8XX.

990 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 990 by 1-128 users.
992/100 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/100 by 1-128 users.
992/200 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/200 by 1-160 users.
992/300 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on

Sheet1

CS 992/300 by 1-160 users.

992/400 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL on CS 992/400 by 1-160 users.

990 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 990 by 1-128 users.

992/100 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/100 by 1-128 users.

992/200 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/200 by 1-160 users.

992/300 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/300 by 1-160 users.

992/400 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and IMAGE/SQL on CS 992/400 by 1-160 users.

990 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 990 by 1-128 users.

992/100 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/100 by 1-128 users.

992/200 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/200 by 1-160 users.

992/300 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/300 by 1-160 users.

* Select HP Premier Account Support. Refer to Table 1.1 on page 51.

HP 3000 Corporate Business Systems (cont'd)

Description

HP 3000 Corporate Business System (cont'd)

992/400 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS and ALLBASE/SQL on CS 992/400 by 1-160 users.

990 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 990 by 1-128 users.

992/100 with 192 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/100 by 1-128 users.

992/200 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/200 by 1-160 users.

992/300 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/300 by 1-160 users.

992/400 with 256 Mb Main Memory with a Class/Concurrent License to Use MPE/iX FOS on CS 992/400 by 1-160 users.

(MUST order for 990 or 992/100 if Opt. U02, U03 or U04 is ordered.)

User License Upgrade Options:

Sheet1

Upgrade to 256 user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL
Upgrade to 384 user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL
Upgrade to unlimited user license for MPE/iX FOS, IMAGE/SQL and ALLBASE/SQL
Upgrade 128 to 160 user license for MPE/iX FOS and IMAGE/SQL.
(MUST order for 990 or 992/100 if Opt. U07, U08 or U09 is ordered.)
Upgrade to 256 user license for MPE/iX FOS and IMAGE/SQL
Upgrade to 384 user license for MPE/iX FOS and IMAGE/SQL
Upgrade to unlimited user license for MPE/iX FOS and IMAGE/SQL
Upgrade 128 to 160 user license for MPE/iX FOS and ALLBASE/SQL.
(MUST order for 990 or 992/100 if Opt. U12, U13 or U14 is ordered.)
Upgrade to 256 user license for MPE/iX FOS and ALLBASE/SQL
Upgrade to 384 user license for MPE/iX FOS and ALLBASE/SQL
Upgrade to unlimited user license for MPE/iX FOS and ALLBASE/SQL
Upgrade 128 to 160 user license for MPE/iX FOS.
(MUST order for 990 or 992/100 if Opt. U17, U18 or U19 is ordered.)
Upgrade to 256 user license for MPE/iX FOS
Upgrade to 384 user license for MPE/iX FOS
Upgrade to unlimited user license for MPE/iX FOS
Consulting:
Consulting Implementation Services
Hardware Delete Option:
Delete System Console
Power -- Must order one of Options 017 or 018
200-240 VAC 50/60 Hz single phase for Europe
200-240 VAC 50/60 Hz single phase for North America and Asia
Memory:
Replace 192 Mb with 256 Mb
Add 64 Mb
Add 128 Mb
Add 256 Mb
Add 384 Mb
Add 512 Mb
Add 640 Mb
Add 768 Mb
Upgrade Credits:
Return MICRO 3000/3000LX
* Select HP Premier Account Support. Refer to Table 1.1 on page 51.
HP 3000 Corporate Business Systems (cont'd)

Description

HP 3000 Corporate Business System (cont'd)
Return MICRO 3000GX/RX
Return MICRO 3000XE
Return Series II, III, 30, 33, 37, 37XE
Return HP 250/260
Return Series 39, 40, 42, 44, 48
Return Series 42XP, 52, 58

Return Series 64, 68
Return Series 70
Return Series 920 or 917LX
Return Series 925LX
Return Series 922LX or 927LX
Return Series 925, 922RX, 922 or 937LX
Return Series 935, 932, 947LX or 937
Return Series 949, 948
Return Series 955 or 967LX
Return Series 960, 958
Return Series 950, 947 or 957LX
Return Series 957
Return Series 967
Return Series 977
Return Series 980/100
Return Series 980/200
Return Series 980/300
Return Series 980/400
Country/Language

U.S. English localized keyboard, power cord
English/Europe localized keyboard, power cord
French-Canadian localized keyboard, N. American power cord, French manuals
German localized keyboard, power cord, manuals
Spanish localized keyboard, power cord
French localized keyboard, power cord, manuals
Australian localized keyboard, power cord
Dutch localized keyboard, power cord
U.S. keyboard, manual, local power cord
Canadian-English localized keyboard, power cord
Spanish/Latin American localized keyboard, power cord
Norwegian localized keyboard, power cord
Swiss/German localized keyboard, power cord
Swiss/French localized keyboard, power cord
Republic of South Africa (U.S. keyboard and manual, local power cord)
Swedish localized keyboard, power cord
English (UK) localized keyboard, power cord
Flemish localized keyboard, power cord
Finnish localized keyboard, power cord
Danish localized keyboard, power cord
Italian localized keyboard, power cord
UK Ireland (U.S. keyboard and manual, local power cord)
Swiss (U.S. keyboard and manual, local power cord)
Denmark (U.S. keyboard and manual, local power cord)
Japan (U.S. keyboard and manual, local power cord)
NOTE: A console localization option is required.

* Select HP Premier Account Support. Refer to Table 1.1 on page 51.

Table 1. HP 3000 Series 900 Business Systems and Servers Support Options

Model Number

2345A
28616A
28642A
32015A
36923A
51453A
7980A
7980XC
A1109A
A1109AH
A1130A
A1134A
A1149A
A1150A
A1151A
A1747A
A1809A
A1811A
A1884A
A2231AZ
A2232AZ
A2293A
A2293AZ
A2376A
A2377A
A2378A
A2379A
A2380A
A2381A
A2382A
A2383A
A2384A
A2385A
A2386A
A2387A
A2388A
A2389A
A2390A
A2391A
A2393A
A2394A
A2395A
A2396A
A2397A
A2398A
A2399A

A2400A
A2401A
A2402A
A2403A
A2404A
A2405A
A2406A
A2407A

OS0: LTU SW/Next Day HW
OS1: LTU SW/Same Day HW

Table 1. HP 3000 Series 900 Business Systems and Servers Support Options (cont'd)

Model Number

A2408A
A2413A
A2414A
A2415A
A2416A
A2417A
A2418A
A2419A
A2420A
A2421A
A2422A
A2423A
A2424A
A2425A
A2426A
A2445A
A2446A
A2511AZ
A2516AZ
B1718A
C1001A/G/W
C1002A/G/W
C1006A/G/W
C1064A
C1064AZ
C1064G
C1064GZ
C1064W
C1064WZ
C1065A/G/W
C1084W
C1085W
C1511A

C2201A
C2204A
C2252B
C2252HA
C2254B
C2254HA
C2477SZ
C2476SZ
C2797AZ
C2798AZ
J2167A

OS0: LTU SW/Next Day HW
OS1: LTU SW/Same Day HW

Table 1.1. HP 3000 Corporate Business System Support

Option/Description

H5329A	Comprehensive Support 3000 CS, HP Comprehensive Support for Premier Accounts
H5331A	CS 992/100 HP Premier Account Support
H5332A	CS 992/200 Support for regular and DX systems
H5333A	CS 992/300 Support for regular and DX systems
H5334A	CS 992/400 Support for regular and DX systems
H5340A	CS 990 Support for regular and DX systems

Sheet1

been installed at customer's site at least six months. Customer must provide documentation of installation

Product No./
Option No.

A1109A

Opt. AAH
Opt. 015
Opt. 016
Opt. 100
Opt. 500

Opt. 550
Opt. 910
Opt. 915
Opt. 920
A1109AH

Sheet1

Opt. AAH
Opt. 015
Opt. 016
Opt. 100
Opt. 500

Opt. 550

Opt. 700
Opt. 701
Opt. 702
Opt. 703
Opt. 704

Product No./
Option No.

A1109AH
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710
Opt. 711
Opt. 712
Opt. 713
Opt. 714
Opt. 715
Opt. 716
Opt. 717
Opt. 718
Opt. 719
Opt. 720
Opt. 721
Opt. 723
Opt. 724
Opt. 725
Opt. 726
Opt. 727
Opt. 728
Opt. 910
Opt. 915
Opt. 920
A1130A

Opt. AAH
Opt. 015
Opt. 016
Opt. 100
Opt. 250
Opt. 500

Opt. 504

Opt. 550
Opt. 700

Product No./
Option No.

A1130A
Opt. 701
Opt. 702
Opt. 703
Opt. 704
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710
Opt. 711
Opt. 712
Opt. 713
Opt. 714
Opt. 715
Opt. 716
Opt. 717
Opt. 718
Opt. 719

Sheet1

Opt. 720
Opt. 721
Opt. 723
Opt. 724
Opt. 725
Opt. 726
Opt. 727
Opt. 728
Opt. 731
Opt. 910
Opt. 915
Opt. 920

Product No./
Option No.

A1134A

Opt. AAH
Opt. 015
Opt. 016
Opt. 500
Opt. 502
Opt. 503

Opt. 550

Opt. 700
Opt. 701
Opt. 702
Opt. 703
Opt. 704
Opt. 705

Sheet1

- Opt. 706
- Opt. 707
- Opt. 708
- Opt. 709
- Opt. 710
- Opt. 711
- Opt. 712
- Opt. 713
- Opt. 714
- Opt. 715
- Opt. 716
- Opt. 717
- Opt. 718
- Opt. 719
- Opt. 720
- Opt. 721
- Opt. 722
- Opt. 723
- Opt. 724
- Opt. 725
- Opt. 726

Product No./
Option No.

- A1134A
- Opt. 727
- Opt. 728
- Opt. 729
- Opt. 730
- Opt. 731
- Opt. 910
- Opt. 915
- Opt. 920
- A1149A

Sheet1

Opt. AAH
Opt. 015
Opt. 016
Opt. 500
Opt. 502

Opt. 550

Opt. 700
Opt. 701
Opt. 702
Opt. 703
Opt. 704
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710
Opt. 711
Opt. 712
Opt. 713
Opt. 714
Opt. 715
Opt. 716
Opt. 717
Opt. 718
Opt. 719
Opt. 720

Product No./
Option No.

A1149A
Opt. 721
Opt. 722
Opt. 723
Opt. 724
Opt. 725
Opt. 726
Opt. 727
Opt. 728
Opt. 729
Opt. 730
Opt. 731

Sheet1

Opt. 910
Opt. 915
Opt. 920
A1150A

Opt. AAH
Opt. 015
Opt. 016
Opt. 500
Opt. 502

Opt. 522

Opt. 550

Opt. 700
Opt. 701
Opt. 702
Opt. 703
Opt. 704
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710
Opt. 711
Opt. 712
Opt. 713
Opt. 714
Opt. 715
Opt. 716
Opt. 717

Product No./
Option No.

A1150A
Opt. 718
Opt. 719
Opt. 720
Opt. 721

Sheet1

Opt. 722
Opt. 723
Opt. 724
Opt. 725
Opt. 726
Opt. 727
Opt. 728
Opt. 729
Opt. 730
Opt. 731
Opt. 910
Opt. 915
Opt. 920
A1151A

Opt. AAH
Opt. 015
Opt. 016
Opt. 500
Opt. 502
Opt. 550
Opt. 700
Opt. 701
Opt. 702
Opt. 703
Opt. 704
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710
Opt. 711
Opt. 712
Opt. 713
Opt. 714
Opt. 715
Opt. 716
Opt. 717
Opt. 718

Product No./
Option No.

A1151A

Sheet1

- Opt. 719
- Opt. 720
- Opt. 721
- Opt. 722
- Opt. 723
- Opt. 724
- Opt. 725
- Opt. 726
- Opt. 727
- Opt. 728
- Opt. 729
- Opt. 730
- Opt. 731
- Opt. 910

Opt. 915

Opt. 920

Product No./
Option No.

A1809A

Opt. 800

Opt. 801

Opt. 802

Opt. 803

Opt. 804

Opt. 805

Opt. 806

Opt. 807

Opt. 808

Opt. 809

Opt. 810

Product No./

Sheet1

Option No.

A1809A

Opt. 811

Opt. 812

Opt. 813

Opt. 814

Opt. 815

Opt. 816

Opt. 817

Opt. 818

Opt. 819

Opt. U01

Opt. U02

Opt. U03

Opt. U04

Opt. U06

Opt. U07

Opt. U08

Opt. U09

Opt. U11

Opt. U12

Opt. U13

Opt. U14

Opt. U16

Opt. U17

Opt. U18

Opt. U19

Opt. ONS

Opt. 017

Opt. 018

Sheet1

- Opt. 502
- Opt. 503
- Opt. 504
- Opt. 505
- Opt. 506
- Opt. 507
- Opt. 508
- Opt. 509

Product No./
Option No.

A1809A

- Opt. 704
- Opt. 705
- Opt. 706
- Opt. 707
- Opt. 708
- Opt. 709
- Opt. 710
- Opt. 711
- Opt. 712
- Opt. 713
- Opt. 714
- Opt. 715
- Opt. 716
- Opt. 717
- Opt. 718
- Opt. 719
- Opt. 720
- Opt. 721
- Opt. 722
- Opt. 723
- Opt. 724
- Opt. 725
- Opt. 726
- Opt. 727
- Opt. 728

- Opt. 931
- Opt. 932

Language Options

- Opt. ABA
- Opt. ABB
- Opt. ABD

Sheet1

- Opt. ABE
- Opt. ABF
- Opt. ABG
- Opt. ABH
- Opt. ABM
- Opt. ABN
- Opt. ABP
- Opt. ABQ
- Opt. ABS
- Opt. ABU
- Opt. ABW
- Opt. ABX
- Opt. ABY
- Opt. ABZ

Product No./
Option No.

A1811A

- Opt. 800
- Opt. 801
- Opt. 802
- Opt. 803

Sheet1

Opt. 804

Opt. 805

Opt. 806

Opt. 807

Opt. 808

Opt. 809

Opt. 810

Opt. 811

Opt. 812

Opt. 813

Product No./
Option No.

A1811A
Opt. 814

Opt. 815

Opt. 816

Opt. 817

Opt. 818

Opt. 819

Sheet1

Opt. U02
Opt. U03
Opt. U04
Opt. U06

Opt. U07
Opt. U08
Opt. U09
Opt. U11

Opt. U12
Opt. U13
Opt. U14
Opt. U16

Opt. U17
Opt. U18
Opt. U19

Opt. 0NS

Opt. 1B6

Opt. 017
Opt. 018

Opt. 502
Opt. 503
Opt. 504
Opt. 505
Opt. 506
Opt. 507
Opt. 508
Opt. 509

Opt. 704

Product No./
Option No.

A1811A
Opt. 705
Opt. 706
Opt. 707
Opt. 708
Opt. 709
Opt. 710

Sheet1

- Opt. 711
- Opt. 712
- Opt. 713
- Opt. 714
- Opt. 715
- Opt. 716
- Opt. 717
- Opt. 718
- Opt. 719
- Opt. 720
- Opt. 721
- Opt. 722
- Opt. 723
- Opt. 724
- Opt. 725
- Opt. 726
- Opt. 727
- Opt. 728

Language Options

- Opt. ABA
- Opt. ABB
- Opt. ABC
- Opt. ABD
- Opt. ABE
- Opt. ABF
- Opt. ABG
- Opt. ABH
- Opt. ACF
- Opt. ABL
- Opt. ABM
- Opt. ABN
- Opt. ABP
- Opt. ABQ
- Opt. ABR
- Opt. ABS
- Opt. ABU
- Opt. ABW
- Opt. ABX
- Opt. ABY
- Opt. ABZ
- Opt. ACC
- Opt. ACD
- Opt. ACE
- Opt. ACF

System Support Options

Sheet1

OS0

OS1

\$96	\$192
12	24
0	0
0	0
72	139
0	0
150	297
150	297
11,154	12,837
11,154	12,837
11,118	12,819
10,512	13,704
12,090	15,782
15,246	20,414
16,722	23,362
0	0
	See
	See
30	62
0	0
0	0
0	0
0	0
789	789
464	464
325	325
0	0
909	909
584	584
445	445
120	120
1,189	1,189
864	864
725	725
400	400
2,149	2,149
1,824	1,824
1,685	1,685
1,360	1,360
1,749	1,749
1,424	1,424
1,285	1,285
960	960
2,149	2,149
1,824	1,824
1,685	1,685

Sheet1

1,360	1,360
2,149	2,149
1,824	1,824
1,685	1,685
1,360	1,360
2,149	2,149
1,824	1,824
1,685	1,685

OS2: Tel SW/Next Day HW
 OS3: Tel SW/Same Day HW

System Support Options
 OS0

OS1

\$1360	\$1360
1,187	1,494
1,197	1,514
1,240	1,600
1,396	1,792
2,968	3,736
1,264	1,648
1,408	1,816
3,088	3,976
1,700	2,120
3,900	4,920
2,332	2,944
5,764	7,288
6,516	8,112
8,719	11,119
0	0
0	0
0	0
0	0
0	0
32	56
32	56
32	56
32	56
0	0
32	56
0	0
32	56
0	0
32	56
32	56
32	56
279	360

Sheet1

198	259
99	192
141	278
192	379
243	480
294	580
N/A	N/A
72	144
0	0
0	0
69	139

OS2: Tel SW/Next Day HW
OS3: Tel SW/Same Day HW

Sheet1

date or proof of support for at
least six months.

PRICE

\$404250

N/C

N/C

N/C

-35,200

14,300

4,020

-45,000

-15,000

-65,000

404,250

Sheet1

N/C
N/C
N/C
-35,200
14,300

4,020

-1,500
-625
-1,250
-2,500
-1,000

PRICE

-\$1000
-1,000
-500
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000
-9,000
-18,000
-20,000
-30,000
-13,000
-20,000
-20,000
-30,000
-1,800
-1,950
-45,000
-15,000
-65,000
509,250

N/C
N/C
N/C
-35,200
16,550
14,300

12,600

4,020
-1,500

PRICE

-\$625
-1,250
-2,500
-1,000
-1,000
-1,000
-500
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000
-9,000
-18,000

Sheet1

-20,000
-30,000
-13,000
-20,000
-20,000
-30,000
-1,800
-1,950
-10,000
-45,000
-15,000
-65,000

PRICE

\$519750

N/C
N/C
N/C
14,300
57,100
-8,000

4,020

-1,500
-625
-1,250
-2,500
-1,000
-1,000

Sheet1

-1,000
-500
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000
-9,000
-18,000
-20,000
-30,000
-60,000
-13,000
-20,000
-20,000
-30,000

PRICE

-\$1800
-1,950
-60,000
-80,000
-10,000
-75,000
-20,000
-100,000
771,750

N/C
N/C
N/C
14,300
57,100

4,020

-1,500
-625
-1,250
-2,500
-1,000
-1,000
-1,000
-500
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000
-9,000
-18,000
-20,000

PRICE

-\$30000
-60,000
-13,000
-20,000
-20,000
-30,000
-1,800
-1,950
-60,000
-80,000
-10,000

Sheet1

-75,000
-25,000
-105,000
945,000

N/C
N/C
N/C
14,300
57,100

N/C

4,020

-1,500
-625
-1,250
-2,500
-1,000
-1,000
-1,000
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000

PRICE

-\$9000
-18,000
-20,000
-30,000

Sheet1

-60,000
-13,000
-20,000
-20,000
-30,000
-1,800
-1,950
-60,000
-80,000
-8,000
-85,000
-25,000
-115,000
1,118,250

N/C
N/C
N/C
14,300
57,100
4,020
-1,500
-625
-1,250
-2,500
-1,000
-1,000
-1,000
-500
-500
-500
-500
-500
-1,000
-1,000
-4,000
-4,000
-7,000
-7,000
-9,000

PRICE

Sheet1

-\$18000
-20,000
-30,000
-60,000
-13,000
-20,000
-20,000
-30,000
-1,800
-1,950
-60,000
-80,000
-10,000
-90,000

-30,000

-120,000

PRICE

N/C

\$595,000

678,000

909,000

1,074,000

1,239,000

550,000

625,000

835,000

985,000

1,135,000

527,000

PRICE

\$602,000

809,000

959,000

1,109,000

474,000

549,000

747,000

897,000

1,047,000

22,000

66,000

154,000

242,000

20,000

60,000

140,000

220,000

17,000

44,000

103,000

162,000

8,000

8,000

19,000

29,000

100,000

N/C

N/C

Sheet1

48,000
48,000
83,200
140,800
211,200
256,000
320,000
384,000

PRICE

-\$500
-1,000
-1,000
-500
-500
-1,000
-4,000
-7,000
-9,000
-10,000
-18,000
-13,000
-20,000
-30,000
-80,000
-60,000
-95,000
-40,000
-50,000
-85,000
-125,000
-225,000
-320,000
-400,000
-490,000

-88,535
-11,465

PRICE

N/C

\$495000

578,000

809,000

974,000

Sheet1

1,139,000

450,000

525,000

735,000

885,000

1,035,000

427,000

502,000

709,000

859,000

PRICE

\$1009000

374,000

449,000

647,000

797,000

947,000

Sheet1

66,000
154,000
242,000
20,000

60,000
140,000
220,000
17,000

44,000
103,000
162,000
8,000

8,000
19,000
29,000

100,000

-400

N/C

N/C

48,000
48,000
83,200
140,800
211,200
256,000
320,000
384,000

-500

PRICE

-\$1000
-1,000
-500
-500
-1,000
-4,000

Sheet1

-7,000
-9,000
-10,000
-18,000
-13,000
-20,000
-30,000
-80,000
-60,000
-95,000
-40,000
-50,000
-85,000
-125,000
-225,000
-320,000
-400,000
-490,000

Sheet1

OS2

OS3

OS4

\$96	\$192	N/A
12	24	N/A
0	0	N/A
300	300	N/A
612	679	N/A
0	0	N/A
150	297	N/A
150	297	N/A
17,934	19,617	N/A
17,934	19,617	N/A
17,898	19,898	N/A
19,812	23,004	N/A
23,790	27,482	N/A
29,166	34,334	N/A
30,642	37,282	N/A
0	0	N/A
30	62	N/A
0	0	N/A
0	0	N/A
0	0	N/A
0	0	N/A
1,183	1,183	N/A
696	696	N/A
487	487	N/A
0	0	N/A
1,363	1,363	N/A
876	876	N/A
667	667	N/A
180	180	N/A
1,783	1,783	N/A
1,296	1,296	N/A
1,087	1,087	N/A
600	600	N/A
3,223	3,223	N/A
2,736	2,736	N/A
2,527	2,527	N/A
2,040	2,040	N/A
2,623	2,623	N/A
2,136	2,136	N/A
1,927	1,927	N/A
1,440	1,449	N/A
3,223	3,223	N/A
2,736	2,736	N/A
2,527	2,527	N/A

Table 1.1 on page 51

Table 1.1 on page 51

Sheet1

2,040	2,040	N/A
3,223	3,223	N/A
2,736	2,736	N/A
2,527	2,527	N/A
2,040	2,040	N/A
3,223	3,223	N/A
2,736	2,736	N/A
2,527	2,527	N/A

OS4: Installation/Ntwrk. Config. Customer Install Prod.
 OSZ: Network Configuration for HP Installed Products

OS2

OS3

OS4

\$2040	\$2040	N/A
1,627	1,934	N/A
1,637	1,954	N/A
1,680	2,040	N/A
1,896	2,292	N/A
4,068	4,836	N/A
1,704	2,088	N/A
1,908	2,316	N/A
4,188	5,076	N/A
2,340	2,760	N/A
5,340	6,360	N/A
3,192	3,804	N/A
7,884	9,408	N/A
8,976	10,572	N/A
11,880	14,280	N/A
0	0	N/A
0	0	N/A
0	0	N/A
0	0	N/A
540	540	N/A
32	56	45
32	56	45
32	56	45
32	56	45
0	0	N/A
32	56	45
0	0	N/A
32	56	45
0	0	N/A
32	56	45
32	56	45
32	56	45
279	360	96

Sheet1

198	259	N/A
99	192	N/A
141	278	N/A
192	379	N/A
243	480	N/A
294	580	N/A
N/A	N/A	N/A
72	144	N/A
0	0	N/A
0	0	N/A
609	679	N/A

OS4: Installation/Ntwrk. Config. Customer Install Prod.

OSZ: Network Configuration for HP Installed Products

Price

quote only
\$169950
204,950
244,950
279,950
164,950

OSZ

\$411

N/A

N/A

N/A

748

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

838

748

394

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A
N/A
N/A
N/A
N/A
N/A
N/A

OSZ

N/A
624
624
748
748
748
748
748
748
748
748
748
748
748
748
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A

N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
N/A
748