

Sheet1

Table 1. HP 3000 900 Series Business Systems and Servers Support Options

Model
Number

2345A
28616A
28642A
32015A
36923A
51453B
7980A
7980XC
A1109A
A1109AH
A1130A
A1134A
A1149A
A1150A
A1151A
A1747A
A1809A
A1811A
A1884A
A2231AZ
A2232AZ
A2293A
A2376A
A2377A
A2378A
A2379A
A2380A
A2381A
A2382A
A2383A
A2384A
A2385A
A2386A
A2387A
A2388A
A2389A
A2390A
A2391A
A2393A
A2394A
A2395A
A2396A
A2397A
A2398A

Sheet1

A2399A
A2400A
A2405A
A2406A
A2407A
A2408A
A2413A
A2414A
A2415A
A2416A

OS0: LTU SW/Next Day HW

OS2: Tel SW/Next Day HW

OS1: LTU SW/Same Day HW

OS3: Tel SW/Same Day HW

Table 1. HP 3000 900 Series Business Systems and Servers Support Options (cont'd)

Model
Number

A2417A
A2418A
A2419A
A2420A
A2421A
A2422A
A2423A
A2424A
A2425A
A2426A
A2445A
A2446A
A2511AZ
A2516AZ
A2901A
A2902A
A2903A
A2904A
A2906A
A2907A
A2908A
A2909A
A2911A
A2912A
A2913A
A2914A
A2921A
A2922A
A2923A
A2924A
A3000A

Sheet1

A3005A
A3006A
A3007A
A3008A
A3009A
A3010A
A3016A
A3017A
A3018A
A3019A
B1718A
C1001A/G/W
C1002A/G/W
C1064A
C1064AZ
C1064G
C1064GZ
C1064W
C1064WZ
C1065A/G/W
C1084W
C1085W
C2201A

0S0: LTU SW/Next Day HW

0S2: Tel SW/Next Day HW

0S1: LTU SW/Same Day HW

0S3: Tel SW/Same Day HW

Table 1. HP 3000 900 Series Business Systems and Servers Support Options (cont'd)

Model
Number

C2252B
C2252HA
C2254B
C2254HA
C2477SZ
C2476SZ
C2797AZ
C2798AZ
J2167A

0S0: LTU SW/Next Day HW

0S2: Tel SW/Next Day HW

0S1: LTU SW/Same Day HW

0S3: Tel SW/Same Day HW

Table 1.1. HP 3000 Corporate Business System Support

Model/
Option No.

H5357A

H5331A

H5332A

H5333A

H5334A

H5340A

H5677A

Opt. 0PD

Opt. 0PE

Opt. 0PF

Opt. 0PG

Opt. 0PH

H5678A

Opt. 0PN

Opt. 0PP

Opt. 0PQ

Opt. 0PR

Opt. 0PS

Description

PB-FL HP-FL Device adapter
SCSI 2 Device adapter (NIO SCSI)
HP LAN Manager/XL
ThinLAN 3000/XL network link
MPE/iX Media product
Magnetic tape drive
Magnetic tape drive
Series 955 system
Series 955 system
Series 960 system
Series 980/100 system
Series 980/200 system
Series 980/300 system
Series 980/400 system
PBA-IB Chan-span/HP-IB device adapter
For Premier Account Support, see Table 1.1
For Premier Account Support, see Table 1.1

16 MB Memory module
32 MB Memory module
Floating point coprocessor
SPU 917LX MPE/IMAGE/ALLBASE
SPU 917LX MPE/IMAGE
SPU 917LX MPE/ALLBASE
SPU 917LX MPE
SPU 927LX MPE/IMAGE/ALLBASE
SPU 927LX MPE/IMAGE
SPU 927LX MPE/ALLBASE
SPU 927LX MPE
SPU 937LX/RX/SX MPE/IMAGE/ALLBASE
SPU 937LX/RX/SX MPE/IMAGE
SPU 937LX/RX/SX MPE/ALLBASE
SPU 937LX/RX/SX MPE
SPU 947LX/RX/SX MPE/IMAGE/ALLBASE
SPU 947LX/RX/SX MPE/IMAGE
SPU 947LX/RX/SX MPE/ALLBASE
SPU 947LX/RX/SX MPE
SPU 957RX/SX MPE/IMAGE/ALLBASE
SPU 957RX/SX MPE/IMAGE
SPU 957RX/SX MPE/ALLBASE
SPU 957RX/SX MPE
SPU 967RX/SX MPE/IMAGE/ALLBASE
SPU 967RX/SX MPE/IMAGE

SPU 967RX/SX MPE/ALLBASE
SPU 967RX/SX MPE
SPU 987RX/SX MPE/IMAGE/ALLBASE
SPU 987RX/SX MPE/IMAGE
SPU 987RX/SX MPE/ALLBASE
SPU 987RX/SX MPE
917LX 2-Slot chassis
927LX 2-Slot chassis
937LX 2-Slot chassis
937RX 4-Slot chassis

Description

937SX 12-Slot chassis
947LX 2-Slot chassis
947RX 4-Slot chassis
947SX 12-Slot chassis
957RX 4-Slot chassis
957SX 12-Slot chassis
967RX 4-Slot chassis
967SX 12-Slot chassis
977SX 12-Slot chassis
987SX 12-Slot chassis
1.0 GB Disk drive
Replace 1.0 GB disk drive with 2.0 GB disk drive
Replace 32 MB memory with 64 MB module
Replace 32 MB memory with 128 MB module
947LX/RX/SX MPE/IMAGE/ALLBASE/SM/PM
947LX/RX/SX MPE/IMAGE/SM/PM
947LX/RX/SX MPE/IMAGE/ALLBASE/SM
947LX/RX/SX MPE/IMAGE/SM
957RX/SX MPE/IMAGE/ALLBASE/SM/PM
957RX/SX MPE/IMAGE/SM/PM
957RX/SX MPE/IMAGE/ALLBASE/SM
957RX/SX MPE/IMAGE/SM
967RX/SX MPE/IMAGE/ALLBASE/SM/PM
967RX/SX MPE/IMAGE/SM/PM
967RX/SX MPE/IMAGE/ALLBASE/SM
967RX/SX MPE/IMAGE/SM
987RX/SX MPE/IMAGE/ALLBASE/SM/PM
987RX/SX MPE/IMAGE/SM/PM
987RX/SX MPE/IMAGE/ALLBASE/SM
987RX/SX MPE/IMAGE/SM
987RX 4-Slot chassis

987/150RX 4-Slot chassis
987/150SX 12-Slot chassis
SPU 987RX/SX 150 MPE/IMAGE/ALLBASE
SPU 987RX/SX 150 MPE/IMAGE
SPU 987RX/SX 150 MPE/ALLBASE
SPU 987RX/SX 150 MPE
SPU 987RX/SX 150 MPE/IMG/ALLBS/SM/PM
SPU 987RX/SX 150 MPE/IMAGE/SM/PM
SPU 987RX/SX 150 MPE/IMG/ALLBASE/SM
SPU 987RX/SX 150 MPE/IMAGE/SM
HP Resource Sharing
700/92 Terminal
700/94 Terminal
700/96 Terminal
700/96 Terminal
700/96 Terminal
700/96 Terminal
700/96 Terminal
700/96 Terminal
700/96 Terminal
700/98 Terminal
700/96ES Terminal
700/98ES Terminal
670 MB Disk drive

Description

2.7 GB Disk drive
2.7 GB High availability disk drive
5.4 GB Disk drive
5.4 GB High availability disk drive
2.0 GB DDS DAT Tape drive
CD-ROM Drive
Rack mount kit
Rack mount kit
Token Ring 3000/iX network link

Description

Sheet1

HP System Support for Premier Accounts

CS 992/100 HP Premier Account Support for regular and DX Systems

CS 992/200 HP Premier Account Support for regular and DX Systems

CS 992/300 HP Premier Account Support for regular and DX Systems

CS 992/400 HP Premier Account Support for regular and DX Systems

CS 990 HP Premier Account Support for regular and DX Systems

CS 992/100 HP Premier Account Support for regular and DX Systems

CS 992/200 HP Premier Account Support for regular and DX Systems

CS 992/300 HP Premier Account Support for regular and DX Systems

CS 992/400 HP Premier Account Support for regular and DX Systems

CS 990 HP Premier Account Support for regular and DX Systems

CS 992/100 HP Premier Account Support for regular and DX Systems

CS 992/200 HP Premier Account Support for regular and DX Systems

CS 992/300 HP Premier Account Support for regular and DX Systems

CS 992/400 HP Premier Account Support for regular and DX Systems

CS 990 HP Premier Account Support for regular and DX Systems

System Support Options
OSO

OS1

OS2

OS3

\$96	\$192	\$96	\$192
12	24	12	24
0	0	0	0
0	0	300	300
72	139	1,152	1,219
0	0	0	0
150	297	150	297
150	297	150	297
11,154	12,837	17,934	19,617
11,154	12,837	17,934	19,617
11,118	12,819	17,898	19,898
10,512	13,704	19,812	23,004
12,090	15,782	23,790	27,482
15,246	20,414	29,166	34,334
16,722	23,362	30,642	37,282
0	0	0	0

For System Support Options see Table 1.2

For System Support Options see Table 1.2

For System Support Options see Table 4.1

0	0	0	0
0	0	0	0
0	0	0	0
252	252	1,272	1,272
144	144	720	720
108	108	552	552
0	0	0	0
540	540	2,160	2,160
360	360	1,308	1,308
300	300	1,032	1,032
120	120	180	180
1,032	1,032	3,612	3,612
756	756	2,484	2,484
672	672	1,728	1,728
396	396	600	600
3,384	3,384	8,400	8,400
2,484	2,484	4,164	4,164
2,184	2,184	6,156	6,156
1,284	1,284	1,920	1,920
2,580	2,580	7,116	7,116
2,040	2,040	4,860	4,860
1,380	1,380	3,516	3,516
840	840	1,260	1,260
3,684	3,684	10,440	10,440
2,784	2,784	6,204	6,204

Sheet1

2,184	2,184	6,156	6,156
1,284	1,284	1,920	1,920
3,684	3,684	10,440	10,440
2,784	2,784	6,204	6,204
2,184	2,184	6,156	6,156
1,284	1,284	1,920	1,920
972	1,068	1,416	1,512
984	1,092	1,428	1,536
996	1,116	1,440	1,560
1,140	1,284	1,644	1,788

0S4: Inst./Ntwk. Config. Cust. Inst. Prod.

0S5: LTU SW/24 x 7 HW

System Support Options
OS0

OS1

OS2

OS3

\$2778	\$3362	\$3882	\$4466
1,008	1,140	1,452	1,584
1,164	1,332	1,668	1,836
2,898	3,602	4,002	4,706
1,620	1,884	2,304	2,568
3,798	4,634	5,274	6,110
2,268	2,736	3,168	3,636
5,220	6,120	7,380	8,280
6,316	7,720	8,776	10,180
8,028	9,660	11,232	12,864
48	96	48	96
57	115	57	115
0	0	0	0
0	0	0	0
4,032	4,032	12,048	12,048
3,132	3,132	7,812	7,812
4,032	4,032	11,568	11,568
3,132	3,132	7,332	7,332
3,228	3,228	10,764	10,764
2,688	2,688	8,508	8,508
3,228	3,228	10,284	10,284
2,688	2,688	8,028	8,028
4,332	4,332	14,088	14,088
3,432	3,432	9,852	9,852
4,332	4,332	13,608	13,608
3,432	3,432	9,372	9,372
4,332	4,332	14,088	14,088
3,432	3,432	9,852	9,852
4,332	4,332	13,608	13,608
3,432	3,432	9,372	9,372
5,556	6,156	8,040	8,640

Sheet1

5,856	6,756	8,340	9,240
9,072	10,944	12,672	14,544
3,684	3,684	10,440	10,440
2,784	2,784	6,204	6,204
2,184	2,184	6,156	6,156
1,284	1,284	1,920	1,920
4,332	4,332	14,088	14,088
3,432	3,432	9,852	9,852
4,332	4,332	13,608	13,608
3,432	3,432	9,372	9,372
0	0	540	540
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
32	56	32	56
66	129	66	129

0S4: Inst./Ntwk. Config. Cust. Inst. Prod.
 0S5: LTU SW/24 x 7 HW

System Support Options
 OS0

	OS1	OS2	OS3
\$141		\$278	\$141
192		379	192
243		480	243
294		580	294
120		240	120
72		144	72
0		0	0
0		0	0
69		139	69

0S4: Inst./Ntwk. Config. Cust. Inst. Prod.
 0S5: LTU SW/24 x 7 HW

Sheet1

0S4	0S5	0S6	0SZ
N/A		\$312	\$312 \$411
N/A		39	39 N/A
N/A		0	0 N/A
N/A		0	300 N/A
N/A		185	1,441 748
N/A		0	0 N/A
N/A		483	483 N/A
N/A		483	483 N/A
N/A		15,636	22,416 N/A
N/A		15,636	22,416 N/A
N/A		15,612	22,791 N/A
N/A		17,694	26,994 N/A
N/A		20,396	32,096 N/A
N/A		26,873	40,793 N/A
N/A		31,663	45,583 N/A
N/A		0	0 N/A
			838
			748
			394
N/A		0	0 N/A
N/A		0	0 N/A
N/A		0	0 N/A
N/A		252	1,272 N/A
N/A		144	720 N/A
N/A		108	552 N/A
N/A		0	0 N/A
N/A		540	2,160 N/A
N/A		360	1,308 N/A
N/A		300	1,032 N/A
N/A		120	180 N/A
N/A		1,032	3,612 N/A
N/A		756	2,484 N/A
N/A		672	1,728 N/A
N/A		396	600 N/A
N/A		3,384	8,400 N/A
N/A		2,484	4,164 N/A
N/A		2,184	6,156 N/A
N/A		1,284	1,920 N/A
N/A		2,580	7,116 N/A
N/A		2,040	4,860 N/A
N/A		1,380	3,516 N/A
N/A		840	1,260 N/A
N/A		3,684	10,440 N/A
N/A		2,784	6,204 N/A

Sheet1

N/A	2,184	6,156	N/A
N/A	1,284	1,920	N/A
N/A	3,684	10,440	N/A
N/A	2,784	6,204	N/A
N/A	2,184	6,156	N/A
N/A	1,284	1,920	N/A
N/A	1,188	1,632	624
N/A	1,225	1,669	624
N/A	1,269	1,713	748
N/A	1,464	1,968	748

OS6: Tel SW/24 x 7 HW

OSZ: Ntwk. Config. - HP Inst. Prod.

OS4	OS5	OS6	OSZ
N/A	\$4093	\$5197	\$748
N/A	1,307	1,751	748
N/A	1,545	2,049	748
N/A	4,480	5,584	748
N/A	2,217	2,901	748
N/A	5,678	7,154	748
N/A	3,323	4,223	748
N/A	7,247	9,407	748
N/A	9,506	11,966	748
N/A	11,700	14,904	748
N/A	156	156	N/A
N/A	187	187	N/A
N/A	0	0	N/A
N/A	0	0	N/A
N/A	4,032	12,048	N/A
N/A	3,132	7,812	N/A
N/A	4,032	11,568	N/A
N/A	3,132	7,332	N/A
N/A	3,228	10,764	N/A
N/A	2,688	8,508	N/A
N/A	3,228	10,284	N/A
N/A	2,688	8,028	N/A
N/A	4,332	14,088	N/A
N/A	3,432	9,852	N/A
N/A	4,332	13,608	N/A
N/A	3,432	9,372	N/A
N/A	4,332	14,088	N/A
N/A	3,432	9,852	N/A
N/A	4,332	13,608	N/A
N/A	3,432	9,372	N/A
N/A	6,909	9,393	748

Sheet1

N/A	7,883	10,367	748
N/A	13,284	16,884	748
N/A	3,684	10,440	N/A
N/A	2,784	6,204	N/A
N/A	2,184	6,156	N/A
N/A	1,284	1,920	N/A
N/A	4,332	14,088	N/A
N/A	3,432	9,852	N/A
N/A	4,332	13,608	N/A
N/A	3,432	9,372	N/A
N/A	0	540	N/A
45	77	77	N/A
45	77	77	N/A
45	77	77	N/A
N/A	77	77	N/A
45	77	77	N/A
N/A	77	77	N/A
45	77	77	N/A
N/A	77	77	N/A
45	77	77	N/A
45	77	77	N/A
45	77	77	N/A
N/A	210	210	N/A

0S6: Tel SW/24 x 7 HW

0SZ: Ntwk. Config. - HP Inst. Prod.

OS4	OS5	OS6	OSZ
N/A	\$452	\$452	N/A
N/A	616	616	N/A
N/A	780	780	N/A
N/A	943	943	N/A
N/A	390	390	N/A
N/A	234	234	N/A
N/A	0	0	N/A
N/A	0	0	N/A
N/A	226	766	748

0S6: Tel SW/24 x 7 HW

0SZ: Ntwk. Config. - HP Inst. Prod.

Price

Sheet1

quote only

\$169,950

204,950

244,950

279,950

164,950

132,950

166,950

205,950

240,950

129,950

123,950

158,950

197,950

232,950

120,950