Networking

Datacomm and Terminal Controller Products (DTC)

Description

Datacomm and Terminal Controller

With up to 16 ports (DTC16). Must order one and only one LAN option (Opt. 640, 641, 642, 840, 841 or 842). The LAN option also provides the first six modem or eight direct connect ports. A maximum of one additional async option (Opt. 650 or 850) can be ordered. A maximum of one X.25 option (Opt. 310) can be ordered. Opt. 015 is required for 220V utilization.

Set of 220V. (Required for Europe and some Asia/Pacific countries.)

RS-232 DTC16/X.25 Network Access Card in the DTC16

Configure DTC16 for ThickLAN and provides six RS-232-C

25-pin modem connections installed in the DTC16.

(ThickMAU and 6m AUI cable provided.)

Configure DTC16 for AUI use and provides six RS-232-C

25-pin modem connections installed in the DTC16.

(No MAU provided.)

Configure DTC16 for ThinLAN and provides six RS-232-C

25-pin modem connections installed in the DTC16.

(BNC-T connector provided.)

Provides six additional RS-232-C 25-pin modem connections installed in the DTC16.

Configure DTC16 for ThickLAN and provides eight RS-232-C

25-pin direct connections installed in the DTC16.

(ThickMAU and 6m AUI cable provided.)

Configure DTC16 for AUI use and provides eight RS-232-C

25-pin direct connections installed in the DTC16.

(No MAU provided.)

Configure DTC16 for ThinLAN and provides eight RS-232-C

25-pin direct connections installed in the DTC16.

(BNC-T connector provided.)

Provides eight additional RS-232-C 25-pin direct connections installed in the DTC16.

Add-on DTC16 Asynchronous Connector Card

Provides eight additional RS-232-C 25-pin direct connections.

Add-on DTC16 Asynchronous Connector Card

Provides six additional RS-232-C 25-pin modem connections.

Add-on RS-232 DTC16 X.25 Network Access Card

Add-on DTC48 Asynchronous Connector Card

Provides eight additional RS-232-C 3-pin direct connections.

Add-on DTC48 Asynchronous Connector Card

Provides eight additional RS-422 5-pin direct connections.

Add-on DTC48 Asynchronous Connector Card

Provides six additional RS-232-C 25-pin modem connections.

Add-on RS-232 DTC48 X.25 Network Access Card

Hardware Upgrade Kit (reg'd for DTC48 with date code less than 2851)

Add-on V.35 DTC48 X.25 Network Access Card

Hardware Upgrade Kit (req'd for DTC48 with date code less than 2851)

HP ARPA Telnet Access

DTC48 Upgrade Kit Memory extension for the 2345A with date code less than 3110. Opt. 001 is required for any DTC48 with

a date code less than 3110.

DTC Upgrade Kit Memory Extension

For the 2345A with date code less than 3110.

Select a System Support Option. Refer to Table 5 on page 143.

Datacomm and Terminal Controller Products (DTC) (cont'd)

Description

DTC16iX LAN Multiplexer

Replace 8 direct with 8 modem ports

DTC72MX Communication Server

Racking kit for 1100mm and 1600mm racks

24 RS-232 Direct connect ports

48 RS-232 Direct connect ports

72 RS-232 Direct connect ports

HP 3000 Telnet Access card

X.25/RS-232 Network Access card

X.25/V.35 Network Access card

24 RS-423 Direct connect ports

Replace 8 direct with 8 modem ports

24 RS-232 Direct Connect Card

Replace 8 direct with 8 modem ports

24 RS-423 Direct Connect Card

HP 3000 Telnet Access Card

Modem Distribution Panel Racking Kit

Accessories for DTC16iX, 16TN and 72MX

8-Port RS-232 Modem distribution panel

8-Port RS-232 Direct distribution panel

24-Port RS-232 Direct distribution panel

8-Port Multiport cable with HP 3-pin connectors

Racked DTC16iX LAN Multiplexer

Replace 8 direct with 8 modem ports

Racked DTC72MX Communication Server

24 RS-232 Direct connect ports

48 RS-232 Direct connect ports

72 RS-232 Direct connect ports

Replace 8 RJ-45 direct ports with 8 DB-25 modem ports

Add X.25 board with RS-232 interface

Add X.25 board with V.35 interface

Add Telnet Access board

Add-On X.25 Network Access Card for DTC72MX

Add-on X.25 RS-232 Interface card for DTC72MX

Add-on X.25 V.35 Interface card for DTC72MX

HP OpenView Windows Workstation Upgrade Software

Upgrade to the OpenView Windows Workstation product (32054x)

HP OpenView DTC Manager upgrade

HP OpenView System Manager upgrade

HP OpenView Switch/PAD Manager (1 - 4 nodes) upgrade

HP OpenView Switch/PAD Manager (5 - 10 nodes) upgrade

HP OpenView Switch/PAD Manager (10 nodes) upgrade

HP OpenView DTC Manager

DTC management software for the PC. If HP OpenView Windows

Workstation is ordered with HP OpenView DTC Manager

option (32054D, Opt. 201), this removes the need to order D2355A.

Select a System Support Option. Refer to Table 5 on page 143.

Datacomm and Terminal Controller Products (DTC) (cont'd)

Description

HP OpenView Windows Workstation

Application option (must order one Opt. 201 and one of the

Opt. 204, 205 or 206 can be ordered concurrently.)

HP OpenView DTC Manager software

HP OpenView System Manager software

HP OpenView Switch/PAD Manager (1 - 4 M45 nodes) software

HP OpenView Switch/PAD Manager (5 - 10 M45 nodes) software

HP OpenView Switch/PAD Manager (10 M45 nodes) software.

Network connection options. (Must order one; only one among

Opt. 101, 102 or 103 may be ordered per workstation.)

ThinLAN connection

ThickLAN connection

EtherTwist connection

Switch/PAD Manager connection (dual serial card, three serial cables)

Localization Options (must order one):

U.S.

Europe-English

Germany

Spain

France

Australia

Netherlands

Intercon

Latin America

Norway

Switzerland (German)

Switzerland (French)

Sweden

U.K.

Belgium

Finland

Denmark

Italy

DTC SPECIFIC CABLES

25-Pin Cable to 3-Pin Cable

For back-to-back configuration between 3-pin interface on the DTC48/ATP and a 25-pin interface on a multiplexer/DTC.

Modem Cable 25-Pin/25-Pin m/m

For use between DTC and System multiplexer in back-to-back configuration where the DRS signal (pin 23) is used.

Modem Cable 25-Pin/25-Pin m/m DRS Signal (pin 23)

For use between DTC and devices.

Select a System Support Option. Refer to Table 5 on page 143.

LAN Links

Description

Token Ring 3000/iX Network Link

User License option must align with MPE/iX License.

Hardware Option:

Token Ring HP-PB adapter card

Software Options:

20-user License

40-user License

64-user License

100-user License

160-user License

Unlimited user License

Credit for 20-user license

Credit for 40-user license

Credit for 64-user license

Credit for 100-user license

Credit for 160-user license

Credit for Unlimited user license

Upgrade credit for Option 310, Tier 1

Upgrade credit for Option 315, Tier 2

Upgrade credit for Option 320, Tier 3

Upgrade credit for Option 330, Tier 4

Upgrade credit for Option 335, Tier 5

Upgrade credit for Option 340, Tier 6

Upgrade credit for Option 350, Tier 7

Delete hardware/software manuals

ThinLAN 3000/V Network Link

For Series 37, MICRO 3000 or MICRO 3000XE

For EtherTwist

ThickLAN connection

For Series 39-42, 52

For Series 44, 48, 58

For Series 64-70

Return Credit for OfficeShare LAN

For Series 37, MICRO and MICRO XE

For Series 39-70

Return Credit for LAN

For Series 37 and MICRO's

For Series 39-70

Select a System Support Option. Refer to Table 5 on page 143.

LAN Links (cont'd)

Description

ThinLAN 3000/iX Network Link

User License option must align with MPE/iX License.

Hardware Options:

802.3 CIO LAN card

802.3 HP-PB LAN card

Software Options:

20-user License

40-user License

64-user License

100-user License

160-user License

Unlimited user License

Credit for 20-user license

Credit for 40-user license

Credit for 64-user license

Credit for 100-user license

Credit for 160-user license

Credit for Unlimited user license

Upgrade credit for Option 310, Tier 1

Upgrade credit for Option 315, Tier 2

Upgrade credit for Option 320, Tier 3

Upgrade credit for Option 330, Tier 4

Upgrade credit for Option 335, Tier 5

Upgrade credit for Option 340, Tier 6

Upgrade credit for Option 350, Tier 7

Credit for 99x DX

Delete software manuals

Return Credit for 802.3 CIO LAN Card

Select a System Support Option. Refer to Table 5 on page 143.

Wide Area Network Links

Description

NS X.25 3000/V Network Link

NS3000/V Documentation

DS X.25 to NS X.25 Migration guide

NetIPC Programmer kit

For Series 37, MICROs - RS-232 synch modem

For Series 37, MICROs - V.35 synch modem

For Series 37, MICROs - direct connect

DS Upgrade credit with puchase of H2355A

DS Upgrade credit

For Series 37, MICROs - software only

For Series 39-58 - RS-232 synch modem connect

For Series 39-58 - V.35 synch modem connect

For Series 39-58 - direct connect

DS Upgrade credit for Series 39-58 with H2355A

DS Upgrade credit for Series 39-58

For Series 39-58 - software only

For Series 64-70 - RS-232 synch modem connect

For Series 64-70 - V.35 synch modem connect

For Series 64-70 - direct connect

DS Upgrade credit with purchase of H2355A

DS Upgrade credit

For Series 64-70 - software only

Return Credit for NS X.25 3000/V Network Link

For Series 37, MICROs

For Series 39-70

Upgrade Credit for NS X.25/iX Server

NS Point-to-Point 3000/V Link for Series 37, MICROs

Compatible with NS3000/V (32344A/R).

Connection to synchronous modem

Connection to V.35 digital phone network

Connection to synchronous modem with autocall

DS Upgrade credit with purchase of H2355A

DS Upgrade credit

For Series 37 - software only

Add-on INP with connect to synchronous modem

Add-on INP with connect to V.35 network

Add-on INP with connect to modem with autocall

NS Point-to-Point 3000/V Link for Series 39-70

Compatible with NS3000/V (32344A/R).

For Series 37 - software only

For Series 39-42, 52 - synchronous modem

For Series 39-42, 52 - V.35

For Series 39-42, 52 - autocall connect

DS Upgrade credit with purchase of H2355A

DS Upgrade credit

For Series 39-58 - no hardware

For Series 44, 48, 58-70 - synchronous modem

Select a System Support Option. Refer to Table 5 on page 143.

Wide Area Network Links (cont'd)

Description

NS Point-to-Point 3000/V Link for Series 39-70 (cont'd)

For Series 44, 48, 58-70 - V.35

For Series 44, 48, 58-70 - autocall connect

DS Upgrade credit

DS Upgrade credit

For Series 70 - no hardware

Series 37, MICROs - add-on INP with synchronous modem

Series 39-42, 52 - add-on INP with synchronous modem

Series 39-42, 52 - add-on INP with V.35

Series 39-42, 52 - add-on INP with autocall

Series 44, 48, 58-70 - add-on INP with synchronous modem

Series 44, 48, 58-70 - add-on INP with V.35

Series 44, 48, 58-70 - add-on INP with autocall

Asynchronous HP Serial Network Link

For Tier 1 SPUs, one RTU/sublicense

For Tier 3 SPUs, one RTU/sublicense

For Tier 4 SPUs, one RTU/sublicense

NS Point-to-Point 3000/iX

User License option must align with MPE/iX License.

Select one PSI option AND one Cable option

AND one Software option:

PSI Options:

Central Bus PSI

Precision Bus PSI

No PSI (software only)

Cable Options:

RS-232 connection

V.35 connection

RS-232 autodial connection

No cable (software only)

Software Options:

20-user License

40-user License

64-user License

100-user License

160-user License

Unlimited user License

Credit for 20-user license

Credit for 40-user license

Credit for 64-user license

Credit for 100-user license

Credit for 160-user license

Credit for Unlimited user license

Upgrade credit for Option 310, Tier 1

Upgrade credit for Option 315, Tier 2

Upgrade credit for Option 320, Tier 3

Upgrade credit for Option 330, Tier 4

Upgrade credit for Option 335, Tier 5

Upgrade credit for Option 340, Tier 6

Select a System Support Option. Refer to Table 5 on page 143.

Wide Area Network Links (cont'd)

Description

NS Point-to-Point 3000/iX (cont'd)

Upgrade credit for Option 350, Tier 7

Hardware only

X.25/iX System Access

User License option must align with MPE/iX License.

20-user License

40-user License

64-user License

100-user License

160-user License

Unlimited user License

Credit for 20-user license

Credit for 40-user license

Credit for 64-user license

Credit for 100-user license

Credit for 160-user license

Credit for Unlimited user license

Upgrade credit for Option 310, Tier 1

Upgrade credit for Option 315, Tier 2

Upgrade credit for Option 320, Tier 3

Upgrade credit for Option 330, Tier 4

Upgrade credit for Option 335, Tier 5

Upgrade credit for Option 340, Tier 6

Upgrade credit for Option 350, Tier 7

Return Credit for X.25 Network Link

For Series 37, MICROs

For Series 39-70

Return Credit for Point-to-Point Hardwired Link

For Series 37, MICRO and MICRO XE

For Series 39-70

Return Credit for Point-to-Point Modem Link

For Series 37, MICRO and MICRO XE

For Series 39-70

Select a System Support Option. Refer to Table 5 on page 143.

Asynchronous PADs

Description

X.25/PAD - Multiplexer

220V/50Hz operation

4 Modem connect ports

19-inch Rack mount kit

4 Modem connect

Cable Between 2335 and ATC/DTC Printer Ports

Cable Between 2335 and ATC/DTC Terminal Ports

Upgrade Kit Between 2335A and New Version 2335A X.25/84

Additional 4 Modem Connect Ports

Upgrade 4 dir. connect ports to 4 modem connect ports 2334A Plus

Additional 4 Ports for 2335A

19-inch Rack Mount Kit for 2335A

19-inch Rack mount kit

X.25 Switches

HP MODEL 45 PLUS/18-PORTS VERSION

Model 45 Plus 6 Ports

Additional 6-port ALP Card, maximum two

Monitor Package, optional

RS-232 MAP Cable, six RS-232 Ports

V.35 MAP Cable, two V.35/4 RS-232 Ports

X.21 MAP Cable, two X.21/4 RS-232 Ports

RS-499 MAP Cable, two RS-449/4 RS-232 Ports

HP MODEL 45 PLUS/30-PORTS VERSION

Model 45 Plus 6 Ports

Additional 6-port ALP Card, maximum four

Monitor Package, optional

RS-232 MAP Cable, six RS-232 Ports

V.35 MAP Cable, two V.35/4 RS-232 Ports

X.21 MAP Cable, two X.21/4 RS-232 Ports

RS-499 MAP Cable, two RS-449/4 RS-232 Ports

Model 45 to Model 45 Plus Conversion Kit

Conversion kit from HP Model 45 to Model 45 Plus includes

one ALP 6-port card, software and manuals.

OpenView Switch/PAD Manager

For M45 and 2334A/2335A

Switch/PAD Manager software, cables and User License for

1-4 M45 nodes

Switch/PAD Manager software, cables and User License for

1-10 M45 nodes

Switch/PAD Manager software, cables and User License for

unlimited number of M45 nodes

User license upgrade from Opt. 204 to Opt. 205

User license upgrade from Opt. 205 to Opt. 206

4-Port Switch - DESKTOP PACKAGE

(Max: 8 sync. ports plus 4 async. ports.) Includes Multiprotocol

LP Card, Node boot-up software and installation & service manual. Select a System Support Option. Refer to Table 5 on page 143. X.25 Switches (cont'd)

Description

4-Port Switch - TOWER PACKAGE

(Max: 20 ports.) Includes Multiprotocol LP Card, Node boot-up software and installation & service manual.

Additional 4-Port Multiprotocol Card

For Model 75 switching nodes (J2020A & J2021A).

Network Management Processor

For Model 75 network. Includes Vectra 286/12 M46, 2 Mb expanded memory, dual serial link, 2 PIA cards, M75 and NMP software, Xerox O/S and Security Lock.

VGA Monitor 100/120V

VGA Monitor 200/240V

Delete monitor (large display monitor ordered separately)

Modems

Codex 3500 DSU/CSU

For HP Remote bridge and 2335A multiplexer.

Codex 3380 19.2K bps Modem

For 2335A multiplexer.

Codex 3380 19.2K bps Modem

For 2335A multiplexer (dial restore option included).

Codex 2680 Data Modem

Dual dial restore unit

Hayes Smartmodem(tm)

1200, 60Hz, 120 Vac

Hayes Smartmodem(tm)

2400, 60Hz, 120 Vac

HP 3000 Terminal/Plotter Cables, Point-to-Point Connections

Hardwired/Modem Extender Cable (7.6m/25 ft.)

Replace with 15.2m (50 ft.)

Replace with 30.5m (100 ft.)

Hardwired Extender Cable (7.6m/25 ft.)

Adapter Cable, 3-pin to 25-pin (5m/16 ft.)

HP-Direct Connect RS-232 Ext. Cable (15m/50 ft.)

HP-Direct Connect RS-422 Ext. Cable (30m/99 ft.)

RS-232-C Printer Cable

HP-Direct Connect RS-422 Cable

HP-Direct Connect RS-232 Cable

RS-232-C Cable for 2392A (5m/16 ft.)

ASI to RS-422 Cable (1.5m)

(male/male)

Modem Cable (1.5m)

(male/unterminated)

Direct Connect Extension Cable (10.5m)

(male/female)

RS-232-C Serial Interface for Series 800

Select a System Support Option. Refer to Table 5 on page 143.

HP 3000 Terminal/Plotter Cables, Point-to-Point Connections (cont'd)

Description

U.S. Modem Cable (15m/50 ft.)

For port two of 262X and 238X terminals, U.S. and Intercon only.

European Modem Cable (15m/50 ft.)

For port two of 262X and 238X terminals.

Repeater FEP AUI (20m)

RS-232-C Connector Kit

(male/4 ea.)

RS-422 Connector Kit

(male/4 ea.)

RS-422 Connector Kit

(female/4 ea.)

ThinLAN Cables and Accessories

ThinLAN Coax Cable (with BNC connectors installed):

1 meter coax cable

2 meter coax cable

4 meter coax cable

8 meter coax cable

16 meter coax cable

32 meter coax cable

64 meter coax cable

128 meter coax cable

ThinLAN Accessories

BNC Connector pair for 92227J/K

BNC Connector tool kit for 92227J/K

BNC "T" Connector

ThinLAN Terminator pair

Backbone LAN MAU and Tap

LAN MAU and Installation kit (order once)

LAN Surge protector and wall mounting plate

Backbone LAN AUI Cables (with connectors attached):

6 meter FEP AUI cable

12 meter FEP AUI cable

24 meter FEP AUI cable

48 meter FEP AUI cable

6 meter PVC (11) AUI cable

12 meter PVC AUI cable

24 meter PVC AUI cable

48 meter PVC AUI cable

Backbone LAN Coax Cables (including connectors and terminators):

23.4 meter FEP without terminators attatched

23.4 meter FEP with terminators attatched

117 meter FEP without terminators attatched

500 meter FEP without terminators attatched

23.4 meter PVC without terminators attatched

23.4 meter PVC with terminators attatched

117 meter PVC without terminators attatched

50 meter PVC without terminators attatched

Select a System Support Option. Refer to Table 5 on page 143.

ThinLAN Cables and Accessories (cont'd)

Description

Backbone LAN Coax Cable Tools for Attaching Connectors (order once):

LAN Coax installation tool kit

LAN Coax crimp tool

N-Connectors, male, package of four

Barrel N-Connectors, female, and insulators, package of two

One grounding terminator and one floating point terminator with inslulator

EtherTwist Transceiver Family

EtherTwist Transceiver

Fiber Optic Transceiver

ThinLAN Transceiver

ThickLAN Transceiver

HP 3000 HP-IB, HP-FL and INP Cables

HP-IB Cable (1m/3.3 ft.)

HP-IB Cable (2m/6.6 ft.)

HP-IB Cable (4m/13.2 ft.)

HP-IB Cable (0.5m/1.6 ft.)

Adapter

Extends HP-IB connector 2.3cm.

Long P-Bus Cable

To connect HP-FL drive in adjacent 19511A cabinets.

Long P-Bus Cable

To connect array drive to adjacent cabinet.

Long P-Bus Cable

To connect array drive to other HP-FL disks.

Short P-Bus Cable

.8 m cable used to connect the C225X HP-FL disk arrays

to a C2204, C2201 or 7937FL.

HP-IB Interface for 7570A, 7575A and 7576A

EtherTwist Hub Family

HP Fiber-Optic Hub Plus

HP EtherTwist Hub/12

HP EtherTwist Hub Plus

HP EtherTwist Hub 8

HP ThinLAN Hub Plus

HP EtherTwist Hub Plus 48

HP EtherTwist Hub/12 Upgrade Kit

Localization options required on all Hubs.

Select a System Support Option. Refer to Table 5 on page 143.

HP Bridge Family

Description

HP 10:10 LAN Bridge MB (managed)

HP 10:10 LAN Bridge Upgrade Credit

HP Remote Bridge RB

V.35 Synchronous Cable

RS-232 Synchronous Cable

X.21 Synchronous Cable

RS-442/449 Synchronous Cable

HP 10:10 LAN Bridge LB (un-managed)

Localization options required on all Bridges.

HP Router Family

HP Router ER

V.35 Synchronous Cable

RS-232 Synchronous Cable

X.21 Synchronous Cable

RS-442/449 Synchronous Cable

HP Router TR

V.35 Synchronous Cable

RS-232 Synchronous Cable

X.21 Synchronous Cable

RS-442/449 Synchronous Cable

HP Router SR

V.35 Synchronous Cable

RS-232 Synchronous Cable

X.21 Synchronous Cable

RS-442/449 Synchronous Cable

HP Router FR

V.35 Synchronous Cable

RS-232 Synchronous Cable

X.21 Synchronous Cable

RS-442/449 Synchronous Cable

HP Router CR

Table Top Enclosure

25 ft RS-232 to 9-Pin M-M Modem Cable

HP Router Software

Base Router Software Package Plus X.25/Frame Relay

Expanded Router Software Package

Expanded Router Software Package Plus

Interface cards for the Router CR

Dual-Port Ethernet/802.3 Synchronous Interface

V.35 Synchronous Cable

RS-232 Synchronous Cable

RS-442 Synchronous Cable

X.21 Synchronous Cable

Select a System Support Option. Refer to Table 5 on page 143.

HP Router Family (cont'd)

Description

Four-Port Synchronous Interface
V.35 Synchronous Cable
RS-232 Synchronous Cable
RS-442 Synchronous Cable
X.21 Synchronous Cable
Quad-Port Ethernet/802.3 Synchronous Interface
Dual-Port Token Ring Interface

Single-Port FDDI Interface

Network Management

HP OpenView Hub Manager

HP OpenView Interconnect Manager/DOS

HP OpenView Network Resource Manager

Select a System Support Option. Refer to Table 5 on page 143.

Product No./ Option No.	PRICE
2340A	\$1210
Opt. 015 Opt. 310 Opt. 640	N/C 2,400 1,520
Opt. 641	1,120
Opt. 642	1,150
Opt. 650	840
Opt. 840	1,520
Opt. 841	1,120
Opt. 842	1,150
Opt. 850	840
2343A	1,140
2343C	1,140
2343D 2346A	2,700 1,595
2346B	2,130

	Sheet1
2346C	1,595
2346D Opt. 001 2346E Opt. 001 2347A	3,000 100 3,000 100 3,000
Opt. 001	1,290
2348A	1,355
Product No./	

Product No./ Option No.

PRICE

J2062A	\$2160
Opt. UG5	300
J2070A	2,800
Opt. 1AC	N/C
Opt. 001	3,400
Opt. 002	6,800
Opt. 003	10,200
Opt. 004	3,000
Opt. 1CW	2,400
Opt. 1CX	2,400
Opt. UG4	4,300
Opt. UG5	300
J2076A	3,700
Opt. UG5	300
J2077A	4,700
J2080A	3,300
J2084A	300
J2085A	
Opt. 101	350
Opt. 102	180
Opt. 103	350
Opt. 104	180
J2062AZ	2,160
Opt. UG5	300
J2070AZ	2,800
Opt. 001	3,400
Opt. 002	6,800
Opt. 003	10,200
Opt. UG5	300
Opt. 1CV	2,400 2,400
Opt. 1CX	2,400

	Sheet1
Opt. 004	3,000
J2079A	N/C
Opt. 1CW	2,700
Opt. 1CX	2,700
D1824C	1,060
Opt. 201	1,050
Opt. 202	350
Opt. 204	1,750
Opt. 205	3,150
Opt. 206	4,690
D2355A	1,575

Product No./ Option No.

PRICE

Opt. 201 1,899 Opt. 202 800 Opt. 204 2,579 Opt. 205 4,639 Opt. 206 6,900 Opt. 101 450 Opt. 102 850 Opt. 103 449 Opt. 104 519 Opt. ABA N/C Opt. ABB N/C Opt. ABF N/C Opt. ABF N/C Opt. ABF N/C Opt. ABG N/C Opt. ABK N/C Opt. ABM N/C	Орион но.	FRICE
Opt. 202 800 Opt. 204 2,575 Opt. 205 4,635 Opt. 206 6,900 Opt. 101 450 Opt. 102 850 Opt. 103 444 Opt. 104 515 Opt. ABB N/C Opt. ABB N/C Opt. ABF N/C Opt. ABF N/C Opt. ABH N/C Opt. ABK N/C Opt. ABM N/C Opt. ABN N/C Opt. ABN N/C Opt. ABP N/C	32054D	\$7500
Opt. 102 850 Opt. 103 44! Opt. 104 51! Opt. ABA N/C Opt. ABB N/C Opt. ABD N/C Opt. ABE N/C Opt. ABF N/C Opt. ABG N/C Opt. ABH N/C Opt. ABK N/C Opt. ABN N/C Opt. ABN N/C Opt. ABP N/C	Opt. 202 Opt. 204 Opt. 205	1,895 800 2,575 4,635 6,900
Opt. ABB N/C Opt. ABD N/C Opt. ABE N/C Opt. ABF N/C Opt. ABG N/C Opt. ABH N/C Opt. ABK N/C Opt. ABM N/C Opt. ABN N/C Opt. ABP N/C	Opt. 102 Opt. 103	450 850 445 515
Opt. ABS N/C	Opt. ABB Opt. ABD Opt. ABE Opt. ABF Opt. ABG Opt. ABH Opt. ABK Opt. ABM Opt. ABN Opt. ABP Opt. ABP	N/C N/C N/C N/C N/C N/C N/C N/C N/C N/C

	Sheet1
Opt. ABU Opt. ABW Opt. ABX Opt. ABY Opt. ABZ	N/C N/C N/C N/C N/C
40230A	\$155
40233A	75
40234A	75
Product No./ Option No.	PRICE
J2167A	N/C
Opt. AL4	\$1550
Opt. 0AF Opt. UCY Opt. UA9 Opt. UBD Opt. UCN Opt. UAT Opt. UD8 Opt. UCZ Opt. UB9 Opt. UD9 Opt. UDV Opt. UBP Opt. OCD Opt. 0GJ Opt. 0CE Opt. 0CF Opt. 0GL Opt. 0GM Opt. UEK Opt. 0B0 30240A Opt. 100 Opt. 142	250 450 725 2,500 3,170 7,450 -200 -360 -580 -2,000 -2,540 -5,960 -200 -275 -425 -500 -1,500 -3,250 -4,000 N/C N/C 5,070 N/C

Opt. 242 Opt. 300 Opt. 400 Opt. 500 30240AN Opt. 100 Opt. 200 30242AN Opt. 100 Opt. 200	Sheet1 N/C 9,610 9,610 10,200 N/C -500 -800 N/C -500 -800
Product No./ Option No.	PRICE
36923A	N/C
Opt. 001 Opt. 002	\$1050 1,550
Opt. 0AF Opt. UCY Opt. UA9 Opt. UBD Opt. UCN Opt. UAT Opt. UD8 Opt. UCZ Opt. UB9 Opt. UD9 Opt. UDV Opt. UBP Opt. OCD Opt. 0GJ Opt. 0CE Opt. 0CE Opt. 0GL Opt. 0GM Opt. UEK Opt. 0B0 36923AN	1,800 2,000 2,300 4,100 4,725 9,625 -1,440 -1,600 -1,840 -3,280 -3,780 -7,700 -1,440 -1,600 -1,750 -2,100 -3,100 -3,750 -7,000 N/C -500
Product No./ Option No.	PRICE

\sim		- 1
21	ieei	

24405A	N/C
Opt. 001	N/C
Opt. 002	N/C
Opt. 003	N/C
Opt. 110	\$5870
Opt. 120	5,870
Opt. 135	5,870
Opt. 150	-1,420
Opt. 151	-1,140
Opt. 190	2,840
Opt. 310	9,040
Opt. 320	9,040
Opt. 335	9,040
Opt. 350	-2,000
Opt. 351	-2,000
Opt. 390	4,015
Opt. 410	10,950
Opt. 420	10,950
Opt. 435	10,950
Opt. 450	-4,115
Opt. 451	-3,290
Opt. 490	8,230
24405AN	N/C
Opt. 100	-500
Opt. 200	-800
Opt. 200 30041AN	-800 -7,625
30041AN	-7,625
•	
30041AN	-7,625
30041AN 30284A	-7,625 N/C
30041AN 30284A Opt. 110	-7,625 N/C 3,435
30041AN 30284A Opt. 110 Opt. 120	-7,625 N/C 3,435 3,435
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150	-7,625 N/C 3,435 3,435 3,435
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151	-7,625 N/C 3,435 3,435 3,435 -580 -465
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825	-7,625 N/C 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825	-7,625 N/C 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190 Opt. 310	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305 6,650 6,850
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190 Opt. 310 Opt. 320 Opt. 320 Opt. 325	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305 6,650
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190 Opt. 310 Opt. 320 Opt. 325 Opt. 325 Opt. 350	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305 6,650 6,650 6,650 -1,475
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190 Opt. 310 Opt. 320 Opt. 325 Opt. 350 Opt. 350 Opt. 351	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305 6,650 6,650 6,650 -1,475 -1,180
30041AN 30284A Opt. 110 Opt. 120 Opt. 125 Opt. 150 Opt. 151 Opt. 190 Opt. 810 Opt. 820 Opt. 825 30285A Opt. 190 Opt. 310 Opt. 320 Opt. 325 Opt. 325 Opt. 350	-7,625 N/C 3,435 3,435 3,435 -580 -465 1,305 2,385 2,385 2,385 N/C 1,305 6,650 6,650 6,650 -1,475

Product No./ Option No.	PRICE
30285A Opt. 420 Opt. 425 Opt. 450 Opt. 451 Opt. 490 Opt. 610 Opt. 710 Opt. 720 Opt. 725 Opt. 810 Opt. 820 Opt. 825 32003A Opt. 310 Opt. 020 Opt. 030 36922A	\$7780 7,780 -2,640 -2,110 5,950 1,670 4,435 4,570 4,570 4,570 4,570 N/C 790 1,295 2,315 N/C
Opt. 001 Opt. 002 Opt. 090	N/C N/C -2,400
Opt. 010 Opt. 020 Opt. 025 Opt. 099	N/C N/C N/C N/C
Opt. 0AF Opt. UCY Opt. UA9 Opt. UBD Opt. UCN Opt. UAT Opt. UD8 Opt. UCZ Opt. UB9 Opt. UD9 Opt. UDV Opt. UBP Opt. OCD	3,500 4,500 5,750 8,750 11,250 14,500 -880 -1,680 -2,680 -5,080 -7,080 -9,680 -600

	Sheet1
Opt. 0GJ Opt. 0CE Opt. 0CF Opt. 0GL	-1,000 -1,500 -2,500 -3,500
Opt. 0GM	-4,160
Product No./ Option No.	PRICE
36922A Opt. UEK	-\$5000
Opt. 399	2,400
36939A	N/C
Opt. 0AF Opt. UCY	400 800
Opt. UA9	1,280
Opt. UBD	5,500
Opt. UCN	9,000
Opt. UAT	15,500
Opt. UD8	-320
Opt. UCZ	-640 -1,024
Opt. UB9 Opt. UD9	-1,024 -4,400
Opt. UDV	-7,200
Opt. UBP	-12,400
Opt. 0CD	-300
Opt. 0GJ	-400
Opt. 0CE	-600 1,000
Opt. 0CF Opt. 0GL	-1,000 -3,500
Opt. 0GM	-4,500
Opt. UEK	-8,500
32187AN	N/C
Opt. 100	-500
Opt. 200	-800 N/C
30270AN Opt. 100	N/C -500
Opt. 200	-800
30271AN	N/C
Opt. 100	-500
Opt. 200	-800
Product No./	
Option No.	PRICE

	Sheet1
2335A Opt. 015 Opt. 123 Opt. 263 Opt. G23 40220A 40221A 40235A 40261A Opt. 001 40262A 40263A Opt. 263	\$1765 N/C 990 340 945 76 76 375 1,145 -530 1,015 340 N/C
J2000B J2004B J2007B J2030A J2031A J2032A J2033A	\$5990 4,200 1,000 525 1,050 1,050 1,260
J2001B J2004B	\$9450 4,200

J2001B	\$9450
J2004B	4,200
J2007B	1,000
J2030A	525
J2031A	1,050
J2032A	1,050
J2033A	1,260
J2005B	4,950
J2017A	N/C

Opt. 206	7,416
Opt. 245	2,060
Opt. 256	2,266
.12020A	9 300

Opt. 204

Opt. 205

3,090

5,150

Product No./ Option No.	PRICE
J2021A	\$14950
J2024A	5,140
J2027A	20,600
Opt. 0E2 Opt. 0E3 Opt. 1A0	N/C N/C -200
CODX-3500	\$750
CODX-3380A	3,295
CODX-3380B	3,950
32068B Opt. 030 92205A	7,755 650 399
92205B	499
30062C Opt. 001 Opt. 002 30062D 30152A 30153A 30154A 40242G 40242P 40242X 40242Y 45111A	\$129 50 119 79 205 232 232 77 77 77 108 130

	Sheet1
45112A	105
45113A	130
82919A	210
Product No./	
Option No.	PRICE
92218A	\$110
92218B	122
92223C	345
92224A	51
92225A	51
92225B	51
92227A	\$25
92227B	27
92227C	29
92227D	33
92227E	39
92227F	51
92227G	76 126
92227H	126
92227L	23
92227M	450
92227N	28
92227P	23
30241A	400
92256C	39
92256E	90
92254A	135
92254B	200
92254C	345
92254D	635
92254E	85

	Sheet1
92254F 92254G 92254H	110 160 250
92253A 92253B 92253C 92253D 92253E 92253F 92253G 92253H	400 425 1,500 6,000 200 225 500 2,100
Product No./ Option No.	PRICE
92256A 92229B 92253J 92253K 92253L	\$185 199 60 65 60
28685B 28683A 28641B 30241A	\$135 499 239 400
10833A 10833B 10833C 10833D 10834A	\$80 90 100 80 31
13367A	120
19572A	126
19573A	126
19573P	126

	Sheet1
17570A	295
28682A	\$3299
28684B	1,195
28688B	1,595
28691A	650
28692A	2,900
28699A	3,995
J2351A	699
Product No./ Option No.	PRICE
28673A	\$3990
Opt. OCZ	-3,000
28674B	3,500
Opt. 001	N/C
Opt. 002	N/C
Opt. 003	N/C
Opt. 004	N/C
28681A	1,950
27285A Opt. 001 Opt. 002 Opt. 003 Opt. 004 27286A Opt. 001 Opt. 002 Opt. 003 Opt. 004 27288A Opt. 001 Opt. 001 Opt. 002 Opt. 003 Opt. 004 27289A Opt. 004 27289A Opt. 001	\$8000 N/C N/C N/C N/C 8,500 N/C N/C N/C N/C N/C N/C N/C N/C
Opt. 002	N/C
Opt. 003	N/C

	Sheet1
Opt. 004	N/C
27270B	6,800
Opt. 012	300
Opt. 031	85
Opt. 080	N/C
Opt. 081	1,925
Opt. 082	1,500
Opt. 083	3,000
27272B	11,000
Opt. 032	150
Opt. 033	85
Opt. 034	110
Opt. 035	150
Product No./ Option No.	PRICE
27276B	\$10000
Opt. 032	150
Opt. 033	85
Opt. 034	110
Opt. 035	150
J2352A	11,000
J2353A	11,000
J2354A	13,000
28686D	\$2000
27256D	4,000
27257A	2,000