

Sheet1

IBM Communications (cont'd)

Description	Product No./ Option No.
SNA Link	30246A
For Series 37, MICROs - synchronous modem	Opt. 110
For Series 37, MICROs - V.35	Opt. 120
For Series 37, MICROs - autocal connect	Opt. 125
For Series 37, MICROs - no hardware	Opt. 190
For Series 39-58 - synchronous modem	Opt. 310
For Series 39-58 - V.35	Opt. 320
For Series 39-58 - autocal connect	Opt. 325
For Series 39-58 - no hardware	Opt. 390
For Series 64-70 - synchronous modem	Opt. 410
For Series 64-70 - V.35	Opt. 420
For Series 64-70 - autocal connect	Opt. 425
For Series 64-70 - no hardware	Opt. 490
Return Credit for SNA Link	30246AN
For Series 37, MICRO and MICRO XE	Opt. 100
For Series 39-70	Opt. 200
BSC Link	30251A
For Series 37, MICROs - synchronous modem	Opt. 110
For Series 37, MICROs - V.35	Opt. 120
For Series 37, MICROs - autocal connect	Opt. 125
For Series 37, MICROs - no hardware	Opt. 190
For Series 39-58 - synchronous modem	Opt. 310
For Series 39-58 - X.21	Opt. 315
For Series 39-58 - V.35	Opt. 320
For Series 39-58 - autocal connect	Opt. 325
For Series 39-58 - no hardware	Opt. 390
For Series 64-70 - synchronous modem	Opt. 410
For Series 64-70 - X.21	Opt. 415
For Series 64-70 - V.35	Opt. 420
For Series 64-70 - autocal connect	Opt. 425
For Series 64-70 - no hardware	Opt. 490
Return Credit for BSC Link	30251AN
For Series 37, MICRO and MICRO XE	Opt. 100
For Series 39-70	Opt. 200
HP-IBM SNA Link/iX	30291A
User License option must align with MPE/iX License.	
Select a System Support Option.	
Select one PSI option AND one Cable option AND one Software option:	
PSI Options:	
Central Bus PSI	Opt. 001
Precision Bus PSI	Opt. 002
No PSI (software only)	Opt. 090

Sheet1

Cable Options:	
RS-232 connection	Opt. 010
V.35 connection	Opt. 020
Select a System Support Option. Refer to Table 5 on page 143.	
IBM Communications (cont'd)	
	Product No./
Description	Option No.
HP-IBM SNA Link/iX (cont'd)	30291A
RS-232 autodial connection	Opt. 025
No cable (software only)	Opt. 099
Software Options:	
20-user License	Opt. 0AF
40-user License	Opt. UCY
64-user License	Opt. UA9
100-user License	Opt. UBD
160-user License	Opt. UCN
Unlimited user License	Opt. UAT
Credit for 20-user license	Opt. UD8
Credit for 40-user license	Opt. UCZ
Credit for 64-user license	Opt. UB9
Credit for 100-user license	Opt. UD9
Credit for 160-user license	Opt. UDV
Credit for Unlimited user license	Opt. UBP
Upgrade Credit for Option 310, Tier 1	Opt. 0CD
Upgrade Credit for Option 315, Tier 2	Opt. 0GJ
Upgrade Credit for Option 320, Tier 3	Opt. 0CE
Upgrade Credit for Option 330, Tier 4	Opt. 0CF
Upgrade Credit for Option 335, Tier 5	Opt. 0GL
Upgrade Credit for Option 340, Tier 6	Opt. 0GM
Upgrade Credit for Option 350, Tier 7	Opt. UEK
Hardware only	Opt. 399
BSC Link/iX	32007A
User License option must align with MPE/iX License.	
Select one PSI option AND one Cable option AND one Software option:	
PSI Options:	
Central Bus PSI	Opt. 001
Precision Bus PSI	Opt. 002
No PSI (software only)	Opt. 090
Cable Options:	
RS-232 connection	Opt. 010
V.35 connection	Opt. 020
RS-232 autodial connection	Opt. 025
No cable (software only)	Opt. 099
Software Options:	
20-user License	Opt. 0AF

Sheet1

40-user License	Opt. UCY
64-user License	Opt. UA9
100-user License	Opt. UBD
160-user License	Opt. UCN
Unlimited user License	Opt. UAT
Credit for 20-user license	Opt. UD8
Credit for 40-user license	Opt. UCZ
Credit for 64-user license	Opt. UB9
Credit for 100-user license	Opt. UD9
Select a System Support Option. Refer to Table 5 on page 143.	
IBM Communications (cont'd)	

Description	Product No./ Option No.
-------------	----------------------------

BSC Link/iX (cont'd)	32007A
Credit for 160-user license	Opt. UDV
Credit for Unlimited user license	Opt. UBP
Upgrade Credit for Option 310, Tier 1	Opt. OCD
Upgrade Credit for Option 315, Tier 2	Opt. 0GJ
Upgrade Credit for Option 320, Tier 3	Opt. 0CE
Upgrade Credit for Option 330, Tier 4	Opt. 0CF
Upgrade Credit for Option 335, Tier 5	Opt. 0GL
Upgrade Credit for Option 340, Tier 6	Opt. 0GM
Upgrade Credit for Option 350, Tier 7	Opt. UEK
Hardware only	Opt. 399
Select a System Support Option. Refer to Table 5 on page 143.	

PRICE

N/C
\$7210
7,210
7,210
2,670
10,750
10,750
10,750
5,350
15,650
15,050
15,050
9,630
N/C
-500
-800
N/C
5,230
5,230
5,230
1,450
7,370
7,210
7,370
7,370
2,900
8,820
8,730
8,820
8,820
4,340
N/C
-500
-800
N/C

N/C
N/C
-2,400

N/C
N/C

PRICE

N/C
N/C

\$3500
3,920
4,200
10,190
12,750
25,200
-880
-1,220
-1,440
-6,230
-8,280
-18,240
-600
-900
-1,200
-2,500
-4,500
-5,500
-7,000
2,400
N/C

N/C
N/C
-2,400

N/C
N/C
N/C
N/C

3,325

Sheet1

3,725
4,000
9,700
10,720
23,950
-740
-1,060
-1,280
-5,840

PRICE

-\$6660
-17,240
-570
-860
-1,140
-2,380
-4,280
-5,225
-6,650
2,400