

Table 5. Networking Support Options

Model Number	Description	System Supp			
		OS0	OS1	OS2	OS3
10833A	HP-IB cable (1m/3.3 ft.)	N/A	N/A	N/A	N/A
10833B	HP-IB cable (2m/6.6 ft.)	N/A	N/A	N/A	N/A
10833C	HP-IB cable (4m/13.2 ft.)	N/A	N/A	N/A	N/A
10833D	HP-IB cable (0.5m/1.6 ft.)	N/A	N/A	N/A	N/A
10834A	Adapter	N/A	N/A	N/A	N/A
13367A	Long P-bus cable	N/A	N/A	N/A	N/A
17570A	HP-IB Interface for 7570A, 7575A, 7576A	0	0	0	0
19572A	Long P-bus cable	N/A	N/A	N/A	N/A
19573A	Long P-bus cable	N/A	N/A	N/A	N/A
19573P	Short P-bus cable	N/A	N/A	N/A	N/A
2335A	X.25/PAD - Multiplexer	225	396	225	396
2340A	Datacomm and terminal controller	69	134	69	134
2343A	Add-on DTC16 asynchronous connector card	0	0	0	0
2343C	Add-on DTC16 asynchronous connector card	0	0	0	0
2343D	Add-on RS-232 DTC16 X.25 ntwrk access card	0	0	0	0
2346A	Add-on DTC48 asynchronous connector card	0	0	0	0
2346B	Add-on DTC48 asynchronous connector card	0	0	0	0
2346C	Add-on DTC48 asynchronous connector card	0	0	0	0
2346D	Add-on RS-232 DTC48 X.25 ntwrk access card	0	0	0	0
2346E	Add-on V.35 DTC48 X.25 ntwrk access card	0	0	0	0
2347A	HP ARPA Telnet access	0	0	0	0
2348A	DTC Upgrade kit memory extension	0	0	0	0
24405A	NS X.25 3000/V network link	297	369	717	789
24405AN	Return credit for NS X.25 3000/V network link	N/A	N/A	N/A	N/A
27256D	HP OpenView Interconnect Manager/DOS	400	400	600	600
27257A	HP OpenView Network Resource Manager	N/A	N/A	N/A	N/A
27270B	HP Router CR	516	638	780	902
27272B	Dual-port Ethernet/802.3 synchronous interface	0	139	0	139
27276B	Four-port synchronous interface	N/A	120	N/A	120
27285A	HP Router ER	N/A	907	N/A	1303
27286A	HP Router TR	N/A	1177	N/A	1573
27288A	HP Router SR	792	919	1212	1339
27289A	HP Router FR	396	473	696	773
28673A	HP 10:10 LAN bridge MB (managed)	N/A	142	N/A	142
28674B	HP Remote bridge RB	N/A	116	N/A	116
28681A	HP 10:10 LAN bridge LB (un-managed)	N/A	89	N/A	89
28682A	Fiber optic Hub Plus	N/A	57	N/A	57
28684B	HP EtherTwist Hub/12	0	17	0	17
28686D	HP OpenView Hub Manager	N/A	N/A	N/A	N/A
28688B	HP EtherTwist Hub Plus	N/A	42	N/A	42
28691A	HP EtherTwist Hub 8	N/A	N/A	N/A	N/A
28692A	HP ThinLAN Hub Plus	N/A	110	N/A	110
28699A	HP EtherTwist Hub Plus 48	N/A	216	N/A	216
30041AN	Upgrade credit for NS X.25/iX server	N/A	N/A	N/A	N/A
30062C	Hardwired/modem extender cable (7.6m/25 ft.)	0	0	0	0
30062D	Hardwired extender cable (7.6m/25 ft.)	N/A	N/A	N/A	N/A
30152A	Adapter cable, 3-pin to 25-pin (5m/16 ft.)	N/A	N/A	N/A	N/A
30153A	HP-Dir. connect RS-232 ext. cable (15m/50 ft.)	N/A	N/A	N/A	N/A
30154A	HP-Dir. connect RS-422 ext. cable (30m/99 ft.)	N/A	N/A	N/A	N/A
30234A		0	0	420	420
30240A	ThinLAN 3000/V network link	225	279	645	699
30240AN	Return credit for OfficeShare LAN	N/A	N/A	N/A	N/A
30241A	ThinLAN backbone LAN MAU and Tap	N/A	N/A	N/A	N/A
30242AN	Return credit for LAN	N/A	N/A	N/A	N/A

OS0: LTU SW/Next Day HW

OS2: Tel SW/Next Day HW

OS4: Inst./Ntwk. Config. Cust. Inst. Proc

OS1: LTU SW/Same Day HW

OS3: Tel SW/Same Day HW

OS5: LTU SW/24 x 7 HW

Table 5. Networking Support Options (cont'd)

Model Number	Description	System Supp			
		OS0	OS1	OS2	OS3
30245A	SNA NRJE Network Remote Job Entry	0	0	540	540
30246A	SNA Link	495	621	915	1041
30246AN	Return credit for SNA Link	N/A	N/A	N/A	N/A
30247A	SNA IMF Interactive Mainframe facility	0	0	420	420
30248A	RJE Remote Job Entry	0	0	375	375
30249A	MRJE Multileaving Remote Job Entry	0	0	400	400
30250A	IMF Interactive Mainframe facility	0	0	540	540
30251A	BSC Link	270	333	690	753
30251AN	Return credit for BSC Link	N/A	N/A	N/A	N/A
30252A	HP LU 6.2 Base	0	0	540	540
30253A	HP LU 6.2 Application program interface	0	0	540	540
30254A	HP SNA Server	0	0	165	165
30255A	HP SNA Server Access	0	0	135	135
30270AN	Return credit for point-to-point hardwired link	N/A	N/A	N/A	N/A
30271AN	Return credit for point-to-point modem link	N/A	N/A	N/A	N/A
30284A	NS Point-to-point 3000/V link for S/37, MICROS	234	288	654	708
30285A	NS Point-to-point 3000/V link for Series 39-70	441	558	861	978
30291A	HP-IBM SNA Link/iX	For System Support Options:			
30292A	HP-IBM SNA NRJE/iX	N/A	N/A	N/A	N/A
30293A	HP-IBM SNA IMF/iX	N/A	N/A	N/A	N/A
30294A	HP-IBM LU 6.2/PU 2.1	0	0	540	540
30295A	BSC RJE/iX	0	0	410	410
30296A	NS Over SNA/iX	0	0	540	540
30298A	SNA/X.25 Link/iX	0	0	540	540
32003A	Asynchronous HP serial network link	0	0	100	100
32006A	SNA Distribution services/iX	0	0	540	540
32007A	BSC Link/iX	99	202	639	742
32015A	LAN Manager/iX	0	0	300	300
32020A	NetWare iX	0	0	540	540
32054D	HP OpenView Windows workstation	648	907	828	1087
32055A	HP X.400/HP Desk for MPE.iX	0	0	540	540
32056A	HP X.400/HP Desk for MPE V	0	0	420	420
32068B	Codex 2680 data modem	N/A	N/A	N/A	N/A
32185A	DS Network services	0	0	0	0
32187AN	Return credit for X.25 network link	N/A	N/A	N/A	N/A
32344A	NS3000/V Network services	0	0	420	420
36920A	NS3000/iX Network services	0	0	540	540
36922A	NS Point-to-point 3000/iX	66	130	1146	1210
36923A	ThinLAN 3000/iX network link	72	139	1152	1219
36923AN	Return credit for 802.3 CIO LAN card	N/A	N/A	N/A	N/A
36935A	HP SNA Distributed Host Command facility	0	0	540	540
36939A	X.25/iX System access	0	0	120	120
36957A	HP ARPA File transfer protocol	0	0	120	120
36971A	HP OTS 3000/iX	0	0	540	540
36972A	HP FTAM 3000/iX	0	0	540	540
40220A	Cable between 2335 & ATC/DTC printer ports	0	0	0	0
40221A	Cable between 2335 & ATC/DTC terminal ports	N/A	N/A	N/A	N/A
40230A	25-pin Cable to 3-pin cable	N/A	N/A	N/A	N/A
40233A	Modem cable 25-pin/25-pin m/m	N/A	N/A	N/A	N/A
40234A	Modem cbl 25-pin/25-pin m/m DRS sig. (pin 23)	N/A	N/A	N/A	N/A
40235A	Upgd kit betwn 2335A & new ver. 2335A X.25/84	N/A	N/A	N/A	N/A
40242G	RS-232-C Printer cable	N/A	N/A	N/A	N/A
40242P	HP-Direct connect RS-422 cable	N/A	N/A	N/A	N/A
40242X	HP-Direct connect RS-232 cable	N/A	N/A	N/A	N/A

OS0: LTU SW/Next Day HW

OS2: Tel SW/Next Day HW

OS4: Inst./Ntwk. Config. Cust. Inst. Proc

OS1: LTU SW/Same Day HW

OS3: Tel SW/Same Day HW

OS5: LTU SW/24 x 7 HW

Table 5. Networking Support Options (cont'd)

Model Number	Description	System Supp			
		OS0	OS1	OS2	OS3
40242Y	RS-232-C Cable for 2392A (5m/16 ft.)	N/A	N/A	N/A	N/A
40261A	Additional four modem connect ports	0	0	0	0
40262A	Additional four ports for 2335A	N/A	N/A	N/A	N/A
40263A	19-inch Rackmount kit for 2335A	N/A	N/A	N/A	N/A
45111A	ASI to RS-422 cable (1.5m)	N/A	N/A	N/A	N/A
45112A	Modem cable (1.5m)	N/A	N/A	N/A	N/A
45113A	Direct connect extension cable (10.5m)	N/A	N/A	N/A	N/A
82919A	RS-232-C Serial interface for Series 800	N/A	N/A	N/A	N/A
92205A	Hayes Smartmodem(tm)	N/A	N/A	N/A	N/A
92205B	Hayes Smartmodem(tm)	N/A	N/A	N/A	N/A
92218A	U.S. Modem cable (15m/50 ft.)	N/A	N/A	N/A	N/A
92218B	European Modem cable (15m/50 ft.)	N/A	N/A	N/A	N/A
92223C	Repeater FEP AUI (20m)	N/A	N/A	N/A	N/A
92224A	RS-232-C Connector kit	N/A	N/A	N/A	N/A
92225A	RS-422 Connector kit (male)	N/A	N/A	N/A	N/A
92225B	RS-422 Connector kit (female)	N/A	N/A	N/A	N/A
92227A	1 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227B	2 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227C	4 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227D	8 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227E	16 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227F	32 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227G	64 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227H	128 meter ThinLAN coax cable	N/A	N/A	N/A	N/A
92227L	ThinLAN BNC connector pair	N/A	N/A	N/A	N/A
92227M	ThinLAN BNC connector tool kit	N/A	N/A	N/A	N/A
92227N	ThinLAN BNC "T" connector	N/A	N/A	N/A	N/A
92227P	ThinLAN Terminator pair	N/A	N/A	N/A	N/A
92229B	Backbone LAN coax cable crimp tool	N/A	N/A	N/A	N/A
92253A	23.4 m FEP Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253B	23.4 m FEP Backbone LAN coax cable w/term	N/A	N/A	N/A	N/A
92253C	117 m FEP Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253D	500 m FEP Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253E	23.4 m PVC Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253F	23.4 m PVC Backbone LAN coax cable w/term	N/A	N/A	N/A	N/A
92253G	117 m PVC Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253H	50 m PVC Backbone LAN coax cable w/o term	N/A	N/A	N/A	N/A
92253J	Backbone LAN coax cable N-connectors	N/A	N/A	N/A	N/A
92253K	Backbone LAN coax cbl. barrel N-connectors	N/A	N/A	N/A	N/A
92253L	Bkbn LAN coax cbl. grndg term & flt. point term.	N/A	N/A	N/A	N/A
92254A	6 meter FEP AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254B	12 meter FEP AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254C	24 meter FEP AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254D	48 meter FEP AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254E	6 meter PVC (11) AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254F	12 meter PVC AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254G	24 meter PVC AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92254H	48 meter PVC AUI Backbone LAN cable	N/A	N/A	N/A	N/A
92256A	Backbone LAN coax cable installation tool kit	N/A	N/A	N/A	N/A
92256C	ThinLAN LAN MAU and installation kit	N/A	N/A	N/A	N/A
92256E	ThinLAN LAN surge protector & wall mnt. plate	N/A	N/A	N/A	N/A
B1718A	Resource Sharing/iX	0	0	540	540
CODX-3380A	Codex 3380 19.2K bps modem	N/A	N/A	N/A	N/A
CODX-3380B	Codex 3380 19.2K bps modem	N/A	N/A	N/A	N/A

OS0: LTU SW/Next Day HW

OS2: Tel SW/Next Day HW

OS4: Inst./Ntwk. Config. Cust. Inst. Proc

OS1: LTU SW/Same Day HW

OS3: Tel SW/Same Day HW

OS5: LTU SW/24 x 7 HW

Table 5. Networking Support Options (cont'd)

Model Number	Description	System Supp			
		OS0	OS1	OS2	OS3
CODX-3500	Codex 3500 DSU/CSU	N/A	N/A	N/A	N/A
D1824C	HP OpenView Windows workstation upgrd. s/w	N/A	N/A	N/A	N/A
D2355A	HP OpenView DTC Manager	0	0	585	585
D2506A	HP Software vendor	0	0	420	420
J2000B	Model 45 Plus six ports	234	288	234	288
J2001B	Model 45 Plus six ports	360	459	360	459
J2004B	Additional six-port ALP card, maximum two	162	189	162	189
J2005B	Model 45 to Model 45 Plus conversion kit	189	225	189	225
J2007B	Monitor package, optional	27	36	27	36
J2017A	OpenView Switch/PAD manager	0	0	600	600
J2020A	Four-port Switch - DESKTOP PACKAGE	234	288	234	288
J2021A	Four-port Switch - TOWER PACKAGE	342	432	342	432
J2024A	Additional 4-port multiprotocal card	99	135	99	135
J2027A	Network management processor	153	288	153	288
J2030A	RS-232 MAP Cable, six RS-232 ports	N/A	N/A	N/A	N/A
J2031A	V.35 MAP Cable, two V.35/four RS-232 ports	N/A	N/A	N/A	N/A
J2032A	X.21 MAP Cable, two X.21/four RS-232 ports	N/A	N/A	N/A	N/A
J2033A	RS-499 MAP Cbl., two RS-499/four RS-232 ports	N/A	N/A	N/A	N/A
J2062A	DTC16iX LAN multiplexer	30	58	30	58
J2062AZ	Racked DTC16iX LAN multiplexer	N/A	N/A	N/A	N/A
J2070A	DTC72MX Communication server	135	264	135	264
J2070AZ	Racked DTC72MX Communication server	135	264	135	264
J2076A	24 RS-232 Direct connect card	42	82	42	82
J2077A	24 RS-423 Direct connect card	54	106	54	106
J2079A	Add-on X.25 Ntwrk access card for DTC72MX	48	96	48	96
J2080A	HP 3000 Telnet access card	90	178	90	178
J2084A	Modem distribution panel racking kit	N/A	N/A	N/A	N/A
J2085A	Accessories for DTC16iX, 16TN and 72MX	N/A	N/A	N/A	N/A
J2167A	Token Ring 3000/iX network link	69	139	609	679
J2246A	HP PC ARPA and Network services	N/A	N/A	N/A	N/A
J2253A	NewWare iX trial copy	N/A	N/A	N/A	N/A
J2258A	HP 3000 ARPA services	N/A	N/A	N/A	N/A
J2351A	HP EtherTwist Hub/12 upgrade kit	N/A	N/A	N/A	N/A
J2352A	Four-port Ethernet/802.3 synchronous interface	N/A	108	N/A	108
J2353A	Dual-port Token Ring interface	414	139	414	139
J2354A	Single-port FDDI interface	486	156	486	156

OS0: LTU SW/Next Day HW

OS2: Tel SW/Next Day HW

OS4: Inst./Ntwk. Config. Cust. Inst. Proo

OS1: LTU SW/Same Day HW

OS3: Tel SW/Same Day HW

OS5: LTU SW/24 x 7 HW

port Options

0S4	0S5	0S6	0SZ
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A		0	0 N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
	354	528	528 0
N/A		218	218 354
N/A		0	0 141
N/A		0	0 141
	326	0	0 N/A
N/A		0	0 141
N/A		0	0 141
N/A		0	0 141
N/A		0	0 141
N/A		0	0 141
N/A		0	0 141
N/A		0	0 141
N/A		369	789 737
N/A	N/A	N/A	N/A
N/A		400	600 N/A
N/A	N/A	N/A	N/A
N/A		1123	1387 N/A
	96	276	276 N/A
N/A		706	706 N/A
	1198	1051	1447 N/A
	1198	1396	1792 N/A
	1288	1148	1568 N/A
	1288	612	912 N/A
	186	223	223 N/A
	186	182	182 N/A
	186	140	140 N/A
	186	128	128 N/A
N/A		27	27 N/A
N/A	N/A	N/A	N/A
	186	66	66 N/A
	186	N/A	N/A
	186	173	173 N/A
	186	339	339 N/A
N/A	N/A	N/A	N/A
N/A		0	0 N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A		0	420 N/A
N/A		372	792 737
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

i. 0S6: Tel SW/24 x 7 HW
 0SZ: Ntwk. Config. - HP Inst. Prod.

port Options

OS4	OS5	OS6	OSZ
96	0	540	N/A
N/A	828	1248	748
N/A	N/A	N/A	N/A
96	0	420	N/A
96	0	375	N/A
96	0	400	N/A
96	0	540	N/A
N/A	444	864	748
N/A	N/A	N/A	N/A
96	0	540	N/A
96	0	540	N/A
N/A	0	165	N/A
N/A	0	135	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	384	804	624
N/A	744	1164	748
s, see Table 5.1			748
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
96	0	540	N/A
96	0	410	N/A
96	0	540	N/A
96	0	540	N/A
N/A	0	100	748
186	0	540	N/A
N/A	202	742	748
N/A	0	300	N/A
624	0	540	N/A
371	1066	1246	N/A
371	0	540	N/A
371	0	420	N/A
N/A	N/A	N/A	N/A
N/A	0	0	N/A
N/A	N/A	N/A	N/A
N/A	0	420	N/A
N/A	0	540	N/A
N/A	173	1429	748
N/A	185	1441	748
N/A	N/A	N/A	N/A
96	0	540	N/A
934	0	120	N/A
N/A	0	120	N/A
N/A	0	540	N/A
N/A	0	540	N/A
N/A	0	0	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

i. OS6: Tel SW/24 x 7 HW
OSZ: Ntwk. Config. - HP Inst. Prod.

port Options			
0S4	0S5	0S6	0SZ
N/A	N/A	N/A	N/A
N/A	0	0	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	0	540	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

i. 0S6: Tel SW/24 x 7 HW
0SZ: Ntwk. Config. - HP Inst. Prod.

port Options

OS4	OS5	OS6	OSZ
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
186	0	585	N/A
N/A	0	420	N/A
N/A	384	384	478
N/A	612	612	478
N/A	252	252	242
N/A	300	300	242
N/A	48	48	N/A
186	0	600	N/A
N/A	384	384	478
N/A	576	576	478
N/A	180	180	242
N/A	384	384	90
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	94	94	354
N/A	N/A	N/A	N/A
N/A	424	424	731
N/A	424	424	731
N/A	131	131	141
N/A	175	175	141
N/A	156	156	141
N/A	287	287	141
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	226	766	748
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A
96	635	635	N/A
96	346	346	N/A
96	410	410	N/A

- i. OS6: Tel SW/24 x 7 HW
 OSZ: Ntwk. Config. - HP Inst. Prod.