

FWINDOWS“Á‘lfj“f%ofCf“f\ftfgfEfFfA



**WIN16**



\_fnfCfp[]@fAf<fyf“[]@Ver1.5



\_fnfCfp[]@fE[]fVf“fO[]@Ver1.0



WinGfpftfH[]f}f“fXfefXfg GTEST ver.1.2



Avalon Ver.1.01



Ĉ,³⁄₄ Ver.1



CD-ROM Cache Driver



CDPLAYK Ver 2.8a



\_fhf%ofCfu,ì READ WRITE ,đĈv‘a,·,é DKMARK.EXE



DeskTop Tools (DTT) V2.50



Šg’£,u.afXfp[]fpbfN



FMŠg’£MENU,ÅLZH,ì,vfNfŠfbfN%ođ“€ Ver3.0



HTMLfGfffBf^[]@HyperEdit





\_,u,a,ÅÁ`ìßíÙìß,đVBX,È,μ,ÅŽÀĈ»,·,éfqf“fg[]•fTf“fvf<


 [ImgFinish](#)

 [ŽžŒŸö ver.1](#)

 [Miranda Ver1.33](#)

 [u>p–,³,ñ,İ,½,İ,½ for Windowsv Ver1.03](#)


 [>p–,İ,½ 1.03 -> 1.03.1i1.03.1 -> 1.03.2jfAfbfvfflfg·•ª](#)

 [>p–,İ,½@%¹ff\[f^Wi1`5i](#)


 [Windows %œ-Ê'Šg'Œv%œ f}f<f` EƒEƒBf“fhƒE36](#)

 [o'p<î•\Ž!fvfŒfOf%œf€ \(NTDISP\) Version 0.91](#)

 [fyfOfŒšfefBfA](#)

 [PowerCinema ^À'S'•'u%öœfpfbf`@Ver.1.01/1.02/1.03/1.10\(1.11\)î  
%œž”Å](#)

 [ROULETTE Version 1.01](#)

 [fTfuf}fŠf“,l@Ver0.01](#)

 **WIN32**


 [ComWin32 \(Command Manager for Window System\) Version 2.60](#)

 Emi Clock for Windows 95 3.2.2

 FileVisor for Win32 Version2.01


 LHMELT.EXE Ver 0.18


 NIFP for Win32 V1.53

 Graphic viewer Susie for Win32 Ver0.27

 Susie 32bit plug-in library Ver0.02

 fc[f<f}f“fGfffBf^[] Version 0.90

 f}fbfN[]•,v,%o,Ž,X,T•—fVfXfef€ ,s,lf}fbfN,X,T

 UNLHA32.DLL Ver 0.31

 fAfvfŠfP[]fVf#f“[]EfNfCfbfN[]EfXf^[]f^[] ZOO!

fnfCfp[]@fAf<fyf"@Ver1.5

ファイルのコピー


 @Žû~^fffBfCEfnfgfŠ DISC1:\FWINDOWS\\_HA150

 @[]žò[]@šÛ-ì[]ÿ-¾MK(NIF:CQD00324) / system-WARP Ž[]

[]@,±,lfQ[]f€,Í,R,c—š'ì%of'œ,ì[]A' [],'—fXfL[]fQ[]f€,Å,·[]B

[]@f[]Cf,,[]ftfCE[]f€,ì"Á[]»fGf"fWf",đŽg,Á,Ä,ç,é,ì,Å,Æ,Ä,à[],'—,É,È,Á,Ä,ç,Ü,·[]B

,±,lfvf[]fOf%of€,đŽÀ[]s,·,é,½,ß,É,íWinG,ª•K—v,Å,·[]B,Ü,·[]æ,É  
uWinGfpftfH[]f}f"fXfefXfg GTEST ver.1.2[]v  
,đfCf"fXfg[]f<,µWINGINST.EXE,đŽÀ[]s,µ,ÄWinGf%of"f^fCf€  
f%ofCfuf%ofš,lfCf"fXfg[]f<,đ[]s,È,Á,Ä,,¾,¾,ç[]B

 @[]ú,µ,,ÍDISC1:\FWINDOWS\\_HA150\\_SKI.HLP,đ,"Ç,Ý,,¾,¾,ç[]B

fnfCfp[]@f€[]fVf"fO[]@Ver1.0

ファイルのコピー

 @Žû~^fffBf€fNfgfŠ DISC1:\FWINDOWS\\_HR100

 @[]žò[]@šÛ-ì[]ÿ-¾MK(NIF:CQD00324) / system-WARP Ž[]

[]@,±,lfQ[]f€,Í,R,cj[]fAfNfVf#f"fQ[]f€,Á,·[]B

[]@ ,±,ê,í'S,T-Ê,đ'-"j,·,éfQ[]f€,Á[]A[]\$€À%ò[]œ,³,ê,Ä,ç,È,ç[]ê[]#,R-Ê,Û,Á—  
V,x,Û,·[]B

f}fEfX^ÈŠO,ÍŽg,ç,Û,¹,ň[]B[]\$€Àžžšô"à,É,Sžü,·,ê,Î[]Ažÿ,ì-  
Ê,É[]i,ß,Û,·[]BfNfŠfA,μ


,½,Æ,«,ìžc,èžžšô,šf{[]fifX"\_,É,È,è,Û,·[]B

,±,lfvf[]fOf%of€,đŽÀ[]s,·,é,½,ß,É,ÍWinG,ª•K—v,Á,·[]B,Û,·[]æ,É

**uWinGfpftfH[]f}f"fxfefXfg GTEST ver.1.2[]v**

,đfCf"fXfg[]f<,μWINGINST.EXE,đŽÀ[]s,μ,ÄWinGf%of"f^fCf€

f%ofCfuf%ofš,lfCf"fXfg[]f<,đ[]s,È,Á,Ä,,¾,³,ç[]B

 @[]ú,μ,,ÍDISC1:\FWINDOWS\\_HR100\\_HR.HLP,đ,""Ç,Ý,,¾,³,ç[]B

Avalon Ver.1.01

ファイルのコピー

 @Žú~^fffBfCEfNfgfŠ DISC1:\FWINDOWS\AVALON

 @ @ižò @žR @ @ #ž; ž


@,±,ìfvf fOf%of€ ,íA,e,l,n,s,n,q,S<y,Ñ,e,l,n,s,n,q,S,e,ì—¼ftfH[f%of€  
,đ,,%oň,μA  
Ž©•ª,ª-],p%oi<cžº,ì†,ÅAŽ©•ª,ª-],pf fbfZ[fW,¾,¯,đ“Ç,pžè•,¯,đ,·,é\  
ftfgfEfF  
fA,Å,·B,`,-,Ç,Ž,íufAfof“v,Æ“Ç,Ý,Ü,·B,à,¿,ë,ñftfH[f%of€  
,ìžw'è•”•ª,Å  
'¼,ìftfH[f%of€-¼,đžw'è,μ,ÄA,» ,ì%oi<cžº,ÉfAfNfZfX,·,é,±,Æ,à%oÂ"\,Å,·B

 @ @Ú,μ,,ÍDISC1:\FWINDOWS\AVALON\MANUAL.TXT,đ,“Ç,Ý,,¾,¾,†B

CE, '3/4 Ver.1

ファイルのコピー

 @Žú~^ffBfCEfNfgfŠ DISC1:\FWINDOWS\BOM01


 @[]žò[]@'tCE'[]@—° Ž[]

'ăŽ@<@, ©, ç•ñ[][], 3, ê, 1/2-C'e, l'...[]... 'n"\_, ©, ç"G, Ü, Å, ð—£, ©, ç[],, —  
[], μ, Ä"G, ðí' à, ð  
CE, '3/4, μ, Ä, ç, fQ[]f€, Å, ·[]B

**fhfLf...f[]f"fg, æ, è**

[]@[]u%ää, ä[]', í•n-R, Å[]A"G, ðš'ñ, Ü, Å[]U, ß[]ž, p, 1/2, ß, É[]o", μ, 1/2, à, ð, ð'e, í, T, O", μ, ©  
, È, , μ, ©, à[]ÅCEã, ðí'ší, Å, , é[]B, 3/4, ä%ää, ä[]', ð<Z[]p, í—  
D[]G, Å[]A"ð[]s<@[]D•[]Ší, ð[]«"\, í  
"G[]', ð—1/2, ç, Å, ç, é[]B, » , ±, Å[]â'í, É'3/4, ß, ç, ê, È, ç, æ, x'ăŽ@<@, ©, ç, ð'É[]M, ð—  
Š, è, É"GŠí'à  
, ðŠmŽÀ, ÉCE, '3/4, ·, é[]ì[]í, ð[]s, x[]B'e, í[]¶ŽY, μ, Ä, ç, é, 1/2, ß[]A[]o—^Žÿ'æ"ž' ..., ·, é" x  
, Å, , é[]B  
[]@"G[]í'ší, ð[]", í[]A"» , ç, È, ç, ä•s<ü, ð[], []\_—í, Å[]ÿ—~, ·, é, Â, à, è, Å, , é[]B[]v

**VBRJP200.DLL, ä•Ê"r•K—v, Å, ·[]B**

 @[]ú, μ, , íDISC1:\FWINDOWS\BOM01\README.DOC, ð, "Ç, Ý, , 3/4, 3, ç[]B

# CD-ROM Cache Driver



CD-ROM Cache Driver DISC1:\FWINDOWS\CDCAC226

CD-ROM Cache Driver @KAZU.M Ž

CD-ROM Cache Driver —p, lflfffbfVf...fhf%ofCfo, Å, B, '¬, Å, , é, ±, Æ, É  
%oÁ, iAZÿ, ì, æ, x, È  
“Á’¥, a, , è, Û, ·B

1. ,R'É, è, lflfffbfVf... •û-@, ð'í'ð%oÁ BfffbfCefNfgfŠ, ð—Dæ, µ, ÄflfffbfVf...  
, , é, ±, Æ, à%oÁ”\
2. flfffbfVf..., ìCø%oÉ, a, o, É, , çfAfNfZfX, É, , , ç, Ä, àfofbftf@, ìCø%oÉ, É, æ, è  
'Éí, ìfAfNfZfX, æ, è'½, í, '¬%o»
3. “Á'è, ìftf@fCf<, ð—\, ßflfffbfVf... fff, fŠ, É“Ç, Ýž, ñ, ÅA”jSü•s%oÁ, Æ, µ, Ä  
, , , ±, Æ, É, æ, èA, » ìftf@fCf<, É'í, ·, éfAfNfZfX, ð”ò-ò“l, Éí, '¬%o», ·, é  
, ±, Æ, a%oÁ”\
4. Windows 'í%ož BWindows —pfRf“fgf[f%o, à—p^Ó
5. CD-ROM fhf%ofCfu, ì<@Ží, ð-â, ç, Û, ¹, ñ
6. MSCDEX / MACCD 'í%ož BMacintosh —p CD-ROM ,lflfffbfVf..., à%oÁ”\
7. EMS / UMB 'í%ož Bf[fCf“ff, fŠ, ð^3” —, µ, Û, ¹, ñ

v2.24 ,æ, è•iX E%oü—Ç, ³, è, ½“ \_

E.AVI ftf@fCf<, È, Ç, ð, '¬, ÉfAfNfZfX, Å, «, é, æ, x, ÉAZ©“®“l, Éfhf%ofCfo, ð'²  
 ®, ·, é CDCACHE Accelerator ,ð'Ç%oÁ B  
 EfffBfCefNfgfŠ, lflfffbfVf... •û-@, ð%oü—Ç B\$CEÀ, ð, È, , µ, Û, µ, ½ B  
 EEMS fff, fŠ, Ö, ì'g, Ýž, ÝŽž, É, àfofbftf@fTfCfY, ð 16KB/32KB  
 %oÁ•i, Æ, µ, Û, µ, ½ B  
 Eftf@fCf<%oü•íf`ffbfN, ð'Ç%oÁ B ifEfBf<fX'íôj  
 EfffBfCefNfgfŠf, [fh, Å, àflfffbfVf... fffbfN, a%oÁ”\, É, æ, x, É%oü—Ç B  
 EMSCDEX ,ìCÿo•û-@, ì%oü—Ç B  
 E'¼A x•”, ìC³ B, '¬%o» B

CD-ROM Cache Driver @Ú, µ, , ÍDISC1:\FWINDOWS\CDCAC226\README.TXT, ð, “Ç, Ý, , ¾, ³, ç B



CDPLAYK Ver 2.8a



▶ @Žû~^ffBfCfNfgfŠ DISC1:\FWINDOWS\CDPLK28A

▶ @ižò@^É“;i@F Ž

fjf%oflP<@“\,ª“Á’·“l,ÈCDfvfCfCf,,[]Á,·[]B,Â,¬,ì,æ,œ,È<@“\,ª, ,è,Ü,·[]B

[]i,P[]j %òìžCE•ž[]•%òìžCE“ü—í<@“\[]ifjf%oflP<@“\•t,«[]j

[]i,Q[]j fvf[]fOf%of€%ò%ò’t

[]i,R[]j f%of“f\_f€%ò%ò’t

[]i,S[]j fvf%ofCfx[]f[]fg%ò%ò’t

[]i,T[]j ,r,b,`,m%ò%ò’t[]iŠjŽn^Ê’u[]E•b[]“žw’è%òÂ“\[]j

[]i,U[]j fšfs[]f[]g<@“\('S<È[]Ažw’è<È[]A’í^ížw’è)

[]i,V[]j f\_fCfCfNfg%ò%ò’t

[]i,W[]j ‘[]’—,è[]EŠª,«-β,μ<@“\

[]i,X[]j %òæ-Ê[]F,ì•í[]X

[]i10[]j •ò[]W<@“\

[]i11[]j fffZfbfgfe[]f[]vf%ofxf<^ó[]ü

[]i12[]j %ò¹—Ê•í[]X<@“\

[]i13[]j f^fCf}[][]<@“\

[]i14[]j %ò%ò’t†,lfXfNfš[]f“fZfCfo[][],ì[]šCEä<@“\

▶ @[]ú,μ,,íDISC1:\FWINDOWS\CDPLK28A\CDPLAYK.DOC,đ,“Ç,Ý,,¾,¾,ç[]B

ComWin32 (Command Manager for Window System) Version 2.60



Ⓜ@Žû~^ffBfĈfNfgfŠ DISC1:\FWINDOWS\COMWP260

Ⓜ@ìžÒ@'OŽ>³•F Ž

Windows3.1 ,ÅfRf}f“fhf%ofCf“fVfFf<,Æ,μ,ÄŽg,í,ê,Ä,č,½ComWin,ìWin32API  
"Å,Å,·□B<@"\,í'½Šò,É,í,½,è,Û,·,ª□A^ê"Ô'□-Ú,·,×,«"\_,í□AfRf“f□[f<fAfvfŠ  
,ì"ü□o—í,ðfRf}f“fhfvf□f“fvfg,Æ•ÉfEfBf“fhfE,ÅŠÇ—□,·,é□uSg'£fRf“f□[f<□v  
,Æ,č,¤□V,μ,č•ª-ì,ð□Ø,èSj,č,½"\_,Å,·□B

NT □ã,ÄŽg—p,·,é□Û,ìf□fŠfbfg,Æ,μ,ÄŽÿ,ì"\_,ª, ,è,Û,·□B

1. fRf“f□[f<fAfvfŠ,ðComWin'<,ÅŽÀ□s%oÅ"□□B
2. fGfCfŠfAfX□AfqfXfgfŠ□Aftf@fCf<-¼•âŠ®<@"\,ðŽ□,Å□□B
3. □\$ĈÈÀ,í, ,é,ª□A'/ ,ðffBfĈfNfgfŠfZfpfĈ□[f^,μ,Ä—~—p,Å,«,é□□B
4. ANSIfGfX□[fP□[fvfV□[fPf“fX,ìTfufZfbfg,ªŽg—p,Å,«,é□□B
5. ftf@f“fNfVf#f“fL□[ ,ðf%of“f f□[f{f^f“ ,Æ,μ,ÄŽg—p,Å,«,é□□B
6. fL□[S,,,è“- ,Ä,ì•ì□X,ª%oÅ"□□B
7. fAfvfŠfP□[fvf#f“ ,ìŠÖ~A•t, ~<N“ ® ,ª%oÅ"□□B
8. "ñ□í,ÉĈy%oð,ÈfffofbfO'[- ,Æ,μ,Ä—~—p,Å,«,é□□B  
(•" —□f□f,Š 8Mbyte ,ìVfXfef€,Å,à%o^—p%oÅ"\ <---□ìžÒŠÅ<<(^ ^;))
9. □o—í—š—ð,ì•Û'¶,ª%oÅ"□□B
10. fhf%ofbfO□•fhf□fbfvfT□[fo□[<@"\,ðŽ□,Å□□B
11. ĈÈÀ'è'sfbf`ftfHf“fg,Å, ,è,ì□AfVfXfef€,ÉfCf“fXfg□[f<,³,è,Ä,č,é  
,·,×,Ä,ìftfHf“fg,ª—~—p%oÅ"□□B(—á□A—ê□'í“™)
12. fRf}f“fhf%ofCf“ ,©,čf□fOfift□AfVfffbfgf\_fEf“□AfŠfu□[fg,ª%oÅ"□□B

Ⓜ@□Ú,μ,,ÍDISC1:\FWINDOWS\COMWP260\README.1ST,ð,“Ç,Ý,,¾,³,č□□B

fhf%oofCfu,ì READ WRITE ,ðŒv'ª,·,é DKMARK.EXE



□@Žù~^fffBfŒfNfgfŠ DISC1:\FWINDOWS\DKMRK102

□@□ìžÒ□@'D-{□W Ž□


fn□[fhfffBfXfNfxf“f`f}□[fNf\ftfg,Å,·□BByte f,□[fh,Å,í 512Byte 'P^Ê,Å  
1024000Byte ,ìfXfs□[fh,ðfV□[fPf“fVfff<□Cf%oof“f\_f€,ÉfefXfg,μ,Ä,ç,Ü,·□B  
Timef,□[fh,Å,í,T•bŠÔŒv'ª,ð□s,ç,P•b, ,½,è,ì Read Write —e—Ê,ðŒv'ª,μ,Ä,ç  
,Ü,·□BSMARTDRV“™,ì ·-¼,ðŸ'è,μ,½□ê□#□A□³Šm,È□“l,ªŒv'ª,Å,«,Ü,<sup>1</sup>,ñ,ì,Å  
,<sup>2</sup>□^Ó%oª,<sup>3</sup>,ç□B

□@□Ú,μ,,ÍDISC1:\FWINDOWS\DKMRK102\DKMARK.TXT,ð,““Ç,Ý,,¾,<sup>3</sup>,ç□B

DeskTop Tools (DTT) V2.50



 @Žû~^ffBfCEfNfgfŠ DISC1:\FWINDOWS\DTT250

 @ižÒ@ŽOŽ}TŽ; Ž

,c,s,s,Í Dash Board(HPŽĐ) ,ì'½Ží<@"\,ì^ê•",ÆALaunch (David StaffordŽi)

,ì•Ö—~,Éf|fbfvfAfbfvf...[.È,Ç,đ,Đ,Æ,Ü,Æ,ß,É,μ,½¬CE^/'½<@"\  
fVfFf<,Å,·B  
Èššf\|fX,È,ì,ª“Á'·“I,Å,·B

 @Ú,μ,,ÍDISC1:\FWINDOWS\DTT250\DTT.TXT,đ,“Ç,Ý,,¾,³,¢B

# Emi Clock for Windows 95 3.2.2



▶ @Žû~^fffBfCefNfgfŠ DISC1:\FWINDOWS\EMI95322

▶ @ižÒ@Motosofti-{ r-çj Ž

Emi Clock ,íA3Ží—p,ì•¶Žš”Ö,ÆA25Ží—p^Èã,ì^ß’•,đ’I,Ô,±  
,Æ,ª,Å,«,é,©,í,ç,ç  
”ü—fLfff%ofNf^ [ŽžCev,Å,·B,É,á,ñ,±fj [fj<,âA, ©,í,ç,çu,Ý,ã,ÁIv<N“®  
%o<sup>1</sup>  
,È,Ç,ª, ,èA,ž,á,ñ,ÆfAf%o [f€Af` fffCf€<@”\,à,Â,«ŽÀ—p«\•ª,Å,·IIB

▶ @Ú,μ,,ÍDISC1:\FWINDOWS\EMI95322\READMEJP.TXT,đ,“Ç,Ý,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

Šg'£,u,afXfp[]fjfbfN



@Žû~^ffBfCefNfgfŠ DISC1:\FWINDOWS\EXDS100

@[]žÒ[]@^À“i%œ”Ž Ž[]

VB for Windows ,i^x,i[]@•Ö—~,Èfff,fvf[]fOf%œf€•t,«,Q,PŠÖ[]”[]W,Å,·[]B

[]@ŽÀ[]Ů,ÉŠJ”^,é,é•û,í,,c,k,k,É,È,Á,Ä,ç,é,ì,Å[]A“Y•t,u,a,lf[][]fX,Å  
EXCEEDF.BAS,ì'è<` ,đ,»,,ì,Ü,Üfvf[]fWfFfNfg,É'Ç%œÅ,µ,Ä,²— —p,Å,«,Ü,·[]B

### EXCEEDF.DLL

ŠÖ[]”-¼

<@”\ŠT—v

```

AddFiles      ftf@fCf<,i[]c•ûœü,ìœ<[]#[]iŠefœfR[][]fh,ìœă,ë,É~ACE<,µ,Ä,ç
,«,Ü,·[]j
RenameFiles   ftf@fCf<-¼[]ì,ì•ï[]X
Purge         %œÅ•í'•Ä•½Äì§²Ü,É'í,µ,ÄŽw'è,lfœfR[][]fh,đ[]í[]œ
CutColFiles   ÅpØĐÀ,Å<œ[]Ø,ç,é,½Ä•½Äì§²Ü,É,Ä,ç,ÄŽw'è,ì—ñff[]f^,đ[]í[]œ
Dextract      ÅpØĐÀ,Å<œ[]Ø,ç,é,½Ä•½Äì§²Ü,É,Ä,ç,ÄŽw'è,ì—
ñÅp°À,đ,Ø`ìß,µì§²Ü[]o—í
Unixdos       ,t,m,h,w,Æ,c,n,r,lf tf@fCf<'ŠœÝ•iš•
ScopeFiles    %œÅ•í'•Ä•½Äì§²Ü,É,Ä,ç,Ä”C^Ó,ì,a,n,w”í'í,lf[]f^,đŽæ,è[]o,
EditFiles     Ä•½Äì§²Ü,É,Ä,ç,Ä•¶Žš—ñ,ì'uŠ•ò[]W,đ[]s,œ
SelectFiles   %œÅ•í'•Ä•½Äì§²Ü,É,Ä,ç,Ä[]AŽw'èÜ°°Åp”Ô[]t,lf[]f^,đ“Ç,Ý[]ž,Þ
QuoteFiles    ÅpØĐÀ,Å<œ[]Ø,ç,é,½Ä•½Äì§²Ü,ì”C^Ó—ñ,É,Ä,ç
,Ä[]A,µ°Ä°¼@Ý,đ•t—^,·,é
Sj2euc        ¼ìÄ,i,h,r•¶Žš—ñ,đ,d,t,b,É•iš•
Euc2sj        ,d,t,b•¶Žš—ñ,đ¼ìÄ,i,h,r,É•iš•
EBC2asc       ,d,a,b,c,h,b•¶Žš—ñ,đ,` ,r,b,h,h,É•iš•
Types         •¶Žš—ñœ`Ž@ff[]f^“à,ì“à—e,ª[]”l,©”ñ[]”l,©,đœÝ[]
Exists        ftf@fCf<,âffBfCefNfgfŠ,ì'¶[]Ýf`fffbfN
Statistic     []Å'â[]E[]Å[]—[]E•½<ì[]E[]#œv[]E'í[]#œv'l”ä—ì,ìžž[]o
StandardDev   •W[]€•í[]•,đ<[],ß,é
[][][]^È%œ°,ì[]uŠg'£,u,a•¶Žš—ñ“€[]šÖ[]” Ver1.20[]v,Æ“”™,Å,·[]B[][][]
Extract       ÅpØĐÀ,Å<œ[]Ø,ç,é,½•¶Žš—ñ,©,çŽw'è”Ô[]t,ì•¶Žš—
ñ,đŽæ,è[]o,·[]B
After         •¶Žš—ñ,©,ç[]Å[]%œ,É”œ©,³,é,½Žw'è,ì•¶Žš,đ<«,É,»,ìœă,ë'œ
,ì•¶Žš,đ'Š[]o

```

Before •ŕŽš—ň, ©, ç Å %oo, É"Œ ©, ³, ê, ½Žw'è, ì•ŕŽš, ð««, É, » , ì'O'κ  
, ì•ŕŽš, ð'S o  
EntryName ìÙÊß½-¼, È, Ç, ì•ŕŽš—ň, ©, çtf@fCf<-  
¼, ì"•ª, Ì, Ý, ðŽæ, è o, •B

 @ Ú, μ,, ÍDISC1:\FWINDOWS\EXDS100\INSTALL.TXT, ð, "Ç, Ý,, ¾, ³, çB

FMŠg' £MENU, ÅLZH, ì, vfNfŠfbfN%ođ“€ Ver3.0



▶ @Žû~ ^fffBfĀefNfgfŠ DISC1:\FWINDOWS\FMEXFMEX

▶ @ ìŽÒ @T.Kurata Ž

@, ,g, ³, ñ, ìftf@fCf<f}f| [fWffŠg' £f fff... [ , ðfCf“fXfg [f<, μ, ½ftf@fCf<f}f|  
[fWff [ ä, É, Ä ALZH, âZIPftf@fCf<, ðf\_fuf<fNfŠfbfN, ·, é, ±, Æ, Å A%ođ“€f fff... [ ,  
, ðŠJ, , ½, ß, ìvf fOf%of€ , Å, ·B

▶ @ Ú, μ, Í DISC1:\FWINDOWS\FMEXFMEX\FMEXFMEX.DOC, ð, “Ç, Ý, , ¾, ³, ç B



FileVisor for Win32 Version2.01



FileVisor for Win32 Version2.01

FileVisor for Win32 Version2.01

FileVisor32(ftf@fCf<fofCfU32),Í Windows95 / WindowsNT,ì'o•û,É'í  
%ož,μ,½32bit

f|fCfefBfu,È, <@\ftf@fCf<ŠÇ—  
f|fCf<f, ÅA"X, ìæi, Èf+|fUfCf"ftfF|fX, ð"õ, |  
, Å, ç, Ü, ·B

ftf@fCf<f}f|f|fWff, ì, æ, x, ÈfAfCfRf" •\Ž!, Æfvf|fOf%of€f}f|f|fWff, ì, æ, x, ÈfAfCfR  
f" •\Ž!, ðØ'Ö, |, Å, «, Ü, ·B

fVfXfef€•W€, ìfAfCfRf" ,Æ, í•Ê, ÉAŠg'£Žq-^, É•\  
Ž!fAfCfRf" ,ðfjXf^f}fCfY, Å, «, Ü, ·B

fC|f<fo|[, ðŠÈ'P, ÈfjXf^f}fCfY, Å, «, Ü, ·B

f`fbfvfwf<fv, ìfTf|f|fg, É, æ, èAf{f^f" <@\, ð'!À, ÉŠm" F, Å, «, Ü, ·B

fRfs|[E^U" ®Eí|æE~ACE<E•aŠ,,, ðfTf|f|fg, μ, Ä, ç, Ü, ·B

Windows95 / WindowsNT, ìf}f<f`fvf%ofbfgftfH|[f€, É'í%ož, μ, ½fhf  
%ofbfO•fhf|fbfv, ðfT  
f|[fg, μ, Ä, ç, Ü, ·B

fC|f<fo|[Efvf|fpfefBfo|[, Å, Ù, Æ, ñ, Ç, ìftf@fCf<'€ì, a%oÅ"\, Å, ·B

f`fL|[, ", æ, Ñ` , ÈfRf}f"fh, ðŽ©—R, ÉŠ,,, è"—, Å, Å, «, Ü, ·B

fefLfXfg€`Ž®, âfofCfifŠ€`Ž®, Åftf@fCf<, ì"à—e, ð•\Ž!, Å, «, Ü, ·B

f|fbfgf}fbfv, ð•\Ž!, Å, «, Ü, ·B

WAVff|[f^, ðÄ¶, Å, «, Ü, ·B

ftf@fCf<, ð^³|k, μ, ½, èA^³|kftf@fCf<|i\*.LZH|j, ì"à—eŠm" F|E%oð"€  
, âAISHftf@fCf<, ì  
'€ì, a, Å, «, Ü, ·B|i•Ê"rUNLHA32.DLL, ISH32.DLL, a•K—v|j

ftf@fCf<@fCf<,Æ,μ,Ä•Û'¶,μ,½,è AfCf@fWftf@fCf<,ðft  
f@fCf<@fCf<,Æ,μ,Ä•Û'¶,μ,½,è,à%oÅ"\,Å,·B

ftf@fCf<@fCf<,Æ,μ,Ä•Û'¶,μ,½,è,à%oÅ"\,Å,·B

'l'ð,³,ê,½fhf%ofCfuEfffBfCefNfgfŠEftf@fCf<-^,ÉfRf"fefLfXfgf¶jf...[,ð•\  
Ž!,Å,«  
,é,Û,·B


ííœ,μ,½ftf@fCf<,ð,²,Ý" ,Ö•ÛŠÇ,Å,«,Û,·B,Û,½A,²,Ý" ,Öfhf  
%ofbfO•fhf¶bfv,;é  
,±,Æ,Åftf@fCf<,ííœ,à%oÅ"\,Å,·B

"C^Ó,ìêŠ,ÉfVf¶[fgf]fbfg,àì¬,Å,«,Û,·B,Û,½fffXfNfgf¶bfv,Öftf@fCf<,ðfhf  
%ofb  
fO•fhf¶bfv,μ,ÄfVf¶[fgf]fbfg,ðì¬,Å,«,Û,·B

fRf}f"fhfvf¶f"fvfgEfefLfXfg•ÒWfc[f<EfefLfXfgfrf...  
fA[EfofbfNfAfbfvfc[f<,É  
,Ç,ð"o~^,μAfC[f<f{f^f",âf¶jf...[,©,çCEÄ,Ño,·,±,Æ,à%oÅ"\,Å,·B

+`fL[.ÉAf}fNf,âfvf¶Of%of€,ðŽ©—R,É"o~^,Å,«,Û,·B

ftf@fCf<f}fí[fWfffGfNfXfef"fvf¶"iFMEj,É'î%ž,μ,Ä,ç  
,Û,·BFMEŠ@'S€<',lfAfh  
flf"fc[f<,à—~—p,Å,«,Û,·B

 @Ú,μ,,ÍDISC1:\FWINDOWS\FV32\_201\README.TXT,ð,"Ç,Ý,,¾,³,çB

HTMLfGfffBf^@HyperEdit



@Žû~^fffBfĉfNfgfŠ DISC1:\FWINDOWS\HEDIT201

@ižÒ@ĉĂĉ'@L%ô Ž

HyperEdit,íA,g,s,l,k,đ<Lq,μ,½,±,Æ,ª,È,ĉl,Å,àŠÈ'P,É,g,s,l,k,đ<Lq,Å,«,é  
,æ,æ,É,ÆAŠJ",³,è,½fGfffBf^,Å,·B  
@,g,s,l,k,ÅŽg—p,·,éf^fO•ŕŽš,đŠÈ'P,ÉY'è,·,é,±,Æ,ªo—^,Û,·B

@Ú,μ,,ÍDISC1:\FWINDOWS\HEDIT201\README.TXT,đ,"Ç,Ý,,¾,¾,ĉB

,u,a,ÅÁ`ìßÍÙìß,ðVBX,È,μ,ÅŽÀŒ»,.,éfqf“fg□•fTf“fvf<



□@Žù~^fffBfŒfNfjgš DISC1:\FWINDOWS\HELPHINT

□@□ìŽÒ□@<´- {□@□E-¾ Ž□

f{f^f“,ì□ă,È,Ç,Éf}fEfXfj□[fj<,ðŽ□,Á,Ä,ä,,Æf|fbfvfAfbfv,.,éf`fbfvfwf<fv,ð  
“Á•É,È,u,a,w,â,`,o,h,ðŽg,í,,ÉŽÀŒ»,.,é•ù-@,ì□à-¾,ÆfTf“fvf<fvf□fOf%of€  
,Å,·□B

□@□Ú,μ,,ÍDISC1:\FWINDOWS\HELPHINT\README.TXT,ð,““Ç,Ý,,¾,¾,¾,ç□B

ImgFinish



📁 @Žû~^fffBfCefNfgfŠ DISC1:\FWINDOWS\IMGFH11

📁 @ @iŽÒ @•ž•" @ @^ê Ž

@,h, , , e, % , Ž, % , " , ^ , í, Q, Sfrfbfgftf<fJf%o[[i,P C,U,V,V-  
 œ F j, l f C f [ f W f f [ f ^ [   
 , ð Š g ' á ^ [ k [ - [ A % ñ " ] [ A, Ú, © , μ [ A " 1/2 " ] [ Af ~ f % [ f Š f " f O " ™ , ì  
 % Á [ H, ì, Y, È, ç, , [ A < é C E ` [ A ' È % ~ , ì  
 ' l ' ð " í ^ í , l f j f b f g [ • f y [ [ f X f g [ A Ž w ' è f s f N f z f < ' P ^ Ê , ì [ [ f g f ~ f % [ [ i f } f X f N  
 % Á [ H [ j [ Af, f U  
 f C f N [ A • " • á " l, È f s f N f z f < , ì • j [ » , á % Á " \   
 , È f N f [ [ f " [ Af g f Š f ~ f " f O [ Af Š f T f C f Y [ A • ¶ Ž š , ì " w C E i  
 , ð " § - 3/4 , È , μ , Á ' £ , è • t , [ A [ F [ # , ç , ì • ĩ X " ™ [ A [ , % , ì , È f t f H f g f C f [ [ f W • Ò [ W f \ f t f g , É •  
 % , , È , ç  
 ' 1/2 < @ " \ , È f \ f t f g , Á , [ B

, u, P [ D, P, í, ³, ç, É [ Af C f [ [ f W [ ^ — [ , Æ , μ , Ä < à ' ® , É % Ö , μ , Á , [ , 1/2 , æ , x , È Ž ž Š  
 ' , ð [ o , . f G f " f { f X [ A  
 [ F , ì " , ð C , , ç , μ f [ f X f ^ [ [ , ì — l , È Ž ž Š ' , ð [ o , . f [ f X f ^ f Š f [ [ f v f # f " [ Af C f [ [ f W , ì • 1/2 Š Š  
 % » [ A — [   
 , è f K f % o f X [ Af G f b f W C E Ÿ [ o [ Af G f b f W < ' ² [ A, Ð, è , á , è [ A, Ô, è , ð ' Ç % Á , μ , Ü , μ , 1/2 [ B

Š ù " ¶ , ì < @ " \ , ì ' Ç % Á , Æ , μ , Ä [ Af l [ [ f g f ~ f % [ [ , É f l f K " 1/2 " ] , ì μ ß 1/4 ® Ý , ð ' Ç  
 % Á [ i f } f X f N % Á [ H , Æ f l  
 f K " 1/2 " ] , ð ^ è % ñ , Á [ ^ — [ j [ Af t f @ f C f f } f l [ [ f W f f [ [ , æ , è , ì Š Ö ~ A, Ä , [ , Á % æ ' œ ì § ² Ù -  
 1/4 , ð À ò ò ù , [ Ø  
 , μ , 1/2 [ è [ # , ì Ž © " ® < N " ® [ i Š È ^ Œ f r f ... f A [ [ , Æ , μ , Ä , ì Š ^ — p [ j [ A Ž g — p % Á " \   
 f [ f , f Š [ [ , ì [ Ž ž • \ Ž !  
 [ i f [ f , f Š [ [ • s ' « , ì Š Ä Ž < [ j [ A 2 5 6 [ F Š Ä < « , É ' î % ž , μ , 1/2 C E , [ F • \ Ž ! [ i % Á [ H C E ä , ì Š m " F —  
 p [ j , á % Á " \ , Æ , È  
 , è , Ü , μ , 1/2 [ B

, » , ì ' 1/4 , É , à [ A < é C E ` [ A ' È % ~ , ì • Ò [ W " í í , ì " ÷ ' ² [ ® , á f e f " f L [ [ , É , æ , è % Á " \   
 , Æ , È , è [ A , P f s f N f z  
 f < ' P ^ È , ì ^ Ú " ® [ Af T f C f Y • ĩ X , á — e ^ Œ , È , È , è , Ü , μ , 1/2 [ B • i [ ] " , ì % æ ' œ , É ' í , μ %  
 i , É • À , x , Ä • \ Ž " ™ , ì  
 f [ f j f ... [ [ , ì ' Ç % Á [ A [ C [ ³ [ A Ž g — p C E ä , ì T E M P l § ² Ù , ì " j Š ü " ™ , É , æ , é f [ f , f Š [ [ , ì —  
 L C E Ø S ^ — p , à ' Ç % Á , μ

,Ä,Ü,·B

 @ Ú,μ,,ÍDISC1:\FWINDOWS\IMGFH11\IMGFH11.TXT,δ,“Ç,Ý,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢B

ŽžŸÖ ver.1



@Žú~^fffBfŸfNfgfŠ DISC1:\FWINDOWS\VIKOKU

@žÖ@'«—§ GŠì Ž

,±,ì,ìÄ,íƒ“dŽÖ,ìæ,èŸp,¬Žž,đ'Tö,é,ìÄ,Å,;i  
Žg—p,éžžff[f^,íŽg—p,<sup>3</sup>,ê,é<æšÖ,É, ,í,<sup>1</sup>,ÄŸÄI,Å»ì,μ,Ü,;·\  
ŸvŽŽ;ìÄ,Å,Å,½  
CSVİš²Ü,đ•İŠ,·,ééÝÊP°À,à•t'® ,μ,Ä,ç,Ü,;1s-Ú,É”ŽÖŽžx2s-Ú,É“ž'...  
Žž,Ä.½Ä  
Ÿ`Ž®,Å<Lq,<sup>3</sup>,ê,Ä,ç,Ü,;i

@Ú,μ,,ÍDISC1:\FWINDOWS\VIKOKU\README.WRI,đ,“Ç,Ý,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

LHMELT.EXE Ver 0.18



 @Žú~^fffBfĀfNfgfŠ DISC1:\FWINDOWS\LHMELT018

 @ižÒ@,l,%o,f,f, Ž

@LHMELT.EXE ,í LZH ,È,Ç,ì‘ĀÉ,ÉŠi”[,<sup>3</sup>,ê,Ä,č,éftf@fCf<,đ^<sup>3</sup>kE%ođ“€,.·,é  
,½,β,ìfvfOf%of€,Å,·B-¼‘O,â^á,č,Ü,·,âC“~ižÓ,ìCHKUNARJ.EXE,ì,R,Qfrfbfg  
”Å,Å,·B

 @Ú,μ,,ÍDISC1:\FWINDOWS\LHMELT018\LHMELT.TXT,đ,“Ç,Ý,,¾,<sup>3</sup>,čB



Miranda Ver1.33



☐@Žù~^ffBfCefNfgfŠ DISC1:\FWINDOWS\MIRA133

☐@☐ìŽÒ☐@☐HŽR %opŽO Ž☐

Miranda ,í'½<@"\,È•ÇŽ†•ï☐Xfc☐[f<,Á,☐B“Á'•,Æ,μ,Ä^È%º,ì,æ,α,È,à,ì,³<“,°,ç,é,Ü,☐B

1.BMP☐ARLE☐AMAG☐APIC Ć`Ž® ,ì%œ'œftf@fCf<,Á,ì•ÇŽ†•ï☐X

☐EBMP ftf@fCf<☐ARLE ftf@fCf<,Á•ÇŽ†,đ•ï☐X,Á,« ,Ü,☐B  
☐EMAG ftf@fCf<☐APIC ftf@fCf<,Á•ÇŽ†,đ•ï☐X,Á,« ,Ü,☐B  
☐E•\Ž!•û-@☐i,P-‡,Á•\Ž!☐E•À,×,Ä•\Ž!☐A•\Ž!^É'u☐j,đŽw'è,Á,« ,Ü,☐B  
☐E•ÇŽ†,đfefXfg•\Ž!,Á,« ,Ü,☐B

2.%œ☐W☐Ef}f<f`fvfCefrf...☐[fA

☐E•i☐“,ì%œ'œftf@fCf<,đ%œ☐W,Æ,μ,ÄŠÇ—☐,Á,« ,Ü,☐B  
☐EfffBfCefNfgfŠ☐E%œ☐W“à,ì•i☐“,ì%œ'œftf@fCf<,đ^ê—•\Ž!,Á,« ,Ü,☐B  
☐E%œ'œ,ì'ă,« ,³☐E☐F☐“,à•\Ž!,μ,Ü,☐B

3.Ž©“®•ÇŽ†•ï☐X<@"\

☐EŽw'è^ê'èŽžŠÔ,²,Æ,É%œ☐W“à,ì•ÇŽ†,Áf%of“f\_f€ /☐‡”Ô,ÉŽ©“®•ï☐X,Á,« ,Ü,☐B  
☐E“Á'è,ìfAfvfšfP☐[fvf‡“,ìŽÀ☐s't,ìŽ©“®•ï☐X,đ<ÖŽ~ ,; ,é,±,Æ,ª,Á,« ,Ü,☐B  
☐EŽè“® ,Á•ï☐X, ,é,±,Æ,à,Á,« ,Ü,☐B  
☐E•ï☐X, ,éŽž,Éf}f<f`f☐fffBfA ftf@fCf<☐ifTfEf“fh,È,Ç☐j,đ☐Ä☐¶,Á,« ,Ü,☐B

4.<N“®Žž•ÇŽ†•ï☐X<@"\

☐E<N“®Žž,É%œ☐W“à,ì•ÇŽ†,Áf%of“f\_f€ /☐‡”Ô,É•ï☐X,Á,« ,Ü,☐B

5.'€☐ì

☐Ef}fEfX'€☐ì☐ifhf%ofbfO☐•fhf☐fbfv☐j,Á☐A•ÇŽ†,đ•ï☐X,Á,« ,Ü,☐B  
☐Ef}fEfX'€☐ì☐if\_fuf<fNfšfbfN☐j,È,Ç,Á☐A%œ'œftf@fCf<,đ'ìđ☐E“à—eŠm”F  
,μ,Ä☐A•ÇŽ†,đ•ï☐X,Á,« ,Ü,☐B  
☐Ef}fEfX'€☐ì☐i%EfNfšfbfN☐j,Á☐AŽ©“®•ÇŽ†•ï☐X<@"\Žg—

p't,ÉŽè“® ,Å•ÇŽt,đ  
•İX,Å,«,Ü,·B

6. fZfbfgfAfbfv fvfOf%of€ ,a•t'®

E'î~b“l,ÉfCf“fXfg[f<,Å,«,Ü,·B

E•s—v,É,È,Á,½,Æ,«,ÉAfCf“fXfg[f<,μ,½ftf@fCf<,đíœ,Å,«,Ü,·B

EfvfOf%of€ f}fI[fWff,Ö“o~^ ,Å,«,Ü,·B

 @Ú,μ,,ÍDISC1:\FWINDOWS\MIRA133\MIRANDA.TXT,đ,“Ç,Ý,,¾,¾,¢B

>P—,İ,½ 1.03 -> 1.03.1i1.03.1 -> 1.03.2jfAfbfvff[fg·•ª

1.03 -> 1.03.1



1.03.1 -> 1.03.2



@Žû~^ffBfCEfNfgfŠ DISC1:\FWINDOWS\MPAT1031  
@ DISC1:\FWINDOWS\MPAT1032

@iŽÒ@,½,¿,á,ÈiŽR-{@<M'¥j Ž

=====  
>P—,İ,½ 1.03 -> 1.03.1@fAfbfvff[fg·•ª  
=====

@umikopata.exev,Æ“~ ,ffBfCEfNfgfŠ,ÅŽÀs,μ,Ä,,¾,¾,çB

y1.03.1 %ü—Ç%ÓŠz

@E¼—i,đ,Œ... ,Á•Ž!,¾,¹,é,æ,æ,ÉWindows,ªÝ'è,¾,ê,Ä,ç,½ê‡A  
@@CE»YŽŽ,ª•Ž!,Á,«,È,ç,±,Æ,ª, ,Á,½,ì,đC³,μ,Û,μ,½B

=====  
>P—,İ,½ 1.03.1 -> 1.03.2@fAfbfvff[fg·•ª  
=====

@umikopata.exev,Æ“~ ,ffBfCEfNfgfŠ,ÅŽÀs,μ,Ä,,¾,¾,çB

y1.03.2 %ü—Ç%ÓŠz

@EŽž•ñ,ª-Â,ç,È,çê‡,ì, ,Á,½,ì,đC³,μ,Û,μ,½B  
@E¼—i•Ž!,đ,QŒ... ,ÉŒÀ'è,μ,Û,μ,½B

@Ú,μ,,ÍDISC1:\FWINDOWS\MPAT1031\MPAT1031.DOC(MPAT1032.DOC)  
đ,“Ç,Ý,,¾,¾,çB

u>p—,³,ň,Ī,½,Ī,½ for Windowsv Ver1.03



@Žú~^ffBfCEfNfgfŠ DISC1:\FWINDOWS\MPATA103

@iŽÒ@,½,¿,á,ÈiŽR-{@<M'¥j Ž

ffXfNfgfbfv,ÉíŽž“ú•tAZžŠÔAfŠf\[]fX,È,Ç,đ•Ž!,μ,Ä,,ê,éfc[]f<,Å,·B

@Ú,μ,,ÍDISC1:\FWINDOWS\MPATA103\MIKOPATA.HLP,đ,“Ç,Ý,,¾,³,¢B

>P—,İ,½@%¹ff[f^W i1`5j

i,Pj @i,Qj  
▶

i,Rj  
▶ @i,Sj  
▶

i,Tj  
▶

▶ @Žû~^ffBfCfNfgfŠ DISC1:\FWINDOWS\MIKOWAV1  
@ DISC1:\FWINDOWS\MIKOWAV2  
@ DISC1:\FWINDOWS\MIKOWAV3  
@ DISC1:\FWINDOWS\MIKOWAV4  
@ DISC1:\FWINDOWS\MIKOWAV5

▶ iŽÒ@Walking in Space2  
%¹°\$iFWalking in Space2  
o%%@F'<g@,©,“,è  
ŠÄC@F“i@K'j(GGE02267@niftyserve.or.jp)

ŽR-{@<M'¥^,½,¿,á,È—>PCEα

'Oo,ìu>P—,³,ñ,İ,½,İ,½ for Windowsv,ÅŽg,α,±  
,Æ,ì,Å,«,éWAVftf@fCf<W,Å,·B

▶ @Ú,μ,,ÍDISC1:\FWINDOWS\MIKOWAV1\MIKOWAV.DOC,đ,“Ç,Ý,,¾,³,ϕB

Windows %œ-Ê' Šg' £Œv%œ f}f<f` E fE fBf" fhfE36



@Žû~ ^ffBfŒfNfgfŠ DISC1:\FWINDOWS\MULTW210

@iŽÒ@Simoom Ž

wf}f<f` E fE fBf" fhfE,R,Ux,đŽg—p,·,é,±,Æ,É,æ,èA—á,ı,Î 640~480 ,i  
Windows%œ-Ê,ªAŠÈ'P,É 3840~2880 (-çŽg—pŽŽ,ì,R,U" {!!),ì%œ¼'z%œ-  
Ê,É  
'•İ,í,è,μ,Ü,·

@L,ª,Á,½%œ-Ê,ÅŽg,ª•Ö—~,È<@"\,à"à' ,³,ê,Ä,ç,Ü,·B

@@L,ç%œ-Êã,ìA,Ç,±,É'<,âfA fCfRf",ª¶Y,·,é,©,đ•Ž!|  
@@`LkŽ©—RŽ©Y u,r,ç,t,",, ver2v`

@@L,ç%œ-Ê,ìt,ÅA•K—v,ÈfAfvfŠfP[fVf#f",đŽg,ç,½,ç^Ê'u,ÉuŠÔ^Ú"®|  
@@`uŠÔ"]^Ú'•uWELCOME WINDOW ver2v`

@@L,ç%œ-Êã,ì,Ç,±,É,ç,Ä,àA•K—v,ÈfA fCfRf",ª,ç,Â,Â,àŽèŒ³,É|  
@@`Šî-{%œ-Ê'Ç"öfVfXfef€u,Ü,é,¿,ª,i,ň,Ç,ª ,Æ ,ç,Á,μ,åv`

@@Ú,μ,,ÍDISC1:\FWINDOWS\MULTW210\MULTIWIN.DOC,đ,""Ç,Ý,,¾,³,çB

NIFP for Win32 V1.53



📁 @Žû~^ffBfĈfNfgfŠ DISC1:\FWINDOWS\NIFPX153

📁 @îžÒ@,â,È,³,ñ Ž

@NIFP(NIFTY-Serve'ÊMfOŠÈ'Pfy[fWff) for Win32 (^È%°CNIFP32 ,Æ—  
ª,μ,Û,·D  
,É,Ó,Ò[³,ñ,É["Ç,ñ,Å,,¾,³,ç),ÍCNIFTY-Serve ,ì'ÊMfO('ÊM,μ,½Žž,ì%œ-  
Ê"à  
—e,ðfefLfXfgĈ`Ž® ,Åftf@fCf<,É•Û'¶,μ,½,à,ì),ð"Ĉ¾,È,Ç,ðf^fCf<,Æ,μ,Ä^ê  
—•\Ž!  
,μ,ÄĈ©,â,·,,μ,Ä%{—,·,é,½,ß,lfy[fWfff\ftfg,Å,·B

@,» ,ê,¼,ê,ì'ÊMfO,É‡,Á,½fXfNfŠfvfgftf@fCf<,ð—p^Ó,·,ê,îCNIFTY-Serve  
^ÈŠO  
,ì'ÊMfO,à%{—,Å,«,Û,·B

@'ÊMfO,ð"Ç,Ýž,ñ,ÅC%ï<cŽº"Ĉ¾,È,Ç,ì"à—e-  
^,Éf^fCf<,ð•t,¯,Äf^fCf<^ê—  
%œ-Ê,ð•\Ž!,μC,»,±,©,çĈ©,½,ç"à—e,lf^fCf<,ð'l'ð,μ,Ä"à—e,ð%{—  
,·,éŽd'g,Ý,Å,·B  
%ï<cŽº-^ ,âfz[f€fp[fefB-^ ,Éftf@fCf<o—í,·,éfO®—,à,Å,«,Û,·B

📁 @Ú,μ,,ÍDISC1:\FWINDOWS\NIFPX153\README.TXT,ð,"Ç,Ý,,¾,³,çB

o'p<Î•\Ž!fvf[]fOf%of€ (NTDISP) Version 0.91



@Žû~^fffBfCefNfgfŠ DISC1:\FWINDOWS\NTDISP91\NTDISP

@iŽÒ@m,s[iNatsuki Tawara]j Ž

@Windows ã,Å[Ao'p<Î[]ó<μ,đ[A-¼ŽDCE^,ì•\Ž!,Å[s,ç,Ü,·[]B  
@[]Ý[]È[]E'pŽĐ[]EŠO[]o[]E%oi<c't[]A,³'l'đ,Å,«,Ü,·[]B(fjfx^f}fCfY%oÂ"\,Å,·;[]@

@Windows NT,Windows 95,,Í,à,¿,ë,ñ[]ANetware,LAN MANAGER  
"™,ìfjfbfgf[][]fN  
@[]ã,ì Windows f}fVf"ŠÔ,Å[]A,Ù,ÚfŠfAf<f^fCf€,É[]ó'Ô,đŠm"F,Å,«,Ü,·[]B

@Še[]l,ì[]Ú[]×[]î•ñ,à•Ò[]W[]EŽQ[]Æ,Å,«,Ü,·;[]i[]s,«[]æ[]A-β,è"úŽž[]Af[]f,[]A"™ []j  
@[]@[]@

@[]Ú,μ,,ÍDISC1:\FWINDOWS\NTDISP91\NTDISP\README.TXT,đ,"Ç,Ý,-  
,¾,¾,ç[]B



fyfOf\ſſfefBfA



 @Žú~^ffBfĀfNfgfŠ DISC1:\FWINDOWS\PEG

 @ižÒ@Žá—Ń GŽ; Ž

“®i,ìĀy,<sup>3</sup>,afEfŠ,ìfyfOf\ſſfefBfAfQ[f€,Å,·

 @Ú,μ,,ÍDISC1:\FWINDOWS\PEG\README.TXT,đ,“Ç,Ý,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,çB

PowerCinema ^À'S'•'u%øðœfpfbf`@Ver.1.01/1.02/1.03/1.10(1.11)‘Í  
%øž”Å



▶ @Žù~^ffBfœfNfgfŠ DISC1:\FWINDOWS\PWPAT111

▶ @@ìžÒ@ZEIBOM. Ž

@,±,lfpfbf` ,Ä,lfjfm[fvfXŽĐ,ÌŠú‘Ò,μ,È,ç•û-@,Å,ì“®ì,ð-³—-î—%Å”\  
,É,·,é•  
,Å, ,èAfpfbf` ,ð, ,Ä,½fvf[fOf%œf€,Å,ì“®ì,Í•ÛØŠO,Æ,È,è,Û,·B,±,lfc[fç,ðŽg  
—p  
,μ,½fvf[fOf%œf€,Å,ì“®ì,É•s“s[†,ª<N,±,Á,Ä,àjfm[fvfXŽĐ,É-  
â,ç[†,í,¹,ð,·,é,æ,æ  
,ÈŽ-,Í,μ,Ä,Í,È,è,Û,¹,ñB  
@,Û,½A,±,lfpfbf` ,ðŽg—p,μ,½Ž-,É,æ,è¶¶,¶,½fgf%ofufç,Í“-  
•û,Å,Í^êØ•ÛØØ,ç,½,μ,Û  
,¹,ñBœÂl,ìÓ”C,ìä,ÅœäŽg—p,,¾,¾,çB

@,±,ìðœ,ðŽç,éŽ©M,ì,È,ç•û,Í\*âî,É\*fpfbf` , ,Ä,ðs,í,È,ç,Å,,¾,¾,çB

@@; ,±,lfpfbf` ,ðf}fxf^ [ffBfxfn,É’¼Ú“- ,Ä,È,ç,Å%ø³,çB«—  
^,ì³<KVer.UP  
[••ª,ª•s%Å”\,É,È,è,Û,·!!@,Û,½A“-  
[••ª,Í,» ,ê,¼,ê,ìfo[fWf†f“ ,Í^À'S'•'u%øðœ  
ê—p,Å,·Bfpfbf` ,ð“- ,Ä,½fvf[fOf%œf€Ž©‘ì,ª³<KVer.UP,·,éŽ-  
,Í, ,è,Û,¹,ñB

▶ @@Ú,μ,,ÍDISC1:\FWINDOWS\PWPAT111\PWPAT111.TXT,ð,“Ç,Ý,,¾,¾,çB

ROULETTE Version 1.01



 @Žú~^fffBfĈfNfgfŠ DISC1:\FWINDOWS\ROULETTE

 @ižÒ@Kaz&Nao Ž

fOf%oftfBfjf<,Èf<[fĈfbfgfQ[f€„Å,

 @Ú,μ,,ÍDISC1:\FWINDOWS\ROULETTE\ROULETTE.WRI,đ,“Ç,Ý,,¾,³,čB

fTfuf}fŠf“,l@Ver0.01



@Žû~^fffBfĈefNfgfŠ DISC1:\FWINDOWS\SAB01

@ižò@,ü,³ ž

fTfuf}fŠf“,l,íxfVf...[fefBf“fOfQ[f€,Å,·i  
<>—<,Æ”š—<,đ<ìŽg,μ,Ä“GfLfff%o,đ,â,Á,Ä,¯,Ä%oº,³,čB  
,È,“<>—<,Æ”š—<,í^ê“x,É,R”,,Ä,μ,©”ŽÉo—^,Ü,¹,ñB  
f{fXfLfff%o,đ“|,·,ÆfXfe[fWfNfSfA,Æ,È,è,Ü,·B

E‘€i•û-@

ã	a
%oº	«
%oE	”
¶	©
¶¶%oE<>—<	,w
ã<>—<A%oº”š—<	,y

**fRfs[<sup>3</sup>,ê,<sup>1/2</sup>ftf@fCf<,íŽ©ĈÈ%ođ“€ftf@fCf<,É,È,Á,Ä,č,Ü,·B  
DOSã,©,çŽÀ[s,μ,Ä,,<sup>3/4</sup>,<sup>3</sup>,čB**

@@ú,μ,,ÍfCf“fXfg[f<<sup>3</sup>,ê,<sup>1/2</sup>fffBfĈefNfgfŠ,ìSAB01.WRI,đ,“Ç,Ý,,<sup>3/4</sup>,<sup>3</sup>,čB

Susie 32bit plug-in library Ver0.02



▶ @Žû~^fffBfĈefNfgfŠ DISC1:\FWINDOWS\SPI32002

▶ @ižÒ@'|'°%oÃ| (,½,~,ı,ñ) Ž

\*.SPI ,Æ,ç,ıftf@fCf<,ÍA%oæ'œfrf...[fSusie32 ver0.20^È~ ,Å  
Žg,ıplug-in,Å,·BSusie-{',Æ"~,ıfffBfĈefNfgfŠ,É'u,ç,Ä%o°,³,çB

- JPEG           plug-in
- Pi             plug-in
- MAG           plug-in
- XLD4(.Q4)     plug-in
- PIC           plug-in
- PIC2          plug-in
- GIF           plug-in
- TIFF          plug-in
- LHa           plug-in
- Zip           plug-in

▶ @Ú,μ,,ÍDISC1:\FWINDOWS\SAB01\PLUGIN32.TXT,đ,"Ç,Ý,,¾,³,çB

Graphic viewer Susie for Win32 Ver0.27



▶ @Žú~^fffBfĈefNfgfŠ DISC1:\FWINDOWS\SUSIE327

▶ @ižÒ@'|'º%oÃ| (,½,¯,¿,ñ) Ž

Susie,ÍWindowsä,ÅŠeŽíftfH[f}fbfg,lfOf%oftfBfbfNftf@fCf<,đ  
•\Ž!,·,éfvfOf%of€,Å,·B,±,ê,í,»ì32frfbfg”Å,Å,·

▶ @Ú,μ,,ÍDISC1:\FWINDOWS\SUSIE327\SUSIE32.TXT,đ,“Ç,Ý,,¾,¾,çB

fc[f<f}f“fGfffBf^ [ Version 0.90



@Žú~^fffbfĀfNfgfŠ DISC1:\FWINDOWS\TMEDT090

@ižò@‘Ož>³•F ž

fc[f<f}f“fGfffBf^ [ ,Æ,Í Windows 95, Windows NT 3.5 Ā,Å  
“®i,·,é 32frfbfg,lĀEy%ođ,ÈfGfffBf^ [ ,Å,·B

(a). •ÒWfTfCfY,íf,f,š,ì<-,·ĀÈ,è-³\$ĀÈ,Éžæ,ê,Û,·B

(b). fvf|f|fVf†fif<ftfHf“fg,đŽw’è,Å,«,é,ì,ÅA

~a•¶,ÉĀ,ç, ,A%ođ•¶,ì•ÒW|i<Æ,ª%ođ“K,É,È,è,Û,·B

(c). fGfffBf^ [ ,ì†,©,ç’¼Ú UNIX Ān,lRf}f“fh,đŽÀs,Å,«A  
,»,l|o—ÍĀ<%oÉ,đ•ÒW,·,é,±,Æ,ª,Å,«,Û,·B

—~—p,Å,«,éRf}f“fh,í^È%oº,ì,Æ,“,è,Å,·B

cal	cat	chdir	chmod	cmp
cp	date	df	diff	echo
expand	fold	grep	head	join
ls	man	mkdir	mv	od
pwd	rm	rmdir	sort	split
tail	tee	touch	tr	unexpand
uniq	wc	which		

@Ú,μ,,ÍDISC1:\FWINDOWS\TMEDT090\README.TXT,đ,“Ç,Ý,,¾,³,çB

f}fbfN•,v,%o,Ž,X,T—fvfXfef€ ,s,lf}fbfN,X,T



□@Žû~^ffBfĈefNfgfŠ DISC1:\FWINDOWS\TMMAC231

□@□ižÒ□@□î□i□@—<sup>3</sup>-ç Ž□

,s,lf}fbfN,X,T,Í

f}fbfLf“fgfbfVf...•—,lfo□[,Å□A,ç,ë,ç,ë,ÈŽ-,ð□s,xfç□[f<,Å,  
,s,lf}fbfNfo□[,©,ç,lí%of“f`ff□[<@“\□AEditBox,fNfŠfbfvf{□[fh,ì  
fqfXfgfŠ□[<@“\□AfAf%□[f€□A□, <@“\f^fXfNf}f□[fWff□[□Af}fbfN,ì  
fGfCfŠfAfX<@“\,ì,æ,æ,È,s,lfGfCfŠfAfX□AfAfCfRf“,ðf}fbfN,ì,æ,æ  
,É%oE□ă,©,ç□®—ñ,·,éfAfCfRf“□®—ñ<@“\□BfSf~” ,à“~□«□B  
-“f}fbfN,ì,æ,æ,ÉfAfCfRf“%o»Žž,ÉftfĈ□[f€,<sup>3</sup>^U“® ,·,éŽ-,à,Å,«,Ü,·□B  
-“□AV2.0,æ,èjffXf^f}fCfY<@“\,ð<%o»,μ□A□Â,âŽ#□F,lf}fbfN,à□i,ê,Ü,·□B  
,<sup>3</sup>,ç,ÉfAfCfRf“Žæ□ž<@“\,ÆfjffXf^f}fCfY,É,æ,Á,ÄWin95•—,ìŽg,ç•û,à  
,Å,«,é,æ,æ,É,È,Á,Ä,ç,Ü,·□B

□@□Ú,μ,,ÍDISC1:\FWINDOWS\TMMAC231\TMMAC.TXT,ð,““Ç,Ý,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B



UNLHA32.DLL Ver 0.31



Ⓜ@Žú~^fffBfĈefNfgfŠ DISC1:\FWINDOWS\ULHA3031

Ⓜ@ⓂìŽÒⓂ@,l,%o,f,f, Ž

Ⓜ@UNLHA32.DLL ,íCUNLHA.DLL ,đ Windows NT “™ ,R,QfrfbfgŠÂ«« ,ĂŽg—p  
%oÂ”\,È,æ  
,x,É^ÚⓂA,đⓂs,Á,½,à,ì,Ă,·ⓂB-¼‘O,É”½,μ,Ă Ver 0.19 ,©,ç,Í^³Ⓜk,É,àí%ož,μ,Ă,ç  
,Ü,·ⓂBWin “ĂŽ©ĈÈ%ođ“€‘ĈÉ,É,Ă,ç,Ă,í UNLHA.DLL “—|  
,Ⓜ,g,³,ň,ìⓂuftf@fCf<f}  
fⓂ[fWffŠg’£fⓂffj...Ⓜ[Ⓜv,ĂⓂìⓂ—,³,ê,é,à,ì,Æ“—|,ì,à,ì,ªⓂìⓂ—%oÂ”\,Æ,È,Á,Ă,ç,Ü  
,·ⓂiWindows <y,Ń NT “ĂⓂjⓂB

Ⓜ@,È,“ⓂCVer 0.25 ,©,ç,Í NT <y,Ń Win95 ,ì,Ý,Ă“®Ⓜì,μ,Ü,·ⓂB Win32s “Ă,É,Ă,ç  
,Ă,íⓂCⓂ·ª,đ“Y•t,·,éĈ`Ô,Æ,μ,Ü,·ⓂB “½‘î,É Win32s “Ă,í NT ,â Win95 ,Ă,à“®  
Ⓜì,μ,Ü,·ⓂB

Ⓜ@ⓂÚ,μ,,íDISC1:\FWINDOWS\ULHA3031\UNLHA32.TXT,đ,“Ç,Ý,,¾,³,çⓂB

fAfvfŠfP[fVf#f“EfnfCfbfN[EfXf^[]f^[] ZOO!



@Žû~^fffBfCefNfgfŠ DISC1:\FWINDOWS\ZOO32390

@ižÒ@,Ó,é,©,í, ,«,Đ,Æ Ž

@ZOO!,Æ,Í[Af{f^f“,É—Ç,—~—p,·,éfAfvfŠfP[fVf#f“,đ“o~^,·,é,±,Æ,É,æ,è[A  
,ç,Â,à—~—p,·,éfAfvfŠfP[fVf#f“,đ[A^è”,ÅŠÉ’P,É<N“®,·,é,±,Æ,ª,Å,«,é  
fc[]f<,Å,·BfVfFfAfEfFfA·Å,Ý,ì<@“\,đftfŠ[]fEfFfA,Å’ñ<Ÿ,μ,Ä,ç,é,Æ,ç,Á  
,Ä,à%ßCE¾,Å,Í,È,ç,ÆŽv,Á,Ä,ç,Ü,·Béx,<sup>3</sup>,ê,½,ÆŽv,Á,Ä[A,P[]TŠÔ,,ç,ç—~—p,μ  
,Ä,Ý,Ä,,¾,<sup>3</sup>,ç[B%opCEêWindows,É,à’í%ž,μ,Ä,ç,Ü,·,ì,Å[AWindows Ver3.1/  
WindowsNT3.1/3.5x,<sup>a</sup>®[]i,·,éŠÂ<<,·,x,Ä,Å“®[]i,μ,Ü,·B,Ü,½[A“ú-{CEêWin  
dows[]ã,Å,à%opCEê·Ž!,·,é,±,Æ,à%oÅ“\,Å,·B  
[]@,È,“AZOO! for WindowsNT,Í[ACE»[]ÝfCefWfXfgfŠ,É,Í’í%ž,μ,Ä,ç,Ü,<sup>1</sup>,ñ[B  
[]@,±,ê,Í[AWin3.1/WinNT3.5,đ[]Ø,èŠ·,!,É,<sup>a</sup>,çŽg,Á,Ä,ç,éŠÂ<<,Å[A“~^è,ì  
ZOO.INI,đ—~—p,Å,«,é,æ,ɹ,É,μ,Ä,ç,é,½,ß,Å,·BCEä—<sup>1</sup>¾,<sup>3</sup>,¾,ç[B

@[]Ú,μ,,ÍDISC1:\FWINDOWS\ZOO32390\ZOO.TXT,đ,“Ç,Ý,,¾,<sup>3</sup>,ç[B

WinGfpftfH[f}f“fXfefXfg GTEST ver.1.2



@Žú~^ffBfĈfNfgfŠ DISC1:\FWINDOWS\GE12G

@ižÒ@,Ü,é, ,č Ž

@i~b'è,ì,v,%o,Ž,f,ìpftfH[f}f“fXfefXfg,ìvf[]fOf%of€,Å,·B—L-¼,È  
fxf“f`f}[]fNfefXfg,Å, ,é,R,c,a,d,m,b,g,Æ“~,¶,æ,æ,ÈĈXĈü,ì[]"l,đ[]o  
,μ,Ü,·B

@[]Ú,μ,,ÍDISC1:\FWINDOWS\GE12G\README.TXT,đ,““Ç,Ý,,¾,¾,č[]B



