

ftj@fCf< f}fI[]fWff," ,æ,Ñ Macintosh fT[]fRfX

▼ 展開

Macintosh fT[]fRfX,İŠT–v

-Ů“l

fRf}f“fh

,» ,İ,Ů,© ,lfwf<fv

Macintosh fT[]fRfX,İfwf<fv

^óü,“ ,æ,Ñ Macintosh fT[]fRfX

fRf}f“fh fv[]f“fvfg,Å,İ MacFile

ftf@fCf< f}fI[fWff," ,æ,Ñ Macintosh fT[frfX



Macintosh fT[frfX,ÌŠT-v

-Ú“l

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð□□-.,.é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð•Ž!,Ü,½,Í•İ□X,.,.é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð□í□œ,.,.é

fffBfCEfNfgfŠ,İfAfNfZfXCE ,ð□Ý'è,.,.é

PC ,Æ Macintosh ,İftf@fCf<,İf^fCfv,ðŠÖ~A•t,.,.é

fRf}f“fh

,» ,İ,Ü,©,İfwf<fv

Macintosh fT[frfX,İfwf<fv

^ó□ü, ,æ,Ñ Macintosh fT[frfX

fRf}f“fh fvf□f“fvfg,Ä,İ MacFile

ftj@fCf< f}fI[]fWff, " ,æ,Ñ Macintosh fT[]fRfX



Macintosh fT[]fRfX, ÌŠT—v

-Ù“l

fRf}f“fh

f{fŠf...[]f€,.ì[]□-

f{fŠf...[]f€,.ì•\Ž!/•ï[]X

f{fŠf...[]f€,.ìí[]œ

fAfNfZfXCE

fAfvfŠfP[]fVf+f“ ,Æ,ÌŠÖ~A•t, -

,>,ì,Ù,©,ìfwf<fv

Macintosh fT[]fRfX, Ìfwf<fv

^óü, " ,æ,Ñ Macintosh fT[]fRfX

fRf}f“fh fv[]f“fvfg, Å, Ì MacFile

ftf@fCf< f}fI[fWff, " ,æ,Ñ Macintosh fT[frfX



Macintosh fT[frfX,İŠT—v

-Ů“l

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð]i□—, .,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð•\Ž!,Ů,½,ı•i□X, .,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ð]i□œ, .,é

fffBfCfNfQfŠ,İfAfNfZfXCE ,ðY'è, .,é

PC ,Æ Macintosh ,İftf@fCf<,İf^fCfv,ðŠÖ~A•t, ,é

fRf}f“fh

f{fŠf...[f€,ı]i□—

f{fŠf...[f€,ı•\Ž!/•i□X

f{fŠf...[f€,ı]i□œ

fAfNfZfXCE

fAfvfŠfP[fVf#f“ ,Æ,İŠÖ~A•t, ,é

,» ,İ,Ů, ©,İfwf<fv

Macintosh fT[frfX,İfwf<fv

^óü, " ,æ,Ñ Macintosh fT[frfX

fRf}f“fh fv□f“fvfg,Å,İ MacFile

Macintosh fT[]fX,İŠT—v

Macintosh fT[]fX,í[]Windows NT (TM) Server ,ì[]—v'f,Å,·[]BMacintosh
fT[]fX,đZfbfgfAfbfv,·,é,Æ[]APC fT[]fU[],Æ Macintosh(R) fT[]fU[],İŠÖ,Å[]Windows NT Server
,đŽÀ[]s,·,éRf"fsf...[]f^,đ'È,μ,Äftf@fCf<[]A,¨,æ,ÑfvfŠf"fg fffofCfX,È,Ç,İŽ'CE¹,đ<α—L,³,¹,é,±,Æ,ª,Å,«,Û,·[]B
"Á,É[]AMacintosh fT[]fX,đŽg,α,ÆŽÿ,ì,æ,α,È—~" _,"ª"¾,ç,ê,Û,·[]B

ftf@fCf<,ì<α—L

,½,Æ,ì,í[]A•"—â"à,Å^ê•",ìft[]fU[],í Microsoft(R) Excel for Windows (TM) ,đŽg—p,μ[]A,Û,©,ìft[]fU[],í
Microsoft Excel for Macintosh ,đŽg—p,μ,Ä,ç,é,Æ,«[]AMacintosh fT[]fX,í[]A,±
,ê,ç,ìft[]fU[]['S^ö,ª"¨,¶fXfvfÆfbfhfV[]fg ftf@fCf<,Å[]<Æ,Å,«,éŠÅ<<,đ'ñ<ÿ,μ,Û,·[]B

fvfŠf"f^,ì<α—L

Macintosh fT[]fU[],ª PostScript(R) ,Å,í,È,çfvfŠf"fg fffofCfX,É^óü,μ,½,è[]APC fT[]fU[],ª PostScript
fvfŠf"fg fffofCfX,É^óü,Å,«,é,æ,α,É,È,é,ì,Å (,¨,æ,Ñ,»),ì<t,à%Å"\\,È,ì,Å)[]A[]<Æ,İŽÀ[]s•û-
@,ì'¹đŽ^,ª[]L,ª,è,Û,·[]B,·,x,Ä,ìft[]fU[],ªŠeŽ©,ìfWf#fu,đ Windows NT Server ,đŽÀ[]s,·,éRf"fsf...
[]f^,ÉfXfv[]f<,Å,«,é,Æ,ç,α—~" _,"ª, ,è,Û,·[]B

ŠÇ—[],ì'P[]f%»»

ŠÇ—[]ŽÖ,í[]AMacintosh fT[]fX,Æ,Æ,à,É Windows NT Server ,đŽÀ[]s,·,éRf"fsf...
[]f^[]ä,ì[]Aft[]fU[] fAfJfEf"fg,ì[]W[]#,đ 1 ,Å•ÛŽç,·,é,¾,¨,Å,·,ÿ,Û,·[]B

AppleTalk ,ìf<[]fBf"fo fTf[]f<@"

fJfbfgf[]fN,É Macintosh fNf%ofCfAf"fg,Å[]Ú'±,μ,Ä[]AppleTalk(R) fCf"f^[]fJfbfg,đ[]ì[]—,Å,«,Û,·[]B

Macintosh fAfnfZfX%oA"vf{fŠf...[f€,ð]i[-,.,é

Macintosh fAfnfZfX%oA"vf{fŠf...[f€,Æ,í]AMacintosh fNf%oCfAf"fg,^a—~—p,Á,«,é Windows NT Server ,ðŽÀ[s,.,éfrf"fsf...[f^ä,ífffBfCfNfgfŠ,ì,±,Æ,Á,·]BMacintosh ft[fU[-p,É Macintosh fAfnfZfX%oA"vf{fŠf...[f€,ð]i[-,μ]APC ft[fU[-p,É,à<α—L,³,¹,é,Æ[A—¼•ù,ìŽí—b,ìfrf"fsf...[f^,æY,ç ,Éftf@fCf<,ðCèðŠ,Á,«,Ü,·]B

Macintosh fAfnfZfX%oA"vf{fŠf...[f€,í]Aftf@fCf< f}f[fWff,Ü,½,íT[fO[f}f[fWff,ì [MacFile] f[fjf... [L,Á]i[-,μ,Ü,·]B

Macintosh fAfnfZfX%oA"vf{fŠf...[f€,ð]i[-,.,é,É,í

1. ftf@fCf< f}f[fWff,Á]AMacintosh fAfnfZfX%oA"vf{fŠf...[f€,Æ,.,éfffBfCfNfgfŠ,ð'l'ð,μ,Ü,·]B
ft[fO[f}f[fWff,©,çf{fŠf...[f€,ð]i[-,.,é,É,í]Aft[fO[f}f[fWff,ì [MacFile] f[fjf...[L,ì [f{fŠf... [f€]A[f{fŠf...[f€,ì]i[-] ,ðfNfŠfbfN,μ,Á]AZè[4 ,ÉXfLfbfv,μ,Ü,·]B
2. [MacFile] f[fjf...[L,ì [f{fŠf...[f€,ì]i[-] fRf}f"fh,ð'l,Ñ,Ü,·]B
[Macintosh fAfnfZfX%oA"vf{fŠf...[f€,ì]i[-] f_fCfAf[fO f{fbfNfX,^a•\Ž!,³,é,Ü,·]B
3. ffftfHf<fg flfvfVf#f" ,ðŽó,~"ü,è,é,É,í]A[OK]
f{f^f" ,ðfNfŠfbfN,μ,Ü,·]B,» ,é^ÈŠO,ì]é[,í]AZÿ,ìŽè[,É]i,Ý,Ü,·]B
4. [f{fŠf...[f€-¼] f{fbfNfX,É]AMacintosh ft[fU[,ì]fOfIf"Žž,É•\Ž!,³,é,é{fŠf...[f€-¼,ð"ü— í,μ,Ü,·]B
5. [V,μ,ç]pfX]AfpfXf[fh]AfZfLf...fŠfefB flfvfVf#f" [A,~ ,æ,Ñft[fU[[SCEÀ,ðŽw'è,μ,Ü,·]B
6. fffBfCfNfgfŠ,ìfAfnfZfXCE ,ðY'è,.,é,É,í]A[fAfnfZfXCE] f{f^f" ,ðfNfŠfbfN,μ,Ü,·]B
[Macintosh fffBfCfNfgfŠ fAfnfZfXCE ,ì•\Ž!] f_fCfAf[fO f{fbfNfX,Á]A[fwf<fv] f{f^f" ,ðfNfŠfbfN,.,é,Æ]AŠeflfvVf#f" ,ì]à-¾,^a•\Ž!,³,é,Ü,·]B
7. [OK] f{f^f" ,ðfNfŠfbfN,μ,Ü,·]B

Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đ•Ž!,Ü,½,í•iX,.,é

Windows NT Server ,đŽÄs,.,éRf"fsf...[f^ã,ì,.,x,Ä,ì Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—,đ•\ Ž!,μ,½,èA,»,é,¼,é,ìî•ñ,đC³,Ä,«,Ü,·BMacintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—,íAftf@fCf< f}fí[fWff,Ü,½,íT[fó[f f}fí[fWff,Å [MacFile] fíjf...[.,©,ç•Ž!,Ä,«,Ü,·B

Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đ•Ž!,Ü,½,í•iX,.,é,É,í

1. [MacFile] fíjf...[.,ì [f{fŠf...[f€,ì•Ž!/•iX] fRf}f"fh,đ'l,Ñ,Ü,·B
fT[fó[f f}fí[fWff,©,ç,íA[f{fŠf...[f€] fRf}f"fh,đ'l,Ñ,Ü,·B
2. Ć»Ý,ì Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—,©,çA³,.,é Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đ'l'đ,μ,Ü,·B
3. [î•ñ,í•iX] f{f^f",đfNfŠfbfN,μ,Ü,·B
[Macintosh fAfNfZfX%oA"vf{fŠf...[f€î•ñ] f_fCfAfó f{fbfNfX,ª•Ž!,³,é,Ü,·B
4. •K—v,ÈfJfVfVf#",É•iX,đ%Á,ì,Ü,·B
,±,íf_fCfAfó f{fbfNfX,Å [fwf<fv] f{f^f",đfNfŠfbfN,.,é,ÆAŠefJfVfVf#" ,ìà-¾,ª•Ž!,³,é,Ü,·B
5. [OK] f{f^f",đfNfŠfbfN,μ,Ä,©,çA[Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì•Ž!/•iX] f_fCfAfó f{fbfNfX,ì [•Ä,¶,é] f{f^f",đfNfŠfbfN,μ,Ü,·B

Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đíœ,·,é

Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đíœ,μ,Ä,àAWindows NT Server ,đŽÀs,·,éRf"fsf...[f^ä,Áí
%ž,·,éfffBfœfNfgfŠ,ªíœ,³,è,é,í,¯,Á,Í,è,Û,¹,ñBf{fŠf...[f€,đíœ,·,é,ÆAMacintosh ft[fU[,ª~—
p,Á,«,È,,È,é,¾,¯,Á,·Bf{fŠf...[f€,ÍAftf@fCf< f}fí[fWff,Û,½,ÍT[fó[f}fí[fWff,Ì [MacFile] fñjf...
[[,©,çíœ,Á,«,Û,·B

Macintosh ft[fU[,ªÚ'±'t,Ì,Æ,«,ÍAfT[fó[f}fí[fWff,Ì [MacFile] fñjf...[[,Ì [fñbfZ[fW,Ì'—M]
fRf}f"fh,đŽg,Á,ÄA,±,è,ç,Íft[fU[,Éœx[đ'—M,μ,Û,·Bœx[đ'—M,¹,,ÉAZg—p't,Íf{fŠf...[f€
,đíœ,·,é,ÆA,»,Íft[fU[,Íff[f^,ªŽ,í,è,é%oA"v«ª,è,Û,·B

ftf@fCf< f}fí[fWff,©,ç Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đíœ,·,é,É,Í

1. [MacFile] fñjf...[[,Ì [f{fŠf...[f€,Ìíœ) fRf}f"fh,đ'Ì,Ñ,Û,·B
2. Macintosh ft[fU[,É~—p,Á,«,È,ç,æ,ª,É,·,é{fŠf...[f€,đ'đ,μ,Û,·B
3. [OK] f{f^f",đfNfŠfbfN,μ,Û,·B
4. ft[fU[,ªfOf" ,μ,Ä,ç,È,¯,è,ÍAŠm"Ff{fbfNfX,©,ç [í,ç] f{f^f",đfNfŠfbfN,μ,Û,·B

fT[fó[f}fí[fWff,©,ç Macintosh fAfNfZfX%oA"vf{fŠf...[f€,đíœ,·,é,É,Í

1. [MacFile] fñjf...[[,Ì [f{fŠf...[f€] fRf}f"fh,đ'Ì,Ñ,Û,·B
2. [Macintosh fAfNfZfX%oA"vf{fŠf...[f€] f_CfAfíO f{fbfNfX,©,çAíœ,·,é{fŠf...[f€,đ'Ì,Ñ,Û,·B
3. [f{fŠf...[f€,Ìíœ] f{f^f",đfNfŠfbfN,μ,Û,·B
4. Šm"Ff_CfAfíO f{fbfNfX,Ì [í,ç] f{f^f",đfNfŠfbfN,μ,ÄAíœ,μ,Û,·B

ffBfCEfNfgfŠ,lfAfNfZfXCE ,đŸ'è,.,é

ffBfCEfNfgfŠä,lfAfNfZfXCE ,íAMacintosh •úŽ®,lfAfNfZfXCE ,Æ“~“™,ì,à,ì,À,·BMacintosh
•úŽ®,lfAfNfZfXCE ,íA,Ç,ìft[fU[,af{fŠf...[f€,Ü,½,íftfHf<f_ ,đŽg,ì,é,©,đŽw'è,μ,Ü,·BWindows NT
•úŽ®,lfAfNfZfXCE ,Á,íA“Á'è,ìftf@fCf<,É,Á,č,Ä,àŸ'è,Á,«,Ü,·B,½,¾,μAMacintosh •¶' (ftf@fCf<)
,íAfffBfCEfNfgfŠ (ftfHf<f_) ä,ÁŸ'è,³,è,½fAfNfZfXCE ,đCep³,μ,Ü,·BMacintosh •¶' (ftf@fCf<)
,ÉŠÖ,μ,ÄfAfNfZfXCE ,đ'¼Ÿ'è,.,é,±,Æ,í,Á,«,Ü,¹,ñB

Macintosh fAfNfZfX%oÂ"vf{fŠf...[f€,Ü,½,íftfHf<f_,lfAfNfZfXCE ,đ•ïX,.,é,É,í

1. ftf@fCf< f}f[fWff,©,çAMacintosh fAfNfZfX%oÂ"vf{fŠf...[f€
,Æ,μ,ÄŽw'è,μ,½ffBfCEfNfgfŠA,Ü,½,íA,»,ìf{fŠf...[f€,ìftfHf<f_ ,đ•\,·ftfuffBfCEfNfgfŠ,đ'ì,đ,μ,Ü,·B
2. [MacFile] f¶jf...[,ì [fAfNfZfXCE] fRf}f“fh,đ'I,Ñ,Ü,·B
[Macintosh fffBfCEfNfgfŠ fAfNfZfXCE ,ì•\Ž!} f_fCfAf¶fO f{fbfNfX,ª•\Ž!,³,è,Ü,·B
3. •K—v,ÈfJfVfVf¶“,É•ïX,đ%oÁ,ì,Ü,·B
[fwf<fv] f{f^f“,đfNfŠfbfN,.,é,ÆA,±,ìf_fCfAf¶fO f{fbfNfX,ìŠefJfVfVf¶“,ìà-¾,ª•\Ž!,³,è,Ü,·B
4. [OK] f{f^f“,đfNfŠfbfN,μ,Ü,·B

PC ,Æ Macintosh ,lftf@fCf<,lf^fCfv,ðŠÖ~A•t,~,é

PC ,lftf@fCf<,lŠg'£Žq,Æ Macintosh ,lftf@fCf<,lf^fCfv,ðŠÖ~A•t,~,é,ÆAWindows NT Server
,ðŽÅs,.,éRf"fsf...[]f^,ÉŠi"[,³,è,Ä,ç,éftf@fCf<,É,Ä,ç,ÄÅŠeŽ©,lfRf"fsf...[]f^[]ã,Ä³,μ,çfAfCfRf",³•\
Žl,³,è,Ü,·[]B

,½,Æ,!,ÎAMacintosh ft[]fU[][,É,ÍAMicrosoft Excel ftf@fCf<,ð•\,· Macintosh •ûŽ®,lfAfCfRf",³•\
Žl,³,èAWindows ft[]fU[][,É,ÍA"~,¶ Microsoft Excel ftf@fCf<,ð•\,· Windows •ûŽ®,lfAfCfRf",³•\
Žl,³,è,Ü,·[]B

Macintosh ft[]fU[][,É,ÍASÖ~A•t,~,ð'è<,μ,Ä, ,éó'Ô,Äo%×,³,è,Ä,ç,Ü,·,ªA[]V,μ,çSÖ~A•t,~,ì[]- ,â'Ç
%oÁA, ,é,ç,ÍASù'¶,lftf@fCf<,lfNfŠfG[]f^,Æf^fCfv,ì'Ç%oÁA•ÒW[]í[]œ,à,Ä,«,Ü,·[]B

¶V,μ,Šg'£Žq,Æf^fCfv,ìŠÖ~A•t,~,ð[]- ,.,é,É,Í

1. ftf@fCf< f}f[]fWff,ì [MacFile] f[]fj...[][,ð'l,Ñ,Ü,·[]B
2. [fAfVjŠfP[]fVf#f",Æ,ìŠÖ~A•t,~] fRf}f"fh,ð'l,Ñ,Ü,·[]B
[ŠÖ~A•t,~,éfAfVjŠfP[]fVf#f",ì[]Y'è] f_fCfAf[]fO f{fbfNfX,ª•Žl,³,è,Ü,·[]B
3. [MS-DOS Šg'£Žq•t,«ftf@fCf<] ^è—,ÉŠg'£Žq,ð"ü—Í,·,é,©A,Ü,½,Í'l'ð,μ,Ü,·[]B
,» ,lŠg'£Žq,ª,·,Ä,Éftf@fCf<,lfNfŠfG[]f^,Æf^fCfv,ÉŠÖ~A•t,~,ç,è,Ä,ç,é[]è[]#,ÍA[Macintosh
•¶[]',lfNfŠfG[]f^,Æf^fCfv] fOf<[]fv f{fbfNfX,Ä"½"]•Žl,³,è,Ü,·[]B
4. [Macintosh •¶[]',lfNfŠfG[]f^,Æf^fCfv] fOf<[]fv f{fbfNfX,ÄA,±
,lŠg'£Žq,ðŠÖ~A•t,~,½,çfNfŠfG[]f^,Æf^fCfv,ð'l'ð,μ,Ü,·[]B
5. [ŠÖ~A•t,~,éfAfVjŠfP[]fVf#f",ì[]Y'è] f{f^f",ðfNfŠfbfN,μ,ÄA,»,lŠg'£Žq,Æf^fCfv,ÉŠÖ~A•t,~,Ü,·[]B
6. [[]—¹] f{f^f",ðfNfŠfbfN,μ,Ü,·[]B

ŠÖ~A[]€-Ú

ftf@fCf<,lfNfŠfG[]f^,Æf^fCfv,ð'Ç%oÁ,.,é

ftf@fCf<,lf^fCfv,ð•ÒW,.,é

ftf@fCf<,lf^fCfv,ð[]í[]œ,.,é

ftf@fCf<,lfNfŠfG[f^,Æf^fCfv,ð'Ç%Á,-,é

[ŠÖ~A•t,~,éAfvfŠfP[fVf#f“,ìŸ'è] f_fCfAf[fO f{fbfNfX,©,çA—~—
p,Å,«,éftf@fCf<,lfNfŠfG[f^,Æf^fCfv,ì^è—,ÉAftf@fCf<,lfNfŠfG[f^,Æf^fCfv,ð'Ç%Á,Å,«,Ü,·B

ftf@fCf<,lfNfŠfG[f^,Æf^fCfv,ð'Ç%Á,-,é,É,í

1. ftf@fCf< f}f[fWff,ì [MacFile] fffj...[.,ð'l,Ñ,Ü,·B
2. [fAfvfŠfP[fVf#f“,Æ,ìŠÖ~A•t,~] fRf}f“fh,ð'l,Ñ,Ü,·B
3. [ŠÖ~A•t,~,éAfvfŠfP[fVf#f“,ìŸ'è] f_fCfAf[fO f{fbfNfX,ì ['Ç%Á] f{f^f“,ðfNfŠfbfN,μ,Ü,·B
4. [•¶f^fCfv,ì'Ç%Á] f_fCfAf[fO
f{fbfNfX,ÉAftf@fCf<,lfNfŠfG[f^,Æf^fCfv[A,“,æ,ÑAfifvfVf#f“,Æ,μ,Äà-¾,ð“ü—í,μ,Ü,·B
5. [OK] f{f^f“,ðfNfŠfbfN,μ,Ü,·B

[Macintosh •¶',lfNfŠfG[f^,Æf^fCfv] fOf<[fv f{fbfNfX,É[V,μ,çNfŠfG[f^,Æf^fCfv,³\
Ž,³,è,Ü,·B,»,è,ðŠg'£Žq,ÉŠÖ~A•t,~,é€“ö,³@,Á,½,çAPC,Æ Macintosh
,ìftf@fCf<,lf^fCfv,ðŠÖ~A•t,~,é,ì€,ðŽQ[Æ,μ,Ä,,¾,³,çB

ŠÖ~A€-Ú

ftf@fCf<,lf^fCfv,ðííœ,·,é

ftf@fCf<,lf^fCfv,ð•ÒW,·,é

PC,Æ Macintosh ,ìftf@fCf<,lf^fCfv,ðŠÖ~A•t,~,é

ftf@fCf<,lf^fCfv,đ•ÒW,.,é

[Macintosh fhflf...f“fg fNfŠfG[f^,Æf^fCfv] fOf<[fv f{fbfNfX,É^è—•\Ž|,³,è,éftf@fCf<,lf^fCfv,ìà-³/4,đ•ÒW,Å,«,Ü,·B

ftf@fCf<,lf^fCfv,ìà-³/4,đ•ÒW,.,é,É,í

1. ftf@fCf< f}f[fWff,ì [MacFile] fffj...[.đ'l,Ñ,Ü,·B
2. [fAfvfŠfP[fVf““,Æ,ìŠÖ~A•t,~] fRf}f“fh,đ'l,Ñ,Ü,·B
3. [Macintosh •¶[',ìfNfŠfG[f^,Æf^fCfv] fOf<[fv f{fbfNfX,ÅAftf@fCf<,ìfNfŠfG[f^,Æf^fCfv,đ'l'đ,μ,Ü,·B
4. [•ÒW] f{f^f“,đfNfŠfbfN,μ,Ü,·B
5. [•¶[f^fCfv,ì•ÒW] f_CfAfO f{fbfNfX,ÉA[V,μ,çà-³/4,đ“ü—í,μ,Ü,·B
6. [OK] f{f^f“,đfNfŠfbfN,μ,Ü,·B
 [V,μ,çà-³/4,ª [Macintosh •¶[',ìfNfŠfG[f^,Æf^fCfv] fOf<[fv f{fbfNfX,É•\Ž|,³,è,Ü,·B

ŠÖ~A€-Ú

ftf@fCf<,ìfNfŠfG[f^,Æf^fCfv,đ'C%Å,.,é

ftf@fCf<,lf^fCfv,đíœ,.,é

PC,Æ Macintosh ,ìftf@fCf<,lf^fCfv,đŠÖ~A•t,~,é

ftf@fCf<,lf^fCfv,đííœ,.,é

[ŠÖ~A•t,~,éfAfvfŠfP□[fVf#f“,ìí’è] f_fCfAf□fO f{fbfNfX,©,ç□Aftf@fCf<,lf^fCfv,đíííœ,Á,«,Ü,·□B

ftf@fCf<,lf^fCfv,Æ,»„İŠÖ~A•t,~,đíííœ,.,é,É,Í

1. ftf@fCf< f}f□[fWff,ì [MacFile] f□fj...□[đ’l,Ñ,Ü,·□B
2. [ŠÖ~A•t,~,éfAfvfŠfP□[fVf#f“,ìí’è] fRf}f“fh,đ’l,Ñ,Ü,·□B
3. [Macintosh •¶□’,ìfNfŠfG□[f^,Æf^fCfv] fOf<□[fV f{fbfNfX,Á□Aftf@fCf<,ìfNfŠfG□[f^,Æf^fCfv,đ’l’đ,μ,Ü,·□B
4. [ííííœ] f{f^f“,đfNfŠfN,μ,Ü,·□B
5. [í,ç] f{f^f“,đfNfŠfN,μ,Ä□A’l’đ,μ,½ftf@fCf<,lf^fCfv,Æ□A,»„é,ÉŠÖ~A•t,~,½Šg’£Žq,đíííœ,.,é,±,Æ,đŠm”F,μ,Ü,·□B

ŠÖ~A□€-Ú

ftf@fCf<,ìfNfŠfG□[f^,Æf^fCfv,đ’C%Á,.,é

ftf@fCf<,lf^fCfv,đ•Ò□W,.,é

PC,Æ Macintosh ,ìftf@fCf<,lf^fCfv,đŠÖ~A•t,~,é

Macintosh fT[][frfX,lfwf·fv



Macintosh fT[][frfX,lŠT—v

-Ů“l

fRf}f“fh

,» ,l,Ů,©,lfwf·fv

ftf@fCf·f}f[]fWff,“æ,Ñ Macintosh fT[][frfX

^óü,“æ,Ñ Macintosh fT[][frfX

fRf}f“fh fvf[]f“fvfg,Å,l MacFile

Macintosh fT[]fxfX,lfwf·fv



Macintosh fT[]fxfX,lŠT—v

-Ů“l

Macintosh ftf@fCf< fT[]fo[]l,]i•ň,đŸ“č,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ•\Ž!,Ů,½,í•ï[]X,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[][]-,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[]í[]œ,.,é

Macintosh fNf%oCfAf“fg,Éf[]fbfZ[]fW,đ’—[]M,.,é

fRf}f“fh

,»l,Ů,©,lfwf·fv

ftf@fCf< f}f[]fWff,“,æ,Ń Macintosh fT[]fxfX

^óü,“,æ,Ń Macintosh fT[]fxfX

fRf}f“fh fvf[]f“fvfg,Å.l MacFile

Macintosh fT[]frfX,lfwf·fv



Macintosh fT[]frfX,lŠT—v

-Ů“l

Macintosh ftf@fCf< fT[]fo[]l,lŋi•ñ,đŸ“č,.,é

Macintosh ftf@fCf< fT[]fo[]l,lŋi•ñ,đ•iX,.,é

Macintosh fNf%oCfAf“fg—p,ÉfT[]fo[][-¼,đ•iX,.,é

Macintosh fNf%oCfAf“fg—p,ÉV,u,čf[]Ofif“ f[]bfZ[]fW,đ[]ŋ—,.,é

Macintosh fNf%oCfAf“fg—p,lft[]fo[]l fZfLf...fŠfefB flfvVf[]f“đŸ“è,.,é

fZfbVf[]f“[]šŸA,đŸ“è,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ•Ž!,Ů,½,í•iX,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[]ŋ—,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[]i[]œ,.,é

Macintosh fNf%oCfAf“fg,Éf[]bfZ[]fW,đ’—[]M,.,é

fRf}f“fh

,» ,l,Ů, ©,lfwf·fv

ftf@fCf< f}f[]fWff,.,æ,Ň Macintosh fT[]frfX

^óŋü,.,æ,Ň Macintosh fT[]frfX

fRf}f“fh fvf[]f“fvfg,Å,l MacFile

Macintosh fT[][frfX,lfwf<fv



Macintosh fT[][frfX,lŠT—v

-Ū“l

fRf}f“fh

f{fŠf...[]f€

[]ŭ•ñ

f[]fbfZ[][fW,l'—[]M

,>,l,Ū,©,lfwf<fv

ftf@fCf< f}f[][]fWff,“,æ,Ñ Macintosh fT[][frfX

^óü,“,æ,Ñ Macintosh fT[][frfX

fRf}f“fh fvf[]f“fvfg,Å,l MacFile

Macintosh fT[]frfX,lfwf·fv



Macintosh fT[]frfX,lŠT—v

-Ů“l

Macintosh ftf@fCf< fT[]fo[]l,]i•ñ,đŸ“č,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ•Ž!,Ů,½,í•ï[]X,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[]□,.,é

Macintosh fAfNfZfX%oÂ“\f{fŠf...[]f€,đ[]í[]œ,.,é

Macintosh fNf%ofCfAf“fg,Éf[]fbfZ[]fW,đ’—[]M,.,é

fRf}f“fh

f{fŠf...[]f€

[]i•ñ

f[]fbfZ[]fW,ì’—[]M

,>,l,Ů,©,lfwf<fv

ftf@fCf< f}f[]fWff,“,æ,Ñ Macintosh fT[]frfX

^óü,“,æ,Ñ Macintosh fT[]frfX

fRf}f“fh fvf[]f“fvfg,À,ì MacFile

Macintosh fT[]frfX,lfwf·fv



Macintosh fT[]frfX,lŠT—v

-Ů“l

Macintosh ftf@fCf< fT[]fo[]L,lŋi•ñ,đŸ“č,.,é

Macintosh ftf@fCf< fT[]fo[]L,lŋi•ñ,đ•i[]X,.,é

Macintosh fNf%oofCfAf“fg—p,ÉfT[]fo[][-¼,đ•i[]X,.,é

Macintosh fNf%oofCfAf“fg—p,É[]V,μ,č[]fOf[]f“ f[]fbfZ[]fW,đ[]i[]—,.,é

Macintosh fNf%oofCfAf“fg—p,lft[]fo[][fZfLf...fŠfefB flfvVf[]f“ ,đŸ“è,.,é

fZfbfVf[]f“ []ŠŒÀ,đŸ“è,.,é

Macintosh fAfNfZfX%oA“\f{fŠf...[]f€ ,đ•\Ž!,Ü,½,í•i[]X,.,é

Macintosh fAfNfZfX%oA“\f{fŠf...[]f€ ,đ[]i[]—,.,é

Macintosh fAfNfZfX%oA“\f{fŠf...[]f€ ,đ[]i[]œ,.,é

Macintosh fNf%oofCfAf“fg,Éf[]fbfZ[]fW,đ’—[]M,.,é

fRf}f“fh

f{fŠf...[]f€

ŋi•ñ

f[]fbfZ[]fW,i’—[]M

,>,ì,Ů,©,lfwf·fv

ftf@fCf< f}f[]fWff,“,æ,Ñ Macintosh fT[]frfX

^óü,“,æ,Ñ Macintosh fT[]frfX

fRf}f“fh fvf[]f“fvfg,À,ì MacFile

Macintosh **ftf@fCf< fT[fO[L,ìî•ñ,ð•ïX,.,é**

Windows NT Server ,ðŽÄs,.,éRf“fsf...[f^ã,ì Macintosh ftf@fCf<
fT[fO[L,ì“@ì,ìŒŸ“çA•ïX,ª,Å,«,Ü,·B

fT[fO[L,ìî•ñ,ð•ïX,.,é,É,Í

1. fT[fO[L f}f[fWff,ì [MacFile] fffj...[.,ð'ì,Ñ,Ü,·B
2. [î•ñ] fRf}f“fh,ð'ì,Ñ,Ü,·B
[MacFile î•ñ] f_fCfAfO f{fbfNfX,ª•\Ž!,ª,é,Ü,·B
3. ŒŸ“ç,.,éî•ñ,ð•\,·f{f^f“,Æ,µ,ÄA[fU[]A[f{fŠf...[f€]A[ftf@fCf<]A,Ü,½,Í [‘@<]
,ðNfŠfbfN,µ,Ü,·B
Šef_fCfAfO f{fbfNfX,Å [fwf<fv] f{f^f“,ðfNfŠfbfN,.,é,ÆAŠeî•ñ,ìà-¾,ª•\Ž!,ª,é,Ü,·B

Macintosh fNf%oCfAf“fg—p,ÉfT□[fo□[-¼,ð•ï□X,.,é

fT□[fo□[f}f□[fWff,©,ç□AMacintosh fRf“fsf...□[f^□ã,É•\Ž!,³,ê,éfT□[fo□[-¼,ð•ï□X,Å,«,Ü,·□B

fT□[fo□[,ì-¼'O,ð•ï□X,.,é,É,í

1. [MacFile] f□fj...□[,ì [□î•ñ] fRf}f“fh,ð'i,Ñ,Ü,·□B
2. [‘@□«] f{f^f“,ðfNfŠfbfN,μ,Ü,·□B
[MacFile ‘@□«] f_fCfAf□fO f{fbfNfX,ª•\Ž!,³,ê,Ü,·□B
3. [•ï□X] f{f^f“,ðfNfŠfbfN,μ,Ü,·□B
4. [AppleTalk f□□[fNfXfe□[fVf#“ ,É'î,.,éfT□[fo□[-¼] f{fbfNfX,É□AWindows NTServer
 ,ðŽÁ□s,.,éfRf“fsf...□[f^,ì-¼'O,ð“ü—í,μ,Ü,·□B
 ,±,ì-¼'O,í□AAppleTalk ffbfgf□□[fN□ã,É, ,é Macintosh fRf“fsf...□[f^,É•\Ž!,³,ê,éfT□[fo□[-¼,Å,·□B
5. [OK] f{f^f“,ðfNfŠfbfN,μ,Ü,·□B

Macintosh fNf%oCfAf“fg—p,ÉV,μ,cfOflf“ fbfZ[fW,ðì¬,·,é

Macintosh ft[fU[(System 7.1 (TM) ,ìft[fU[) ,^a Windows NT Server ,ðŽÀs,·,éfRf“fsf...
[f^,ÉfOflf“ ,·,é,Æ,«,É•Žì,³,è,éfbfZ[fW,ìì¬A,Ü,½,Í•ìX,^aÅ,«,Ü,·B

fOflf“ fbfZ[fW,ðì¬,Ü,½,Í•ìX,·,é,É,Í

1. ft[fo[f}f[fWff,ì [MacFile] fffj...[,ð'ì,Ñ,Ü,·B
2. [í•ñ] fRf}f“fh,ð'ì,Ñ,Ü,·B
3. [MacFile í•ñ] fCfAfO f{bfNfX,ì ['@«] f{f^f“ ,ðfNfŠfbfN,μ,Ü,·B
4. Macintosh ft[fU[^a Windows NT Server ,ðŽÀs,·,éfRf“fsf...[f^,ÉfOflf“ ,·,é,Æ,«,É•\
Žì,·,éfbfZ[fW,ðA[fOflf“ ŽžfbfZ[fW] f{bfNfX,É“ü—í,μ,Ü,·B
fbfZ[fW,íAÅ' 4 s,Ü,Å“ü—í,Å,«,Ü,·B
5. [OK] f{f^f“ ,ðfNfŠfbfN,μ,Ü,·B

Macintosh fNf%oCfAf“fg—p,lfT[f]o[f] fZfLf...fŠfefB flfvfVf†f“ ,đŸ’è,.,é

Macintosh ft[f]U[f], Windows NT Server ,đŽÀ[s,.,éfRf“fsf...
[f^,Ö,lfAfNfZfXĀ ,đAfT[f]o[f] f}f[f]Wff,©,ç\$Āä,Ā,«,Ü,·B

fZfLf...fŠfefB flfvfVf†f“ ,đŸ’è,.,é,É,í

1. ft[f]o[f] f}f[f]Wff,í [MacFile] fffj...[.,đ’l,Ñ,Ü,·B
2. [í•ñ] fRf}f“fh,đ’l,Ñ,Ü,·B
3. [‘@◀] f{f^f“,đfNfŠfbfN,μ,Ü,·B
4. [fZfLf...fŠfefB] fOf<[fv f{fbfNfX,ĀA1 ,Ā,Ü,½,í•í],lfZfLf...fŠfefB flfvfVf†f“ ,đ’l’đ,μ,Ü,·B

[fQfXfg,lf[f]Ofif“ ,đ<-%oĀ]

ft[f]U[f] fAfjEf“fgAfpfXf[f]h[A,Ü,½,í,»,)—¼•ú,đŽ,½,È,ç Macintosh ft[f]U[f],AfQfXfg
fAfjEf“fg,đŽg,Ā,Ā Windows NT Server ,đŽÀ[s,.,éfRf“fsf...[f^,Éf[f]Ofif“,Ā,«,é,æ,μ,É,μ,Ü,·B

[f[f]NfXfe[f]Vf†f“ ,ÉpfXf[f]h•íX,đ<-%oĀ]

Macintosh ft[f]U[f],ŠeŽ©,lfpfXf[f]h,đŠeŽ©,lfRf“fsf...[f^,ÉŠi“[Ā,«,é,æ,μ,É,μ,Ü,·B,±
,é,íAWindows NT Server ,đŽÀ[s,.,éfRf“fsf...[f^,Éf[f]Ofif“,.,é,½,Ñ,ÉAfpfXf[f]h,ì“ü—í,Ā•K—
v,È,ç,±,Æ,đ^Ó-í,μ,Ü,·B,±,lfifvVf†f“ ,đ’l’đ,.,é,ÆAfT[f]o[f],lfZfLf...fŠfefB,á%o,μ,Ü,·B

[Microsoft “F∅,ā•K—v]

Macintosh ft[f]U[f],íA,Ü,©,í UAM ,Ā,í,È,AMicrosoft
ft[f]U[f]“F∅,đŽg,Ā,Āf[f]Ofif“,μ,È,̄,é,í,È,è,Ü,¹,ñB

5. [OK] f{f^f“,đfNfŠfbfN,μ,Ü,·B

fZfbfVf+f“□\$CEÀ,ðÝ’è,.,é

AppleTalk flfbfgf□□[fN□ä,ì Windows NT Server ,ðŽÀ□s,;éfRf“fsf...□[f^,É’í,μ,ÄŠm—
§,Å,«,é□AMacintosh fNf%ofCfAf“fg,ì“~Žž□Ú’±□”,ðÝ’è,Å,«,Ü,·□B“~Žž□Ú’±□”,í□Aflfbfgf□□[fN
f□fffBfA,É,¾, □\$CEÀ,³,ê,Ü,·□B,½,¾,μ□A□Ú’±□”,ð□\$CEÀ,·,é,Æ□AWindows NT Server ,ðŽÀ□s,;éfRf“fsf...
□[f^,É,æ,Á,ÄfpftfH□[f}f“fX,ð□,,ß,é,±,Æ,ª,Å,«,Ü,·□B

fZfbfVf+f“□\$CEÀ,ðÝ’è,.,é,É,í

1. fT□[fo□[f}f□[fWff,ì [MacFile] f□ff...□[,ð’l,Ñ,Ü,·□B
2. [□î•ñ] fRf}f“fh,ð’l,Ñ,Ü,·□B
3. [‘®□«] f{f^f“,ðfNfŠfbfN,μ,Ü,·□B
4. [fZfbfVf+f“] fOf<□[fv f{fbfNfX,ì [-³□\$CEÀ] flfvfVf+f“ f{f^f“,ð’l,Ô,©□A,Ü,½,í [□\$CEÀ]
f{fbfNfX,É□\$CEÀ□”,ð“ü—í,μ,Ü,·□B

Macintosh fNf%oCfAf“fg,Éf fbfZ[fW,ð’—M,·,é

Windows NT Server ,ðŽÀs,·,éRf“fsf...[f^,ÉÚ’±,³,é,Ä,ç,é Macintosh fNf%oCfAf“fg,Éf fbfZ[fW,ð’—
M,Ä,«,Ü,·BMacintosh fAfNfZfX%oÄ”\f{fŠf...[f€
,ìØ’f,âíœA,Ü,½,íft[fU[,ìØ’f,âíœ,ð,·,é’O,É,íAŽg—p’t,ìfjfbfgf[fNŽ’CE¹,ìŽg—p,ð’tŽ~,·,é,æ,π
,ÉAf+f[fU[,Éf fbfZ[fW,ð’—M,·,é,±,Æ,ð,“Š©,ß,μ,Ü,·B,³,à,È,ç,ÆAf+f[fU[,í<Md,Èff[f^,ðŽ,π
%oÄ”\«,ª,è,Ü,·B,Ü,½AWindows NT Server ,ðŽÀs,·,éRf“fsf...[f^,ìCEÄX,ì Macintosh
ft[fU[,Éf fbfZ[fW,ð’—M,·,é,±,Æ,à,Ä,«,Ü,·B,±,ì 2 ,Ä,ì’€ì•û-@,ìŽÿ,ì,Æ,“,è,Ä,·B

**Windows NT Server ,ðŽÀs,·,éRf“fsf...[f^,ÉÚ’±,μ,Ä,ç,é Macintosh
ft[fU[‘S^ö,Éf fbfZ[fW,ð’—M,·,é,É,í**

1. ft[fo[f]f[fWff,©,çAMacintosh ft[frfX,Æ,Æ,à,É Windows NT Server ,ðŽÀs,·,éRf“fsf...
[f^,ðfNšfbfN,μ,Ü,·B
2. [MacFile] fff...[,ì [fbfZ[fW,ì—M] frf}f“fh,ð’l,Ñ,Ü,·B
[fbfZ[fW,ì—M] f_cfAffo f{fbfNfX,ª•Ž!,³,è,Ü,·B
3. [fbfZ[fW] f{fbfNfX,ÉAMacintosh ft[fU[,É’—M,·,éfbfZ[fW,ð“ü—í,μ,Ü,·B
fbfZ[fW,íAÄ’· 4 s,Ü,Ä“ü—í,Ä,«,Ü,·B
4. [OK] f{f^f“,ðfNšfbfN,μ,Ü,·B

**Windows NT Server ,ðŽÀs,·,éRf“fsf...[f^,ìCEÄX,ì Macintosh ft[fU[,Éf fbfZ[fW,ð’—
M,·,é,É,í**

1. [MacFile] fff...[,ì [î•ñ] frf}f“fh,ð’l,Ñ,Ü,·B
2. [ft[fU[[] f{f^f“,ðfNšfbfN,μ,Ü,·B
3. [Ú’±,μ,½ft[fU[[] ^è—,©,çAf fbfZ[fW,ð’—M,·,éft[fU[,ð’l’ð,μ,Ü,·B
4. [fbfZ[fW,ì—M] f{f^f“,ðfNšfbfN,μ,Ü,·B
[fbfZ[fW,ì—M] f_cfAffo f{fbfNfX,ª•Ž!,³,è,Ü,·B
5. [Macintosh ft[fU[[] f{f^f“,ðfNšfbfN,μ,Ü,·B
6. [fbfZ[fW] f{fbfNfX,ÉA’—M,·,éfbfZ[fW,ð“ü—í,μ,Ü,·B
fbfZ[fW,íAÄ’· 4 s,Ü,Ä“ü—í,Ä,«,Ü,·B
7. [OK] f{f^f“,ðfNšfbfN,μ,Ü,·B

[f{fšf...[f€,)i]i~]

[Macintosh fAfNfZfX%oA"vf{fšf...[f€,)i]i~] f_fCfAfO f{fbfNfX,ª•\Ž!,³,è,Ü,·B,±,ìf_fCfAfO
f{fbfNfX,©,çAMacintosh ft[fU[,É—~—p,Å,«,é Windows NT Server ,ðŽÀs,·,éfRf"fsf...
[f^ã,ìfffBfCfNfgfš,ðŽw'è,Å,«,Ü,·B,±,è,É,æ,èAMacintosh fAfNfZfX%oA"vf{fšf...[f€,)i]i~],³,è,Ü,·B
Úxî•ñ,ð•Ž!,·,é,É,íA[Macintosh fAfNfZfX%oA"vf{fšf...[f€,)i]i~] f_fCfAfO f{fbfNfX,ÅA[fwf<fv]
f{f^f",ðfNfšfbfN,µ,Ü,·B

[f{fšf...[f€,ì•\Ž!//•ïX]

[Macintosh fAfNfZfX%oÂ"vf{fšf...[f€,ì•\Ž!//•ïX] f_fCfAf□fO f{fbfNfX,ª•\Ž!,³,è,Ü,·□B,±,ìf_fCfAf□fO
f{fbfNfX,Å□A,·,x,Ä,ì Macintosh fAfNfZfX%oÂ"vf{fšf...[f€,ì^è—,ì•\Ž!□A'ì'ð,μ,½f{fšf...[f€
,ìî•ñ,ÆfAfNfZfXCE ,ì•ïX,ª,Å,«,Ü,·□B

□Ú□×□î•ñ,ð•\Ž!,·,é,É,í□A[Macintosh fAfNfZfX%oÂ"vf{fšf...[f€,ì•\Ž!//•ïX] f_fCfAf□fO
f{fbfNfX,Å□A[fwf<fv] f{f^f",ðfNfšfN,μ,Ü,·□B

[f{fŠf...[f€,)í[œ]

[Macintosh fAfNfZfX%oÂ"vf{fŠf...[f€,)í[œ] f_fCfAf[fo f{fbfNfX,ª•\Ž!,³,è,Ü,·[B,±,ìf_fCfAf[fo
f{fbfNfX,Å[Aí[œ,·,éf{fŠf...[f€,đ'!đ,Å,«,Ü,·[Bf{fŠf...[f€,đí[œ,·,é,Æ[AMacintosh
ft[fU[.í,»,)ftf@fCf<,ÆftfHf_f_đ~—p,Å,«,È,,È,è,Ü,·[B,½,¾,μ[A'í%ž,·,éfffBfCEfNfgfŠ[A,Ü,½,í,»,±
,É"ü,Á,Ä,č,éftf@fCf<,ªí[œ,³,è,é,í,¯,Å,í, ,è,Ü,¹,ñ[B

Ú×î•ñ,đ•\Ž!,·,é,É,í[A[Macintosh fAfNfZfX%oÂ"vf{fŠf...[f€,)í[œ] f_fCfAf[fo f{fbfNfX,Å[A[fwf<fv]
f{f^f",đfNfŠfbfN,μ,Ü,·[B

[fAfNfZfXCE]

[Macintosh fffBfCefNfgfŠ fAfNfZfXCE ,ì•\Ž!} f_fCfAf□fO f{fbfNfX,ª•\Ž! ,³,è,Ü,·□B,±,ìf_fCfAf□fO f{fbfNfX,Ä□AMacintosh fAfNfZfX%°°Ä”\f{fŠf...□[f€,Ö,ìfAfNfZfXCE ,ì•\Ž!□A•ì□X,ª,Ä,«,Ü,·□B,± ,è,ç,ìfAfNfZfXCE ,í□AMacintosh fAfNfZfXCE ,Æ““™ ,Ä,·□B,Ü,½□A[fZfLf...fŠfefB] f□fjf...□[.ì [fAfNfZfXCE] fRf}f“fh,đ‘l,Ñ□A,±,è,ç,ìfAfNfZfXCE ,đ□Ý‘è,·,é•û-@,à, ,è,Ü,·□B

,±,è,ç,ìfAfNfZfXCE ,í Macintosh •ûŽ® ,ìfAfNfZfXCE ,Æ,í^Ù,È,é,æ,æ,ÉCE©,!,Ü,·,ª□AMacintosh fT□[frfX,É,æ,è•İŠ,·,³,è,Ü,·□B,μ,½,ª,Ä,Ä□A[fZfLf...fŠfefB] f□fjf...□[Ü,½,í [MacFile] f□fjf... □[.©,ç,ì,Ç,ç,©,ç,Ä,à□AfffBfCefNfgfŠ,ìfAfNfZfXCE ,đ□Ý‘è,Ä,«,Ü,·□B

□Ú□×□à-¾,đ•\Ž! ,·,é,É,í□A[Macintosh fffBfCefNfgfŠ fAfNfZfXCE ,ì•\Ž!} f_fCfAf□fO f{fbfNfX,Ä□A[fwf<fv] f{f^f“ ,đfNfŠfbfN,μ,Ü,·□B

[f{fšf...[f€]

[Macintosh fAfNfZfX%oÂ"vf{fšf...[f€] f_fCfAf[]fO f{fbfNfX,ª•\Ž|,³,ê,Ü,·[]B,±,lf_fCfAf[]fO
f{fbfNfX,Å[]AMacintosh fAfNfZfX%oÂ"vf{fšf...[f€,î^ê—,đ•\Ž|,Å,«,Ü,·[]B,»,µ,Å[]A,»,ì[]î•ñ,ì\
Ž![]A•İ[]X[]Af{fšf...[f€,ì[]î[]¬,“,æ,Ń[]í[]œ,ª,Å,«,Ü,·[]B

[]Ú[]×[]î•ñ,đ•\Ž|,·,é,É,í[]A[Macintosh fAfNfZfX%oÂ"vf{fšf...[f€] f_fCfAf[]fO f{fbfNfX,Å[]A[fwf<fv]
f{f^f“,đfNfšfbfN,µ,Ü,·[]B

[f]bfZ[fW,ì'—M]

[f]bfZ[fW,ì'—M] f_CfAfO f{bfNfX,ª•\Ž!,³,è,Û,·B,±,ìf_CfAfO f{bfNfX,©,çAWindows NT Server ,ðŽÀs,·,éfRf“fsf...[f^,ÉÚ'±,μ,Ä,ç,éft[fU[S^ð,ÉbfZ[fW,ð'— M,Å,«,Û,·B,½,Æ,ì,îAŠeft[fU[,ðØ'f,·,é,Æ,«,âAŠeft[fU[,ªÚ'±,μ,Ä,ç,éf{fŠf...[f€ ,ðØ'f,·,é,Æ,«,íA,»,è,ç,ìft[fU[,ÉbfZ[fW,ð'—M,μ,Ä,,¾,³,çB

'l'ð,μ,½ Macintosh ft[fU[,ÉbfZ[fW,ð'—M,·,é•û-@,É,Â,ç,Ä,íAMacintosh_fNf %ofCfAf“fg,ÉbfZ[fW,ð'—M,·,é,ì€,ðŽQÆ,μ,Ä,,¾,³,çB

Ú×î•ñ,ð•Ž!,·,é,É,íA[f]bfZ[fW,ì'—M] f_CfAfO f{bfNfX,Å [fwf·fv] f{f^f“,ðNfŠbfN,μ,Û,·B

[Ā•ņ]

[MacFile Ā•ņ] f_fCfAf_fO f{fbfNfX,ā\Ž!,³,è,Û,·B,±,lf_fCfAf_fO f{fbfNfX,©,çAMacintosh_ftf@fCf<
fI[fo[.lft[lfU[Af{fŠf...[f€[Aftf@fCf<A,“,æ,Ń,Û,©,ì’@<«,ìŽQAE,âĭX,ā,Ā,«,Û,·B

ŠeflfvfVf#“,ìÚ×Ā•ņ,đ•\Ž!,·,é,É,íA[MacFile Ā•ņ] f_fCfAf_fO f{fbfNfX,ĀA[fwf<fv]
f{f^f“,đfNfŠfbfN,μ,Û,·B

[AppleTalk fvf[]fgfRf<,ì[]~]

Macintosh fT[]fX,ìfZfbfgfAfbfvEä,É[]'è,À,«,Ü,·[]B·ì[]X"à—e,ð—LCEø,É,·,é,É,í[]AfRf"fgf[]f< fpf[]f<,ì
[fffofCfX] ,ðŽg—p,μ,Ä AppleTalk fvf[]fgfRf<,ð'âŽ~,μ[]A[]Ä<N"® ,μ,È,¯,ê,Î,È,è,Ü,¹,ñ[]B

ffftfHf<fg,ìf[]fbfgf[][]fN,Æf[][]f" ,ð[]Y'è,·,é,É,Í

1. [f[]fbfgf[][]fN] ^è—,Ä[]A·K—v,Èf[]fbfgf[][]fN fAf_fvf^ f[]f[]fh,ð'ì'ð,μ,Ü,·[]B
2. Windows NT Server ,ðŽÄ[]s,·,éfRf"fsf...[]f^,ìè[]#[]A[f][]f" ^è—,Ä[]AMacintosh ft+[]fU[][,É'í,μ,Ä
Macintosh fT[]fX,ð·\Žì,·,éf[]f" ,ð'ì'ð,μ,Ü,·[]BWindows NT Workstation,ðŽÄ[]s,·,éfRf"fsf...
[]f^,ìè[]#[]A[f][]f" ^è—,Ä[]AAppleTalk fvf[]fgfRf<,ðŽg—p,·,é,·,éf[]f" ,ð'ì'ð,μ,Ü,·[]B
3. [OK] f{f^f" ,ðfNfŠfbfN,μ,Ü,·[]B

AppleTalk ,ìf<[]f[]efBf"fo,ð—LCEø,É,·,é,É,Í (Windows NT Server ,ì,Ý)

▶ [f<[]f[]efBf"fo,ð[]s,±] f^fFfbfN f{fbfNfX,ðf[]f" ,É,μ,Ä,,¾,³,ç[]B

Windows NT Server ,ðŽÄ[]s,·,éfRf"fsf...[]f^,Ä,í[]AAppleTalk fvf[]fgfRf<,³f<[]f^[][,É,È,è,Ü,·[]B,±
,é,í[]AAppleTalk fvf[]fgfRf<,³·;[]" ,ìf[]fbfgf[][]fN f[]f[]fh,ÉfofCf"fh,³,ê,Ä,ç,é,Æ[]AfofCf"fh,³,ê,Ä,ç
,é,·,×,Ä,ìf[]fbfgf[][]fN,É[]Ú'±,μ,Ä,ç,é Macintosh ,©,ç Windows NT Server ,ðŽÄ[]s,·,éfRf"fsf...
[]f^,ðŽQ[]Æ,Ä,«,é,±,Æ,ð^Ó-ì,μ,Ü,·[]B

[AppleTalk f<[fefBf“fO,ì\Ñ~]

[f]bfgf[fN] ^ê—,É,íAppleTalk fvf<fgRf<,əfofCf“fh,³,ê,Ä,ç,é,·,x,Ä,ìf]bfgf[fN fAf_fvf^,ª•\ Žì,³,ê,Ü,·B

f]bfgf[fN,đfV[fh,·,é,É,í

- [,±,ì]f]bfgf[fN,đfV[fh,·,é] f`FfbfN f{fbfNfX,đf]f“,É,μ,Ü,·B
[f]bfgf[fN“í“í] , ,æ,Ñ [f] [f““î•ñ] f]fv]vf]f“,ª—~—p,Ä,«,Ü,·B
- ŠY“—,·,é [f]bfgf[fN“í“í] fOf<[fv f{fbfNfX,É□AŠŽn“Ô□t,Æ□Å□I“Ô□t,đ“ü—í,μ,Ü,·B
1 □` 65,279 ,ì'ì,đŽw'è,μ,È, ,ê,î,È,è,Ü,¹,ñB

f] [f““î•ñ,ìŸ'è,íA]f]bfgf[fN,đfV[fh,·,é€î,ì^ê•”,Ä,·BCE»Ÿ,ì] [f“^ê—
,ìŽQ□Æ□A] [f“,ì□íœ□A]fftfHf<fg f] [f“,ìŸ'è,ª,Ä,«,Ü,·B]fftfHf<fg f] [f“,Æ,í□A] [f“,ªŽw'è,³,ê,Ä,ç
,È,ç□ê□‡,É□A,·,x,Ä,ì AppleTalk fffofCfX,Ä•Žì,³,ê,é] [f“,ì,±,Æ,Ä,·B

f] [f““î•ñ,đŸ'è,·,é,É,í

- ŽŸ,ì]fv]vf]f“, ©,ç'ì,Ñ,Ü,·B
[V,μ,ç] [f“] , ,æ,Ñ [‘Ç%Á] f{f^f“
[V,μ,ç] [f“] f{fbfNfX,É-¼'O,đ“ü—í,μ,Ä□A[‘Ç%Á] f{f^f“,đfNfŠfbfN,μ,Ü,·B[V,μ,ç] [f“,ª
[f] [f“^ê—], É'Ç%Á,³,ê,Ü,·
- [f] [f“^ê—]**
□íœ,·,é, ©□A,Ü,½,ìfftfHf<fg,Æ,μ,ÄŸ'è,·,é 1 ,Ä,Ü,½,í•□”,ì] [f“,đ'ì'đ,μ,Ü,·B
[□íœ] ,Æ [,·,x,Ä□íœ] f{f^f“
[f] [f“^ê—], Ä'ì'đ,μ,½] [f“,đ□íœ,μ,Ü,·B[.,·,x,Ä□íœ] f{f^f“,đfNfŠfbfN,·,é,Æ□A[f] [f“^ê—]
,ì,·,x,Ä,ì] [f“,ª□íœ,³,ê,Ü,·B
- [f] [f“,ìŽæ“¾] f{f^f“**
f]bfgf[fN] ä,ì] [f“,ìCE»Ÿ,ì□ó'Ô,đŸ'è,μ,Ü,·B
[“o~^] f{f^f“
[f] [f“^ê—], Ä'ì'đ,μ,½] [f“,đ□A]f]bfgf[fN,ì□V,μ,çfftfHf<fg f] [f“,Æ,μ,ÄŽw'è,μ,Ü,·B
- [OK] f{f^f“,đfNfŠfbfN,μ,Ä□A] ä<L,ì•ì□X,đŽó,“ü,è,Ü,·B
f]bfgf[fN] ä,ì,Ü,©,ì] [f] [fU□,É•ì□X“à—e,ª•\Žì,³,ê,é,æ,x,É□A] AppleTalk
f]bfgf[fN] f<,đ□Ä<N“® ,μ,È, ,ê,î,È,è,Ü,¹,ñB

[Macintosh fAfNfZfX%Å"vf{fŠf...[f€,ìòì-]

,±,ìf_cfAf□fO f{fbfNfX,í□AfT□[fo□[f}f□[fWff,©,çffBfCEfNfgfŠ,ð Macintosh fAfNfZfX%Å"vf{fŠf...[f€
,Æ,μ,Äžw'è,·,é,½,ß,Éžg,ç,Ü,·□BžY,É□A,±,ìf_cfAf□fO f{fbfNfX,ìfìfvfVf#f",É,Ä,ç,Ä□à-¾,μ,Ü,·□B

[f{fŠf...[f€-¼]

ffftfHf<fg,íffBfCEfNfgfŠ-¼,Æ"~,¶,Ä,·,ª□AMacintosh ft□[fU□[,É'í,μ,Ä•É,ì-¼'O,ª•ž! ,³,è,é,æ,α
,É•í□X,Ä,«,Ü,·□B-¼'O,Í 27 •¶žŠ^È"à,Ä,·□B

[fpfX]

Macintosh fAfNfZfX%Å"vf{fŠf...[f€,Æ,μ,Äžw'è,·,éffBfCEfNfgfŠ,ìfhf%ofCfu-¼,ÆfpfX□BfpfX,í□Af{fŠf...
□[f€,ª,·,éft□[fo□[,É'í,μ,Äf□□[ff<,Ä,È,~,é,í,É,è,Ü,¹,ñ□B

[fpfXf□□[fh]

f{fŠf...□[f€,ðžg,α,½,ß,Éft□[fU□[,ª"ü—í,μ,È,~,é,í,É,ç,È,çfpfXf□□[fh,ð"ü—í,μ,Ü,·□B

[fpfXf□□[fhÄ"ü—í]

,à,α^è"xfpfXf□□[fh,ð"ü—í,μ,Ä□A□Ä□%o,É"ü—í,μ,½fpfXf□□[fh,ª³,μ,ç,±,Æ,ðŠm"F,μ,Ü,·□B

[,±,ìf{fŠf...[f€,í"Ç,Ýžæ,è□ê—p]

,±,ìf{fŠf...□[f€,Æ,»,ì,·,×,Ä,ì"à—e,í□A"Ç,Ýžæ,è□ê—p,É,È,è,Ü,·□B,±,ìfìfvfVf#f",í□A[fAfNfZfXCE]
f{f^f",ðžg,Ä,ÄY"è,μ,½ffBfCEfNfgfŠ,ì,·,×,Ä,ìfAfNfZfXCE ,æ,è—D□æ,³,è,Ü,·□B,Ä,Ü,è□A,±,ìf{fŠf...□[f€
,ð"Ç,Ýžæ,è□ê—p,É,·,é,Æ□Aftf@fCf<,ì"Ç,Ýžæ,è^ÈŠO,ìfAfNfZfXCE ,ªY"è,³,è,½,Æ,μ,Ä,à-¾ž<,³,è,Ü,·□B

[fQfXfg,í,±,ìf{fŠf...[f€,ðžg—p%Å"v]

fQfXfg,í□A,±,ìf{fŠf...□[f€,ÉfAfNfZfX,Ä,«,Ü,·□B,±,ìfìfvfVf#f",ðfìft,É,·,é,Æ□A,±,ìf{fŠf...□[f€
,ìfQfXfg,É'í,μ,Ä•ž! ,³,è,È,,È,è,Ü,·□B

[ft□[fU□□[šCEÀ]

,±,ì Macintosh fAfNfZfX%Å"vf{fŠf...□[f€,ð"žž,Éf}fEfg,Ä,«,éNf%ofCfAf"fg,ì□"□BffftfHf<fg,í [-³□[šCEÀ]
fìfvfVf#f" f{f^f",ª'ì,é,Ä,ç,Ü,·,ª□A[□Ä'âft□[fU□□["] f{fbfNfX,É□[šCEÀ□",ð"ü—í,μ,Ä□Ä'â□",ðžw'è,Ä,«,Ü,·□B

[fAfNfZfXCE] f{f^f"

[Macintosh fffBfCEfNfgfŠ fAfNfZfXCE ,ì•ž!] f_cfAf□fO f{fbfNfX,ª•ž! ,³,è,Ü,·□B

[Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì\Ž!/\iX]

,±,ìf_cfAf□fO f{fbfNfX,íAMacintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—,ð•\Ž!,μ,ÄA'l'ð,μ,½f{fŠf...[f€
([î•ñ,ì•ïX] f{f^f“,ðfNfŠfbfN,μ,Ä) ,ìC□³,ÉŽg,ç,Ü,·□BŽÿ,ÉA,±,ìf_cfAf□fO f{fbfNfX,ìŠeflfvfvf#f“,É,Ä,ç
,Äà-¾,μ,Ü,·□B

[f{fŠf...[f€] ^è—

Windows NT Server ,ðŽÄ□s,·,éfrf“fsf...[f^□ã,ì Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—□Bf{fŠf...
[f€,ð□C□³,·,é,É,íA,»,è,ð,±,ì^è—,©,ç'l'ð,μ,ÄA[î•ñ,ì•ïX] f{f^f“,ðfNfŠfbfN,μ,Ü,·□B

[î•ñ,ì•ïX] f{f^f“

[Macintosh f{fŠf...[f€,ìî•ñ] f_cfAf□fO f{fbfNfX,ð•\Ž!,³,è,Ü,·□B

[Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€i•ñ]

,±,lf_cCfAf□fO f{fbfNfX,Å□AMacintosh fAfNfZfX%oÅ"vf{fŠf...[f€,ìi•ñ,ðŽw'è,μ,Ü,·□BŽŸ,É□A,±
,lf_cCfAf□fO f{fbfNfX,ìŠeflfvfVf#f" ,É,Å,ç,Ä□à-¾,μ,Ü,·□B

[f{fŠf...[f€-¼]

□□-Žž,Éf{fŠf...[f€,É-^,!,½-¼'O□B

[fpfX]

Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€,Æ,μ,ÄŽw'è,·éfffBfCEfNfgfŠ fpfX,Æ" ,¶,Å,·□B

[fpfXf□□[fh]

f{fŠf...[f€,ðŽg,π,½,β,Éft□[fU□[,ª"ü-í,μ,È, ,ê,Î,È,ç,È,çfpfXf□□[fh,ð"ü-í,μ,Ü,·□B

[fpfXf□□[fh"ü-í]

,à,π^è"xfpfXf□□[fh,ð"ü-í,μ,Ä□A□Å%o,É"ü-í,μ,½fpfXf□□[fh,ª³,μ,ç,±,Æ,ðŠm" F,μ,Ü,·□B

[,±,lf{fŠf...[f€,í"Ç,YŽæ,è□é-p]

,±,lf{fŠf...[f€,Æ,»,ì,·,×,Ä,ì"à-e,í□A"Ç,YŽæ,è□é-p,É,È,è,Ü,·□B,±,ìflvfVf#f" ,í□A[fAfNfZfXCE]
f{f^f" ,ðŽg,Å,ÄŸ"è,μ,½,·,×,Ä,ìfffBfCEfNfgfŠ,lfAfNfZfXCE ,æ,è-D□æ,³,è,Ü,·□B,Å,Ü,è□A,±,lf{fŠf...[f€
,ð"Ç,YŽæ,è□é-p,É,·,é,Æ□Aftf@fCf<,ì"Ç,YŽæ,è^ÈŠO,lfAfNfZfXCE ,ªfffBfCEfNfgfŠ,ÉŸ"è,³,è,Ä,ç
,½,Æ,μ,Ä,à-¾Ž<,³,è,Ü,·□B

[fQfXfg,í,±,lf{fŠf...[f€,ðŽg-p%oÅ"v]

fQfXfg,í□A,±,lf{fŠf...[f€,ÉfAfNfZfX,Å,«,Ü,·□B,±,ìflvfVf#f" ,ðflft,É,·,é,Æ□A,±,lf{fŠf...[f€
,lfQfXfg,É'í,μ,Ä·Ž!,³,è,Ü,¹,ñ□B

[ft□[fU□□\$CEÀ]

,±,ì Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€,ð"Žž,Éf}fEf"fg,Å,«,éNf%oCfAf"fg,ì□"□BffftfHf<fg,í [-³\$CEÀ]
flvfVf#f" f{f^f" ,ª! ,î,ê,Ä,ç,Ü,·,ª□A[□Å'âft□[fU□□"] f{fbfNfX,É□\$CEÀ□" ,ð"ü-
í,·,é,Æ□Å'â□" ,ªŽw'è,Å,«,Ü,·□B

[fAfNfZfXCE] f{f^f"

[Macintosh fffBfCEfNfgfŠ fAfNfZfXCE ,ì·Ž!:] f_cCfAf□fO f{fbfNfX,ª·\Ž!,³,è,Ü,·□B

[Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ìííœ]

Windows NT Server ,đŽÄs, ,éfRf"fsf...[f^ã,ì Macintosh fAfNfZfX%oA"vf{fŠf...[f€,ì^è—,ª•\
Ž,ª,êA,» ,ê,đííœ,Å,« ,Ü, ·Bííœ,µ,Ä, àA,» ,ê,É'í%ož, ,éfffBfCfNfgfŠ,Ü,½,í,» ,ì"à—e,ªííœ,ª,ê,é,í, ,Å,í,
,è,Ü,¹,ñB,» ,ìf{fŠf...[f€,đ Macintosh ftííUí,ªŽg,ì,È,,É,é,¾, , ,Å, ·B

1. ííœ, ,éf{fŠf...[f€,đ'í'đ,µ,ÄA[OK] f{f^f" ,đfNfŠfbfN,µ,Ü, ·B
ftííUí,ªí'±,ª,ê,Ä,ç, ééé,íAftííUí,ªf{fŠf...[f€,đŽg—p't,Å, ,é,±,Æ,đŽ!, ·fbfZííW,ª•\
Ž,ª,ê,Ü, ·Bftíífo[f}fíííWff,Å [MacFile] fííí...[.ì [fbfZííW,ì'—M] fRf}f"fh,đŽg,ª,ÆA,±
,é,ç,ìftííUí,É'í,µ,ÄAf{fŠf...[f€,đííœ, ,é^ÓŽu,ì, ,é,±,Æ,đ'É'm,Å,« ,Ü, ·B
2. ftííUí,ªí'±,µ,Ä,ç,È, ,é,íA[.í,ç] f{f^f" ,đfNfŠfbfN,µ,ÄAf{fŠf...[f€,ìííœ,đŠm" F,µ,Ü, ·B

[Macintosh fffBfCefNfgfŠ fAfNfZfXCE ,i\Ž!]

,±,lf_cCfAf□fO f{fbfNfX,Ā,í□AMacintosh
•úŽ@,lfAfNfZfXCE ,ðŽg,ç□AfffBfCefNfgfŠ,lfAfNfZfXCE ,ðŽw'è,Ā,«,Ü,·□B,±,lf_cCfAf□fO
f{fbfNfX,©,çfAfNfZfXCE ,ðŸ'è,·,é,ì,í□A[fzfLf...fŠfefB] f□ffj...□[,ì [fAfNfZfXCE]
fRf}f“fh,ð'í,Ô,ì,Ā“~,ŋ,Ā,·□B,Ā,Ü,è□AfffBfCefNfgfŠ,lfAfNfZfXCE ,ðŸ'è,·,é,É,í□A[fzfLf...fŠfefB] f□ffj...
□[,ð'í,Ô•ú-@□A[MacFile] f□ffj...□[,ð'í,Ô•ú-@□A,Ü,½,í Macintosh Ž©'í,ðŽg,«•ú-@,ª, ,è,Ü,·□B,±
,é,ç,í□AMacintosh ft□[fRfX,É,æ,Ā,Ā Windows NT Server ,ðŽĀ□s,·,éRf“fsf...
□[f^□ā,lfAfNfZfXCE ,É•iŠ,³,è,Ü,·□BŽŸ,É□ASeflfvfVfjf“,É,Ā,ç,Ā□à-¾,µ,Ü,·□B

[□Š—LŽÒ]

fffBfCefNfgfŠ (Macintosh fAfNfZfX%Ā“f{fŠf...□[f€,,Æ,µ,ĀŽw'è,Ā,«,éfffBfCefNfgfŠ) ,i□Š—LŽÒ□B,±
,é,í□A[fzfLf...fŠfefB] f□ffj...□[,ì [fAfNfZfXCE] fRf}f“fh,ð'í,ñ,¾,Æ,«,É•Ž!,³,è,é□Š—LŽÒ,Ā“~,ŋ,Ā,·□B,±,ì
[□Š—LŽÒ] ^è—,ì%É“ª,ì [...] f{f^f“,ðfNfšfbfN,·,é,Ā□A[□Š—LŽÒ] f_cCfAf□fO f{fbfNfX,ª•Ž!,³,è,Ü,·□B

[fvf%□Cf}fŠ fOf<□[fv]

fffBfCefNfgfŠ,ÉŠÖ~A•t,~,ç,è,½fOf<□[fv□B□Š—LŽÒ,ªfffBfCefNfgfŠ (,Ü,½,íftfHf<f_) ,ð□□~,·,é,Ā□A,» ,i□Š—
LŽÒ,lfvf%□Cf}fŠ fOf<□[fv,ífffBfCefNfgfŠ,lfvf%□Cf}fŠ fOf<□[fv,Æ,µ,ĀŸ'è,³,è,Ü,·□B,±,ìf{fvVfjf“,ì
%œ<¿,ðŽó,~,é,ì,í□AMacintosh ft□[fU□[,¾,~,Ā,·□B

[‘S^ō]

fQxfJfg,ðŠÜ,ß□AWindows NT Server ,ðŽĀ□s,·,éRf“fsf...□[f^□ā,ì,·,x,Ā,ìft□[fU□□□B

[ftf@fCf<,ðC©,é]

□Š—LŽÒ□Afvf%□Cf}fŠ fOf<□[fv□A,Ü,½,íft□[fU□[‘S^ō,ª□A,±,ìfffBfCefNfgfŠ (,Ü,½,íftfHf<f_) ,ìftf@fCf<,ð•\
Ž!,µ□AŠJ,~,é,æ,ª,É,µ,Ü,·□B

[ftfHf<f_,ðC©,é]

□Š—LŽÒ□Afvf%□Cf}fŠ fOf<□[fv□A,Ü,½,íft□[fU□[‘S^ō,ª□A,±,ìfffBfCefNfgfŠ (,Ü,½,íftfHf<f_) ,ìfffBfCefNfgfŠ
(,Ü,½,íftfHf<f_) ,ð•Ž!,µ□AŠJ,~,é,æ,ª,É,µ,Ü,·□B

[“à—e•i□X]

□Š—LŽÒ□Afvf%□Cf}fŠ fOf<□[fv□A,Ü,½,íft□[fU□[‘S^ō,ª□Aftf@fCf<,ÆfffBfCefNfgfŠ (ftfHf<f_) ,ì'Ç
%Ā,Ü,½,í□[œ□A,±,ìfffBfCefNfgfŠ (ftfHf<f_) ,ìftf@fCf<,i•i□X“à—e,ì•Ü'ŋ,ª,Ā,«,é,æ,ª,É,µ,Ü,·□B

[ftfufffBfCefNfgfŠ fAfNfZfXCE ,i•i□X]

Ÿ'è,µ,½fAfNfZfXCE ,ð□A,±,ìfffBfCefNfgfŠ (f{fŠf...□[f€,Ü,½,íftfHf<f_) ,ì,·,x,Ā,ìfffBfCefNfgfŠ
(,Ü,½,íftfHf<f_) ,ÉfRfs□[,µ,Ü,·□B

□ufhf□fbfv ftfHf<f_□v,lfAfNfZfXCE (fffBfCefNfgfŠ,Ü,½,íftfHf<f_ ,i“à—e•i□X,¾,~,ð□s,ª,±,Ā,ì,Ā,«,é
Macintosh ft□[fU□[,lfAfNfZfXCE) ,ðŸ'è,·,é□é□±,í□A“Ā,É,±,ìf“fFfbfN f{fbfNfX,ðŽg,ª,±,Ā,ª□d—
v,Ā,·□Bhf□fbfv ftfHf<f_ ,ì%œ^É,ìšeffBfCefNfgfŠ (Šù'ŋ,ì,Ü,½,í'Ç%Ā,³,è,½fffBfCefNfgfŠ,ì,C,¿,ç,©)
,É,à□A^èŠŇ,µ,½fAfNfZfX,ª,Ā,«,é,æ,ª,É□ufhf□fbfv ftfHf<f_□vAfNfZfXCE ,ª—^,ì,ç,è,Ā,ç
,É,~,é,ì,É,è,Ü,¹,ñ□B'c□æfAfNfZfXCE ,ðŽg—p,·,é Macintosh fRf“fsf...□[f^,Ā^Ü,É,è□ASFm f{fŠf...□[f€
,ìfffBfCefNfgfŠ□ā,ÉŸ'è,³,è,½fAfNfZfXCE ,í□A,» ,ìfffBfCefNfgfŠ,ì“à—e,ì,Ÿ,É“K—p,³,è,Ü,·□B

[fffBfCefNfgfŠ,ì^Ÿ @□A□[œ□A-¼'Ÿ•i□X,ì<ÖŽ~]

ft[fU[.afffBfCefNfgfŠ (f{fŠf...[f€) ,Ü,½,ÍTfufffBfCefNfgfŠ (ftfHf<f_) ,ì^Ú“®[A-
¼'O,ì•ï[X[A,Ü,½,íí[œ,ª,Å,<È,ç,æ,α,É,μ,Ü,·[B

[MacFile ĩ•ñ]

,±,ĭf_cfAf□fO f{fbfNfX,Ā□A,·,×,Ä,ĭ Macintosh fAfNfZfX%oĀ"vf{fŠf...□f€
,ĭĩ•ñ,ĭŽQ□Æ□A•ĭ□X,^a,Ā,«,Ü,·□B□EĀ□X,ĭf{fŠf...□f€,ĭĩ•ñ,ĭ□Aftf@fCf< f}fĭ□[fWff,ĭ [MacFile] f□fjf...□[,ĭ
[f{fŠf...□f€,ĭ•\Ž!/\•ĭ□X] fRf}f"fh,Ā□Y'è,Ā,«,Ü,·□BŽŸ,É□AŠefĭfvVf†f",É,Ā,č,Ā□à-¾,μ,Ü,·□B

[AppleTalk fzfbfVf†f"]

Windows NT Server ,ðŽĀ□s,·,éfrf"fsf...□f^,Éf□fOfĭf",·,é Macintosh fNf%ofCfAf"fg,ĭ□"□B

[Š], ©, é, Ā, č, éftf@fCf<]

Š],č,Ā,č,éftf@fCf< ftjH□[fN,ĭ□" (Ž'Ā¹,Āff□[f^,ĭ'g,Ÿ□#,ĭ,¹)□B

[f□fbfN,³,é,½ftf@fCf<]

Š],č,Ā,č,éftf@fCf< ftjH□[fN,É, ©, ©,Ā,Ā,č,éftf@fbfN,ĭ□"□B

[ft□[fU□□]

[Macintosh ft□[fU□□] f_cfAf□fO f{fbfNfX,^a•\Ž!,³,é,Ü,·□B

[f{fŠf...□f€]

[Macintosh fAfNfZfX%oĀ"vf{fŠf...□f€] f_cfAf□fO f{fbfNfX,^a•\Ž!,³,é,Ü,·□B

[ftf@fCf<]

[Macintosh ft□[fU□□,·fĭ□[fvf""t,ĭftf@fCf<] f_cfAf□fO f{fbfNfX,^a•\Ž!,³,é,Ü,·□B

[‘@□<]

[MacFile ‘@□<] f_cfAf□fO f{fbfNfX,^a•\Ž!,³,é,Ü,·□B

[Macintosh ft[fU[]]

,±,lf_cCfAf[]fO f{fbfNfX,É,íA'í'ð,μ,½ Macintosh fAfNfZfX%oÂ"vf{fŠf...[]f€,ÉÚ'±,μ,Ä,ç,é
éCE»Ý,íft[]fU[][,í^è—,ª•\Ž!,³,è,Ü,·BŽŸ,ÉAŠeflfvJvf+f",É,Ä,ç,Äà-¾,μ,Ü,·B

[ft[]fU[][-¼]

Windows NT Server ,ðŽÀ[]s,·,éRf"fsf...[]f^,Éf[]OfIf",μ,Ä,ç,é Macintosh ft[]fU[][,í^è—B,±,í^è—
,©,çft[]fU[][,ð'í'ð,Ä,«,Ü,·B

[fRf"fsf...[]f^-¼]

Še Macintosh ft[]fU[][,lfRf"fsf...[]f^-¼B

[fi[]fvf"]

Šeft[]fU[][-p,ÉŠ],ç,Ä,ç,éftf@fCf< ftfH[]fN,í[]B

[Ce%oBŽžŠÔ]

Šeft[]fU[][,ªCE»Ý Windows NT Server ,ðŽÀ[]s,·,éRf"fsf...[]f^,Éf[]OfIf",μ,Ä,ç,éŽžŠÔB

[Ú'±'t,íft[]fU[]]

Windows NT Server ,ðŽÀ[]s,·,éRf"fsf...[]f^,Éf[]OfIf",μ,Ä,ç,é Macintosh ft[]fU[][,í±CEv[]B

[f{fŠf...[]f€-¼]

Windows NT Server ,ðŽÀ[]s,·,éRf"fsf...[]f^[]ä,ì Macintosh fAfNfZfX%oÂ"vf{fŠf...[]f€,í^è—B

[fi[]fvf"]

Šef{fŠf...[]f€[]ä,ÄŠ],ç,Ä,ç,éftf@fCf< ftfH[]fN,í[]B

[Ce%oBŽžŠÔ]

,±,lf{fŠf...[]f€,ª Macintosh fffXfNfgfbfv[]ä,ÄŠ],©,è,Ä,ç,éŽžŠÔB

[[]Ø'f] f{f^f"

'í'ð,μ,½ft[]fU[][,ª Macintosh fAfNfZfX%oÂ"vf{fŠf...[]f€,©,ç[]Ø'f,³,è,Ü,·B

[,·,×,Ä[]Ø'f] f{f^f"

ft[]fU[]['S^ð,ªÚ'±,μ,Ä,ç,é Macintosh fAfNfZfX%oÂ"vf{fŠf...[]f€,©,ç[]Ø'f,³,è,Ü,·B

[f[]fbfZ[]fW,í'—[]M]

[f[]fbfZ[]fW,í'—[]M] f_cCfAf[]fO f{fbfNfX,ª•\Ž!,³,è,Ü,·B,±,lf_cCfAf[]fO
f{fbfNfX,©,ç[]A'í'ð,μ,½ft[]fU[][]A,Ü,½,í Windows NT Server ,ðŽÀ[]s,·,éRf"fsf...[]f^,ì Macintosh
ft[]fU[]['S^ð,Éf[]fbfZ[]fW,ð'—[]M,Ä,«,Ü,·Bf[]fbfZ[]fW,í[]Ä'· 4 []s,Ü,Ä"ü—í,Ä,«,Ü,·B

[Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€]

,±,lf_fCfAf□fO f{fbfNfX,đŽg,æ□A'í'đ,μ,½f{fŠf...[f€,ìft□[fU□[,ì•\Ž!□A•K—
v,Ä, ,ê,î□ø'f,ª,Ä,«,Ü,·□BŽŸ,É□A,±,lf_fCfAf□fO f{fbfNfX,ìŠeflfvfvf#f",É,Ä,ç,Ä□à-¾,μ,Ü,·□B

[f{fŠf...[f€-¾]

Windows NT Server ,đŽÄ□s,·,éfrf"fsf...[f^□ã,ì Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€,ì^è——□B

[Žg—p]

,±,lf{fŠf...[f€,ªfffXfNfgfbfv□ã,ÉCE»□Ýf})fEf"fg,³,ê,Ä,ç,é%oñ□"□B

[fpfX]

Macintosh fAfNfZfX%oÅ"vf{fŠf...[f€,ìfffBfCEfNfgfŠ fpfX□B

[ft□[fU□[-¾]

'í'đ,μ,½f{fŠf...[f€,ÉCE»□Ý□Ú'±,μ,Ä,ç,éft□[fU□□B

[ŽžŠÔ]

'í'đ,μ,½f{fŠf...[f€,ÉŠeft□[fU□[,ª□Ú'±,μ,Ä,ç,éŽžŠÔ□",Æ•ª□"□B

[Žg—p't]

[,í,ç] ,Ü,½,í [,ç,ç,;] ,ª•\Ž!,³,ê□Af{fŠf...[f€,ªŽg—p't,©,Ç,æ,©,đŽ!,μ,Ü,·□B

[□Ú'±'t,ìft□[fU□□]

'í'đ,μ,½f{fŠf...[f€,Éf□fOfif",μ,Ä,ç,é Macintosh ft□[fU□[,ì□±CEv□"□B

[□ø'f] f{f^f"

'í'đ,μ,½ft□[fU□[,đ'í'đ,μ,½f{fŠf...[f€,©,ç□ø'f,μ,Ü,·□B

[,·,×,Ä□ø'f] f{f^f"

'í'đ,μ,½f{fŠf...[f€,©,çft□[fU□['S^đ,đ□ø'f,μ,Ü,·□B

[Macintosh fAfnfzfX%oA"vf{fŠf...[f€]

,±,lf_cCfAf□fO f{fbfNfX,í□Aftf@fCf< f}fí□[fWff,©,ç—~—p,Á,«,é [f{fŠf...[f€,ì•\Ž!•ï□X] f_cCfAf□fO
f{fbfNfX,ÉŽ—,Ä,ç,Ü,·□B,½,¾,μ□A,±,lf_cCfAf□fO f{fbfNfX,©,ç,í□Aftf{fŠf...[f€
,ì□ì□—□A□í□œ,Æ'í'ð,μ,½f{fŠf...[f€,ì□î•ñ,ì•ï□X,ª,Á,«,Ü,·□B

[f{fŠf...[f€-¼]

Windows NT Server ,ðŽÀ□s,·,éfrf“fsf...[f^□ä,lf{fŠf...[f€-¼,Æ,»,lfpfX,ª•\Ž!³,è,Ü,·□B-
¼'0,ðfNfŠfbfN,μ,Ä 1 ,Á'í'ð,μ,Ü,·□B

[f{fŠf...[f€,ì□ì□—] f{f^f“

,±,lf{f^f“,ðfNfŠfbfN,·,é,Æ□A□ê—p,ì [fwf<fv] f{f^f“,ª,Á,ç,½ [Macintosh fAfnfzfX%oA"vf{fŠf...[f€,ì□ì□—]
f_cCfAf□fO f{fbfNfX,ª•\Ž!³,è,Ü,·□B

[□î•ñ,ì•ï□X] f{f^f“

,±,lf{f^f“,ðfNfŠfbfN,·,é,Æ□A□ê—p,ì [fwf<fv] f{f^f“,ª,Á,ç,½ [Macintosh fAfnfzfX%oA"vf{fŠf...[f€,ì□î•ñ]
f_cCfAf□fO f{fbfNfX,ª•\Ž!³,è,Ü,·□B

[f{fŠf...[f€,ì□í□œ] f{f^f“

,±,lf{f^f“,ðfNfŠfbfN,·,é,Æ□A'í'ð,μ,½ Macintosh fAfnfzfX%oA"vf{fŠf...[f€
,ª□í□œ,³,è,Ü,·□B□í□œ,μ,Ä,à□AWindows NT Server ,ðŽÀ□s,·,éfrf“fsf...[f^□ä,Á'í
%ž,·,éfffBfCfNfgfŠ,Æ“à—e,ª□í□œ,³,è,é,í,·,Á,Í, ,è,Ü,¹,ñ□B,»,lf{fŠf...[f€,ð Macintosh ft□[fU□[ª—~—
p,Á,«,È,,È,é,¾,·,Ä,·□B

[Macintosh ft[fU[,afi[fvf""t,lftf@fCf<]

,±,lf_fCfAf□fO f{fbfNfX,É,íAWindows NT Server ,ðŽÄ□s,; ,éfRf“fsf...□[f^ ,É□Ú’±,μ,Ä,ç,é Macintosh fNf %ofCfAf“fg□ä,ÅŠJ,©,ê,Ä,ç,é□A,; ,x,Ä,ìŽ‘CE¹,Æff□[f^ ftfH□[fN,ª^ê—•\ Ž!,³,ê,Ü,·□BŽŸ,É□AŠeflfvfVftf“ ,É,Ä,ç,Ä□à-¾,μ,Ü,·□B

[ŠJ,©,ê,Ä,ç,éftf@fCf< ftfH□[fN]

ŠJ,ç,Ä,ç,éff□[f^ ,; ,æ,ÑŽ‘CE¹ftfH□[fN,ì□WCEvjfEf“fg□B

[f□fbfN]

Macintosh fAfNfZfX%oÄ“\f{fŠf...□[f€,lftf@fCf< ftfH□[fN,É,©,©,Ä,Ä,ç ,é,; ,x,Ä,ì□fbfN,ì□#CEvjfEf“fg□Bf□fbfN,³,ê,Ä,ç ,é,Æ□A•;□” ,lft□[fU□[,ª“ ,lftfH□[fN,É“~Žž,ÉfAfNfZfX,Ä,«,,È,,è,è,Ü,·□B

[ft□[fU□[]

ftf@fCf< ftfH□[fN,ðŠJ,ç,½ Macintosh ft□[fU□[□B

[fAfNfZfXCE]

fAfNfZfXCE ,ì□W□# (“Ç,ÝŽæ,è/□’,«□ž,Ý,È,Ç)□B,±,ê,ç,í□AWindows NT •ûŽ® ,lfAfNfZfXCE ,Æ,μ,Ä•\ Ž!,³,ê,Ü,·□B

[f□fbfN]

ftfH□[fN□ä,lf□fbfN,ì□”□B

[fpfX]

ftf@fCf<,lfffBfCEfNfgfŠ fpfX□B

[□Ä□V,ì□î•ñ,É□X□V] f{f^f“

^ê—,ª□X□V,³,ê□AftfH□[fN,Æf□fbfN,lfjEf“fg,ª□ÄCEvŽŽ,³,ê,Ü,·□B

[ftfH□[fN,ð•Ä,¶,é] f{f^f“

‘l’ð,μ,½ftf@fCf<,ð•Ä,¶,Ü,·□B

[, ,x,Ä,ìftfH□[fN,ð•Ä,¶,é] f{f^f“

Windows NT Server ,ðŽÄ□s,; ,éfRf“fsf...□[f^□ä,ì,; ,x,Ä,ì Macintosh fAfNfZfX%oÄ“\f{fŠf...□[f€,ð•Ä,¶,Ü,·□B

[MacFile '©<]

,±,lf_fCfAf_fO f{fbfNfX,Á,íAMacintosh ftf@fCf< fT[fO[.l]Y'è,ª,Á,«,Ü,·BŽŸ,ÉA,±,lf_fCfAf_fO f{fbfNfX,ìSeflvfVf#f",É,Á,ç,Äà-¾,µ,Ü,·B

[AppleTalk f[fNfXfe[fVf#f",É'í,·,éfT[fO[-¾] ,",æ,Ñ [·ïX] f{f^f"

Macintosh ft[fU[.É·\Žl,³,è,é Windows NT Server ,ðŽÀ[s,·,éfRf"fsf...[f^,l-¼'O,ª·\Žl,³,è,Ü,·B[·ïX] f{f^f",ðNfŠfbfN,·,é,ÆA,±,l-¼'O,ð·ïX,Á,«,Ü,·B,±,l·ïX,ð—LCEø,É,·,é,É,íAMacintosh ftf@fCf< fT[fO[.ðÄ<N" @,µ,È,¯,ê,î,È,è,Ü,¹,ñB

[f[fOfIf"ŽžfbfZ[fW]

Macintosh ft[fU[.ª Windows NT Server ,ðŽÀ[s,·,éfRf"fsf...[f^,Éf[fOfIf",·,é,Æ,«,É·\ Žl,³,è,éfbfbfZ[fW[BfbfbfZ[fW,íÁ'· 4 [s,Ü,Á,lfefLfxfg,ð"ü—í,Á,«,Ü,·B

[fQfXfg,lf[fOfIf",ð<-‰Á]

ft[fU[fAfjEf"fg,ÆfpfXf[fh,ð,à,Á,Ä,ç,È,çft[fU[.ªAAAppleTalk flfbfgf[fN,ÉÜ'±,³,è,Ä,ç,é Macintosh ,©,ç Windows NT Server ,ðŽÀ[s,·,éfRf"fsf...[f^,Éf[fOfIf",Á,«,é,æ,æ,É,µ,Ü,·B

[f[fNfXfe[fVf#f",ÉfpfXf[fh·ïX,ð<-‰Á]

Macintosh ft[fU[.íAZ ©·ª,lpfXf[fh,ðŽ ©·ª,lpfRf"fsf...[f^,É·U'¶,Á,«,Ü,·B,½,¾,µA,±,è,É,æ,è Windows NT Server ,ðŽÀ[s,·,éfRf"fsf...[f^,lfZfLf...fŠfefB,ª'á‰º,µ,Ü,·B

[Microsoft "FØ,ª·K—v]

Macintosh ft[fU[.íAMicrosoft "FØf,fWf...[f< (MS UAM) ,ðŽg,Á,Äf[fOfIf",·,é·K—v,ª, ,è,Ü,·B

[fZfbfVf#f"] [-³\$CEÀ]

Windows NT Server ,ðŽÀ[s,·,éfRf"fsf...[f^,É-³CEÀ,lfNf%ofCfAf"fg,ª"~Žž,ÉÜ'±,Á,«,é,æ,æ,É,È,è,Ü,· (" ,lffbfgf[fN ffffBfA,É,¾,¯\$CEÀ,³,è,Ü,·)B

[fZfbfVf#f"] [\$CEÀ]

Windows NT Server ,ðŽÀ[s,·,éfRf"fsf... [f^,Ö,ì"~ŽžÜ'±" ,ð\$CEÀ,µ,Ü,·B" ,ð\$CEÀ,·,é,ÆAfpftfH[f}f"fx,ª‰ü'P,³,è,Ü,·B

[AppleTalk f...[fNfXfe...[fVf#f“ ,É’í,.,éfT...[fo...[-¼]

[fT...[fo...[-¼] f{fbfNfX,ÉAMacintosh fT...[frfX,Æ,Æ,à,É Windows NT Server ,ðŽÀ...s,.,éfRf“fsf...
...[f^,ìV,μ,ç-¼’O,ð“ü—í,μ,Û,·B-¼’O,í 31 •¶Žš^È“à,Å,·B,±,ê,íAAppleTalk flfbfgf...[fN,ÉÚ’±,μ,Ä,ç,é
Macintosh ft...[fU...[,É’í,μ,Ä•\Ž{,³,ê,é-¼’O,Å,·B

[Š—LŽÒ (,Ü,½,Ífvf%ofCf)}fŠ fOf<[fv]

,±,Íf_cfAf□fO f{fbfNfX,ðŽg,æ,Æ□A'í'ð,µ,½fffBfCEfNfgfŠ (ftfHf<f_) ,ì□V,µ,ç□Š—LŽÒ,Ü,½,Ífvf%ofCf)}fŠ fOf<[fv,ðŽw'è,Å,«,Ü,·□B

[fRf“fsf...[f^~¼]

,±,ì Windows NT Server ,ðŽÀ□s, ,éfRf“fsf...[f^ ,á'® , ,éfhf□fCf“ ,Æ□A,» ,Ífhf□fCf“ ,áfAfNfZfX,Å,« ,é□M—ŠŠÖÆW,ì , ,é, ,x,Ä,Ífhf□fCf“ ,á•\Ž!, ,é,Ü,·□B

[~¼'Ö]

'í'ð,µ,½fhf□fCf“□ä,ÍfOf<[fv,Æft□[fU□[fAfjEf“fg,ì~¼'Ö□B,±,Íf{fbfNfX,©,ç□AfffBfCEfNfgfŠ (ftfHf<f_) ,ì□V,µ,ç□Š—LŽÒ,Ü,½,Ífvf%ofCf)}fŠ fOf<[fv,ð'í'ð,Å,«,Ü,·□B

[‘Ç%Á] f{f^f“

fAfNfZfXÇE ^ê— ,Éfvf%ofCf)}fŠ fOf<[fv,Ü,½,Í□Š—LŽÒ,ð'Ç%Á,µ,Ü,·□Bfvf%ofCf)}fŠ fOf<[fv,Ü,½,Í□Š—LŽÒ,ð'í'ð,µ,Ä□A[‘Ç%Á] f{f^f“ ,ðfNfŠfbfN,µ,Ü,·□B

[~¼'Ö,ì'Ç%Á]

fAfNfZfXÇE ^ê— ,Ífvf%ofCf)}fŠ fOf<[fv,Ü,½,Í□Š—LŽÒ,ì~¼'Ö,á•\Ž!, ,é,Ü,·□B,» ,ì~¼'Ö,ð'í'ð,µ,Ä□A[‘Ç%Á] f{f^f“ ,ðfNfŠfbfN, , ,é,Æ□A~¼'Ö,ð'Ç%Á,Å,«,Ü,·□B,Ü,½□A~¼'Ö,ð“ü—Í, , ,é•û-@,à, ,è,Ü,·□B

[f□f“fo□□]

[f□□[fj]f<] ,Ü,½,Í [fOf□□[fof< fOf<[fv,Íf□f“fo□□[f_cfAf□fO f{fbfNfX,á•\Ž!, ,é,Ü,·□B,±,Íf_cfAf□fO f{fbfNfX,©,ç□A'í'ð,µ,½fOf<[fv,Íf□f“fo□□[,í^ê— ,ð•\Ž!, ,é,±,Æ,á,Å,«,Ü,·□B

[Çÿ□ö]

[fAfjEf“fg,ìÇÿ□ö] f_cfAf□fO f{fbfNfX,á•\Ž!, ,é,Ü,·□B,±,Íf_cfAf□fO f{fbfNfX,©,ç□A'í'ð,µ,½fhf□fCf“□ä,Ü,½,Í□M—ŠŠÖÆW,ì , ,éfhf□fCf“□ä,Íft□[fU□[,Ü,½,ÍfOf<[fv,ðÇÿ□ö,Å,«,Ü,·□B

[[f]]< fOf<[fv,lf"fo[]

[Š—LŽÒ] ,Ü,½,í [fvf%ofCf}fŠ fOf<[fv] f_fCfAfO f{fbfNfX,Ä'í'ð,µ,½f[[f]]< fOf<[fv,lf"fo[],^•\ Ž,³,ê,Ü,·BWindows NT Server flfbfgf[[fN]ä,Ä,íAf[[f]]< fOf<[fv,lf"fo[],Ä, ,éfO[[f]of< fOf<[fv,^ê —,É•Ž,³,ê,Ü,·B

- ▶ ,» ,lfOf<[fv,ð [-¼'O,ì'Ç%oÁ] f{fbfNfX,ÉŠÜ,ß,é,É,íA[í'Ç%oÁ] f{f^f",ðfNfŠfbfN,µ,Ü,·B
- ▶ fOf<[fv,lf"fo[],ð•Ž,³,¹,é,É,íA,» ,lfOf<[fv,ð'í'ð,µ,ÄAf[[f"fo[] ,ðfNfŠfbfN,µ,Ü,·B

[fof][fof< fOf<[fv,lf“fo[]]

[Š—LŽÒ] ,Ü,½,í [fv%ofCf}fŠ fOf<[fv] f_CfAfO f{fbfNfX,Á'í'ð,μ,½fof[fof< fOf<[fv,lf“fo[],ª\ Ž,³,ê,Ü,·B

► ,>,lfOf<[fv,ð [-¼'O,ì'Ç%Á] f{fbfNfX,ÉŠÜ,ß,é,É,íA[Ç%Á] f{f^f“,ðfNfŠfbfN,μ,Ü,·B

[fAfj]fEf“fg,ìĀÿ□ō]

fAfNfZfXĀ ĕê—,ÉĀŠ—LŽÒ,Ü,½,ífvf%ofCf}fŠ fOf<□[fv,đ'Ç%oÁ,·,é□ê□‡,í□A,» ,ì□Š—LŽÒ,Ü,½,ífvf %ofCf}fŠ fOf<□[fv,íAfj]fEf“fg,ª“ü,Á,Ä,ċ,éfhf□fCf“,ì-¼'O,đ'm,ç,È,¯,ê,ì,È,è,Ü,¹,ň□B,±,í_fCfAf□fO f{fbfNfX,đŽg,Á,Ä□AWindows NT Server flfbfgf□□[fN□ă,Ā□AfAfj]fEf“fg,ª, ,é□ê□Š,đ'T,μ□o,μ,Ü,·□B

[ft□[fU□[,Ü,½,ífof<□[fv,ìĀÿ□ō]

fAfj]fEf“fg,đĀÿ□ō,·,éfof<□[fv,Ü,½,íft□[fU□[,ì-¼'O,đ“ü—í,μ,Ü,·□B

[,·,×,ĀĀÿ□ō]

ĕê—•Ž|,ª,ê,½,·,×,Ä,ífhf□fCf“,ĀfAfj]fEf“fg,đĀÿ□ō,μ,Ü,·□B

[□đĀĀ•t,«Āÿ□ō]

1 ,Ā,Ü,½,í•i□“,ífhf□fCf“,ĀfAfj]fEf“fg,đĀÿ□ō,μ,Ü,·□B

[Āÿ□ō] f{f^f“

fOf<□[fv,Ü,½,íft□[fU□[,ĀĀĀĀÿ□ō,·,éfhf□fCf“,đŽw'è,μ,½,ç□A[Āÿ□ō] f{f^f“,đfNfŠfbfN,μ,ĀĀÿ□ō,đŠ]Žn,μ,Ü,·□B

['Ç%oÁ] f{f^f“

[-¼'O,ì'Ç%oÁ] f{fbfNfX,Éft□[fU□[,Ü,½,ífof<□[fv,đ'Ç%oÁ,·,é,É,í□A,» ,íft□[fU□[,Ü,½,ífof<□[fv,đ [Āÿ□ōđĀĀ<%oĒ] f{fbfNfX,Ā'I'đ,μ,Ā□A['Ç%oÁ] f{f^f“,đfNfŠfbfN,μ,Ü,·□B

[ŠÖ~A•t, ,éfAfvfŠfP[fVf#f“,ìY’è]

,±,ìf_fCfAf□fO f{fbfNfX,ðŽg,æ,AMS-DOS ,ìftf@fCf<Šg’£Žq,ð Macintosh
fAfvfŠfP[fVf#f“,ìfNfŠfG□[f^,Æf^fCfv,ÉŠÖ~A•t, ,é,±,Æ,ª,Å,«,Ü,·□B,±
,é,É,æ,è□Aft□[fU□[.í□Aftf@fCf<,ð<æ—L,µ□AŠY“-.,éfAfvfŠfP“,ð,» ,ê,¼,ê,ìfVfXfef€□ã,Å•\Ž!,Å,«,Ü,·□B

[MS-DOS Šg’£Žq•t,«ftf@fCf<]

Macintosh ,ìfNfŠfG□[f^,Æf^fCfv,ÉŠÖ~A•t, ,½,çftf@fCf<Šg’£Žq,ð“ü—í, ,é,©□A,Ü,½,í’I’ð,µ,Ü,·□B

[ŠÖ~A•t, ,éfAfvfŠfP[fVf#f“,ìY’è] f{f^f“

,±,ìf{f^f“,ðfNfŠfbfN, ,é,Æ□AŽw’è,µ,½ftf@fCf<Šg’£Žq,ð□A[Macintosh •¶□’,ìfNfŠfG□[f^,Æf^fCfv]
fOf<□[f f{fbfNfX,ì’I’ð□€-Ú,ÉŠÖ~A•t, ,é,±,Æ,ª,Å,«,Ü,·□B

[Macintosh •¶□’,ìfNfŠfG□[f^,Æf^fCfv]

’I’ð,µ,½ftf@fCf<Šg’£Žq,ÉŠÖ~A•t, ,½,ç Macintosh ,ìfNfŠfG□[f^,Æf^fCfv,ð’I’ð,µ,Ü,·□B

[’Ç%oÁ] f{f^f“

,±,ìf{f^f“,ðfNfŠfbfN, ,é,Æ□AfvNfŠfG□[f^□Af^fCfv□A, ,æ,Ñ□à-¾,ð^è—,É’Ç%oÁ,Å,«,Ü,·□B

[•Ò□W] f{f^f“

,±,ìf{f^f“,ðfNfŠfbfN, ,é,Æ□A’I’ð,µ,½fNfŠfG□[f^,Æf^fCfv,É,Â,ç,Ä□A[Macintosh
•¶□’,ìfNfŠfG□[f^,Æf^fCfv] ^è—,ì□à-¾,ð•ï□X,Å,«,Ü,·□B

[□í□œ] f{f^f“

,±,ìf{f^f“,ðfNfŠfbfN, ,é,Æ□A’I’ð,µ,½fNfŠfG□[f^,Æf^fCfv,ª□í□œ,³,è,Ü,·□B

[•¶'f^fCfv,ì'Ç%Á]

Macintosh fT[frfX,íAMacintosh fAfvfŠfP[fVf#f",ìNfŠfG[f^,Æftf@fCf< (,Ü,½,í•¶')
,ìf^fCfv,æ'è<`ï,Ý,ìó'Ô,Åo%ox,³,ê,Ü,·B,±,ìf_CfAfjfo f{fbfNfX,ðŽg,æ
,ÆAfvfŠfP[fVf#f",ìNfŠfG[f^Afj@fCf<,ìf^fCfvA,¨,æ,Ñà-
¾,ðA[ŠÖ~A•t,¯,éfAfvfŠfP[fVf#f",ìÝ'è) f_CfAfjfo f{fbfNfX,ì [Macintosh ,ìfhfLf...f"fg
fNfŠfG[f^,Æf^fCfvŠÖ] fOf<[fv f{fbfNfX,É'Ç%Á,Å,«,Ü,·B,±
,ê,É,æ,èA[V,µ,çfNfŠfG[f^,Æf^fCfv,ðA[ŠÖ~A•t,¯,éfAfvfŠfP[fVf#f",ìÝ'è) f_CfAfjfo f{fbfNfX,Å MS-
DOS Šg'£Žq,ÉŠÖ~A•t,¯,é,±,Æ,ª,Å,«,Ü,·B
fNfŠfG[f^,Æftf@fCf<,ìf^fCfv,ì-¼•û,ð"ü-í,µ,È,¯,ê,î,È,è,Ü,¹,ñB

[fNfŠfG[f^]

Macintosh fAfvfŠfP[fVf#f",ÉŽg,æfNfŠfG[f^ fR[fh,ð"ü-í,·,é,©A,Ü,½,í'í'ð,µ,Ü,·B

[ftf@fCf< f^fCfv]

V,µ,çftf@fCf< (•¶') ,ìŽí-b,ð"ü-í,·,é,©A,Ü,½,í'í'ð,µ,Ü,·B

[à-¾]

,±,±,Éà-¾,ð"ü-í,·,é,ÆA,»,ìà-¾,ª [ŠÖ~A•t,¯,éfAfvfŠfP[fVf#f",ìÝ'è) f_CfAfjfo f{fbfNfX,É•\
Ž,³,ê,Ü,·B

[•¶□'f^fCfv,ì•ò□W]

[ŠÖ~A•t,~,é fAfvfŠfP□[fvf#f",ì□Ý'è] f_fCfAf□fO f{fbfNfX,É•\Ž!,³,è,éfNfŠfG□[f^,Æftf@fCf<,ìf^fCfv,ì□à-
¾,ð•i□X,Å,«,Ü,·□B

► [□à-¾] f{fbfNfX,É□V,μ,ç□à-¾,ð"ü—í,μ,Ä□A[OK] f{f^f",ðfNfŠfN,μ,Ü,·□B

[f]fbfZ[fW,ì'—M]

fT[fœ,ðø'f,;é,©A,Ü,½,íf{fŠf...[f€,ðíœ,;é'O,ÉAWindows NT Server ,ðŽÀs,;éRf"fsf...
[f^,ÉÚ'±,μ,Ä,ç,é Macintosh ft[fU[ÉfbfZ[fW,ð'—M,;é,±,Æ,ð,Š©,ß,μ,Ü,·B

[f]fbfZ[fW,ì'—M] f_fCfAfO f{fbfNfX,É"ü—Í,;é"à—e,É,æ,Á,Ä,ÍA[—Mæ] ^ê—,ª\Ž!,³,ê,é,±
,Æ,ª,è,Ü,·B,±,íf{fbfNfX,ÅA"Á"è,ì Macintosh ft[fU[,ð'I'ð,;é,©A,Ü,½,Í Windows NT Server
,ðŽÀs,;éRf"fsf...[f^,ÉÚ'±,μ,Ä,ç,é Macintosh ft[fU[('S^ð,ð'I'ð,Å,«,Ü,·B

1. [—Mæ] ^ê—,ª~—p,Å,«,éê±,ÍAfbfZ[fW,ð'—M,;éft[fU[,ð'I'ð,μ,Ü,·B
,±,íf{fbfNfX,ª~—p,Å,«,È,çê±,ÍAWindows NT Server ,ðŽÀs,;éRf"fsf...[f^,ÉÚ'±,μ,Ä,ç,é
Macintosh ft[fU[,ªfbfZ[fW,ðŽóM,μ,Ü,·B
2. [f]fbfZ[fW] f{fbfNfX,ÉAAAppleTalk flfbfgf[fNã,ÅÚ'±,μ,Ä,ç,é Macintosh ft[fU[,É'Í,μ,Ä\
Ž!,;éfbfZ[fW,ð"ü—Í,μ,Ü,·B
fbfZ[fW,ÍAÅ'· 4 s,Ü,Å"ü—Í,Å,«,Ü,·B
3. [OK] f{f^f",ðfNfŠfbfN,μ,Ü,·B

[f]fbfZ[fW,ì'—M]

fT[fœ,ðø'f,;é,©A,Ü,½,íf{fŠf...[f€,ðíœ,;é'O,ÉAWindows NT Server ,ðŽÀs,;éRf"fsf...
[f^,ÉÚ'±,μ,Ä,ç,é Macintosh ft[fU[ÉfbfZ[fW,ð'—M,;é,±,Æ,ð,Š©,ß,μ,Ü,·B

[f]fbfZ[fW,ì'—M] f_fCfAfO f{fbfNfX,É"ü—Í,;é"à—e,É,æ,Á,Ä,ÍA[—Mæ] ^ê—,ª\Ž!,³,ê,é,±
,Æ,ª,è,Ü,·B,±,íf{fbfNfX,ÁA"Á"è,ì Macintosh ft[fU[,ð'I'ð,;é,©A,Ü,½,Í Windows NT Server
,ðŽÀs,;éRf"fsf...[f^,ÉÚ'±,μ,Ä,ç,é Macintosh ft[fU[('S^ð,ð'I'ð,Á,«,Ü,·B

1. [—Mæ] ^ê—,ª—~—p,Á,«,éê±,ÍAf]fbfZ[fW,ð'—M,;éft[fU[,ð'I'ð,μ,Ü,·B
,±,íf{fbfNfX,ª—~—p,Á,«,È,çê±,ÍAWindows NT Server ,ðŽÀs,;éRf"fsf...[f^,ÉÚ'±,μ,Ä,ç,é
Macintosh ft[fU[('S^ð,ªfbfZ[fW,ðŽóM,μ,Ü,·B
2. [f]fbfZ[fW] f{fbfNfX,ÉAApleTalk flfbfgf[fNã,ÁÚ'±,μ,Ä,ç,é Macintosh ft[fU[,É'Í,μ,Ä\
Ž!,;éfbfZ[fW,ð"ü—Í,μ,Ü,·B
fbfZ[fW,ÍÁ'· 4 s,Ü,Á"ü—Í,Á,«,Ü,·B
3. [OK] f{f^f",ðfNfŠfbfN,μ,Ü,·B

[—~—p%oÂ"\",È AppleTalk fvfŠf“fg fffofCfX]

Še AppleTalk f][f“,Å—~—p,Å,«,é AppleTalk fvfŠf“fg fffofCfX,đ•\Ž!,Å,«,Ü,·□B

1. [AppleTalk fvfŠf“fg fffofCfX] ^ê—,©,ç□Af][f“,đ'!đ,μ,Ü,·□B
2. •K—v,Å, ,ê,î□Af][f“-¼,đf_fuf<fNfŠfbfN,μ,Ä□A,»,ìf][f“,ìfvfŠf“fg fffofCfX,đ•\Ž!,μ,Ü,·□B
3. fvfŠf“fg fffofCfX,đf_fuf<fNfŠfbfN,μ,Ä'!đ,μ,Ü,·□B
4. [OK] f{f^f“,đfNfŠfbfN,μ,Ü,·□B

f{fŠf...[f€,ìíœ,ðŠm”F,·,é

Macintosh fAfNfZfX%Ō”\f{fŠf...[f€,ðíœ,·,é’O,ÉAŠeft[fU[.Éf[fbfZ[fW,ð’—M,·,é,±
,Æ,ð,“Š©,β,μ,Ü,·Bf[fbfZ[fW,ð’—M,·,é,Éf{fŠf...[f€,ðíœ,·,é,ÆA,»},f{fŠf...[f€ä,ÅŽg—
p’t,}ff[f^,ðŽ,·,æ%Ō”\«,^a,·,é,©,ç,Å,·BMacintosh fAfNfZfX%Ō”\f{fŠf...[f€,ðíœ,μ,Ä,àAWindows
NT Server ,ðŽÀ[s,·,éRf”fsf...[f^ä,Å’í%ž,·,éfffBfEfNfgfŠ,^aíœ,³,é,é,í,·,Å,Í,·,è,Ü,¹,ñB,»},f{fŠf...[f€
,ð Macintosh ft[fU[,^a—~—p,Å,«,,È,,È,é,³/₄,·,Å,·B

[,í,ç] f{f^f”,ðfNfŠfbfN,μ,ÄA’I’ð,μ,½f{fŠf...[f€,ðíœ,·,é,±,Æ,ðŠm”F,μ,Ü,·BÚ×,É,Å,ç
,Ä,íAMacintosh fAfNfZfX%Ō”\f{fŠf...[f€,ðíœ,·,é,ìœ,ðŽQÆ,μ,Ä,,³/₄,³,çB

íœŠm”FfbfZ[fW

[,í,ç] f{f^f” ,đfNfŠfbfN,μ,ÄA’I’đ,μ,½f{fŠf...[f€ ,đíœ , : ,éêñ,ÉAíœ,ìŠm”F,đ< ,ß, éfbfZ[fW,ª•\ Ž,³,éACE»Ÿ,lf{fŠf...[f€ ft[fU[^ê—,ª•\Ž,³,ê,Ü,·BMacintosh fAfNfZfX%oÂ”\f{fŠf...[f€ ,đíœ,μ,Ä,àAWindows NT Server ,đŽÀs,·,éfRf”fsf...[f^ã,Ä’î %ž,·,éfffBfœfNfgfŠ,ªíœ,³,é,é,í,¯,Ä,Í, ,è,Ü,¹,ñB,» ,lf{fŠf...[f€ ,đ Macintosh ft[fU[,ª—~—p,Ä,« ,È, - ,È,é,¾,¯,Ä,·B

,½,¾,μAMacintosh fAfNfZfX%oÂ”\f{fŠf...[f€ ,đíœ , : ,é’O,ÉAŠeft[fU[,ÉfbfZ[fW,đ’—M, : ,é,± ,Æ,đ,“Š©,ß,μ,Ü,·BfbfZ[fW,đ’—M,μ,È,¯,ê,îAÚ±,μ,Ä,ç,éft[fU[,ìff[f^,ªŽ , í,é,é,±,Æ,ª , ,è,Ü,·B Úx,É,Ä,ç,Ä,ÍAMacintosh fAfNfZfX%oÂ”\f{fŠf...[f€ ,đíœ , : ,é,ìœ,đŽQÆ,μ,Ä,,¾,¾,çB

AppleTalk f[í]f[í]g,ì[í]Y'è

AppleTalk fvfŠf“fg fffofCfX,đŠm•Ú,·,é,Æ[í]AMacintosh ft[í]fU[í],í Windows NT Server ,đŽÀ[í]s,·,éRf“fsf...
[í]f^,đ'É,μ,ÄŠeŽ©,ì^óüfWf#fu,đ'—[í]M,·,é,±,Æ,É,È,è,Û,·[í]BŠm•Ú,μ,½fvfŠf“fg fffofCfX,đ
%ođ•ú,·,é,Æ[í]A,»,)fffofCfX,É^óü,·,é Macintosh ft[í]fU[í],í[í]AWindows NT Server ,đŽÀ[í]s,·,éRf“fsf...
[í]f^[í]ã,ÄfXfv[í]fŠf“fQ<@“\,đŠ^—p,Á,«,È,ç,±,Æ,É,È,è,Û,·[í]B,Û,½[í]A%ođ•ú,³,è,½fvfŠf“fg fffofCfX,É'—
[í]M,³,è,½^óüfWf#fu,í[í]AfvfXfef€,ìŠÇ—[í]ŽÒ,É,æ,é[í]sCEä,đŽó,·,Û,¹,ñ[í]B

PC ,Æ Macintosh fNf%oCfAf“fg,ì—¼•ú,ÄfvfŠf“fg fffofCfX,đ•\Ž!,³,¹,é,É,í[í]A,»,)fffofCfX,đ<α—
p,μ[í]AŠm•Ú,μ,È,·,é,í,È,è,Û,¹,ñ[í]BfvfŠf“f^,đ<α—p,·,é,É,í[í]AfvfŠf“fg f}f[í]fWff,ì [í]fvfŠf“f^[í]•ñ] f_fCfAf[í]fO
f{fbfNfX,đŽg,ç,Û,·[í]BMacintosh ft[í]fU[í],É,í[í]A[í]fvfŠf“f^[í]•ñ] f_fCfAf[í]fO f{fbfNfX,ì [í]α—L-¼[í]
f{fbfNfX,ÄŽw'è,·,é-¼'0,ª•\Ž!,³,è,Û,·[í]B

fvfŠf“f^,đ<α—L,μ,Ä,àŠm•Ú,μ,È,·,é,í[í]AMacintosh ft[í]fU[í],É,ífvfŠf“fg fffofCfX,ì-¼'0,Æ,μ,Ä[í]AAppleTalk
-¼,Æ [í]fvfŠf“f^[í]•ñ] f_fCfAf[í]fO f{fbfNfX,ÄŽw'è,μ,½-¼'0,ª•\Ž!,³,è,Û,·[í]B

fvfŠf“fg fffofCfX,đ<α—L,¹,·[í]AŠm•Ú,μ,È,·,é,í[í]AMacintosh ft[í]fU[í],É,íCE³,ì AppleTalk -¼,ª•\Ž!,³,è,Û,·[í]B

ŠY“-,·,é[í]é[í]#,í[í]A[AppleTalk f[í]f[í]g,ì[í]Y'è] f_fCfAf[í]fO
f{fbfNfX,ì[í]fvfVf#f“ ,đf[í]t,É,·,é,©[í]A,Û,½,í'í'đ,μ,Ä[í]AfvfŠf“fg fffofCfX,đ
%ođ•ú,·,é,©[í]A,Û,½,í[í]A,ÑŠm•Ú,·,é,±,Æ,ª,Á,«,Û,·[í]B

fbfjgffN"íí

AppleTalk fvfjgffRf<,ÉŽg,í,è,éfbfjgffN,ì"íí,íA1 65,279 ,Á,È,¯,ê,î,È,è,Û,ñB16
i", ÍŽg,ı,Û,ñBæ"ª,ìfbfjgffN"Ôt,íAÁCEã,ìfbfjgffN"Ôt^È
%º,Á,È,¯,ê,î,È,è,Û,ñB,Û,½AfVfXfef€ã,ìfbfjgffN fAf_fvf^,É,íAfbfjgffN,ì"íí,ðd,È,ĂŽg—
p,Á,«,Û,ñBfbfjgffN,ðfV[fh,·,é,É,íA—LCEø,ÈfbfjgffN,ì"íí,ðŽw'è,µ,½,±,Æ,ðŠm"F,µ,Û,·B

fjfbfgf[]fN f][]f“

AppleTalk fv[]fgfRf<,ÅŽg,í,è,éf][][]f“-¼,í[]A^è'è,ì<K'¥,É[]€<',μ,Ä,ç,È,¯,ê,í,È,è,Ü,¹,ñ[]BŽŸ,ì•¶Žš,í][][]f“-¼,ÉŽg—p,Ä,«,Ü,¹,ñ[]B

*, @, :, ,, "

,Ü,½[]A][][]f“-¼,ðfXfy[]fX,^¾,¯,Å[]\[]¬,·,é,±,Æ,í,Ä,«,Ü,¹,ñ[]B][][]f“-¼,í 31
•¶Žš^È“à,Ä,·[]B][][]f“,ðŽ¯•Ê,μ,â,·,[]A]fgf%ofuf<fVf...[]f]efB]“fO,μ,â,·,ç,æ,π,É[]A^è-Ú,Å,í,©,éf][][]f“-¼,ðŽg,Ä,Ä,^¾,^¾,ç[]B

AppleTalk fCfWfXfgfŠ,İ'I

AppleTalk fv f f g f R f < - p , İ f C f W f X f g f Š ' İ , İ Ž Ÿ , İ , Æ , " , è , Å , . B f C f W f X f g f Š , Š f ` f F f b f N , μ , Ä A — L Æ ø , È AppleTalk
İ • ñ , ¢ " ü , Ä , Ä , ç , é , © , Ç , π , © , Š Æ Ÿ , , μ , Ä , , ¾ , ¾ , ç B ' İ , Æ f f [f ^ Æ ^ , İ < - e " İ ^ İ , É , Ä , ç , Ä , Í A w Windows NT
Server Macintosh f T [f r f X [x f } f j f . . f A f < , İ • t ~ ^ A , Š Ž Q Æ , μ , Ä , , ¾ , ¾ , ç B

ADAPTER KEY VALUES

- AarpRetries
- DdpChecksums
- DefaultZone
- NetworkRangeLowerEnd
- NetworkRangeUpperEnd
- PortName
- SeedingNetwork
- ZoneList

PARAMETERS KEY VALUES

- DefaultPort
- DesiredZone
- EnableRouter

f] [f" ^ê—, ð•\Ž!, ³, ¹, é

f] [f" ^ê—, ðf] bfgf [fN, ©, ç" ùžè, Å, «, Ü, ¹, ñ, Å, µ, ½ BŽŸ, ì, æ, x, ÈĈÉ ^ö, ²l, i, ç, ê, Ü, · B

- flfbfgf [fN] ä, Å AppleTalk f< [f^ [, ²— —p, Å, «, Ü, ¹, ñ B
- flfbfgf [fN, ífAfNfefBfu, Èó' Ö, É, È, Á, Ä, ç, Ü, ¹, ñ B
- , ±, ífVfXfef€ ä, Å AppleTalk fv] fgfRf<, ²<N" ®, ³, ê, Ä, ç, Ü, ¹, ñ B

ft[f][fo][[-¼,ì•i]X

AppleTalk fNf%ofCfAf“fg,É•\Ž!,³,è,éfT[f][fo][,ì]V,μ,ç-¼‘O,ðŠm”F,μ[A[MacFile ‘@<<] f_fCfAf[f]O
f{fbfNfX,Å [OK] f{f^f“,ðfNfŠfbfN,μ,Û,·B•iX“à—e,ðŽæ,è[Å,·,É,Í [MacFile ‘@<<] f_fCfAf[f]O f{fbfNfX,ì
[fLfff“fZf<] f{f^f“,ðfNfŠfbfN,μ,Û,·B

ft[f][fo][,]ft+[f]U[f][,Éf[f]bfZ[f]W,ð‘—M,μ,Ä‘É‘m,μ,½,ç[AŽÿ,ì•û-@,Å Macintosh ftf@fCf<

ft[f][fo][,ð‘âŽ~,μ[AÄ<N“@,μ,Ä,,¾,³,çB

- fRf“fgf[f]f< fpf[f<,ì [ft[f]rfX] ,©,ç[A[Macintosh ftf@fCf< ft[f][fo][,ð‘l‘ð,μ,Ä[A[‘âŽ~]
f{f^f“,ðfNfŠfbfN,μ,Ä[A[Š]Žn] f{f^f“,ðfNfŠfbfN,μ,Û,·B

—LCEø,ÈfffBfCEfNfgfŠ

ftf@fCf<,É,Â,ç,Ä Macintosh •ûŽ® ,ìfAfNfZfXCE ,ðŸ'è,·,é,±
,Æ,Í,Â,«,Ü,¹,ñBftf@fCf<,íA'ŸŸ,·,éfffBfCEfNfgfŠã,ÂŸ'è,³,é,½fAfNfZfXCE ,ðCEp³,μ,Ü,·BŸÚŸ×,É,Â,ç
,Ä,íAfffBfCEfNfgfŠ.ìfAfNfZfXCE ,ðŸ'è,·,é,ì€ ,ðŽQŸÆ,μ,Ä,,³/₄,³,çB

-³Ĉø,Èfp□[fefBfVf#f“

Macintosh fAfNfZfX%oÁ”\f{fŠf...□[f€,\u00c6,\u00bc,\u00c4\u00zw'è,\u00c0,\u00ab,\u00e9,\u00ed,\u00ad]ANTFS

fp□[fefBfVf#f“□ä,\u00ffBf\u00c9fNfgfŠ,\u00bd,\u00b1,\u00c0B\u00c4\u00d7,\u00c9,\u00c0,\u00c4,\u00c0]AMacintosh fAfNfZfX%oÁ”\f{fŠf...□[f€

,\u00d0\u00c4,\u00c9,\u00c0\u00c9,\u00d0\u00c9Q\u00c9,\u00bc,\u00c0,\u00bd,\u00bd,\u00c4\u00c4

'g,Ýž,Ü,ê,Ä,č,È,č MacFile

Macintosh ftf@fCf< fT[fO[fA[MacFile] fffjff...

[[ä,lfRf}f"fh,ðŽg,œ'O,É'g,Ýž,p,©A,Ü,½,lfZfbfgfAfbfv,μ,Ä, ", ©,È, ",ê,Î,È,ç,È,čfT[frfX,Ä, ·B

Macintosh fT[frfX,ð'g,Ýž,þ,É,Í

1. fRf"fghff[f< fpflf<,ì [flfbfgf[fN] ,ðf_fuf<fNfŠfbfN,μ,Ü, ·B
[flfbfgf[fN,ìÝ'è] f_fCfAfO f{fbfNfX,ª•\Ž!,³,ê,Ü, ·B
2. [fvtfgfEfFfA,ì'ç%Á] f{f^f",ðfNfŠfbfN,μ,Ü, ·B
3. [flfbfgf[fN fvtfgfEfFfA,ì'ç%Á] f_fCfAfO f{fbfNfX, ©,ç Macintosh fT[frfX,ð'l'ð,μ,Ä[A['±s]
,ðf{f^f",ðfNfŠfbfN,μ,Ü, ·B
4. [Windows NT ,lfZfbfgfAfbfv] f_fCfAfO f{fbfNfX, ©,çAWindows NT Server "z•zfffBfXfN,Ö,lfvf<
fpfX,ð"ü—Í,μ,Ü, ·B
5. [flfbfgf[fN,ìÝ'è] f_fCfAfO f{fbfNfX,Ä[A[OK] f{f^f",ðfNfŠfbfN,μ,Ü, ·B
,±,ê,ç,lf_fCfAfO f{fbfNfX,Ä [fwf<fv] f{f^f",ðfNfŠfbfN, ·,é,Æ[AÚxî•ñ,ª•\Ž!,³,ê,Ü, ·B

-³CEø,ÈffBfCEfNfgfŠ fAfJfEf“fg

[Macintosh fffBfCEfNfgfŠ fAfNfZfXCE ,ì•\Ž!} f_fCfAf□fO f{fbfNfX,Å‘I’ð,μ,½ [□Š—LŽÒ]□A[fvf%ofCf]}fŠ
fOf<□[fv]□A,Ü,½,Í,» ,ì—¼•û,ª-³CEø,Å,·□B,±,ì□ê□#□A-¼‘O,ðŠÔ^á,Å,Ä“ü—Í,μ,½,©□A,» ,ì-¼‘O,ª‘¶□Ý,μ,Ä,ç
,È,ç,©,Å,·□B[□Š—LŽÒ,Ü,½,Í[fvf%ofCf]}fŠ fOf<□[fv] flfvVf+f“,ð‘I’ð,μ,½,Æ,« ,É•Ž!,³,ê,é^ê——,É,Å,ç
,Ä□A[□Š—LŽÒ] ,Ü,½,Í [fvf%ofCf]}fŠ fOf<□[fv] ,ð‘I’ð,μ,Ä,,¾,³,ç□B
□Ú□x,É,Å,ç,Ä,Í□AffBfCEfNfgfŠ,ÌfAfNfZfXCE ,ð□Ý‘è,.,é,ì□€ ,ðŽQ□Æ,μ,Ä,,¾,³,ç□B

fNfŠfG[f^,Æf^fCfv,đíœ,·,é

Macintosh ,lfNfŠfG[f^,Æf^fCfv,đíœ,·,é,ÆAMacintosh ft[fU[,ÍŽg,č
,½,čfAfvfŠfP[fVf#f“,Å•¶‘,đŠ),,È,,È,é,±,Æ,ª, ,è,Û,·Bíœ,·,éfNfŠfG[f^,Æf^fCfv,Éí
%ž,·,éfAfvfŠfP[fVf#f“,đAMacintosh ft[fU[,ª•K—v,Æ,µ,Ä,č,È,č,±,Æ,đŠm”F,µ,Ä,,¾,¾,čB

-³CEø,ÈfpfX

fffBfCEfNfgfŠ,Ö,ìftf< fpfX,ð³,μ,“ü—í,μ,Ä,ç,È,ç
,©A,Ü,½,íAfffBfCEfNfgfŠ,ª‘¶Y,·,éft[fo[Éf[ffj<,Å,È,çfpfX (fhf%ofCfu-¼,ÆfffBfCEfNfgfŠ
fpfX,ðŠÜ,þ) ,ð“ü—í,·,é,ÆA,±,ìf[fbfZ[fW,ª•\Ž!,³,ê,Ü,·B,½,Æ,¡,îAf[ffj< ft[fo[ä,ÅAMacintosh
fAfNfZfX%oÂ“\f{fŠf...[f€,Æ,μ,ÄŽw’è,Å,«,éfffBfCEfNfgfŠ,ð“ü,ê,é NTFS fp[lfefBfVf†f“,ìfhf%ofCfu-
¼,ðŽw’è,μ,½,±,Æ,ðŠm”F,μ,Ä,,¾,³,çB

Macintosh ftf@fCf< fT[]fo[]

Macintosh fT[][frfX,lfZfbfgfAfbfvŽž,É[]AWindows NT Server ,É'g,Ý[]ž,Ü,ê,éfT[][frfX,Â,·[]BMacintosh
ftf@fCf< fT[][fo[][,đŽg,ꝛ,Æ[]AMacintosh fNf%ofCfAf“fg,Æ PC f^fCfv,lfNf%ofCfAf“fg,Íftf@fCf<,đ<ꝛ—
L,Å,«,Ü,·[]B“Á,É[]Aftf@fCf<-¼,ì•İŠ,ª^—[],³,ê[]AfNf%ofCfAf“fg[]ã,ÅfAfvfŠfP[][Vf#f“,É,Â,ç
,Ä[]³,μ,çfAfCfRf“,ª•\Ž|,³,ê,é,æ,ꝛ,É,È,è[]A,Ù,©,lf^fXfN,Æ“—l,ÉfAfNfZfXCE ,ª^—[],³,ê,Ü,·[]B

fQfXfg

Windows NT Server ,đŽÄ□s,;éfrf“fsf...□[f^,ìft□[fU□[.ì,κ
.¿□Aft□[fU□[fAjjfEf“fg,đ,à,½,È,çft□[fU□[□A,Ü,½,Í□AfpfXf□□[fh,đ“ü—í,μ,È,çft□[fU□[.Í□AfQfXfg
fAjjfEf“fg,đŽ□,Âft□[fU□[fAjjfEf“fg,đŽg,Á,ÄfQfXfg,Æ,μ,Äf□fOfjf“³,è,Ü,·□BMacintosh
ft□[fU□[.â‘S^đ,ÉfAfNfZfXÇE ,đŠ,,è“-.,Ä,é,Æ□A,».,ìfAfNfZfXÇE ,íOf<□[fv□AfQfXfg□A,“ ,æ,Ñft□[fU□[.É—
^.,ç,è,Ü,·□B

AppleTalk flfbfgf[]fN

Apple fRf"fsf...[]f^,É,æ,Á,Ä[]i-³,è,éflfbfgf[]fN fA[]fLfefNf`ff,Æflfbfgf[]fN fv[]fgfRf<[]BMacintosh
fNf%ofCfAf"fg, ",æ,Ñ Macintosh fT[]fX,ŠŽn,μ,Ä,ç,é Windows NT Server ,žŽÀ[]s,·,éRf"fsf...
[]f^,žŽ,Âflfbfgf[]fN,í[]AAppleTalk flfbfgf[]fN,Æ,μ,Ä<@"\,μ,Ü,·[]B

fxfv[]fšf"fo

fvfšf"fg fffofCfX,Å^—,·,é€"ö,ª®®,x

,Ü,ÅA^óüfWfþfu,ðffBfXfN,ÉŠi"l,·,éT[]fo[]ä,lfvf[]ZfX[]BfXfv[]f%,íAŠefNf

%ofCfAf"fg,©,çŠe^óüfWfþfu,ðŽó,"ü,ê,ÄŠi"l,µ[]AfffofCfX,ì€"ö,ª®®,x,Æfvfšf"fg fffofCfX,É'—

[]M,µ,Ü,·[]B

Microsoft "Ff,FWf...f<

Macintosh ,lft[fU[,ÉAft[fU[-¼,ÆfpfXf[fh,ð<ß,éfbfZ[fW,ð•\Ž!.,.éffOfIf"%æ-ÊBMicrosoft
"Ff,FWf...f<,É,æ,èAflfbfgf[fN fXfjfbftf@,³ŒŸo,Å,«,È,ç,æ,π,ÉpfXf[fh,ÉfXfNf
%of"fuf<,ð,©,¯,ÄAWindows NT Server ,ðŽÀs,.,éRf"fsf...f^,lfZfLf...fŠfefB,ð•ÚŒè,μ,Ú,·B


fNfŠfG[]f^


Macintosh Finder ,É'í,μ,Ä[]Aftf@fCf<,ð[]i[]¬,μ,½fAfvfŠfP[]fVf#f“,ì-¼'O,ðŽwŽ!,·,é 4 •¶Žš,ì•¶Žš—
ñ[]BMacintosh Finder ,í[]Aftf@fCf< f^fCfv,Æftf@fCf< fNfŠfG[]f^,ðŽg,Á,Ä[]A,»,ìftf@fCf<,ÉŠY“-
.·.éfffXfNfgfbfv fAfCfRf“,ð”»•É,μ,Ü,·[]B


f^fCfv

Macintosh ftf@fCf<,lf^fCfv,đŽ`•Ê,·,é 4 •¶Žš,ì•¶Žš—ñ□BMacintosh Finder ,í□Aftf@fCf<
f^fCfv,Æftf@fCf< fNfŠfG□lf^,đŽg,Á,Ä□A,» ,iftf@fCf<,ÉŠY“ -,·,éfffXfNfgfbfv fAfCfRf“,đ”»•Ê,μ,Û,·□B

^óü,“,æ,Ñ Macintosh fT[fjfX

 AppleTalk fvšf“fg fffofCfX,đŽg,꜁

 fvšf“fg fffofCfX,đ Macintosh ft[fU[,Æ<꜁—L,·.é

 AppleTalk fvšf“fg fffofCfX,đŠm•Ů,μA%đ•ú,·.é

AppleTalk fvfŠf“fg fffofCfX,đŽg,ꜛ

Macintosh fT[]f[]f[]X,đŽg,í,È,ç[]é[]#[]A^è”È,É Macintosh fNf%[]f[]C[]f[]A[]f[]“fg,Í^ó[]ü[]f[]W[]f[]#[]f[]u,đ AppleTalk fvfŠf“fg fffofCfX (‘È[]í,í PostScript fffofCfX) ,É’—[]M,μ,Û,·,°[]APC f^fCfv,ìf[]f[]U[][],Í^ó[]ü[]f[]W[]f[]#[]f[]u,đ PostScript ,Å,í,È,ç[]ff[]f[]of[]C[]f[]X,É’—[]M,μ,Û,·[]B,½,¾,μ[]AMacintosh fT[]f[]f[]f[]X,đŽg,ꜛ,Æ[]A—¼•ù,ìf^fCfv,ìfNf %[]f[]C[]f[]A[]f[]“fg,Í[]A^ó[]ü[]f[]W[]f[]#[]f[]u,đ,Ç,ì,ç,ìf^fCfv,ìfvfŠf“fg fffofCfX,É,à’—[]M,Å,«,é,æ,ꜛ ,É,È,è,Û,·[]B,Û,½[]A,Ç,ì,ç,ìf^fCfv,ìf[]f[]U[][],à[]A[]Windows NT Server ,đŽÅ[]s,·,éfRf“fsf... []f^,đ^È,μ,ÄfvfŠf“fg,·,é,Æ,«,É[]A[]f[]X[]f[]v[]f[]f[]Š[]f[]“[]f[]O[]<[]@[]\,đŠ^—p,Å,«,Û,·[]B ,±,è,ç,ìfvfŠf“fg<[]@[]\,đŠ^—p,·,é,É,Í[]AMacintosh fT[]f[]f[]f[]X,đfZfbfgfAfbfv,μ[]AMacintosh fvfŠf“fg fT[]f[]fo[][],đ<N“® ,μ[]A[]f[]f[]f[]U[][] f[]A[]f[]f[]E[]f[]“fg (MACUSERS ,È,Ç) ,đ[]ì[]—,μ,È,¯,ê,Î,È,è,Û,¹,ñ[]B

fvfŠf“fg fffofCfX,đ Macintosh ft□[fU□[,Æ<α—L,·,é

Macintosh ft□[fU□[.Í□AWindows NT Server,đŽÀ□s,·,éRf“fsf...□[f^□ã,lfvfŠf“fg fffofCfX,ÉAfNfZfX,Ā,«,Ü,·□B□Ú□x,É,Ā,č,Ā,Í□AAppleTalk fvfŠf“fg fffofCfX,đŽg,ϣ,ì□€,đŽQ□Æ,μ,Ā,-,¾,³,č□B

fvfŠf“f^,đ Macintosh ft□[fU□[,Æ<α—L,·,é,É,Í

1. fvfŠf“fg f}f□[fWff,Ā□A[fvfŠf“f^] f□fj...□[.ì [fvfŠf“f^□î•ñ] fRf}f“fh,đ‘l,Ñ,Ü,·□B
2. [^óü□æ] ^ê—,©,ç□A[„,ì‘¼] (^ê—,ì□Ā%°•”,É, ,è,Ü,·) ,đfNfŠfbfN,μ,Ü,·□B
3. [^óü□æ] f_CfAf□fO f{fbfNfX,Ā□A[AppleTalk fvfŠf“fg fffofCfX] ,đ‘l,Ñ□A[OK] f{f^f“,đfNfŠfbfN,μ,Ü,·□B
4. [—~—p%Ā“\,È AppleTalk fvfŠf“fg fffofCfX] f_CfAf□fO f{fbfNfX,Ā□Af]□[f“,ÆfvfŠf“fg fffofCfX,đf_fuf·fNfŠfbfN,μ,Ü,·□B
5. [fifbfgf□□[fn□ã,Ā<α—L] f^fFfbfN f{fbfNfX,đfif“,É,μ,Ü,·□B
•K—v,Ā, ,ê,î□APC ft□[fU□[,É‘í,μ,Ā•Ž!,Ā,«,é,æ,ϣ,É□A<α—p-¼,ª‘Z□k,³,è,Ü,·□B Macintosh ft□[fU□[,É,í□A,±,ì-¼‘O,í [α—L-¼] f{fbfNfX,É•Ž!,³,è,Ü,·□B
6. [□Ý‘u□é□Š] f{fbfNfX,É□A^óüfWf†fu,ª“ü,Ā,Ā,č,é□é□Š,đ“ü—í,μ,Ü,·□B
,½,Æ,ì,î□AfvfŠf“f^,if<□[f€“Ô□†,đ“ü—í,Ā,«,Ü,·□B
7. [OK] f{f^f“,đfNfŠfbfN,μ,Ü,·□B

AppleTalk fvšřf“fg fffofCfX,đŠm•Ů,μ□A%đ•ú,-,é

AppleTalk fvšřf“fg fffofCfX,đ Windows NT Server ,đŽÀ□s,·,éRf“fsf...□[f^,]ft□[fU□[-p,É-\\-
ñ,·,é□é□±,í□A,»,)fffofCfX,đŠm•Ů,μ,È,·,è,Î,È,è,Ů,¹,ñ□BŠm•Ů,·,é,Æ□AWindows NT Server
,đŽÀ□s,·,éRf“fsf...□[f^,đ'È,μ,Ä'î%ž,·,éfvšřf“f^,É□Ů'±,·,éft□[fU□[‘S^đ,□AfXfv□[fšřf“fO<@“\,đŽg,!,é,æ,π
,É,È,è,Ů,·□B

Šm•Ů,μ,½fvšřf“fg fffofCfX,đ%đ•ú,-,é,Æ□AAppleTalk ft□[fU□[(Macintosh ft□[fU□[(È,Ç)
,Í^ó□úfWf±fu,đ'¼□Ů'—□M,Ä,«,é,æ,π,É,È,è,Ů,·□B,½,¾,μ□A,»,)fffofCfX,ÍfvfXfefēŠÇ—
□ŽÒ,ì□§CÆä,đŽó,·,Ů,¹,ñ□B

AppleTalk fvšřf“fg fffofCfX,đÄ“xŠm•Ů,μ□A%đ•ú,-,é,É,Í

1. fvšřf“fg f}f□[fWff,ì [fvšřf“f^] f□fj...□[,Ä□A□Ä“xŠm•Ů,Ů,½,í%đ•ú,-,éfvšřf“fg fffofCfX,É□Ů'±
,μ,Ů,·□B
[fvšřf“f^,ì□Ů'±] f_fCfAf□fO f{fbfNfX,©,ç AppleTalk fvšřf“fg fffofCfX,đŽw'è,μ,½,±,Æ,đŠm“F,μ,Ä,-
,¾,³,ç□B
2. [fvšřf“f^] f□fj...□[,ì [fvšřf“f^□î•ñ] fRf}f“fh,đ'l,Ñ,Ů,·□B
3. [fvšřf“f^□î•ñ] f_fCfAf□fO f{fbfNfX,Ä□A[f□[fg□Ý'è] f{f^f“,đfNfšfbfN,μ,Ů,·□B
4. ŠY“-·,é□é□±,í□A[AppleTalk f□[fg,ì□Ý'è] f_fCfAf□fO f{fbfNfX,©,ç□A[AppleTalk fvšřf“fg
fffofCfX,ìŠm•Ů] f_ffbfN f{fbfNfX,đfift,É,·,é,©□A,Ů,½,Ífif“,É,μ,Ů,·□B
5. [OK] f{f^f“,đfNfšfbfN,μ,Ů,·□B

Macfile

Macintosh fT[fxfX,lfT[fo[Af{fŠf...[f€[Aftf@fCf<A,“,æ,ÑffBfCfNfgfŠ,ð[AWindows NT ,lfRf}f“fh
fvf}f“fvfg,æ,èŠÇ—,μ,Ü,·B**Macfile** ,ÍA4 ,Â,lfRf}f“fh,©,ç—,è,Ü,·B

macfile { **volume** | **directory** | **server** | **forkize** } flfvf}f#f“

Úx,Èî•ñ,ð“¾,é,½,B,ÉfRf}f“fh,ð‘I‘ð,·,é

- Macfile Volume Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ì‘C%oÁA•ìXQA,Ü,½,ííœ
- Macfile Directory Macintosh fAfNfZfX%oÂ“\f{fŠf...[f€,ìfffBfCfNfgfŠ,ì·ìX
- Macfile Server Macintosh fT[fxfX fT[fo[.ì\—,ì·ìX
- Macfile Forkize Macintosh ftf@fCf<,lf^ftfH[fN,“,æ,ÑfŠf^fX ftfH[fN,ð 1
,Â,lfTf@fCf<,É~ACE<,·,éB,Ü,½[Aftf@fCf<,lf^fCfv,Ü,½,lfNfŠfG[f^,ì·ìX

Macfile Volume

Macintosh fAfNfZfX%oÁ"vf{fŠf...[f€,ì'Ç%oÁA•ïXQA,Ü,½,íííœ

macfile volume {/add | /set}

[/server:\fRf"fsf...[f^~¼] /name:f{fŠf...[f€~¼ /path:fffBfCEfNfgfŠ [/readonly:[true | false]]
[/guestsallowed:[true | false]] [/password:fpfXf[]fh] [/maxusers:ft[]fU[]" | unlimited]

macfile volume /remove [/server:\fRf"fsf...[f^~¼] /name:f{fŠf...[f€~¼

fpf%of[]f^

/add

Žw'è,³,é,½Y'è,É,æ,èf{fŠf...[f€,ð'Ç%oÁ,μ,Ü,·B

/set

Žw'è,³,é,½Y'è,É,æ,èf{fŠf...[f€,ð•ïX,μ,Ü,·B

/server:\fRf"fsf...[f^~¼

f{fŠf...[f€,ì'Ç%oÁA•ïXQA,Ü,½,íííœ,ðs,xfT[]fo[],ðŽw'è,μ,Ü,·B,±,ìfpf%of[]f^,ðÈ—
ª,·,é,ÆQA'€[]í,í[]fj< fRf"fsf...[f^ðä,ÅŽÀs,³,é,Ü,·B

/name:f{fŠf...[f€~¼

'Ç%oÁA•ïXQA,Ü,½,íííœ,ðs,xf{fŠf...[f€~¼,ðŽw'è,μ,Ü,·B,±,ìfpf%of[]f^,í•K[]{,Å,·B

/path:fffBfCEfNfgfŠ

íííœ,³,é,èf{fŠf...[f€,ìf<[]fg fffBfCEfNfgfŠ,ìpfX,ðŽw'è,μ,Ü,·Bf{fŠf...[f€,ì'Ç%oÁ,ìè[]#,É,ì,Ý—
LCEø,Å, ,è[]A•K[]{,Å,·B

/readonly:[true | false]

,±,ìfpf%of[]f^,ðŽw'è,·,é,Æ[]Af{fŠf...[f€"à,ìftf@fCf<,í•ïX,Å,«,Ü,¹,ñ[]Bf{fŠf...[f€
,ìÈ»Y',ìY'è,ð•ïX,·,é,É,í[]Atrue ,Ü,½,í **false** ,ðŽw'è,μ,Ä,¾,³,ç[]B,±,ìfpf%of[]f^,ðf{fŠf...[f€,ì'Ç
%oÁŽž,ÉÈ—ª,·,é,Æ[]Aftf@fCf<,ð•ïX,·,é,±,Æ,ª,Å,«,Ü,·Bf{fŠf...[f€,ì•ïXŽž,ÉÈ—
ª,·,é,Æ[]Areadonly fpf%of[]f^,ìY'è,í^È'O,ì,Ü,Ü,Å,·B

/guestsallowed:[true | false]

fQfXfg,Æ,μ,Ä,ìft[]fU[],ìf[]Of[]f" ,af{fŠf...[f€,ðŽg—p,Å,«,é,©,Ç,«,©,ðŽw'è,μ,Ü,·B,±,ìfpf
%of[]f^,ðf{fŠf...[f€,ì'Ç%oÁŽž,ÉÈ—ª,·,é,Æ[]AfQfXfg,ìf{fŠf...[f€,ðŽg—p,·,é,±,Æ,ª,Å,«,Ü,·Bf{fŠf...
[f€,ì•ïXŽž,ÉÈ—ª,·,é,Æ[]Aguestsallowed fpf%of[]f^,ìY'è,í^È'O,ì,Ü,Ü,Å,·B

/password:fpfXf[]fh

f{fŠf...[f€,ìfAfNfZfX,É•K—v,ÈpfXf[]fh,ðŽw'è,μ,Ü,·B,±,ìfpf%of[]f^,ðÈ—
ª,·,é,Æ[]AfpfXf[]fh,ìY'è,³,é,Ü,¹,ñ[]Bf{fŠf...[f€,ì•ïXŽž,ÉÈ—ª,·,é,Æ[]AfpfXf[]fh,í^È'O,ì,Ü,Ü,Å,·B

/maxusers:ft[]fU[]" | unlimited

f{fŠf...[f€[]ä,ìftf@fCf<,ð"~Žž,ÉŽg—p,·,é,±,Æ,ì,Å,«,éft[]fU[],ì[]Å'â[]",ðŽw'è,μ,Ü,·B,±,ìfpf
%of[]f^,ðf{fŠf...[f€,ì'Ç%oÁŽž,ÉÈ—ª,·,é,Æ[]Af{fŠf...[f€,ðŽg—p,·,é,±,Æ,ª,Å,«,éft[]fU[],ì[]",í—
³[]SCEÀ,É,È,è,Ü,·Bf{fŠf...[f€,ì•ïXŽž,ÉÈ—ª,·,é,Æ[]Amaxusers fpf%of[]f^,ì'í,í^È'O,ì,Ü,Ü,Å,·B

/remove

Žw'è,³,é,½Y'è,É,æ,èf{fŠf...[f€,ðííœ,μ,Ü,·B

Macfile Volume ,ìŠÖ~A[]€-Ü

▣ Macfile Volume--[]

▣ Macfile Volume---á

,»,ì,Ü,©,ì Macfile fRf}f"fh


- Macfile Directory Macintosh fAfNfZfX%oÂ"\\f{fŠf...[]f€,.ìfffBfCfNfgfŠ,.i•i□X
- Macfile Server Macintosh fT□[frfX fT□[fo□[.i□□-,.i•i□X
- Macfile Forkize Macintosh ftf@fCf<,.ìff□[f^ ftfH□[fN,¨.æ.ÑfŠf□[fX ftfH□[fN.ø 1
.Ä.ìftf@fCf<,.É~ACE<,.é□B.Ü.½□Aftf@fCf<.lf^fCfv.Ü.½.fNfŠfG□[f^,.i•i□X

Macfile Volume--'

fpf%o[f^'l,l't,lXfy[fX


fXfy[fX,Ü,½,l"ÁŽê•ŕŽš,đŠÜ,bfpf%o[f^,l"¼Šp,l"ňd^ø—p•., ("),Á^í,Ü,È,~,ê,î,È,è,Ü,¹,ňB

Macfile Volume ,iŠÖ~A€-Ü


 Macfile Volume---á

 Macfile Volume

,>,i,Ü,©,i Macfile fRf}f"fh

 Macfile Directory Macintosh fAfNfZfX%oÁ"ff{fŠf...[f€.lfffBfCfNfgfŠ,i•iX

 Macfile Server Macintosh fT[fX fT[fo[l,iX~.,i•iX

 Macfile Forkize Macintosh ftf@fCf<,lff[f^ ftfH[fN,~.æ.NfŠf[fX ftfH[fN,đ 1
.Á,lftf@fCf<,É~ACE<.,éB,Ü,½Aftf@fCf<,lf^fCfv,Ü,½,lNfŠfG[f^,i•iX

Macfile Volume---

fhf%ofCfu E: ,ì STATS fffBfCEfNfgfŠ,đŽg,Á,ÄA\A\STATS fT[f]o[]ä,É US Marketing Statistics ,Æ,ç,¼-¼'O,ìA fQfXfg,afAfNfZfX,Á,«,É,çf{fŠf...[f]€,đ[]-, ,é,É,íAŽŸ,ì,æ,¼,É“ü—í,μ,Û,·B

```
macfile volume /add /name:"US Marketing Statistics" /guestsallowed:false /path:e:\stats
```

ä<L,Ä[]-,μ,½f{fŠf...[f]€,đ“Ç,ÝŽæ,è[]ê—pAfpfXf[]fh,ª•K—v[A, ,æ,Ñ 5 ft[f]U[],Ü,Ä,ªŽg—p,Á,«,é,æ,¼,É•í[X, ,é,É,íAŽŸ,ì,æ,¼,É“ü—í,μ,Û,·B

```
macfile volume /set /name:"US Marketing Statistics" /readonly:true /password:saturn /maxusers:5
```

fhf%ofCfu E: ,ì TREES fffBfCEfNfgfŠ,đŽg,Á,ÄA\MAGNOLIA fT[f]o[]ä,Ä Landscape Design ,ÆCEÄ,ì,é,éA fQfXfg,afAfNfZfX,Á,«,é,é{fŠf...[f]€,đ'Ç%Á, ,é,É,íAŽŸ,ì,æ,¼,É“ü—í,μ,Û,·B

```
macfile volume /add /server:\magnolia /name:"Landscape Design" /path:e:\trees
```

f[]fj< fT[f]o[]ä,©,ç Sales Reports ,Æ,ç,¼-¼'O,ìf{fŠf...[f]€,đ[]œ, ,é,É,íA^È%º,ì,æ,¼,É“ü—í,μ,Û,·B

```
macfile volume /remove /name:"Sales Reports"
```

Macfile Volume ,ìŠÖ~A[]€-Ú


 Macfile Volume--'

 Macfile Volume

,>,ì,Û,©,ì Macfile fRf}f“fh

 Macfile Directory Macintosh fAfNfZfX%ºÁ“\f{fŠf...[f]€,ìfffBfCEfNfgfŠ,ì•í[X

 Macfile Server Macintosh fT[f]rfX fT[f]o[]L,ì[]-,ì•í[X

 Macfile Forkize Macintosh ftf@fCf<,ìff[f]^ ftfH[f]N, ,æ,ÑfŠA[f]X ftfH[f]N.đ 1 .Ä,ìftf@fCf<,É~ACE<, ,é[]B,Û,½[]Aftf@fCf< f^fCfv,Û,½,ìftf@fCf< fNfŠfG[f]^,ì•í[X

Macfile Directory

Macintosh fAfNfZfX%oA"vf{fSf...[f€,lfffBfCEfNfgfŠ,ì•ïX

macfile directory [/server:\fRf"fsf...[f^-¼] /path:fffBfCEfNfgfŠ [/owner:Š—LŽÒ-¼]
[/group:fOf<[fv-¼] [/permissions:fAfNfZfXCE]

fpf%of[f^

/server:\fRf"fsf...[f^-¼

fffBfCEfNfgfŠ,đ•ïX,·éfT[fœ[đŽw'è,μ,Û,·B,±,lfpf%of[f^,đÈ—ª,·é,ÆA'€ñ,Íf[f]f< fRf"fsf...
[f^ã,ÅŽÀs,³,è,Û,·B

/path:fffBfCEfNfgfŠ

Macintosh fAfNfZfX%oA"vf{fSf...[fœã,Å•ïX,³,è,éfffBfCEfNfgfŠ,Ö,lfpfX,đŽw'è,μ,Û,·B,±,
lfffBfCEfNfgfŠ,í,·,Á,É'¶Y,μ,Ä,ç,È,·,è,í,È,è,Û,¹,ñB**macfile directory**
lfffBfCEfNfgfŠ,đñi-,μ,Û,¹,ñB,±,lfpf%of[f^,íÈ—ª,Å,«,Û,¹,ñB

/owner:Š—LŽÒ-¼

fffBfCEfNfgfŠ,ìŠ—LŽÒ,đ•ïX,μ,Û,·B,±,lfpf%of[f^,đÈ—ª,·é,ÆAŠ—
LŽÒ,í'è'ò,ì,Û,Û,Æ,È,è,Û,·B

/group:fOf<[fv-¼]

fffBfCEfNfgfŠ,ÉŠÖ~A•t,·,ç,è,Ä,ç,é Macintosh fvf%ofCf}fŠ fOf<[fv,đŽw'è,Û,½,í•ïX,μ,Û,·B,±,lfpf
%of[f^,đÈ—ª,·é,ÆAfv%ofCf}fŠ fOf<[fv,í'è'ò,ì,Û,Û,Æ,È,è,Û,·B

/permissions:fAfNfZfXCE

fffBfCEfNfgfŠã,Å,ìŠ—LŽÒAfv%ofCf}fŠ
fOf<[fvA,·,æ,Ñ'S^ò,lfAfNfZfXCE ,đY'è,μ,Û,·BfAfNfZfXCE ,đY'è,·é,É,íA11 CE...,ì"Žš,đŽg—
p,μ,Û,·B1 ,lfAfNfZfXCE ,đ—^,ìA0 ,lfAfNfZfXCE ,đ-³CEø,É,μ,Û,·B,½,Æ,ì,íA11111011000 ,ì,æ,æ,
ÉŽw'è,μ,Û,·BCE...,í'è'u,Å,ç,lfAfNfZfXCE ,áY'è,³,è,é,©,ªCE^,Û,è,Û,·BÚx,É,Ä,ç,Ä,íAŽY,ì\,
,đŽQAE,μ,Ä,³,çB,±,lfpf%of[f^,đÈ—ª,·é,ÆAfv%ofCf}fŠ ,ìY'è,í'è'ò,ì,Û,Û,Æ,È,è,Û,·B

- | | |
|---------|---|
| ^È'u | Y'è,³,è,éAfNfZfXCE |
| 1 "Ô-Ú | Š—LŽÒ,ìuftf@fCf<,đCE©,é¶v |
| 2 "Ô-Ú | Š—LŽÒ,ìuftfHf<f_,đCE©,é¶v |
| 3 "Ô-Ú | Š—LŽÒ,ìu"à—e•ïX¶v |
| 4 "Ô-Ú | fOf<[fv,ìuftf@fCf<,đCE©,é¶v |
| 5 "Ô-Ú | fOf<[fv,ìuftfHf<f_,đCE©,é¶v |
| 6 "Ô-Ú | fOf<[fv,ìu"à—e•ïX¶v |
| 7 "Ô-Ú | 'S^ò,ìuftf@fCf<,đCE©,é¶v |
| 8 "Ô-Ú | 'S^ò,ìuftfHf<f_,đCE©,é¶v |
| 9 "Ô-Ú | 'S^ò,ìu"à—e•ïX¶v |
| 10 "Ô-Ú | fffBfCEfNfgfŠ,ì-¼'O,ì•ïX^U"®A,Û,½,ííœ,í,Å,«,Û,¹,ñB |
| 11 "Ô-Ú | •ïX,íA>Y,lfBfCEfNfgfŠ,·,æ,Ñ,·,x,Ä,ìTfuffBfCEfNfgfŠ,É"K—
p,³,è,Û,·B |

Macfile Directory ,İŠÖ~A€-Ú

 [Macfile Directory--](#)

 [Macfile Directory---](#)

,»ì,Ù,©,ì Macfile fRf}f“fh

- Macfile Volume Macintosh fAfNfZfX%oÁ“\f{fŠf... [f€.)'Ç%oÁA•ïX□A.Ü.½.í□í□œ
- Macfile Server Macintosh fT□[frfX fT□[fo□[.ì□□-.,ì•ï□X
- Macfile Forkize Macintosh ftf@fCf<.ìff□[f^ ftfH□[fN,¨.æ.ÑfŠA□[fX ftfH□[fN.ð 1
Ä.ìftf@fCf<.É~ACE<.:.é□B.Ü.½□Aftf@fCf< f^fCfv.Ü.½.ìftf@fCf< fNfŠfG□[f^.,ì•ï□X

Macfile Directory--'

fpf%of[f^'l,l't,lXfy[fX


fXfy[fX,Ü,½,í“ÁŽê•¶Žš,đŠÜ,bfpf%of[f^,í”¼Šp,ì“ňd^ø—p•., (“) ,Á^í,Ü,È,~,é,î,È,è,Ü,¹,ňB

Macintosh fAfNfZfX%oÁ”\ffBfCefNfgfŠ,ìòì-


Macintosh ft[fU[,žg—p,.,é,±,Æ,ì,Á,«,é Macintosh fAfNfZfX%oÁ”\f{fŠf...[f€
,ÉŠù‘¶,íffBfCefNfgfŠ,đÝ’è,.,é,É,íA**macfile directory** ,đŽg—p,μ,Ü,·B**macfile directory**
fRf}f“fh,íffBfCefNfgfŠ,đòì-,μ,Ü,¹,ňBMacintosh fAfNfZfX%oÁ”\f{fŠf...[f€
,ÉffBfCefNfgfŠ,đòì-,.,é,É,íA**macfile directory** fRf}f“fh,ìŽg—p,ì’O,ÉAftf@fCf< f}fì[fWffAfRf}f“fh
fv[f“fvfgA,Ü,½,í Macintosh New Folder fRf}f“fh,đŽg—p,μ,Ü,·B

Macfile Directory ,iŠÖ~A€-Ú


 Macfile Directory--—á

 Macfile Directory

,>,ì,Ü,©,ì Macfile fRf}f“fh

 Macfile Volume Macintosh fAfNfZfX%oÁ”\f{fŠf...[f€,ì’Ç%oÁA•ìX□A,Ü,½,íííœ

 Macfile Server Macintosh ft[fX ft[fó[.ìòì-,ì•ìX



 Macfile Forkize Macintosh ftf@fCf<,íff[f^ ftfH[fN,“æ.ÑfŠA[fX ftfH[fN,đ 1
,Á,íftf@fCf<,É~ACE<.,éB,Ü,½Aftf@fCf< f^fCfv,Ü,½,íftf@fCf< fNfŠfG[f^,ì•ìX

Macfile Directory---




,±,ì—á,Å,íAftfufffBfCEfNfgfŠ MAY SALES ,ìfAfnfzfXCE ,ð•ìX,μ,Û,·B MAY SALES ,í Macintosh fAfnfzfX
%oÁ"vf{fŠf...[f€ STATISTICS ,ìTfufffBfCEfNfgfŠ,ÅASTATISTICS ,ìf[ff< fT[fo[fhf%ofCfu E:
[ã,É, ,è,Û,·B,±,ì—á,Å,íA[ftf@fCf<,ðCE©,é[vA[ftfHf<f_,ðCE©,é[vA,¨,æ,Ñu"à—
e•ìX[vfAfnfzfXCE ,ðŠ—LŽÒ,ÉA,Û,½[ftf@fCf<,ðCE©,é[v,¨,æ,Ñ[ftfHf<f_,ðCE©,é[vfAfnfzfXCE ,ð,» ,ì
,Û,©,ì'S^ð,ÉŠ,,,è"–,Ä,Û,·B,Û,½[AffBfCEfNfgfŠ,ì-¼'O,ì•ìX[A^Ú"®A,Û,½,í[œ,ª,Å,« ,È,ç,æ,ª
,É,à,μ,Ä,ç,Û,·B

macfile directory /path:"e:\statistics\may sales" /permissions:11111011000

Macfile Directory ,ìŠÖ~A[€-Ú

-  Macfile Directory--'
-  Macfile Directory

,» ,ì,Û,©,ì Macfile fRf}f"fh

-  Macfile Volume Macintosh fAfnfzfX%oÁ"vf{fŠf...[f€,ì'Ç%oÁA•ìX[A,Û,½,í[œ
-  Macfile Server Macintosh fT[frfX fT[fo[L,ì[–,ì•ìX
-  Macfile Forkize Macintosh ftf@fCf<,ìff[f^ ftH[fN,¨,æ,ÑŠA[fX ftH[fN,ð 1
,Ä,ìftf@fCf<,É~ACE< ,·,é[B,Û,½[Aftf@fCf< f^fCfv,Û,½,ìftf@fCf< fNfŠG[f^,ì•ìX

Macfile Server

Macintosh fT[fRfX fT[fo[.i\o-.)iX

```
macfile server [/server:\fRf"fsf...[f^-¼] [/maxsessions:ft[fU[[" | unlimited]
[/loginmessage:f[fbfZ[fW] [/guestsallowed:[true | false]]
```

fpf%of[f^

```
/server:\fRf"fsf...[f^-¼
```

fpf%of[f^,ð•iX,;éft[fo[,ðŽw'è,μ,Ü,·B,±,lfpf%of[f^,ðÈ—ª,;é,ÆA'€i,í[ff< fRf"fsf...
[f^ã,ÅŽÀs,³,è,Ü,·B

```
/maxsessions:[ft[fU[[" | unlimited]
```

Macintosh fT[fRfX fT[fo[,ð"Žž,ÉŽg—p,;é,±,Æ,i,Å,«,éft[fU[,iA'â"ðŽw'è,μ,Ü,·B,±,lfpf
%of[f^,ðÈ—ª,;é,ÆAmaxsessions ,iY'è,í^'O,i,Ü,Ü,Æ,È,è,Ü,·B

```
/loginmessage:f[fbfZ[fW
```

Macintosh ft[fU[,ª Macintosh fT[fRfX fT[fo[,ÉfOfIf",;éê±,É·\
Ž,³,è,é[fbfZ[fW,ð•iX,μ,Ü,·BŠù'¶,lfOfIf" f[fbfZ[fW,ðíœ,;é,É,iA[fbfZ[fW,ð<ó",É,μ,Å

```
/loginmessage fpf%of[f^,ðŽw'è,μ,Ü,·B,±,lfpf%of[f^,ðÈ—ª,;é,ÆAft[fo[,i  
loginmessage ,í^'O,i,Ü,Ü,Æ,È,è,Ü,·BfOfIf" f[fbfZ[fW,iA'â•¶Žš",í 199 ,Å,·B
```

```
/guestsallowed:[true | false]
```

fQXfg,Æ,μ,Å,i[ft[fU[,i[OfIf",Å Macintosh fT[fRfX fT[fo[,ðŽg—p,;é,±,Æ,ª,Å,«,é,©,Ç,¤
,©,ðŽw'è,μ,Ü,·B,±,lfpf%of[f^,ðÈ—ª,;é,ÆAft[fo[,i guestsallowed
,iY'è,í^'O,i,Ü,Ü,Æ,È,è,Ü,·B


Macfile Server ,iŠÖ~A€-Ú


 Macfile Server--'□

 Macfile Server--—á

,>,i,Ü,©,i Macfile fRf}f"fh

 Macfile Volume Macintosh fAfNfZfX%Å"vf{fŠf...[f€.i'Ç%ÅA•iXPA.Ü.½.ííœ

 Macfile Directory Macintosh fAfNfZfX%Å"vf{fŠf...[f€.iffBfCFNfgfŠ,i•iX

 Macfile Forkize Macintosh ftf@fCf<,iff[f^ ftfH[fN,,"æ.ÑfŠf[fX ftfH[fN,ð 1
.Å,i[tf@fCf<,É~ACE<,;éB,Ü,½A[tf@fCf< f^fCfv,Ü,½,i[tf@fCf< fNfŠfG[f^,i•iX

Macfile Server--'

fpf%o[f^'l,l't,lXfy[fX


fXfy[fX,Ü,½,í"ÁŽê•¶Žš,đŠÜ,bfpf%o[f^,í"¼Šp,l"ňd^ø—p•., ("),Á^í,Ü,È,~,é,î,È,è,Ü,¹,ňB


Macfile Server ,İÖ~A€-Ü


 Macfile Server--á

 Macfile Server

,>,ì,Ü,©,ì Macfile fRf}f"fh

 Macfile Volume Macintosh fAfNfZfX%o"Á"vf{fŠf...[f€,ì'Ç%o"ÁA•îX□A,Ü,½,í□í□œ

 Macfile Directory Macintosh fAfNfZfX%o"Á"vf{fŠf...[f€,ìfffBfCefNfgfŠ,ì•î□X

 Macfile Forkize Macintosh ftf@fCf<,ìff[f^ ftfH□fN,¨,æ,ÑfŠf□fX ftfH□fN,đ 1
.Á,ìftf@fCf<,É~ACE<.,é□B,Ü,½□Aftf@fCf< f^fCfv,Ü,½,ìftf@fCf< fNfŠfG□f^,ì•î□X

Macfile Server---

Macintosh "Log out from Services for Macintosh when you are finished"

```
macfile server /maxsessions:5 /loginmessage:"Log out from Services for Macintosh when you are finished"
```

Macfile Server

- Macfile Server--
- Macfile Server

Macfile

- Macfile Volume
- Macfile Directory
- Macfile Forkize

Macfile Forkize

Macintosh ftj@fCf<, ìff[]f^ ftjH[]fN, ", æ, ÑfŠf[]fX ftjH[]fN, ð 1
, Å, ìftj@fCf<, É~ACE<, µ, Ü, ·[]B, Ü, ½[]AMacfile forkize , ìftj@fCf< f^fCfv, Ü, ½, ìftj@fCf<
fNfŠfG[]f^, ð• Ì[]X, µ, Ü, ·[]B

macfile forkize [/server:\fRf"fsf...[]f^-¼] [/creator:fNfŠfG[]f^-¼] [/type:f^fCfv-¼]
[/datafork:ftj@fCf< fpfX] [/resourcefork:ftj@fCf< fpfX] /targetfile:ftj@fCf< fpfX

fpf%of[]f^

/server:\fRf"fsf...[]f^-¼
ftj@fCf<[]ä, ð~ACE<, ·, éfT[]fo[][, ðŽw'è, µ, Ü, ·[]B, ±, ìfpf%of[]f^, ð[]È—à, ·, é, Æ[]A'€[], ìf[][]fjfk
fT[]fo[][]ä, ÅŽÅ[]s, ³, è, Ü, ·[]B

/creator:fNfŠfG[]f^-¼
ftj@fCf< fNfŠfG[]f^, ðŽw'è, µ, Ü, ·[]Bcreator fpf
%of[]f^, ÌAftj@fCf<, ð[][]-, µ, ½fAfvfŠfP[]fVfj" , ðCE'^è, ·, é, ½, ß, É Macintosh Finder , àŽg—p, µ, Ü, ·[]B

/type:f^fCfv-¼
ftj@fCf< f^fCfv, ðŽw'è, µ, Ü, ·[]Bftj@fCf< f^fCfv, ÌAftj@fCf<, ð[][]-, µ, ½fAfvfŠfP[]fVfj" "à, Åftj@fCf<
f^fCfv, ðCE'^è, ·, é, ½, ß, É Macintosh Finder , àŽg—p, µ, Ü, ·[]B

/datafork:ftj@fCf< fpfX
~ACE<, ³, è, éff[]f^ ftjH[]fN, ì[]é[]Š, ðŽw'è, µ, Ü, ·[]BfŠf, []fg fpfX, ìŽw'è, à%Å"\, Å, ·[]B

/resourcefork:ftj@fCf< fpfX
~ACE<, ³, è, éfŠf[]fX ftjH[]fN, ì[]é[]Š, ðŽw'è, µ, Ü, ·[]BfŠf, []fg fpfX, ìŽw'è, à%Å"\, Å, ·[]B

/targetfile:ftj@fCf< fpfX
ff[]f^ ftjH[]fN, ", æ, ÑfŠf[]fX
ftjH[]fN, Ì~ACE<, É, æ, è[][]-, ³, è, ½ftj@fCf<, ì[]é[]Š[]A, Ü, ½, ìf^fCfv, Ü, ½, ìfNfŠfG[]f^, ð• Ì[]X, µ, æ, µ, Æ, µ, Ä, ç
, éftj@fCf<, ì[]é[]Š, ðŽw'è, µ, Ü, ·[]BŽw'è, ·, éftj@fCf<, ÌAŽw'è, µ, ½fT[]fo[][]ä, É, È, ·, è, Ì, È, è, Ü, ¹, ñ[]B

Macfile Forkize, ÌŠÖ~A[]€-Ü

- Macfile Forkize--'[]
- Macfile Forkize---á

, >, Ì, Ü, ©, Ì Macfile fRf}f"fh

- Macfile Volume Macintosh fAfNfZfX%Å"\f{fŠf...[]f€, Ì'Ç%Å[]A• Ì[]X[]A, Ü, ½, Ì[][]œ
- Macfile Directory Macintosh fAfNfZfX%Å"\f{fŠf...[]f€, ÌfffBfCEfNfgfŠ, Ì• Ì[]X
- Macfile Server Macintosh fT[]fRfX fT[]fo[][, Ì[]\[]-, Ì• Ì[]X

Macfile Forkize--'

fpf%ff[f^'l,l't,lXfy[fX

fXfy[fX,Ü,½,í"ÁŽê•ŕŽš,đŠÜ,bfpf%ff[f^,í"¼Šp,l"ňd^ø—p•., (") ,Å^í,Ü,È,~,ê,î,È,è,Ü,¹,ňB

Macfile Forkize ,ìŠÖ~A€-Ú


 Macfile Forkize--—á

 Macfile Forkize

,>,ì,Ü,©,ì Macfile fRf}f"fh

 Macfile Volume Macintosh fAfNfZfX%o"Á"vf{fŠf...[f€,ì'Ç%o"ÁA•ïX□A,Ü,½,í□í□œ

 Macfile Directory Macintosh fAfNfZfX%o"Á"vf{fŠf...[f€,ìfffBfCefNfgfŠ,ì•ï□X

 Macfile Server Macintosh fT□[frfX fT□[fo□[,ì□□→,ì•ï□X

Macfile Forkize---

Macintosh fAfNfZfX%oA"vf{fŠf...[f€ D:\RELEASE [ã,É C:\CROSS\MAC\APPCODE ,İfŠj\[]fX ftfH[]fN,đŽg
—p,μ,Ä COWAPP ftf@fCf<,đ[]i[]-,μ[]A,±,İ[]V,μ,çftf@fCf<,đ Macintosh fNf%ofCfAf"fg,É[]AfNfŠfG[]f^
(•WŽ~) BEEF ,đŽ[],Á,½fAfvfŠfP[]fVf#f" (Macintosh fAfvfŠfP[]fVf#f",İf^fCfv APPL ,đŽg—p,·,é) ,Æ,μ,Ä•\
Ž|,·,é,É,İ[]AZÿ,İ,æ,α,É"ü—İ,μ,Ü,·[]B


```
macfile forkize /resourcefork:c:\cross\mac\appcode /type:APPL /creator:BEEF /targetfile:D:\release\  
cowapp
```

ftf@fCf< fNfŠfG[]f^,đfT[]fo[][\CYPRESS [ã,İfffBfÇfNfg D:\WORD DOCUMENTS\GROUP FILES ,İ S
ADAMS.TXT ftf@fCf<,İ Microsoft Word 5.1 ,É•İ[]X,·,é,É,İ[]AZÿ,İ,æ,α,É"ü—İ,μ,Ü,·[]B


```
macfile forkize /server:\\cypress /type:TEXT /creator:MSWD /targetfile:"d:\word documents\group  
files\s adams.txt"
```


Macfile Forkize ,İŠÖ~A[]€-Ü

 Macfile Forkize--'[]

 Macfile Forkize

,>,İ,Ü,©,İ Macfile fRf}f"fh

 Macfile Volume Macintosh fAfNfZfX%oA"vf{fŠf...[f€,İ'Ç%oA[]A•İ[]X[]A,Ü,½,İ[]i[]œ

 Macfile Directory Macintosh fAfNfZfX%oA"vf{fŠf...[f€,İfffBfÇfNfgfŠ,İ•İ[]X

 Macfile Server Macintosh fT[]fRfX fT[]fo[][,İ[]V[]-,İ•İ[]X

