




□@f0f%ftfBfbfN'Ê□Mf\ftfg


□@E»□Ý□AŽå→,Æ,È,è,Â,Â, ,é□Af0f%ftfBfbfN'Ê□Mf\ftfg,ì□Å□V"Å,Å,·□B

□@  NIFTY-Serve□ê-pf0f%ftfBfbfN'Ê□Mf\ftfg NIFTY Manager Ver 1.14

 Up!

□@  “úCoMIXf0f%ftfBfbfN'Ê□Mf\ftfg MIXNAV Ver 1.1.0

□@  PC-VAN□ê-pf0f%ftfBfbfN'Ê□Mf\ftfg PC-VANfifrfQ□[f^□[ Ver 1.40

□@  People□ê-pf0f%ftfBfbfN'Ê□Mf\ftfg Guippy

① @ "úŒoMIXfof%oftfBfbfN'ÊMf\ftfg  
① @ @MIX NAV for Windows 3.1 Version 1.1.0

インストールの実行

 Žû~^fffbfŒfnfgfš @DISC1:\GUITERM\MIXNAV

 ŠT-v

① @ "úŒoMIX ê-p, ìf0f%ftfBfbfN'ÊMf\ftfg uMIX NAV v, Å, · B%æ-  
Ê, ðf}fEfx, ÅfnfšfbfN, µ, Ä, ç, , ±  
, Æ, É, æ, è A "úŒoMIX, Å, Ì 'ÊM, ðŠÈ'P, É s, È, |, é, æ, x, É, È, Á, Ä, ç, Ü, · B

① @ ufCf "fXfg [f<, ìŽÀ s v, ì  
%Ó Š, ð Af}fEfx, Å ¶fnfšfbfN, ·, é, ÆfCf "fXfg [f<, ºŽn, Ü, è, Ü, · B

① @ %ñ, ì <N "Žž, É, íMIX NAV, ì u'ÊM Ý 'è v, ð 'I'ð, µfjfbfNfl [f€  
, âfAfnfZfxf | fCf "fg, ì Ý 'è, ð-Y, ê, , É s, È, Á, Ä, , ¼, ³, ç B

**PC-VAN - pfOf%oftfBbfN'ÊMf\ftfg PC-VANfifrfQ[f^ [ Ver 1.40**



**Žû~^ffBfEfNfgfŠ@DISC1:\GUITERM\PC\_VAN**

**ŠT-v**

PC-VANfifrfQ[f^v, ÍA“ú- {Windows3.1ã, Å“®, PC-VANê-p, Ì  
'ÊMf\ftfgfEjFfA, Å, ·B- {Ši“I, È, f, t, h i Graphical User  
Interface j, ð”ö, |, Å  
PC-VANfifrfQ[f^v, ÍA“ú- {Windows3.1ã, Å“®, PC-VANê-p, Ì  
, ç, Ü, ·B î•ñ, Ì% {— Af\ftfgfEjFfA, Ìf\_fEf“f [fh, È, Ç APC-  
VAN, É, , , é  
'€ ì, ° Af} fEfX, ÌfNfŠfbfN, Ì, Ý, Ås, |, Ü, ·B

fpf\frf“'ÊM, ÉK n, µ, Ä, ç, È, ç% SZò, Ì•ú, â, -  
îŽO, Ì•ú, È, Ç A•L, ç'w, ÅPC-  
VAN, ð-e^Ö, É, “Žg, ç, ç, ½, ¾, -, éŠÅ««, ð-ÚŽw, µ, Ä, ç, Ü, ·B

@, Ü, ½ AfOf%ftfBfJf<, Èæ-Êã, É, “, ç, ÄAE»ŽÀ, ÌçŠE, ðŽUô, ·, é, æ, x  
, ÉŠ'Šo, Å~p  
, Å, «, Ü, ·B~p, µ, ½, çfT [frfX, ðf} fEfX'€ ì, Åi, èž, ñ, Å, ç, -  
, ¾, -, ÅA-Ú“I, ÌfT  
 [frfX, ÉfAfNfZfX, Å, «AŠÈ'P, ÉŠy, µ, PC-VAN, ÌŠeŽífT [frfX, ð, ²~p  
p, É, È  
, ê, Ü, ·B

ifof [fwf†f“, É, æ, Á, ÄŽg, |, é<@”\, É\$EÀ, a, , è, Ü, ·, Ì, ÅA, ²' ^ó  
%º, ³, çB j

**,o,b|,u,`,mfifrfQ[f^ ver1.40 ,Å,ìV<@”\**

PC-VANfifrfQ[f^ Ver1.40 ,Å, ÍA^Èº, ÌV<@”\, a%Á, í, è, Ü, µ, ½B

@(1) PC-VAN Mosaic Ver1.0 ,Æ, Ì~A“®<@”\  
@PC-  
VAN, ð'Ê, µ, ÄfCf“f^ [flfbfgã, Ìfz [f€fy [fW, ÉfAfNfZfX, ·, é, ±, Æ, a, Å  
, «, Ü, ·B iPC-VAN Mosaic Ver1.0 (NEC») , a•K-

v, Å, ·B j  
@(2) Ž«' ^ø, «A-| -óf\ftfgfEjFfA, Æ, Ì~A“®<@”\  
@i u%p“úŽ«' ^ø, «E (NEC») v, Ü, ½, Í u%p“ú-|-

ófAf\_fvf^(NEC»)v, a•K-v  
, Å, ·Bj

@(3) ^óü<@"\

@(4) fEfBf"fhfE, ìfšfTfCfY<@"\

@(5) ^μ, !, éfjjf...[ŠK'w, ð10ŠK'w, Öšg'å

@, Ü, ½A^Èº, ìáŠQ, ðC³, μ, Ü, μ, ½B

@(1) ffbfZ[fWf^fCfjf<Žæ"¾•s<i†, Ö, ì'î^

@(2) CanBe, Å, ĨñoüÚ'±Žž, ìÚ'±•s%Â•s<i†, Ö, ì'î^



Ú, μ, , ÍADISC1:\GUITERM\PC\_VAN\INST\_140.TXT, ð, "Ç, Ý, , ¾, ³, †

## @NIFTY Manager Ver 1.14



Žû~^ffBfEfNfgfš@DISC1:\GUITERM\NITYMAN



ŠT-v

@NIFTY Manager ,ÍA'N,É,à,í,©,è,·,çGUI (Graphical User Interface) ŠÁ<<,ÁNIFTY-Serve,ð~p,Á,«,éNIFTY-Serve ê-p,ì'ÊMf\ftfgfEfFfA,Á,·BNIFTY Manager ,Á,ÍAfAfCfRf“,âfjff...  
[ ,ðf}fEfX,ÁfnfŠfbfN,·,é,¾, -, ÌŠÈ'P,È'€ì,ÁNIFTY-Serve , ÌŠefT[fRfX,ª~p,Á,«,é'ÊMŠÁ<<,ð'ñ<ÿ,·,é'¼A•i”ftf@fCf<,ì^êŠf\_fEf“f[fh,âJPE Gæ'æ, ÌfIf“f%fcf“\Žì,È,Ç,Ì<@“\,àŽÀ» , ³,ê,Ä,ç,Û,·B



“@ìŠÁ<<

1. fIfyf[fVfþf“fVfXfef€

ÈŠeŽÐ,ª'ñ<ÿ,·,é“ú- {È MS-Windows  
3.1“@ì<@ŽìB,Û,½AWindows95,É,Ä,ç,Ä,ÍAWindows  
Ver3.1, ÌfAvfšfP[fVfþf“,Æ,µ,Ä“@ì,µ,Û,·B

2. fn[fhfEfFfA,É'Î,·,é-v<

Efpf\frf“-{ 'ì

,b,o,t 486DX-33MHz^Èã  
f,fš 8Mbyte^Èã  
640~480i256Fj,ì\Žì,Á,«,é0f%ftftfBfbfNfXfJ[fh  
fn[fhfBfXfN<ó,«-e-È 10Mbyte^Èã

Ef,fff€

fjftfefBŠ”Ž%žÐ,ª“@ì,ðŠm”F,µ,½f,fff€,ªfTf| [fg,³,ê,Û,·B


“@ì,ðŠm”F,µ,½f,fff€,ÉŠÖ,·,éí•ñ,ÍAŽžXV,ç,½,µ,Û,·B


AV, Ìf,fff€ff[f^fx[fXftf@fCf<“™,ì'Ç%Áftf@fCf<,ÍANIFTY  
ManagerfTf|[fgftfH[f%fc€, Ìf%fcfuf%š,©,çf\_fEf“f[fh,·,é,±,  
,Æ,ª,Ä,«,Û,·B


 Ú, μ, , ÍDISC1:\GUITERM\NIFTYMAN\NIFTY.TXT, ð, <sup>2</sup>—, , <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ¢B

## @People—pfOf%oftfBfbfN'ÊMf\ftfg GuippyŠÖ~A

@'ÊMfT[f r f X, Ì Š Ž n Ž ž, ©, ç Af0f%ftfBfbfN'ÊMŠÂ<<, ð \ ' z, µ, Ä, ç, ½  
Peopleê—p, Ì'ÊMf\ftfg, Å, ·BDOS/V—p, Ì, Ù, ©APC98—p, à, , è, , è, Ù, ·  
B


@  Guippy Jr. for DOS/V / PC98 Ver 1.13


@  Guippy for OS/2 Ver 1.02

@  Guippy-VTX (for DOS/V / PC98)

@  Guippy for Windows Ver 1.61a21& MIME VIEWER

**@Guippy Jr. for DOS/V / PC98 Ver 1.13**

 Žů~^fffbf€fnfgfŠDISC1:\GUITERM\GUIPPY\DOS\DOSV(\98)

 Guippy Jr.,İŠT-v

,±,İfvf[]f0f%f€,Í[]Apeople,ªftf|[][fg,µ,Ä,¢  
,éf}f<f`f[]fffbfA€`Ž®  
[]iMIME€`Ž®,İfIfufwfFfnfg[]j,İff[][f^,É'Î  
%ž,µ[]AŽÊ[]^,âŠG,â•ŕŽš,ª[]-[]Ý,µ  
[]@[]@[]@,½ff[][f^,đ•\Ž! , · ,é<@"\[]AŠÈ^ŕfAfcfrf" ,É,æ,éf}fEfX'€[]ì<@"\  
,đŽ[],Á,Ä,¢,Ü,·[]B

•\Ž!;%Ä"\  
,Èfcf[][][fw,İff[][f^,İ€`Ž®,Í[]AŽÊ[]^ff[][f^,İJPEg[]AŠG,đ•`%æ,·  
[]@[]@[]@,éNAPLPS,Ä,·[]B


,Ü,½[]Afff[][f^,İ€`Ž®,đŽ€"®"I,ÉŽ`•Ê,·,é,½,ß[]AŠÈ'P,È'€[]ì,Äfff[][f^,đ  
[]@[]@[]@•\Ž! , · ,é,±,Æ,ª,Ä,«,Ü,·[]B

Guippy Jr.,Ä•\Ž!,Ä,«,éJPEg[]ANAPLPS,İftf@fcf<,Í  
[]@[]@[]@People,İ%ì<cŽ°[]ufAfgfŠfg[]@MIME%ì<cŽ°[]v,É-L,è,Ü,·[]B,±,İ  
%ì<cŽ°


,ŕ[]s,frf}f"f[]h,Í[]A[]hGO AMIME.CC[]h,Ä,·[]BŠF-l,İŽQ  
%Á,đ,`'ò,¿,µ,Ä

[]@[]@[]@,¢,Ü,·[]B[]ufAfgfŠfg[]@MIME%ì<cŽ°[]v^ÈŠ0,É,à[]',«[]ž,Ý,ÉJPEg[]A  
[]@[]@[]@NAPLPS,İff[][f^,ª"~••,µ,Ä, ,é,à,İ,İfcf[][][fw,đ•\Ž! ,Ä,«,Ü,·[]B

[]@[]@[]@@ŠÈ^ŕfAfcfrf" ,đ•\Ž! , · ,é,±  
,Æ,É,æ,Ä,Ä[]AŠÈ'P,ÈGUI,đ'ň<Ý,µ[]Af}fEfX'€[]ì  
[]@[]@[]@,É,æ,é[]e,µ,Ý^ŕ,¢'€[]ìŠÄ<«,đ'ň<Ý,µ,Ä,¢,Ü,·[]B


 fCf"fXfg[][f<•û-@

[]@Windows,đ[]I-<sup>1</sup>,<sup>3</sup>,<sup>1</sup>[]AMS-DOS,É-ß,Á,Ä  
[]@DISC1:\GUITERM\GUIPPY\DOS\98(\DOSV)\INSTALL.EXE,đŽÀ[]s,µ,Ä,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[]B

 []Ú,µ,,ÍDISC1:\GUITERM\GUIPPY\DOS\98(\DOSV)\README.DOC,đ,<sup>2</sup>—,-  
,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,¢[]B




## @Guippy for OS/2 v1.02

@  Žû~^fffbfƒfnfgfšDISC1:\GUITERM\GUIPPY\OS2

@  
 **GuippyŠT-v**


@Guippy, ÍAGUI, đŠ^, ©, μf}fEfX'€ì, ÅPeople, a~p, Å, «, é  
@'ÊMf\ftfg, Å, ·B  
@Guippy, ÍPeople, Ì“dŽqf[] [f<A“dŽq%ì<cŽº, È, Ç, Ì<@”\, Ì~p  
@, Í, à, ÿ, ë, ñ, Ì, ±, ÆAftf@fCf<“]’-, È, Ç, àf}fEfX, Å'€ì, Å, «, Ü, ·B

@  
 'Of[] [fWf+f“, ©, ç, Ì•İX

@, ±, Ìfo[] [fWf+f“, Í Guippy for OS/2 v1.02 , Å, ·B  
@, ±, ê, ÍA[]-^ OS/2 Warp , Ìf{[] [fifXfpfbfN, È“~<, ³, ê, Ä, ç, ½  
v1.00, ©, çA  
@^Èº, Ì•İX, a%Á, !, ç, ê, Ä, ç, Ü, ·B


@@- Ž—±<Ç“Še' <Êú, È“Še, Å, «, È, çfof0, đC³  
@@- 28800bpsA14400bps“™'Ç%ÁfAfNfZfXf|fCf“fg, È'Í  
%ž[] i1995“N9€Ž25“ú€»Yj  
@@- []uCONNECT[]v•¶Žš-ñŽóM'Ò, ÿŽšÔ, a•ÚŠÇ, Å, «, È, çfof0, đC³  
- fgfffbf^[] [%æ-Êi[]'ž-  
pfEfBf“fhfE[]j, ÌftfHf“fg, a'I'đ, Å, «, È, çfof0, đC³

fefLfXfgftf@fCf<, Ìf\_fEf“f[] [fhŽž[]A^úüv[]fIvfVf+f“, đ'I'đžž^óü  
, Å, «  
@@@, È, çfof0, đC³

@  
 -ç'Î%ž<@”\^fof0[]î•ñ

@, ±, Ìfo[] [fWf+f“, È, ÍAŽâ, È'Èº, Ì'Ê, è, Ìfof0A<y, ÑA[]V”Å, ÌGuippy  
for  
@Windows, Æ^á, ¨“@ì, đ, ·, é”•a, aŠÜ, Ü, ê, Ä, ç, Ü, ·B, ±, ê, ç, È, Í[]žŽ'Í  
%ž, μA  
@People“à, È“o~^, ³, ê, Ü, ·, Ì, Å[]Af\_fEf“f[] [fh, μ, Ä'u, «Š·, !, Ä, ²Žg-p  
º, ³, çB  
@, È, “A[]V”Å, đ“o~^, μ, ½[]Û, È, Í[]uPeople, ©, ç, Ì, “'m, ç, ¹[]v, Å, ²^Ä“à, ç  
, ½, μ  
@, Ü, ·B

f f0fCf" , ©, ç f f0fIft, Ü, Å, ÌŠÖ, Ü, Æ, ß, Ä f f0, ðŽæ"¾A, ª, Å, «, È, ç  
 f f0fCf" -¾'©^ÈŠÖ, ÌftfHf"fg, ðŽw'è, µ, ½ê±A³, µ, •\  
 Ž!, ³, ê, È, çê±, ª, , é  
 f f0fCf" - æ-È  
 ð'æ"x, È, æ, Å, Ä, ÍfEfBf"fhfE, Ì^è•", ªffBfXfvfEfC, ©, ç, Í, Ýo, •

 **Guippy, ÌfCf" fXfg [f<, ÌŽè±**

install.exe , ª•K-v, Èì<Æ, ð'S, ÄŽÀs, µ, Ü, •BŽŸ, ÌŽè±, É  
 , Å, ÄfCf" fXfg [f<  
 f<, µ, Å%º, ³, çB

(1) install.exe , ð<N"®, •, éB

(2)

uÝ'èvf\_fCfAf f0, ªo, é, Ì, ÅAufCf" fXfg [f<Æ³ffBfEfNfgfŠv  
 , Èã<Lftf@fCf<, ª, , é CD-ROM  
 , ÌffBfEfNfgfŠ, ðŽw'è, •, éB

(3)

ufCf" fXfg [f<æffBfEfNfgfŠv, È, ÍAfCf" fXfg [f<, µ, ½, çfn [f<  
 fhffBfXfN, ÌffBfEfNfgfŠ, ðŽw'è, •, éB

(4) uOKvf{f^f", ð

%Ÿ, µ, ÄuÝ'èvf\_fCfAf f0, ð•Å, ¶, éB

(5)

fCf" fXfg [f<fEfBf"fhfE, ªo, é, Ì, ÅuInstallvf{f^f", ð%Ÿ, µ, Ä  
 fCf" fXfg [f<, ðŠJŽn, •, éB

fCf" fXfg [f<, Ìì<Æ, ÈŠÖ, µ, ÄAŠÈ'P, Èà-  
 ¾, µ, Ü, •BŽQlî•ñ, Æ, µ, Ä, "Ç, Ý  
 %º, ³, çBinstall.exe , ÍŽŸ, Ìì<Æ, ð±, ÈŽÀs, µ, Ü, •B

ufCf" fXfg [f<æffBfEfNfgfŠv, ÅŽw'è, ³, é, ½ffBfEfNfgfŠ, Ì'¶Ý  
 , ðŠm"F, µA, È, -, ê, ÌŠm"F, Ìf fbfZ [fWf{fbfNfX, ð•\Ž!, µ, ½æìì-, •  
 , éB

- Guippy for OS/2 , ÌŽÀs, È•K-  
 v, Èftf@fCf<, ªufCf" fXfg [f<Æ³ffB

fEfNfgfŠv, ÅŽw'è, ³, é, ½ffBfEfNfgfŠ, È'¶Ý, •, é, ±, Æ, ðŠm"F, µA, »

,ê,ç,ðfCf“fXfg[]f<[]æ,ðfRfs[][,·,é[]B

- fRfs[][,μ,½ftf@fCf<,Ì Read Only ‘®[]«,ðŽæ,è[]æ,[]B

- Guippy for OS/2 -

p,ìftfHf<f\_[][,ðfffxfNfgfbfv,É[]ì[]¬,μ[]A,»,Ì’t  
,É Guippy for OS/2 ,Ìfvf[]f0f  
%f€fIfufWfFfNfg,ð[]ì,é[]B

install.exe

,ðŽg,í,,ÉŽè[]ì<Æ,ÅfCf“fXfg[]f<,·,é[]ê[]‡,É,Í[]AGuippy for  
OS/2 ,ÌŽÀ[]s,É•K-

v,Èftf@fCf<,ð’S,Ä“^ê,ÌfffBf€fNfgfŠ,ÉfRfs[][,μ[]A  
attrib fRf}f“fh,ðŽg,Á,Äftf@fCf<,Ì Read Only ‘®[]«,ðŠ0,μ,Ä  
%º,³,ç[]B

-á [C:\guippy] attrib -R \*\line

,±,ê,Í[]ACD-ROM ,ÉŽû,ß,ç,ê,½ftf@fCf<,É,Í’S,Ä Read Only  
‘®[]«,²•t,ç,Ä


,μ,Û,κ,½,ß,É[]¶,, ,é[]§€ÀŽ-[]€,Å,·[]B,»,Ì€ã,Í•K-v,É  
%ž,¶,ÄftfHf<f\_[][,âfv  
f[]f0f%f€fIfufWfFfNfg,ð[]ì[]¬,μ,Ä%º,³,ç[]B

[]@



[]Ú,μ,,ÍDISC1:\GUITERM\GUIPPY\OS2\README.TXT,ð,²—,,³/4,³,ç[]B

## @Guippy-VTX for PC98 / DOS/V


@  Žû~^ffBf€fnfgfšDISC1:\GUITERM\GUIPPY\VTX\DOSV(\98)


@  
 Guippy-VTX for PC98 / DOS/V, iŠT-v

, ±, ìfvf f0f%f€ , í ANTT, ìVTX-  
ô, ©, çPeople, ÉfAfNfZfX, ·, é  
, ½, ß, ìVTX ê-p' Ê Mf\ftfg, Å, · B  
, ±, ìfvf f0f%f€  
, ÅfAfNfZfX, Å, «, é' Ê Mflfbfg, íPeople, ì, Ý, È, ç, ,  
VTX, ìžã-vflfbfg, ìLffffvfe" AJRA-  
VAN™, É, àfAfNfZfX, ·, é  
, ±, Æ, ¢, Å, «, Ü, · B


@  
 ú, µ, , íDISC1:\GUITERM\GUIPPY\VTX\DOSV(\98) .DOC, ð, ²—, , ¾, ³, ç B

# ☐@Guippy for Windows v1.63a5 & MIME VIEWER

☐@Guippy for Windows v1.63a5, ÌfCf“fXfg☐[f< 

☐@MIME VIEWER, ÌfCf“fXfg☐[f< 


☐@  Žû~^ffBfÆfNfgfŠDISC1:\GUITERM\GUIPPY\WINDOWS\GUIPWIN(\GUIPVIEW)

☐@  
 GuippyŠT-v

☐@Guippy, Í☐AWindows, ÌGUI, đŠ^, ©, μf}fEfX'€☐ì, Å  
People, ª~-p, Å, «, é'Ê☐Mf\ftfg, Å, ·☐B  
Guippy, ÍPeople, Ì“dŽqf☐☐[f<☐A“dŽq%ï<cŽº, È, Ç, Ì<@”\, Ì~-p  
, Í, à, ÿ, è, ñ, Ì, ±, Æ☐Aftf@fCf<“]’-, È, Ç, àf}fEfX, Å'€☐ì, Å, «, Û, ·☐B

☐@  
 MIME VIEWERŠT-v

☐@, ±, Ìfvf☐f0f%€f, Í☐AGuippy for Windows, Æ~AÆg, μ, Ä  
People, ªfTf|☐[fg, μ, Ä, ç, éf}f<f`f☐fffBfAÆ`Ž®☐iMIMEÆ`Ž®, Ì  
fIfufWfFfNfg☐j, ÌŽÊ☐^, âŠG, â•¶Žš, ª☐-☐Ý, μ, ½ff☐[f^, đ•\Ž|, μ, Û, ·☐B  
☐i'Îžž, μ, Ä, ç, éff☐[f^, ÌÆ`Ž®, Í☐AŽÊ☐^ff☐[f^, ÌJPEG, ÆŠG, đ•`%æ, ·  
, éNAPLPS, Å, ·☐B☐j

☐@  
 ☐Ú, μ, , ÌDISC1:\GUITERM\GUIPPY\WINDOWS\GUIPWIN(\GUIPVIEW)\  
README.DOC, đ, ²—, , ¾, ³, ç☐B



