

WindowsNTŠÖ~A fIf“f%fCf“f\ftfgfEfFfA



fAfjf□□[fVf#f“fJ□[f\f<



fAfjf□□[fVf#f“fJ□[f\f<□W□ifyf“fMf“□j



□GCaps32 for WindowsNT Version 0.4fÀ



□GŠÛfGfffBf^32 for WindowsNT Version 1.55



□GTerm for Windows95 / □GTerm for WindowsNT Version 3.06



‰pÊê□GŠÛ□ì□-fLfbfg for □GŠÛfGfffBf^32 for WindowsNT v1.55



fAfj f [fvf#f" fJ [f\ f<

ファイルのコピー



%æ-ÊfCf [fW



Žû~^ffBf@fNfgfŠ DISC1:\OLS\WINNT\ISOANI



□îžò ^é- { □Lž÷ ž□



"à-e

f\ftfg□D%î

fAfj f [fvf#f" fJ [f\
f<, ð, Q, Á, Ä, Ý, Ü, µ, ½□B, Ç, ç, à, æ<□\, ç, ç"®, «, ð, µ, Ä, ç
, é, ÆŽv, ç, Ü, ·□B



ftf@fCf<□\□~

ISOCUR1	ANI	38,714	95-11-11	17:47
ISOCUR2	ANI	108,172	95-11-11	1:15



fAfj f [fvf#f" fJ [f\ f < W i fyf" fMf " j

ファイルのコピー



%æ-Êfcf [fw



Žû~^ffBf@fNfgfš DISC1:\OLS\WINNT\PEN-ANI



□ižò ŠOŽR □N•F Ž□



"à-e

f\ftfg □D%î

fyf" fMf", ÌfAfj f [fvf#f" fJ [f\ f < W, Å, · □B

-î ^ ó □A ' Ò, ÿ □ó ' Ô □AfAfvfš fP [fvf#f", Ì < N " @ □AfTfCfY • İ □X □i □¶ %E ¥ □ã
%º ¥ Ž Î, ß □j - p, ÌfAfj f [fvf#f" fJ [f\ f <, º fZfbfg, É, È, Á, Ä, ç, Ü, · □B

, È, ½, àfffxfnfgfbfv, Åfyf“fMf“, ðŽ”, Á, Ä, Ý, Ü, ¹, ñ, ©H
Žg-p•û-@

□@“K“-, ÈfffbfÆfnfgfš, Éftf@fCf<, ð%ð“€
 , μ□A□ufRf“fgf□□[f<fpflf<□v, İ□uf|fCf“f^□v, ð<N“®, μ, Äšef|
 fCf“f^, É□užQ□Æ(B)□v, ðŽg-p, μ, Ä□A□D, «, Éf|fCf“f^, ðŽw'è, μ, Ä
 %º, ³, ç□B


ftf@fCf<, İ□à-¾

No. FILE NAME Žg-p-p“r □à-¾
 === =====

- 1. WALKPEN .ANI (B) •à, fyf“fMf“
- 2. WALKDEBU .ANI (B) •à, '¾, Á, ½fyf“fMf“
- 3. WALKPENW .ANI (A,C) •à, fyf“fMf“-î^ó□i”'-î^ó□j
- 4. WALKPENB .ANI (A,C) •à, fyf“fMf“-î^ó□i□•-î^ó□j
- 5. WALKPENS .ANI (A,C) •à, fyf“fMf“-î^ó□i”¼“š-¾-î^ó□j
- 6. WALKPENR .ANI (C) •à, fyf“fMf“-î^ó□i□0□Ä”_ -Ä-
 î^ó□j
- 7. HLPEN .ANI (D) □ã%º, É^ø, Á'£, éfyf“fMf“
- 8. HLPEN-B .ANI (D) □ã%º, É^ø, Á'£
 , éfyf“fMf“□iÆã, ëü, «□j
- 9. YOKOPEN .ANI (E) □¶%E, É^ø, Á'£, éfyf“fMf“
- 10. NANAME-L .ANI (F) □¶ŽÎ, ß, É^ø, Á'£, éfyf“fMf“
- 11. NANAME-R .ANI (G) %EŽÎ, ß, É^ø, Á'£, éfyf“fMf“
- 12. PENGINM .ANI (B) fyf“fMf“, Ìf, □[ftfBf“f0•-
- 13. UNKO .ANI (A,C) fEf“fR, ., é-î^ó
- 14. UNK02 .ANI (A,C) fEf“fR, ., é-î^ó2
- 15. PENGIN .ICO (ICON) fyf“fMf“, ÌÆ³ŠG
- 16. DEBUPEN .ICO (ICON) '¾, Á, ½fyf“fMf“, ÌÆ³ŠG

=====
 =====

*Žg-p-p“r A=-î^ó
 B='Ò, ÿ□ó'Ò
 C=fAfvfšfP□[fvf#f“, Ì<N“®
 D=fTfCfY•İ□X-□ã%º
 E=fTfCfY•İ□X-□¶%E
 F=fTfCfY•İ□X-□¶ŽÎ, ß□ã
 G=fTfCfY•İ□X-%EŽÎ, ß□ã

 **ftf@fCf<□\□-**

YOKOPEN ANI	1,678	95-06-20	0:05
WALKPENW ANI	1,676	95-06-19	22:02

WALKPENS ANI	1,676	95-06-19	22:15
WALKPENR ANI	1,676	95-06-19	23:00
WALKPENB ANI	1,676	95-06-19	22:07
WALKPEN ANI	1,676	95-06-23	0:39
WALKDEBU ANI	1,674	95-06-19	23:04
PENGINM ANI	16,380	95-06-19	2:49
NANAME-R ANI	1,682	95-06-20	21:22
NANAME-L ANI	1,682	95-06-20	20:55
HLPEN ANI	1,678	95-06-20	
1:36			
HLPEN-B ANI	1,678	95-06-20	22:03
UNKO ANI	18,140	95-06-22	
23:10			
UNK02 ANI	16,576	95-06-22	23:22
PENGIN ICO	766	95-06-14	
16:53			
DEBUPEN ICO	766	95-06-19	
22:30			
README TXT	2,342	95-06-23	
2:38			

□à-¾ftf@fCf<



GCaps32 for WindowsNT Version 0.4fÀ

ファイルのコピー



Žû~^ffBfœfnfgfŠ DISC1:\OLS\WINNT\HCAPSAL



□ìžò □Ä“; □G•v ž□



“à-e

GCaps, İŠT-v

□@GCaps, İ□A0ADG□€<’, ì106fL□[f{□[fh, ðžg, ×□l, Ì•s•Ö, ð
%ð□Á, ·, éf\ftfg, Å, ·□B’¼, ÌfL□[f{□[fh, Å, à•Ö-~ , È<@”\, à, ç, è, ç, è,
, è, Û, ·□B

□@GCaps for WindowsNT, É, İ□A^È%º, Ì<@”\, º, , è, Û, ·□B

-□@□u%p□”□vfL□[, ð□uCapsLock□vfL□[, É, µ, Ä, µ, Û, ×□BShiftfL□[, ð
%ÿ, ³, È, , Ä, àCapsLock, º□Ø, è’ö, |, ê, é, æ, ×, É, È, é

-□@□u%p□”□vfL□[, ð%ÿ, µ, ½žž, Éž“®“I, ÉfJfif□fbfN%ð□æ

-

□@□u”¼Šp/’SŠp□vfL□[, ð□uEsc□vfL□[, É, µ, Ä, µ, Û, ×□B98, ÌfL□[f{□[fh,
h, ÉŠµ, ê, ½□l, É, Í, Æ, Á, Ä, à•Ö-~

-

□@□u, Ð, ç, º, È□vfL□[, ð□uŠžž□vfL□[, É, µ, Ä, µ, Û, ×□B, ©, ÈŠžžš•İŠ· ,
İ<N“®, ºŠy, É, È, é

-□@□u•İŠ·□vfL□[, ðSpacefL□[, É, µ, Ä, µ, Û, ×□B

%pÆéfL□[f{□[fh, à98, ÌfL□[f{□[fh, ÉŠµ, ê, ½□l, É, Í, Æ, Á, Ä, à•Ö-~

-□@□u-³•İŠ·□vfL□[, ðfJfifL□[, É, µ, Ä, µ, Û, ×

-□@, ©, ÈŠžžš•İŠ· , □, ž/, □, †, †žž, Éž“®“I, ÉfJfi□Ø, è’ö, |, à, ·, é

-□@%EctrLfL□[, ðfJfifL□[, É, µ, Ä, µ, Û, ×

-□@fJ□[f\<^ú“®, ð%Á’-, ·, é□B

□@, ±, ê, ç, Ì<@”\, Í, » , ê, ¼, êON/OFF, ·, é, ±, Æ, º, Å, «, Û, ·□B

□@Windows”Å, É, Í, , é, -, ç, àWindowsNT”Å, É-³, ç<@”\, Í^È

%º, Ì, Æ, “, è, Å, ·□B

-@%EAltfl[, Š;ŽšfL[, É, μ, Ä, μ, Ü, ¨
-@IME, Ìu, ©, È@fJfi@
%p"v, Ìf, [fh, ÉfJfiffbfN, ð~A"®, ³, ¹, é
-@fJfiffbfN, Ìó'Ô, ÉIME, ð~A"®, ³, ¹, é



ftf@fCf<\-

HCAPS32S DLL	8,192	95-09-07	14:22
HCAPS32 EXE	57,856	95-09-07	14:34
HCAPS32 HLP	12,742	95-07-06	15:57

Windowsfwf<fvftf@fCf<



□GŠÛfGffffBf^32 for WindowsNT Version 1.55

ファイルのコピー



Žû~^fffbf@fNfgfŠ DISC1:\OLS\WINNT\HMNT155



□ìžÒ □Ä“; □G•v Ž□



“à-e

32bit”Å,É,Â,ç,Ä

□GŠÛfGffffBf^32 for WindowsNT,Í□AWindowsNT-
p,É32bitfAfvfšfP□[fVf#f“ ,Æ,μ,Ä□ì,è,È,¨,μ,½□GŠÛ,Å,·□B

Šî-{"I,É□A□GŠÛ32,Í□GŠÛ,Æ,Ù,Æ,ñ,ç“-,¶•¨,Å,·□Bžâ,È□V<@“\,Í^È
%º,Ì,Æ,¨,è,Å,·□B

□|□@f□f“f0ftf@fCf<fL□[f€‘Î%ž
□|□@CTL3D32.DLL,ª, ,é,Æ3Df_fCfAf□f0
□|□@100-œ□s,Û,ÅOK
□|□@□ÄfI□[fvf“,Ì□,‘-‰»<@“\□i“@□ìšÅ<<-•Ò□W,Å□Ý‘è□j
□|□@hidemaru.ini□Ahidemaru.dat,É<L%¨,μ,Ä,ç,½“à-
e,ð,·,×,Äf@fWfXfgfŠ,É<L~^
□@□@,·,é,æ,κ,É,μ,½□B
□|□@f@fWfXfgfŠ‘€□ì,Ìf}fNf□
□|□@fšf_fCf@fNfg%Å“\,Èfvf□f0f%f€žÀ□s
□|□@žŸ,Ì□GŠÛ,à‘±,¨,Ä@Ÿ□ö
□|□@Unicode/EUCftf@fCf<,ð•İš·f□□[fh/fZ□[fu,Å,«,é
□@□@□iUnicode,Ì“ü-Í,Í,Å,«,Û,¹,ñ□j
□|□@□F,İžw’è,ÌUI,^a•İ,í,Á,½
□@□@fnfCfJf%□[^È□ă,Ì□ê□#□A32K□F□`1677-œ□F,©,ç□F,ð‘I,×,é

□GŠÛ32,Í□A□GŠÛ,Ìfo□[fwf#f“fAfbfv^μ,ç
,Å,·□B□GŠÛ,Ìfo□[fwf#f“fAfbfv,Í-³-
ž,É,Ì,Å□A□GŠÛ,É‘-<à,μ,½□ł,Í□GŠÛ32,à‘ç%Á,Ì‘-<à,È,μ,Å-~-
p,Å,«,Û,·□B
□GŠÛ,Ížg,í,È,ç,¨,ç,à□GŠÛ32,ðžg,κ□ł,à□A□GŠÛ,É,Å,ç
,Ä‘-<à,μ,Ä,,³/₄,³,ç□B



ftf@fCf<\-

HIDEMAC	DLL	54,784	95-11-13	16:31
HIDEMSUB	DLL	2,560	95-11-13	16:33
HIDEMBAR	DLL	80,384	95-10-30	21:19
JRE32	DLL	34,816	95-11-06	21:40
HMREGIST	EXE	34,816	95-09-16	23:06
HIDEMARU	EXE	410,112	96-01-15	15:55
HIDETAGS	EXE	22,016	95-09-12	17:00
HIDEMARU	HLP	117,059	95-09-12	16:28
Windowsfwf<fvftf@fCf<				
HIDEMAC	HLP	79,141	95-08-02	18:20
Windowsfwf<fvftf@fCf<				
README	JRE	13,755	95-04-18	0:00
DEFAULT	KEY	697	93-03-17	
11:27				
VZLIKE	KEY	4,709	95-04-18	14:31
WIN31	KEY	747	93-08-21	
14:13				
INSTALL	TXT	23,710	96-01-15	21:49
à-ftf@fCf<				
KEY	TXT	2,074	95-07-28	
18:44 à-ftf@fCf<				



□GTerm for Windows95 / □GTerm for WindowsNT Version

3.06

ファイルのコピー



Žû~^ffBfçfnfgfš DISC1:\OLS\WINNT\HTNT306



□ìžò □Ä“; □G•v Ž□



“à-e

□GTerm, ì□Đ%î

□@□GTerm , Í□AWindows95/WindowsNT , ì, à, Æ, Å“®□ì, . , é'Ê□Mf\ ftfg, Å, . □B□u, Đ, Å, ½□[, p□v, Æ”%¹, μ, Ä, , ¾, ³, ç□B, ±, ±, Å, Í, ± , ì□u□GTerm for Windows95□v, ð'P, É□GTerm, Æç¾, π, ±, Æ, É, μ, Ü, . □B

□@□GTerm for Windows95 / □GTerm for WindowsNT, Í□A□]- ^, ìWindows3.1-p, ì□GTerm, ð□AWindows95/WindowsNT-p, É'â•□, É□ì, è•Ï, |, ½□GTerm, Å□AWindows95/WindowsNT, ì□V<@“\ , ð'â•□, Éžæ, è“ü, ê, Ä, ç, Ü, . □B

□@□]-^, ìWindows3.1, Å□GTerm, ð“®□ì, ³, ¹, é, É, Í□A□GTerm for Windows Version 2.19^È%º, ð, ²~--p, , ¾, ³, ç□B

□@□GTerm for WindowsNT, Í□AWindowsNT 3.51^È□ã, Å“®□ì, μ, Ü, . □BWindowsNT3.1, Ü, ½, ÍWindowsNT 3.5, Å, Í“®□ì, μ, Ü, ¹, ñ□B

□@□GTerm, ÍfvfFfAfEfFfA, Å, . □Bçp'± , μ, Äžg, π□ê□‡, Í□A, “<à5000%~, ð□ìžò, É'-<à, . , é•K-v, ¢, , è, Ü, . , ¢□ AZž-p, Åžg, π□ê□‡, Í-³-ž, Å, . □B

□@□GTerm, ì“Á'¥, Í^È%º, ì'Ê, è, Å, . □B

- 'Ê□Mf\ftfg, Æ, μ, Ä•K-v, È<@“\, Í, Ü, Æ, ñ, çfTf|□[fg, μ, Ä, ç , é, ì, Å□A, Æ, è, , |, . □GTerm, ¢, , é, Ífpf\frf“'É□M, Å•s•Ö, Í-³, ç□ì, Æžv, π□j□B

- □GTermAPI, Æ, ç, π□AfAvfšfP□[fvf‡f“fvf□fOf

%f~f“f0fCf“f^ftfF[]fX,ð”ö,!,Ä,ç,ÄA,»,ê,ð~–
 p,μ,½fI[]f gfpfCf[]fbfgfvf[]f0f%€€,âNIFTY-Serve–
 p,İfifrQ[]fVf#f“f\ftfg[]Af[][]f<ŞÇ–[]f\
 ftfg[]Af`ffffbfgfAf_fvf^,È,Ç[]A’½”,İSÖ~AfAfvfŞfP[]fVf#f“,a, ,
 é[]B

-“ÆŽ©,İfXfNfŞfvfgÆ¼Æè,ð”ö,!,Ä,ç
 ,ÄA,»,ê,ðŽg,Á,ÄŽ©•ª,ÅfI[]f gfpfCf[]fbfgfvf[]f0f%€€“™,a[]ì[]–
 %Ä”\[]B

-[],‘-’Ê[]MŽž‘ã,É‘İ%ž,μ,ÄA’x,ê,Ì,È,çfXfNf[][]f<,ðŽÀÆ»,μ,Ä,ç
 ,é[]B’Ê[]M’-“x,ÉfXfNf[][]f<,ª’Ç,ç,Ä,©,È,-
 ,È,é,ÆŽ©“®“I,É•;[]”[]s,Ü,Æ,ß,ÄfXfNf[][]f<,,·,é,æ,κ,É,È,é[]B

-telnet[]Ú’±,ðfTf|[]f g,μ,Ä,ç
 ,ÄAVT100EÝŠ·,İf^[]f~fif<,Æ,μ,Ä,àŽg,!,é[]B

-[]Á’ã,Å10–æ[]s,Ü,ÅfofbfNfXfNf[][]f<,ª,Å,«,é[]B

-fvfFfAfEfFfA,Æ,μ,ÄÆöŠJ,μ[]Aft[]fU,©,ç,Ì–v–],É,æ,Á,Ä[]í,É[]i
 %»,μ,Á,Ä,~,Ä,ç,é[]B,μ,©,àfo[]fWf#f“fAfbfv,ª–³–¿[]BNIFTY-
 Serve,İ%ï<cŽº,ÅfTf|[]f g,à[]s,í,ê,Ä,ç,é[]B



ftf@fCf<[]\[]~

HIDETERM BIN		426,496	96-02-17	17:37
HTTB32	DLL	25,600	96-01-16	23:09
CSC	DOC	2,809	95-06-02	
1:29	à–¾ftf@fCf<			
HTINST	EXE	47,104	96-02-13	22:17
HTAPI32	H	23,060	95-12-09	23:40
HTMENU	H	4,380	95-12-29	
21:57				
HIDETERM HLP		148,988	96-02-09	16:57
Windowsfwf<fvftf@fCf<				
SCRIPT	HLP	117,483	95-05-30	20:40
Windowsfwf<fvftf@fCf<				
NIF	SCR	27,982	96-02-14	
15:47				
PCVPLUS	SCR	2,474	94-04-05	10:25
ASCIINET	SCR	2,510	96-02-09	17:04
PEOPLEIN	SCR	1,916	96-02-09	14:39
CSC	SCR	4,200	96-02-09	
13:21				
CIS	SCR	2,713	96-02-02	
18:28				

NIFJOIN	SCR	1,291	96-02-09	13:18
MIXJOIN	SCR	359	96-02-09	
14:21				
PCVJOIN	SCR	158	96-02-09	
14:31				
PPJOIN	SCR	837	96-02-09	
14:41				
MIX	SCR	2,366	96-02-09	
14:22				
ASCJOIN	SCR	249	96-02-09	
16:19				
JRAVAN	SCR	598	96-02-09	
15:13				
HTNT306	TPC	2,729	96-03-05	20:45
HIDETERM	TXT	11,516	96-02-17	17:36

□à-¾ftf@fCf<



1.55 %pĒĒGŠŪi~fLfbfg for GŠŪfGfffBf^32 for WindowsNT

ファイルのコピー



Žû~^ffBfĒfnfgfŠ DISC1:\OLS\WINNT\MARU0155



iž0 Ä“; G•v Ž



“à-e

@, ±, ê, Í%pĒĒGŠŪimaruo.exej~i~
p, i~•ªftf@fCf<, » , İ'¼, Å, •B^Ē%º, İftf@fCf<, ¢ŠÜ, Ü, ê, Ä, ç, Ü, •B

@makemaru.exe ... %pĒĒGŠŪi~fLfbfg-p~•ª
@maketags.com ...
%pĒĒ“Ahidetags.exei~fLfbfg-p~•ª
@makebar.com ...
%pĒĒ“Ahidembar.dlli~fLfbfg-p~•ª

@makemaru.exe, ÍAhidemaru.exe, ©, ç, İ~•ª, É, È, Á, Ä, ç
, Ü, •Bhidemaru.exe, Ē“~, ¶ffBfĒfnfgfŠ, ÅAMS-
DOS, İfRf}f“fhfvf~f“fvfg, ©, çumakemaru.exeØÅ°Ýv, Ē, â, é, ĒAmaru.exe, ¢i~fLfbfg, ¢, ê, Ü, •B

@“~
l, ÉAmaketags.com, Íhidetags.exe, ©, çmarutags.exe, đi~fLfbfg, µAmakebar.com, Íhidembar.dll, ©, çmarubar.dll, đi~fLfbfg, µ, Ü, •B

@marutags.exe, Ēmarubar.dll, ÍA, » , ê, ¼, êhidetags.exe, Ēhidembar.dll, É-¼'0, đ•İX, µ, ÄŽg, Á, Ä, , ¾, ¢B, » , İ, Ü, Ü, İftf@fCf<-
¼, Å, ÍŽg, |, Ü, ¹, ñB



ftf@fCf<~\~

MAKETAGS COM	2,135	96-01-15	21:52
MAKEBAR COM	2,852	96-01-15	21:52
MAKEMARU EXE	111,841	96-01-15	21:52

MAKEMARU TXT
□à-¾ftf@fCf<

859

96-01-15

21:48

