

Internet fIf“f%fCf“f\ftfgfEfFfA

Windows95/NT-pf\ftfgfEfFfA



TakIRC Ver0.85



Winbiff Ver1.60



Windows Sockets FTP Client Application - WS FTP 4.0



,v,r,`,q,b,g,R,Q



Wintama alpha14



Tera Term Pro version 2.0 for Windows95/NT

Windows3.1-pf\ftfgfEfFfA



TakIRC Ver0.85



AL-Mail Ver1.22



Winbiff Ver1.24



Tera Term version 1.3 for MS-Windows 3.1




AL-Mail Ver 1.22

インストールの実行



%æ-ÉfCf [fw



Žu~^ffBf@NfgfŠ DISC1:\OLS\INTERNET\ALM122



□ižò '†'°<šŽu□A~a“c ‘ă ž□



“à-e

AL-Mail ,Í Internet -p,ì“džqf□□[f<fvf□f0f%€€,Å,·□B
“Á'¥,Æ,μ,Ä,Í...

□E,l,c,hE`Ž®,É,æ,è•i□”,ìftfHf<f_,ð“~žž,É•\ž!,Å,«,é

□E, f, t, h, É, æ, éŠÈ'P, È'€□ì•û-@
□EDrag&Drop , Åf□□[f<, ð^Ú“® , Å, «, é
□E'Sf□□[f<, Ì't, ©, çfL□[f□□[fh, ð'T, ¹, é<-Í, ÈÆÿ□ö<@”\
□Ef□□[f<□@-□, ºŠÈ'P, Èf□□[f<Ž“®□U•ª, ¯<@”\
□EŠK'w□\ 'ç, º%Å”\, È□A<-Í, È□Z□Š~^<@”\, ðfTf|□[fg
□E•t'®, Ì'-□MfGfffbf^ÈŠO, Å, à□A□GŠÛfGfffbf^“™, ©, ç'¼□Ú'-
□M, º%Å”\
□Ef_fCfAf<fAfbfv□Ú'±, É•Ö-~, ÈfIftf%fCf“, Å, Ìf□□[f<%
{—<y, Ń•Ó□W<@”\
□EWinsock ,Æ InetBIOS , Ì, QŽí-
P, Ìf\fbfgf□□[fNfCf“f^□[ftfF□[fX, ðfTf|□[fg

, È, Ç, º, , è, Ü, •□B

□®□AAL-Mail , Íf□□[f<, ÌŽó□M, É, Í POP3 , ð□A'-□M, É, Í SMTP
, ðŠe□XŽg-p, µ, Ü, •□B
f□fCf<fT□[fo, Æ, È, éfzfXfg, Å, Í□A, ±, ê, ç, ÌfT□[fo, º□³, µ, -
fCf“fXfg□[f<, ³, ê□A“®□ì, µ, Å, ç, é•K-v, º, , è, Ü, •□B



ftf@fCf<□\□-

ALM122

EXE

667,994

96-08-07

16:05




Winbiff Ver1.60

インストールの実行



%æ-ÉfCf[]fW



Žû~^ffBfœfNfgfš DISC1:\OLS\INTERNET\B32160F



□ìžò (š”)fIfœf“fWf\ftfg



“à-e

□@Winbiff,ÍInternet mail,Ì’-
Žó□M,ðWindows□ã,Å□s,¼fAfvfšfP□[fVf±f“,Å,·□B

[Winbiff,Ì“Á’·]
□E Windows□ã,Å□AfCf“f^□[flfbfgf□□[f<,ð“Ç,Ý□E□’,«,Å,«,Ü,·□B
□E ,P’ä,Ìf}fVf“,Å□A·i□”ft□[fU,É,Ä,²~-p,ç,½,¾,¯,Ü,·□B
□E MIME,É’Í%ž,µ,Ä,¨,è□A“ú-{œè,ÌfTfufWfFfNfg,ªŽg-p,Å,«,Ü,·□B
□E ‘-Žó□M,Ìš;ŽšfR□[fh,ÍJIS/SJIS/EUC,ÌžŽí-p,ðŽg-p,·,é,±
,Æ,ª,Å,«,Ü,·□Bžó□Mžž,Íš;ŽšfR□[fh,ðž©“®”»•Ê,·,é,±
,Æ,ª,Å,«,Ü,·□B

□E f□□[f<,ÍfTfufWfFfNfg/žž□□/’-□Mžò•Ê,Éf\□[fg,·,é,±
,Æ,ª,Å,«,Ü,·□B
□E ftfhf<f_œÿ□ō,ðfTf|□[fg,µ,Ä,ç,Ü,·□B

□E fofCfifŠftf@fCf<,İ“Y•t,à%Â”\
,Å,·□BfofCfifŠff□[f^,İ•İŠ·,ÍMIME,Binhex4.0,uuencode,É‘Î
%ž,μ,Ä,¨,è□A‘¼,ÌUNIX,âMacintosh“™,Ìf□□[f<fŠ□[f_,Æ,Ìff□[f^Æð
Š·,à%Â”\
,Å,·□B



ftf@fCf<□\□~

B32160F EXE 1,883,564 96-07-23 18:27
ŽÄ□sftf@fCf<




Winbiff Ver1.24

インストールの実行



%æ-ÉfCf[]fW



Žû~^ffFBfÆfNfgfŠ DISC1:\OLS\INTERNET\B16124



[]ižò (š")fIfÆf"fWf\ftfg



"à-e

[]@Winbiff,ÍInternet mail,Ì'-
Žó[]M,ðWindows[]ã,Å[]s,ÆfAfvfšfP[]fVf#f",Å,·[]B

[Winbiff,Ì"Á'·]
[]E Windows[]ã,Å[]AfCf"f^[]f[]f[]fbfgf[]f[]f<,ð"Ç,Ý[]E[]',«,Å,«,Ü,·[]B
[]E ,P'ä,Ìf}fVf",Å[]A·;[]"ft+[]fU,É,Ä,²~-p,ç,½,¾,¯,Ü,·[]B
[]E MIME,É'Î%ž,µ,Ä,¨,è[]A"ú-{Æè,ÌfTfufWfFfNfg,ªŽg-p,Å,«,Ü,·[]B
[]E '-Žó[]M,Ìš;žšfR[]f[]h,ÍJIS/SJIS/EUC,ÌžŽí-p,ðžg-p,·,é,±
,Æ,ª,Å,«,Ü,·[]Bžó[]Mžž,Íš;žšfR[]f[]h,ðž©"@"»•É,·,é,±
,Æ,ª,Å,«,Ü,·[]B


[]E f[]f[]f<,ÍfTfufWfFfNfg/žž[]/'-[]Mžò•É,Éf\[]fg,·,é,±

,Æ,ª,Å,«,Û,·B
E ftfHf<f_ÆYõ,ðfTf| [fg,µ,Ä,ç,Û,·B
E fofCfifŠftf@fCf<,Ì“Y•t,ª%Å”\
,Å,·BfofCfifŠff [f^,ì•İŠ·,ÍMIME,Binhex4.0,uuencode,É‘Î
%ž,µ,Ä,“,èA¼,ÌUNIX,âMacintosh“™,İf [f<fŠ [f_,Æ,İff [f^Æð
Š·,à%Å”\,Å,·B




ftf@fCf< \ \ -

B16124 EXE 584,139 96-08-01 20:20
ŽÀsf tf@fCf<

 Wintama alpha14



‰æ-ÊfCf[]fw



Untitled - Wintama
ファイル(F) 編集(E) ネットワーク(N) グループ(G) 記事(A) オプション(O) ヘルプ(H)

exit open save copy online prev next post follow mail reply kill header

NetNews

題名	日時	投稿者

0/1



žû~^ffBf&fNfgfŠ DISC1:\OLS\INTERNET\TAMA014F



□ižò (Š")fIf&f“fWf\ftfg



“à-e

Wintama, ÍNetNews, ð“Ç, Ý□', «, ·, é, ½, ß, Ìfjff...□[fXfŠ□[f_□[, Å, ·□B
, ±, Ìfo□[fWf±f“, Í□AfAf<ftf@fo□[fWf±f“, Æ, ç, ¢, ±, Æ, Å'½, , Ì
<@“\, ¢-çŽÀ'•, Å, ·, ¢□AŠî-{"I, Èfjff...□[fX, Ì“Ç, Ý□', «, Í‰Å“\, Æ, È, Á
, Å, ç, Ü, ·□B
, ±
, ÌfAf<ftf@fefXfg, Å, Ìft□[fU□[, Ì, Ý, È, ³, ñ, Ì^Óœ©, ðŽQ□l, É□A, æ, è
, æ, çf\ftfg, ð□ì, Å, Å, ç, «, ½, ç, Æ□l, |, Å, ç, Ü, ·□B, ²<|-Í, ð, “Šè, ç, ç
, ½
, μ, Ü, ·□B



ftf@fCf<□\□-

TAMA014F EXE

1,993,388


96-07-10

2:55

 TakIRC Ver0.85



‰æ–ÊfCf[] [fW



Žû~^ffBf&fNfgfŠ DISC1:\OLS\INTERNET\TIRC1685



[]ižò ‘ë ‰ë[]b Ž[]



“à–e

@@TakIRC^E~u-{f\ftfgv[]j,Í[]AInternet Relay
Chat[]iIRC[]j,Ì,½,β,ÌWindows-pfNf%fCfAf“fgf\ftfg,Å,·[]BWindows
-p,ÌIRC-pfNf%fCfAf“fgf\ftfg,É,Í irc for
Windows,È,Ç,ª, ,è,Û,·,ª[]A,È,º,©Windows-p,Å“ú-{Æê,ÉŠ®‘S‘Î
%ž,μ,Ä,ç,éfNf%fCfAf“fgf\ftfg,Í[]i[]ižÒ,Ì‘m,é,©,-,è[]j”ñ[]í,É[]-
,È,ç,æ,κ,Å,·[]B,»,è,È,ç,Î,Æ[]\$[]ì,μ,Ä,Ý,½,Ì,ª-{f\ftfg,Æ,ç,κ
,í,¯,Å,·[]B
[]@“ú-{,ÅIRC,ð,·,é,æ,κ,È[]l,Í,½,ç
,Ä,ç[]i,Û,Æ,ñ,Ç[]H[]jUNIXŠÄ««,ð,à,Á,Ä,ç
,é•û[]X,Î,©,è,Å[]i[]XWindows,à,È,ç,Æ,Ížv,ç
,Û,·,ª(^{};[]AWindowsft[][fU,Å[]A,±,è,©,çIRC,ð~~p,μ,Ä,Ý,½,ç
,Æžv,í,è,é•û[]X,Í[]%”ñ-{f\ftfg,ðžž,μ,Ä,Ý,Ä,,¾,³,ç :-)[]B
-{f\ftfg,Í^È%º,Ì“Á’·,ð”ð,|,Ä,ç,Û,·[]B
,P[]j,“ÆÝ,ç,ÉfŠf“fN,μ, ,Á,Ä,ç
,È,ç•i[]”,ÌfT[][fo,É“~žž,É[]Ú‘±,ª,Å,«,é[]i‘A,μ,T,Â
,Û,Å[]j[]B
,Q[]j[]f[]f0,ð,Æ,é,±,Æ,ª%Å”\[]i“Á,É32frfbfg”Å,Íf`fff\lf<-
^,Éf[]f0,ª,Æ,è,Û,·[]j[]B
,R[]j,æ,žg,κIRCfRf}f“fh,ðf_fCfAf[]f0
%»[]B,Û,½IRCfRf}f“fh,à’¼[]Ú“ü-Í%Å”\[]B
[]!‘[]F[]uTakIRC[]v,ðžg-p,³,è,½,±,Æ,Å
%½,©‘¹ŠQ,ð”í,Á,½,Æ,μ,Ä,à[]ižÒ,Í%½,Ì[]0”C,à
ž[],Ä,Û,¹,ñ
,È,“[]A,±,Ìf\ftfg,Ì[]Å[]V”Å,ª^È%º,Ì[]ê[]Š,ÉfAfbfv,³,è,Ä,ç,Û,·[]B
NIFTY-Serve FINETAP LIB 1
ftp://ftp.kyoto.wide.ad.jp/IRC/misc



ftf@fCf<[]\[]-

TIRC1685 LZH

110,379


96-08-26

19:00

 TakIRC Ver0.85



☺-ÉfCf[] [fW



ŽŮ~^ffBfEfNfgfŠ DISC1:\OLS\INTERNET\TIRC3285



[]iŽò 'ë ☺[]b Ž[]



“à-e

[]@TakIRC[]i^È[]~[]u-{f\ftfg[]v[]j,Í[]AInternet Relay

Chat iIRC j, i, 1/2, B, iWindows-pfNf%fcfAf“fgf\ftfg, A, . BWindows
 -p, iIRC-pfNf%fcfAf“fgf\ftfg, E, I irc for
 Windows, E, C, a, , e, U, ., a A, E, o, cWindows-p, A“u- {Æê, ÉŠ@‘S‘Î
 %ž, μ, Ä, ç, éfNf%fcfAf“fgf\ftfg, I i i ŽÖ, i‘m, é, c, -, è j”ñ i, É -
 , E, ç, æ, x, A, . B, » , ê, È, ç, Î, Æ S i, μ, Ä, Ý, 1/2, Ì, a- {f\ftfg, Æ, ç, x
 , í, -, A, . B
 @“ú- {, A IRC, ð, ., é, æ, x, È l, Í, 1/2, ç
 , Ä, ç i, Ù, Æ, ñ, C H j UNIX S A < «, ð, à, Á, Ä, ç
 , é, û X, Î, c, è, A i XWindows, à, È, ç, Æ, Í Ž v, ç
 , Ù, ., a (^; AWindows ft [fU, A A, ±, ê, c, ç IRC, ð-~ -p, μ, Ä, Ý, 1/2, ç
 , Æ Ž v, í, ê, é, û X, I %”ñ- {f\ftfg, ð Ž Ž, μ, Ä, Ý, Ä, , 3/4, 3, ç :-) B
 - {f\ftfg, Í “É % o, i “Á’ . , ð” ð, |, Ä, ç, Ù, . B
 , P j, “Æ Y, ç, É f Š f “fN, μ, , Á, Ä, ç
 , È, ç • i “, Ì f T [fo, É “- Ž Ž, É U’ ±, a, A, «, é i ‘A, μ, T, A
 , Ù, A j B
 , Q j f f 0, ð, Æ, é, ±, Æ, a % A “\ i “Á, É 32 f r f b f g” A, Í f ` f f f l f < -
 ^, É f f 0, a, Æ, ê, Ù, . j B
 , R j, æ, Ž g, x IRC f R f } f “f h, ð f _ f C f A f f 0
 % » B, Ù, 1/2 IRC f R f } f “f h, à ‘ 1/4 U “ü- Í % A “\ B
 | ‘ F u Tak IRC v, ð Ž g -p, 3, ê, 1/2, ±, Æ, A
 % 1/2, c ‘ 1 Š Q, ð” í, Á, 1/2, Æ, μ, Ä, à i Ž Ö, I % 1/2, Ì Ó” C, à
 Ž, Ä, Ù, 1, ñ
 , È, “ A, ±, Ì f \ f t f g, Ì A V” A, a ^ È % o, Ì ê Š, É f A f b f v, 3, ê, Ä, ç, Ù, . B
 NIFTY-Serve FINETAP LIB 1
 ftp://ftp.kyoto.wide.ad.jp/IRC/misc



ftjf@fcf< \ -

TIRC3285 LZH

137,386

96-08-26


19:02



Tera Term Pro version 2.0



æ-ÊCf[]fW



Žû~^ffBfEfNfgfŠ DISC1:\OLS\INTERNET\TTERMP20



[]iŽò T. Teranishi Ž[]



“à-e

Tera Term (Pro) ,ÍftfŠ[]f\ftfgfEfFfA,Ìf^[]f~fif<fGf~f...
f[]f^[]f

('ÊMfvf0f%€), ÅA^Èº, Ì“Á'¥, ðŽ, Á, Ä, ç, Ü, ·B

□EfvfŠfAf<f|□[fgÚ'±
□ETCP/IP (telnet) □Ú'±
□E“ú- {Êê'Îž
□E%pÊ Windows ,É'Îž,µ,½%pÊf,□[fh
□EVT100 '[—,ÏfGf~f...f□[fvf#f“(,“,æ,Ñ□AVT200, 300 ,ì^ê•”)
□ETEK4010 '[—,ÏfGf~f...f□[fvf#f“
□Eftf@fCf<“]’-fvf□fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS,
Quick-VAN)
□Ef}fNf□E¾Ê,É,æ,éŽ©“@%^“]



ftf@fCf<□\□-

README	TXT	6,344	96-06-07	
8:00	□à-¾ftf@fCf<			
READMEJ	TXT	7,578	96-06-07	8:00
□à-¾ftf@fCf<				
CMNDLINE	TXT	1,690	96-06-07	8:00
□à-¾ftf@fCf<				
TTERMPRO	EXE	492,032	96-06-07	8:00
ŽÀ□sftf@fCf<				
TSPECIAL	TTF	129,132	95-07-03	8:00
TTPCMN	DLL	21,504	96-06-07	8:00
TTPDLG	DLL	40,448	96-06-07	8:00
TTPFILE	DLL	71,680	96-06-07	8:00
TTPSET	DLL	40,448	96-06-07	8:00
TTPTEK	DLL	33,280	96-06-07	8:00
TTERMP	HLP	46,687	96-06-07	8:00
Windowsfwf<fvftf@fCf<				
TTERMPJ	HLP	81,048	96-06-07	8:00
Windowsfwf<fvftf@fCf<				
TERATERM	INI	3,177	96-06-07	8:00
IBMKEYB	CNF	1,778	96-06-07	8:00
PC98KEYB	CNF	1,784	96-06-07	8:00
NT98KEYB	CNF	1,789	96-06-07	8:00
KEYCODE	EXE	16,384	95-12-18	12:00
ŽÀ□sftf@fCf<				
KEYCODE	TXT	5,690	96-06-07	8:00
□à-¾ftf@fCf<				
TTMACRO	EXE	54,784	96-06-07	8:00
ŽÀ□sftf@fCf<				
KEYCODEJ	TXT	6,152	96-06-07	8:00
□à-¾ftf@fCf<				


<u>TTMACRO</u>	<u>TXT</u>	<u>37,733</u>	<u>96-06-07</u>	<u>8:00</u>
□à-¾ftf@fCf<				
<u>TTMACROJ</u>	<u>TXT</u>	<u>36,095</u>	<u>96-06-07</u>	<u>8:00</u>
□à-¾ftf@fCf<				
DIALUP	TTL	1,064	95-12-18	12:00
LOGIN	TTL	408	95-12-18	
12:00				



Tera Term version 1.3 for MS-Windows 3.1



æ-ÊfCf[]fW



žû~^ffBfEfNfgfŠ DISC1:\OLS\INTERNET\TTERMV13



žžò T. Teranishi žž



“à-e

Tera Term ,ÍftfŠ[]f\ftfgfEfFfA,Ìf^[]f~fif<fGf~f...f€[]f^[]f
('Ê[]Mfvf[]f0f%f€),Å[]A^È%º,Ì“Á'¥,ðŽ[],Á,Ä,ç,Ü,·[]B

□EfvfŠfAf<f|□[fg□Ú'±
 □ETCP/IP (telnet) □Ú'±
 □E"ú- {Æé'Î%ž
 □E%pÆ Windows ,É'Î%ž,μ,½%pÆf,□[fh
 □EVT100 '[—,ÏfGf~f...f□[fvf#f“(,“,æ,Ñ□AVT200, 300 ,î^ê•”)
 □ETEK4010 '[—,ÏfGf~f...f□[fvf#f”
 □Eftf@fCf<“]’-fvf□fgfRf< (Kermit, XMODEM, ZMODEM, B-PLUS,
 Quick-VAN)
 □E}fNf□Æ¼Æé,É,æ,éŽ©“@%^“]



ftf@fCf<□\□-

README	TXT	5,688	96-06-07	
8:00	□à-¾ftf@fCf<			
READMEJ	TXT	7,186	96-06-07	8:00
□à-¾ftf@fCf<				
CMNDLINE	TXT	1,674	96-06-07	8:00
□à-¾ftf@fCf<				
TERATERM	EXE	121,856	96-06-07	8:00
ŽÀ□sftf@fCf<				
TTCMN	DLL	15,616	96-06-07	
8:00				
TTDLG	DLL	31,232	96-06-07	
8:00				
TTFILE	DLL	61,696	96-06-07	8:00
TTSET	DLL	25,344	96-06-07	
8:00				
TTTEK	DLL	22,784	96-06-07	
8:00				
TSPECIAL	TTF	129,132	95-07-03	8:00
TTERM	HLP	46,736	96-06-07	
8:00	Windowsfwf<fvftf@fCf<			
TTERMJ	HLP	81,067	96-06-07	8:00
Windowsfwf<fvftf@fCf<				
TERATERM	INI	3,175	96-06-07	8:00
IBMKEYB	CNF	1,778	96-06-07	8:00
PC98KEYB	CNF	1,785	96-06-07	8:00
KEYCODE	EXE	16,384	95-12-18	12:00
ŽÀ□sftf@fCf<				
KEYCODE	TXT	5,690	96-06-07	8:00
□à-¾ftf@fCf<				
KEYCODEJ	TXT	6,152	96-06-07	8:00
□à-¾ftf@fCf<				


TTMACRO	EXE	54,784	96-06-07	8:00
TTMACRO	TXT	37,733	96-06-07	8:00
TTMACROJ	TXT	36,095	96-06-07	8:00
DIALUP	TTL	1,064	95-12-18	12:00
LOGIN	TTL	408	95-12-18	
12:00				



WSARCH32



⌘æ-ÊfCf[] [fw



Žû~^ffBf@fNfgfŠ DISC1:\OLS\INTERNET\WSARCH32



[]iž0 David Woakes Ž[]



“à-e

@ArchiefT[fo[,ÉÚ'±,μ•j",ÏFTPfT[fo[,©,ç•K-
 v,Èftf@fCf<,ðËYõ,·,éfc[f<BWS_ARCHIE,ÍÅ%,©,çŠe',ìŽâ-
 v,ÈARCHIEfT[fo[,ª“o~^,³,ê,Ä,ç
 ,éB,Ü,½AWS_FTP,Æ,Ï~AÆg,Å'T,μo,μ,¼ftf@fCf<,ð,·,®,É“]'-
 ,·,é,±,Æ,ªo-^,éB



ftf@fCf< \ \ -

WSARCH32 ZIP	225,939	96-08-01	19:39
WSARCH32 EXE	391,680	96-07-09	23:12
ŽÀ[sftf@fCf<			
WSARCH32 HLP	62,758	96-07-09	23:26
Windowsfwf<fvftf@fCf<			
WSARCH32 TXT	12,660	96-04-29	22:18 à-
¼ftf@fCf<			




Windows Sockets FTP Client Application

WS_FTP

4.0



Microsoft Windows



Microsoft Windows

DISC1:\OLS\INTERNET\WS_FTP32



Microsoft Windows

John A. Junod



“à-e

fCf“f^[]flfbfg[]ã,Åftf@fCf<“]’-
 ,ð□s,×fc[]f<[]BWindows95,É,Í•W□€,ÅFTPfNf%fCfAf“fg,ª, ,é,ª[]AW
 S_FTP,Íf0f%ftfBfJf<,Èft+[]fU[]fCf“f^[]ftfF[]fX,ð”ö,|,Å,ç
 ,é[]BWindows[]ã,Å,ÌFTPfNf%fCfAf“fg,Æ,µ,Ä,Ù,ÚfXf^f“f_[]fh,Æ,ç
 ,|,é[]B



ftf@fCf<[]\[]-

WS_FTP32 ZIP		480,222	96-08-01	19:32
ERROR	WA_		9,996	95-04-10
21:30				
COMPLETE	WA_	12,106	95-07-13	23:00
CONNECT	WA_	14,354	95-08-19	8:33
COMMON	TXT	4,404	96-04-23	13:42
à-¾ftf@fCf<				
INST32	EXE	119,296	96-06-03	16:13
ŽÀ[]sftf@fCf<				
INSTALL	EXE	75,200	96-06-03	16:14
ŽÀ[]sftf@fCf<				
LICENSE	WRI	7,680	96-05-05	21:43
PRORDER	WRI	4,736	96-05-30	9:50
WHATSNEW	TXT	10,196	96-06-03	16:28 à-
¾ftf@fCf<				
WS_FTP	EX_	218,336	96-06-03	15:31
WS_FTP	HL_	48,020	96-05-14	16:20
WS_FTP	IN_	1,852	96-06-03	15:16
WS_FTP	TXT	6,557	96-05-14	15:19
WS_FTP32	EX_	286,208	96-06-03	15:10
WS_FTP95	EX_	316,928	96-06-03	15:46

