



MS-DOS Batch File for Windows Version 1.45

MS-DOS Batch File

“”, ěg, ě Ź@, ě.Ā, ě.Ā ŠÖ”, ě.Ā, ě.Ā fGf%oo[. ě^—

‘ě ě, ěfRf}f“fh, ěžĀ ěs, , ě• ě
’}“ü ěEn• ě
ěfě@fCf< ěEn• ě
ě ě ěf<^Ů“ @ ěEn• ě
ěNfSfbfěf{ ě ěfh ěEn• ě
ě ě ěœ ěEn• ě
.», .l’¼. Ö ěW ěEn• ě
ěY ě ěEn• ě
ěěBf“fhfě ěEn• ě
ě ě ěfě... ě ěEn• ě
.», .l’¼, ěfRf}f“fh ěEn• ě

f ě ě ěZ ě ěW ěEn
message ěC question
beep ěC play, playsync
debuginfo showvars
title

f ě ě ěO ěf% ěfěžĀ ěs ěEn
run ě ěruncsync ě ěruncsync2

f}fNf ě ě ěä ěEn
endmacro, endmacroall
execmacro
disabledraw ě ěenabledraw
disablebreak
disableinvert, enableinvert
f ě ě ě ěN
if
while
break
continue
goto• ě, ěěf% ěfěf<
ě ěfěf< ě ěf“
disableerrmsg, enableerrmsg

“ü— ě ěEn
inputpos
menu, mousemenu
inputŠÖ ě
inputcharŠÖ ě

IN ěfě@fCf< ěEn
writeinistr ě ěwriteininum
getinistrŠÖ ě, getininumŠÖ ě

ěY’ ě ěEn
config loadkeyassign
envchanged
setwindowpos setwindowpos
showwindow

MS-DOS Batch File
DDE

fNfŠfbvf{[fh,Æ•ï",Æ,ì,â,è,Æ,è

Microsoft **Windows** **NT**

Help Version 1.40.00
Copyright (C) 1992-95 by Microsoft Corporation
associated by Windows NT
Microsoft Corporation

□GŠŮf}fNf□,İŠT—v

□@□GŠŮf}fNf□,İ□□uf}fNf□“o~^□v,Äftf@fCf<,đ“o~^,μ,Ä□C,»è,đCEÄ,Ñ□o,·CE` ,ÄŽg,ç,Ü,·□Bf}fNf□,İŠg'£Žq,MAC,İftf@fCf<,Ä,È,·,è,İ,ç,·,Ü,¹,ñ□B,Ü,½□Cf}fNf□ftf@fCf<,İ□GŠŮ—{‘İ□HIDEMARU.EXE□},Æ“·,İffBfCEfNfgjŠ,É‘u,ç,Ä,·,·K—v,ª, ,è,Ü,·□B

□@f}fNf□,İ50CEÄ,Ü,Ä“o~^,·,é,±,Æ,ª,Ä,«,Ü,·□B,Ü,½□Cuf}fNf□ŽÄ□s□vfRf}f“fh,â□ufL□[‘€□,İ“Ç,Ý□ž,Ý□v,Æ□ufL□[‘€□,İ□Ä□□vfRf}f“fh,È,Ç,đŽg,Ä,ÄŽÄ□s,·,é,±,Æ,ª,Ä,«,Ü,·□B

□@□GŠŮf}fNf□,İ□CŠeŽí,İ“@□,đŽÄ□s,·,é·□,Æ□C—,·,è,đ□\$CEà,·,é□\$CEà·□,©,ç,È,è,Ü,·□B·□,İfZf~fRf□f“,Ä<æ□Ø,ç,È,·,è,İ,ç,·,Ü,¹,ñ□BfZf~fRf□f“,ª-³,ç□ê□±,İ□CufZf~fRf□f“,ª-³,ç□v,Æ,İ·È,İfGf%□□[ª□o,é,İ,Ä‘□Ó,μ,Ä,,³/4,³,ç□B

□@□³,μ,ç—á□F
gofiletop;
insert "A";
down; right; insert "A";

□@□³,μ,,È,ç—á□F
gofiletop
insert "A"

□@□\$CEà·□,İ□C—á,İ,İf·□,È,Ç,İ,æ,π,É,bCE¾CEè,Æ,æ,Ž—,½,à,İ,ª, ,è,Ü,·□B,±,İ□ê□±□CfZf~fRf□f“,İ,ç,è,Ü,¹,ñ□B

```
if( x != 0 ) {  
    golinetop;  
}
```

□@□GŠŮf}fNf□,İ·□,âfL□[f□□fh,İ□C,·,x,Ä□—·□Žš,¾,·,Ä<L□q,μ,Ü,·□B

□@fRf□f“fg,đ“ü,è,é,É,İ,b+++CE¾CEè,Æ“—l,É//,ªŽg,İ,Ü,·□B

□@□GŠŮf}fNf□,Ä,İ·İ□”,đŽg,π,±,Æ,ª,Ä,«,Ü,·□B·İ□”,É,İ□”·İ·İ□”,Æ·□Žš—ñ·İ□”,ª, ,è□C,±,è,ç,đŽg,Ä,ÄŠeŽí,İ%□□ŽŽ,đ,·,é,±,Æ,ª,Ä,«,Ü,·□B”·İ·İ□”,İ# ,ÄŽn,Ü,è□C·□Žš—ñ·İ□”,İ\$,ÄŽn,Ü,è,Ü,·□B

```
#n = 100 * 50 + 10 + strlen( $x );  
$s = rightstr( "Ä“i" + $x + ", ±, è, İ, ±, è, İ", 20 );
```

□@call,Æreturn,đŽg,Ä,Äftfuf<□[f“f“,đ□,é,±,Æ,à,Ä,«,Ü,·□Bftfuf<□[f“f“à,Äf□□[ff<·İ□”,đŽg,ç,½,ç□ê□±,İ□C#□,Ü,½,İ\$,ÄŽn,Ü,é·İ□”,đŽg,ç,Ü,·□B

□@·İ□”,İ,Ü,©□C□GŠŮ,É,İ,ç,·,Ä,©,İ“à·”“l,È‘l,đ·\CE»,·,éfl□[f□□fh,ª“□□Ý,μ,Ü,·□B—á,İ,İ□Cquestion·□,đŽÄ□s,·,é,Æ,»,İCE<%□É(□u,İ,ç□v,đ‘l,ñ,¾,©□u,ç,ç,İ□v,đ‘l,ñ,¾,©),ªresult,Æ,ç,π‘l,Æ,μ,Ä·\CE>,ª,è,Ü,·□B,±,è,ç,đŽg,Ä,Ä□đCE□·ªšò,È,Ç,à%□Ä“\,Ä,·□B

□@□GŠŮ,İf}fNf□,İ□A,W,OCÊÄ,Ü,Ä“o~^,·,é,±,Æ,ª,Ä,«,Ü,·,ª□AfL□[Š,,è“—,Ä%□Ä“\,È,İ,İ,P“Ö,©,ç,T,O“Ö,Ü,Ä,İ,T,OCÊÄ,¾,·,Ä,·□B

fgf%[]l,ì^—

```
@GSÛf}fNfŽÀs't,ÉAŠefRf}f"fh,ÅfGf%[][,a"[]μ,½ê[]#i—áFappendsave  
"abc.txt",đŽÀ[s,μ,½ê[]#,Éabc.txt,ª"[]Ý,μ,É,©,Á,½"™[]j[]AfGf%[][f[]fbfZ[][fW,ª•\  
Ž!,³,ê[]Aresult==false,Æ,È,è,Û,·[]B[]i[]³[]í[]—¹Žž,Íresult==true,Å,·[]j
```

```
@f}fNfŽÀs't,É[]ACEy"÷,ÈfGf%[][,É,æ,Á,Äfr[][fv%o¹,ª-Á,é,æ,π,È,±,Æ,ª"[]μ,½ê[]#[]A%o¹-  
Å,ç,,É[]A'ã,í,è,Èresult==false,Æ,È,è,Û,·[]B
```

```
@f}fNf[]i[]-Žž,É,Í[]AfGf%[][,ìŽž,ì^—,à[]•ª[]—[]μ,Ä,,¾,³,ç[]B
```

```
—á[]F  
appendsave "abc.txt";  
if( !result ) {  
    message "abc.txt,Ö,ì'Ç%oÁ[]',«[]ž,Ý,ÉŽ,"s,μ,Û,μ,½[]B";  
endmacro;  
}
```

```
@@disableerrmsg•[]đŽÀ[s,·,é,Æ[]A,»,"ê^È~fGf%[][f[]fbfZ[][fW,í^ê[]Ø•\Ž!,³,è,È,,È,è,Û,·[]B
```

'}' "üCEn • ¶

¶@'} "üCEn, ì • ¶, Æ, µ, Ä ¶C^ È%º, ì, à, ì, º, , è, Ü, · ¶B

-½—ß	<@"\
dupline	¶s, ì "ñ ¶d%º»
insert	• ¶Žš—ñ, ì' } "ü
insertfix	• ¶Žš—ñ, ì' } "ü, » , ì, Q
insertline	<ó ¶s' } "ü
insertreturn	%ºü ¶s
overwrite	• ¶Žš—ñ, ì ¶ã ¶', «
tab	f^fu
undelete	¶í ¶œ "à—e • œ ¶E³

¶@insert • ¶, ì ¶Cf ¶f%ºf ¶f^ , Ä Žw' è, º, è, ½ • ¶Žš—ñ, ì' } "ü, µ, ½, ì, ð ¶Cf ¶¶ [f] f<, ð' } "ü, µ, ½ • ¶Žš—ñ, ì ¶Ä ¶Eã, È^ Ú " @, µ, Ü, · ¶B

¶@insertfix • ¶, ì insert, Æ " — ì, È • ¶Žš—ñ, ì' } "ü, µ, Ü, ·, º ¶Cf ¶¶ [f] f<, ì^ Ú " @, µ, Ü, ¹, ñ ¶B

¶@overwrite • ¶, ì ¶Cf ¶f%ºf ¶f^ , Ä Žw' è, º, è, ½ • ¶Žš—ñ, ì' } "ü, µ, ½, ì, ð ¶ã ¶', «, µ, ½, ì, ð ¶Cf ¶¶ [f] f<, ð ¶ã ¶', «, µ, ½ • ¶Žš—ñ, ì ¶Ä ¶Eã, È^ Ú " @, µ, Ü, · ¶B

¶@—á ¶F

```
insert "ABC";
insertfix "¶Ä" i ¶G • v"
overwrite "ABC" + $a;
```

¶@%ºü ¶s • ¶Žš, ì' } "ü, È, ì ¶C • ¶Žš fR ¶¶ [f] h10 (line-feed), ð' } "ü, µ, Ü, · ¶B

¶@—á ¶F

```
insert "\x0A";
¶@, Ü, ½, ì ŽŸ, ì, æ, º, È, µ, Ä, à, ©, Ü, ¢, Ü, ¹, ñ i
insert "\n";
```

¶@insertreturn • ¶, ì ¶C%ºü ¶sf ¶¶ [, ð%ºŸ, µ, ½, ì, Æ ' S, " — ¶, " , «, ð, µ, Ü, · ¶Bf ¶f%ºf ¶f^ , ì , è, Ü, ¹, ñ ¶B, ð, È, Ý, È, ± , ì fR } f " fh, ì ¶E » ¶Ÿ, ì f, ¶¶ [f] h, º ¶ã ¶', « f, ¶¶ [f] h, © ' } "ü f, ¶¶ [f] h, © , È, æ, Ä, Ä " @ ¶i, º^ Ü, È, è, Ü, ·, ì, Ä^ ¶^ Ó, º^ K— v, Ä, · ¶B' } "ü f, ¶¶ [f] h, Ä, ì " @ ¶i, ð Š ú ' Ó, ·, é ¶ê ¶¶ [f] h, ì ¶C^ È%º, ì, æ, º, È, ·, é • K—v, º, , è, Ü, · ¶B

```
if( overwrite ) {
    overwriteswitch; insertreturn; overwriteswitch;
} else {
    insertreturn;
}
```

¶@tab ¶Cdupline ¶Cinsertline ¶Cundelete • ¶, ì " @ ¶i, ì ¶C^ í%ºž, ·, é ¶G Š Ÿ, ì fR } f " fh, Æ " — ¶, Ä, · ¶B

ftf@fCf<En•¶

□@ftf@fCf<En,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@"\
exit	□ — ¹
exitall	'S□ — ¹
newfile	ftf@fCf<,ì□V<K□ì□¬
print	^ó□ü
quit	"jŠü,μ,Ä□ — ¹
save	ftf@fCf<,ì□ã□',«•Ü'¶
saveexit	•Ü'¶,μ,Ä□ — ¹
saveall	'S•Ü'¶
saveexitall	'S•Ü'¶□ — ¹
saveupdatedall	'S•Ü'¶ì□X□Vftf@fCf<,ì,Ý□j
savelf	□ã□',«•Ü'¶ì□%ºü□s=LF□j

□@print•¶,ì□Af_fCfAf□fOf{fbfNfX,δ□o,μ,Ü,¹,ñ□Bf_fCfAf□fOf{fbfNfX,ÄŽw'è,·,é□€-Ü,ì□GŠÜ'α,Ä"K"-
,ÉCE^,β,ç,è,Ä,μ,Ü,ç,Ü,·□B□u'l'δ,μ,½"í'í,ì,Ý□v,ìf`fFfbfNf{fbfNfX,ì□A,à,μ"í'í'δ,³,è,½□ó'Ó,^{3/4},Æ,ç,Ž,Æ
%ºđŽβ,³,è□A'^{3/4},ì□€-Ü,ì'O%ºñ,ì^ó□ü,ìŽž,ì'ì,ª,»),ì,Ü,ÜŽg—p,³,è,Ü,·□B
□@exit,âexitall,È,Ç,ì□GŠÜ,δ□|—^{1,3,1},Ä,μ,Ü,α•¶,đŽÄ□s,·,é,Æ□Af}fNf□,à,ç,Á,μ,â,É□|—¹,μ,Ä,μ,Ü,ç
,Ü,·□B□GŠÜ,δ□|—^{1,3,1},Ä,àf}fNf□,ì'±□s,μ,½,ç□è□#,ísetactivehidemaru,âclosehidemaru,đŽg,α•K—v,ª, ,è,Ü,
·□B

□@,Ü,½□C^È%º,ì•¶,ìfpf%ºf□f^,Äftf@fCf<-¼,đŽw'è,μ,Ä,^{3/4,3},ç□Bf_fCfAf□fOf{fbfNfX,ì□o,Ü,¹,ñ□B

-½—β	<@"\
appendsave	•Éftf@fCf<,Ö,ì'Ç%ºÁ•Ü'¶
changenam	ftf@fCf<-¼,ì'ì□X
insertfile	fj□[fVf^É'u,Ö,ì"Ç,Ý□ž,Ý
loadfile	ftf@fCf<,đ•Ä,¶,ÄŠj,
openfile	ftf@fCf<,đŠj,
readonlyopenfile	□'Š·,ì<Öž~,Äftf@fCf<,đŠj,
readonlyloadfile	□'Š·,ì<Öž~,Äftf@fCf<,đ•Ä,¶,ÄŠj,
saveas	ftf@fCf<,ì-¼'O,đ•t, ,Ä•Ü'¶

□@—á□F
openfile "ABC.TXT";

openfile•¶,ì— <Z□ì□ì□ì

□@ŽÄ,ì□Aopenfile,É,ì— <Z,ª, ,è,Ü,·□Bopenfile,ìfpf
%ºf□f^,É,ì□Ahidemaru.exe,đ<N"® ,·,éflfvfVf#f",ª,»),ì,Ü,ÜŽw'è,Ä,«,Ü,·□B

□@openfile "/r " + \$filename□@,Æ,·,é,Æ□Areadonlyopenfile,Æ" ,¶,É,È,è,Ü,·□B

□@openfile ""□@,Æ,·,é,Æ□Anewfile,Æ" ,¶,É,È,è,Ü,·□B

□@openfile "/(0,0,100,100)" ,Æ,·,é,Æ□A0,0` 100,100,ìftfCfY,ì□GŠÜ,ª<N"® ,ª,è,Ü,·□B

□@,ª,ç,É□A□GŠÜ,É,ì%ºB,μflfvfVf#f",Ä/h,Æ,ç,α,ì,ª, ,è,Ü,·□B,±
,è,đŽw'è,·,é,Æ□A□GŠÜfGfffBf^,ªfXfef:fXf,□[fh,É,È,è□A%ºæ-È,©,çCE© ,ì,È,-
,È,é□•f}fNf□,ìŽÄ□s,ª"ñ□í,É□, '¬,É,È,è,Ü,·□B

□@openfile "/h " + \$filename

□@,Ä,·□B,È, "□ACE© ,ì,È,È,Ä,½□GŠÜ,ìf}fNf□,ì't,Ä□ì,ì,ç,¹,Ä, °,È,ç,ÆCEã,Äft□[fU,ª%º½,ª,È,ñ,^{3/4},©,ì,ì,ç,È,-
,È,è,Ü,·□B(^ ^);

□@,½,¾,μ□A,±,è,ç,ìflfvfVf#f",ì□ACE»Yf}fNf□,đŽÄ□s,μ,Ä,ç,é□GŠÜ,ª□A□V<K□ì□¬,ª,è,½□GŠÜ,Ä, ,Ä,Ä,ì,ç

, ,Ü,¹,ñ□B,É,º,È,ç□A□V<K□ì□¬,³,ê,½□GŠÛ,³openfile,ðŽÀ□s,·,é,Æ□A,» ,ìftf@fCf<,ðloadfile,Æ“~—
l,É^μ,Á,Á,μ,Û,π,©,ç,Á,·□B

□@,±,ì□ê□‡,í□Achangename,ðŽg,Á,Äftf@fCf<-¼,ð"nul",É,·,é,È,Ç,μ,Ä'í□^,μ,Ä,¾,¾,¾,ç□B

f_fCfAf□fOf{fbfNfX,ð□o,·ftf@fCf<CEn•¶

□@ŽÀ,í□Af_fCfAf□fOf{fbfNfX,ð□o,·ftf@fCf<CEn•¶,à, ,è,Û,·□B

-½—ß	<@"\
APPENDSAVE	•Éftf@fCf<,Ö,ì'Ç%oÁ•Û'¶
CHANGENAME	ftf@fCf<-¼,ì•í□X
INSERTFILE	fj□[fjf^É'u,Ö,ì"Ç,Ý□Ž,Ý
LOAD	ftf@fCf<,ð•Á,¶,ÁŠJ,
OPEN	ftf@fCf<,ðŠJ,
SAVEAS	ftf@fCf<,ì-¼'O,ð•t,~,Ä•Û'¶

□@,±,ê,ç,ì•¶,É,ífpf%of□f^,ª, ,è,Û,¹,ñ□Bft□[fU,ª,n,jf{f^f“,ð%oÿ,μ,Ä□^—
□,ª□¬CE÷,·,é,Æresult==true,É,È,è,Û,·□BŽ, "s,μ,½,è□AfLfff“fZf<,³,ê,½□ê□‡,ífalse,É,È,è,Û,·□B

ff[f<^ú"®Cen•¶

ff[f<^ú"®Cen,ì•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Û,·B

-½—β	<@”\
down	ff[f<^ú"®
gofileend	ff[f<^ú"®,ìÄCEä,É^ú"®
gofiletop	ff[f<^ú"®,ìæ"ª,É^ú"®
gokakko	'í%ž,·,éš‡CEÉ,É^ú"®
golastupdated	ÄCEä,É•ÖW,μ,½š,É^ú"®
goleftkakko	'{',É^ú"®
golineend	□s,ìÄCEä,É^ú"®
golineend2	~—□s--,É^ú"®
golinetop	□s,ìæ"ª,É^ú"®
golinetop2	~—□s"ª,É^ú"®
gorightkakko	'}',É^ú"®
goscreenend	%æ-É,ìÄCEä,É^ú"®
goscreentop	%æ-É,ìæ"ª,É^ú"®
gowordend	'PCEé,ìÄCEä,É^ú"®
gowordtop	'PCEé,ìæ"ª,É^ú"®
halfnextpage	"¼ŽŸfy□fW
halfprevpage	"¼•ªOfy□fW
jump	Žw'è□s,É^ú"®
left	ff[f<^ú"®
moveto	"C^Ó,ì^É'u,Ö,ìff[f<^ú"®(CEä□q)
movetolineno	"C^Ó,ì^É'u,Ö,ìff[f<^ú"®(CEä□q)
nextfunc	ŽŸ,ìŠÖ□",É^ú"®
nextpage	ŽŸfy□fW
prevfunc	'O,ìŠÖ□",É^ú"®
prevpage	'Ofy□fW
right	ff[f<^ú"®E^ú"®
rollup	fXfNf□□[f<fAfbfv
rollup2	fXfNf□□[f<fAfbfv,Q
rolldown	fXfNf□□[f<fEf"
rolldown2	fXfNf□□[f<fEf",Q
up	ff[f<^ú"®
wordleft	'PCEé¶
wordright	'PCEé%ºE
wordrightsalsnen	'PCEé%ºE(ftf<flf"•—)
prevpos	'O,ìff[f<^ú"®,É^ú"®

ff[up□Cdown□Cright□CleftRf}f"fh,íP"Æ,Ä,àŽg,ì,Û,·ªCfpf
%of□f^,ðŽw'è,·,é,Æ,»·,ìª,Û,Æ,β,Ä^ú"®·,·,é,æ,π,É,È,è,Û,·Bfpf%of□f^,É,ì□"l,ðŽw'è,μ,Ä,·,¾,¾,ç□B

ff[—á□F

up 100;
down #a + #b * 100;

ff[,ì,È,Ÿ,É,±,ì,S,Ä,ìff[f<^ú"®fRf}f"fh,¾,·,í□—¾R□[fh,Æ,μ,ÄC

ff[ff[μ,Ä,àff[f<^ú"®·,μ,½é□¶,í true
ff[ff[f<^ú"®·,μ,È,©,Ä,½é□¶,í false

·ð•Ö,μ,Û,·B

ff[movetofRf}f"fh,íC^Ó,ì^É'u,Éff[f<^ú"®,μ,Û,·Bfpf%of□f^,Æ,μ,Ä,wÄ•W,Æ,xÄ•W,ðŽw'è,μ,Ä,-
¾,¾,ç□B□"l,Ä,È,ç,Æ,ç,·,Û,¾,ñ□B

moveto ,wÄ•W, ,xÄ•W

□@,x□À•W,íftf@fCf<,ì□æ“ª,ð,O,Æ,μ,Ä□”,;□C,w□À•W,í^è”Ô□¶í’æ,ì^É’u,ð,O,Æ,μ,Ä□”,;1,½’l,Å,·□B

□@,¿,È,Ý,ÉCE»□Ý,ìfj□[f<^É’u,Íx,Æy,Å\CE»,³,è,Ü,·□B—á,;í□Cfj□[f<,ðCE»□Ý,ìy^É’u,ì1/2,ì
%ó□Š,É^Ú“®,·,é,É,í□C^È%º,ì,æ,æ,É,μ,Ü,·□Bx,ây,í“à”“l,É’l,ð•\CE»,·,éfl□[f□□[fh,Å,·□B

moveto x, y/2;

□@movetolineno,í□AXY□À•W,ì’ã,í,è,É□ufGffBf^“l□v,ÉCEvŽZ,μ,½□s”Ô□t,ÆCE...”Ô□t,Åfj□[f
f<,ð^Ú“®,μ,Ü,·□B

movetolineno CE...”Ô□t, □s”Ô□t

□@CE...”Ô□t,í□Af^fu•¶Žš,í,P,Å,Æ,μ,Ä□”,;1,½”Ô□t,Å,·□Bmoveto,Æ^á,ç□ACE...”Ô□t,à□s”Ô□t,à,P,©,çŽn,Ü,è,
Ü,·□B,½,Æ,;íftf@fCf<,ì□æ“ª,É^Ú“®,·,é,É,í□A

movetolineno 1, 1;

□@,Å,·□B,¿,È,Ý,É□Acolumn,ì•Ô,·’l,í,O,©,çŽn,Ü,é,ì,Å’□^Ó,μ,Ä,,¾,¾,¾,ç□B

□@□u”í^í’ð,μ,È,ª,ç,ìfj□[f<^Ú“®□v,Æ,ç,æfRf}f“fh,í, ,è,Ü,¹,ñ□B•É“rbeginsel ,ðŽÀ□s,μ,Ä,©,çfj□[f
f<^Ú“®,·,é,±,Æ,É,æ,Å,Å”í^í’ð,μ,Ä,,¾,¾,¾,ç□B

fNfŠfbfvf{[]fhCEn•¶

[]@fNfŠfbfvf{[]fhfCEn,ì•¶,Æ,μ,Ä□C^È%oo²,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@”\
appendcopy	'Ç%oÁ•jŽĚ
appendcut	'Ç%oÁ□Ø,è”²,«
beginrect	BOX”í^í'í'đŠjŽn
beginsel	”í^í'í'đŠjŽn
pasterect	BOX“\,è•t,~
copy	•jŽĚ
copyline	□s,đ•jŽĚ
copyword	'PCEê,đ•jŽĚ
cut	□Ø,è”²,«
escape	”j^í'í'đ,đŽæ,è□Á,·
paste	“\,è•t,~
refcopy	^ø—p•t,«•jŽĚ
selectall	,·,x,Á,đ'í'đ
selectline	□s,ì'í'đ
selectword	'PCEê,ì'í'đ
showcliphist	fNfŠfbfvf{[]fh—š—đ,ì•\Ž!
poppaste	“\,è•t,~□{—š—đ-ß,μ
getcliphist	fNfŠfbfvf{[]fh—š—đ,©,ç,ìŽæ,è□o,μ
clearcliphist	fNfŠfbfvf{[]fh—š—đ,ì□Á<Ž

[]@”í^í'í'đ,đ,μ,Ä,ç,é□ó'Ô,ÅescapefRf}f“fh,đŽg,κ,Æ□C”í^í'í'đ,ìŽæ,è□Á,³,ê,Ä,μ,Ü,ç,Ü,·,ª□Cseltopx□Cseltopy□Cselendx□Cselendy,ì'l,ìŽŸ,ì”í^í'í'đ,đŠjŽn,·,é,Ü,Ä•ÜŽ□,³,ê,Ü,·□B

[]@getcliphist,ì□Afpf%oof□f^,Æ,μ,ÄfqfXfgfŠ□[,ì”Ô□t,đŽw'è,μ,Ä,,³/4,³,ç□B,O,ª□Á□V,ì—š—đ□A,P,ª,P,Ä'O□A,Q,ª,Q,Ä'O,Æ,ç,κ<ì□š,Ä,·□BŽæ,è□o,μ,É□-CE÷,·,é,Æ□Aresult == true,É,È,è,Ü,·□B'¶□Ÿ,μ,È,ç”Ô□t,đŽw'è,μ,½,è□A□í”□GŠÜ,ª,ç,É,ç,ì□é□š,ìresult == false,Æ,È,è,Ü,·□B

[]@fNfŠfbfvf{[]fh,©,ç•¶Žš—
ñ,đŽæ,è□o,μ,Ä□A,»è,đ•ì□”,É'ă“ü,μ,½,è□A•ì□”,ì'l,đfNfŠfbfvf{[]fh,Éfzfbfg,μ,½,è,·,é,±,Æ,à,Ä,«,Ü,·□BfNfŠfbfvf{[]fh,Æ,ì•¶Žš—ñ,ì,â,è,Æ,è,đŽQ□Æ,μ,Ä,,³/4,³,ç□B

☐í☐œ☐En•☐¶

☐@☐í☐œ☐En,ì•☐¶,Æ,μ,Ä☐C^È%°ò,ì,à,ì,ª, ,è,Ü,·☐B

-½—β	<@”\
backspace	Backspace
delete	Del
deleteafter	fj☐[f\<,æ,è☐ã,ë,ð☐í☐œ
deletebefore	fj☐[f\<,æ,è’O,ð☐í☐œ
deleteline	☐s☐í☐œ
deleteword	’P☐Ê,ì☐í☐œ☐ifj☐[f\<,ì☐ã,ë,¾,☐j
deletewordall	’P☐Ê,ì☐í☐œ☐i’S•”☐j
deletewordfront	’P☐Ê,ì☐í☐œ☐ifj☐[f\<,æ,è’O,ì•”•ª,¾,☐j

☐@delete•☐¶,íDel fL☐[,Æ“¯,☐¶“®☐ì,ð,μ,Ü,·☐B”í^í’ð,³,ê,½☐ó’Ô,¾,Æ,»,”í^í,ð☐í☐œ,μ,Ü,·☐B

,»,'¼•ÒWÆn•¶

□@,»,'¼•ÒWÆn,'¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Û,·□B

-½—ß	<@"\'
casechange	'â•¶Žš□^□-•¶Žš,ì•İŠ·
indent	fCf"fff"fg
redo	,â,è'¼,μ,ì,â,è'¼,μ
reopen	•Ò□W,ì,â,è'¼,μ
shifftab	□s'ì'ð,ì•âŠ®
tab	'l'ð"í^í,ìf^fu,É,æ,éfCf"fff"fg
tohankaku	"¼Šp•¶Žš,É•İŠ·
tolower	□-•¶Žš,É•İŠ·
tospace	f^fu-><ó"'•İŠ·
totab	<ó"'->f^fu•İŠ·
toupper	'â•¶Žš,É•İŠ·
tozenkakahira	'SŠp,Đ,ç,ª,É,É•İŠ·
tozenkakukata	'SŠpjjf^jjfi,É•İŠ·
undo	,â,è'¼,μ
unindent	<tCf"fff"fg
capslockforget	CapsLock,μ,í,·,è,ì□¥□³

□@indent,âtohankaku,È,Ç,í□A"í^í'ð,μ,½□ó^Ô,ÄŽÀ□s,μ,È,·,è,î^Ó-j,ª, ,è,Û,¹,ñ□B

grep, grepdialog, localgrep

```
@grep -Afpf%o^f^, dZw'è, µ, Ägrep, dZÀs, µ, Ü, -Bfpf%o^f^, í^È%oº, ì, æ, x, ÉZw'è, µ, Ü, -B
```

```
grep -Y -o -Zš-ñ, -Y -o, .éftf@fCf<, fJfCf"fgfffBfCfNfgfŠ [.,word] [.,casesense] [.,regular] [.,fuzzy] [.,subdir] [.,icon] [.,filelist]
```

```
@fJfCf"fgfffBfCfNfgfŠ, Æ, µ, ÄC»Y, lfffBfCfNfgfŠ, dZw'è, ., éêê, íA"., ©A, Ü, ½, í", dZw'è, µ, Ä, -  
, ¾, ¾, çBresult, É, í'uS', µ, ½CÄ" , "ü, è, Ü, -B"r't, Á't'f, ¾, é, ½êê, lresult, í-1, É, È, è, Ü, -B
```

```
@<K\C» -Zš-ñ, âftf@fCf<-¼, í't, Áu\ v, d", Á^í, Á, ½ -Zš-  
ñ, í't, ÁZw'è, ., éêê, íA GŠÚfGfffBf^, í -Zš-ñ'è", íZd-l, É, æ, èA u\ \v, ÆZw'è, µ, È, , Ä, í, ç, , Ü, ¹, ñB-  
á, |, í<K\C», Áu\ n\ v\ í%ü s -Zšj, dC -Y -o, ¾, ¾, çêê, íAf}fNf, í't, í -Zš-ñ'è", Æ, µ, Ä, í\ \  
n", ÆZw'è, ., éK-v, , è, Ü, -B
```

—á

```
grep "#include", "*.cpp;*.c", ".", regular;
```

```
@grepdialog -A -u grep, lZÀs...v, lf_fCfAfOf{fbfNfX, d o, µ, Ü, -B, , É, Ý, Égrepdialog -ZÀs, ., é, Æ  
AC»Y, í GŠÚ, áV<K\ì -ó'Ó, Ä, È, çêê, íV<K, É GŠÚfGfffBf^, -s, , ù, à, è, Ü, -B
```

```
@localgrep -A -C»Y, í"à—e, d'íU, É, µ, Ägrep, dZÀs, µ, Ü, -Bfpf%o^f^, í^È%oº, ì, æ, x, ÉZw'è, µ, Ä, -  
, ¾, ¾, çB
```

```
localgrep -Y -o -Zš-ñ [.,word] [.,casesense] [.,regular] [.,fuzzy] [.,icon]
```

—á

```
localgrep "#include", word;
```


setsearch • ¶

```
[@setsearch ¶, [A GŠŮ, a“à•”, Å•ŮŽ, μ, Ä, ç, éŸöfobftf@, ]“à—  
e, ðŸ’è, μ, Ů, ·BŸöfobftf@, [A u[ãŸó•â]v, à[u%°Ÿó•â]v, ì[Ů, ÉŽQ[Æ, ³, è, éfobftf@, Å[Ÿö•¶Žš  
—ñ, Æ[Ÿö, ì•Ů-@i[³<K\Ÿ», ©, Ç, x, ©, È, Ç, ]ftf%o[Ů, ð•ŮŽ, μ, Ä, ç, Ů, ·B
```

```
[@setsearchfRf}f“fh, ÅŸöfobftf@, ]“à—e, ðŸ’è, μ, Ä, ©, çfindup/finddown, ðŽÀ[s, ·, é, Æ[Asearchup/  
searchdown, ðŽÀ[s, μ, ½, ì, Æ“”, ¶Ÿ<%°È, a“¾, ç, è, Ů, ·B
```

```
setsearch •¶Žš—ñ, ftf%o
```

```
[@ftf%o[Ů, [AŠefrfg, ², Æ, ì, n, q, ìl, ðŽw’è, μ, Ů, ·B
```

```
’PŸè, ìŸö  
’ã•¶Žš/[—•¶Žš, ì<æ•È frfg, O  
’uŠ, ©, Ç, x, © frfg, P  
’uŠ, ì[è[¶A-â, ç[¶, ì¹, ì—L-³ frfg, R  
[³<K\Ÿ» frfg, S  
, , ç, Ů, çŸö frfg, T  
ftf@fCf<-¼^è—, ¾, [i[— frfg, U[igrep—p[
```

```
[@setsearch, Æ<t, È[Ÿöfobftf@, ]“à—e, ðŽQ[Æ, ·, é, È, [Asearchbuffer, searchoption, Æ, ç, x’l, ðŽg, ç  
, Ů, ·B
```

```
[@f}fN[Ů, ì’t, Åsearchup/searchdown, ðŽg, x, Æ[Ÿöfobftf@, ]“à—e, a[’, «Š·, ì, ç, è, Ä, μ, Ů, ç, Ů, ·B, »x  
, ·, é, Æ[Af+[fU, aŽŸ, È[ãŸó•â/%°Ÿó•âfRf}f“fh, ðŽg, Å, ½Žž, È—\Šú, μ, È, ç“®[ì, ð, μ, Ä, μ, Ů, x, ±, Æ, a, , è, Ů, ·B
```

```
[@, ±, x, ç, x[è[¶, È[Asetsearch/searchbuffer/searchoption, ðŽg, x, Æ•Ö—~, Å, ·B
```

```
[@—á[F
```

```
$s = searchbuffer;  
#f = searchoption;  
[c  
f}fN[—{’ì[c  
[c  
setsearch $s, #f;  
endmacro;
```

fEfBf“fhfEEn•¶

□@fEfBf“fhfEEn,ì•¶,Æ,μ,Ä□C^È%°°,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@”\
nexthidemaru	ŽŸ,ì□GŠŮ
prevhidemaru	‘O,ì□GŠŮ
nexthidemaruicon	ŽŸ,ì□GŠŮ□ifAfCfRf”,àŠŮ,þ□
prevhidemaruicon	‘O,ì□GŠŮ□ifAfCfRf”,àŠŮ,þ□
restoredesktop	fffxfNfgfbfv•œCE³
savedesktop	fffxfNfgfbfv•Ü‘¶
scrollink	‘¼,ì□GŠŮ,Æ“~ŽžfxfNf□□[f<
split	fEfBf“fhfE,ð,Q,Â,É•ªŠ,,
splitswitch	•ªŠ,,fEfBf“fhfE□Ø,è‘Ö,ì
windowcascade	□GŠŮ,ð□d,É,Â•Ž!
windowhorz	□GŠŮ,ð%°°i,É•Â,x,é
windowtiling	□GŠŮ,ð•Â,x,Ä•\Ž!
windowvert	□GŠŮ,ð□c,É•Â,x,é
windowlist	fEfBf“fhfE^è—•\Ž!
compfile	‘¼,ì□GŠŮ,Æ“à—e”ªŠr

□@nexthidemaru□Cprevhidemaru,ðŽÀ□s,·,é,Æ□Cf}fNf□,ì□\$CEä,à,»,è,É”°°,È,Â,Ä□Ø,è‘Ö,ì,Ü,·□B

□@compfilefRf}f“fh,í□Afpf%°°f□f^,Æ,μ,Ä‘¼,ì□GŠŮ,ìfEfBf“fhfEfnf“fhf<,Ü,½,ìfEfBf“fhfE”Ô□†,ðŽw’è,·,é•K—v,ª, ,è,Ü,·□B^È%°°,ì,æ,π,ÉŽg,ç,Ü,·□B

—á□F

compfile findhidemaru("c:\\abc.txt");

□@”ªŠr□æ,ìfEfBf“fhfE,ªCE©,Â,©,ç,È,ç□é□‡,íCE<%°°ÉfR□[fh,í-1□A”ªŠr,ìCE<%°°É□A^á,ç,ªCE©,Â,©,ç,È,©,Â,½□é□‡,íCE<%°°ÉfR□[fh,íO□A^á,ç,ªCE©,Â,©,Â,ª,»ì^É‘u,Éfj□[f\ f<^Ü”® ,μ,½□é□‡,í1,Æ,É,è,Ü,·□B

fjfj...[En•¶

[@fjfj...[,ðo,•¶,Æf}fNf,ðEÄ,Ño,•¶,Íf}fNf,©,ç,ÍŽg,!,Ü,¹,ñB,Æ,ç,α,©CŽg,!,Ä,μ,Ü,ç,Ü,·,ªCŽg,í,È,ç,Å,,¾,³,çB

@f}fNf,©,çf}fNf,đŽÀs,·,é,É,ÍAexecmacro,đŽg,ç,Ü,·B

,»,ì¼,ìRf}f“fhCEn•¶

□@,»,ì¼,ìRf}f“fhCEn•¶,Æ,μ,Ä□C^È%º,ì,à,ì,à, ,è,Ü,·□B

-½—ß	<@”\
backtagjump	fobfNf^fOfWfff“fv
clist	,bC¾CEèŠÖ□”^è—
directtagjump	f_fCfCfNfgf^fOfWfff“fv
freecursorswitch	ftfŠ□[f]□[f]f<f,□[fh,ì□Ø,è’Ö,ì
imeswitch	,©,ÈŠ¿Žš•ìŠ,ì□Ø,è’Ö,ì
help	ŠO•”fwf<fv
help2	ŠO•”fwf<fv,Q
help3	ŠO•”fwf<fv,R
hidemaruhelp	□GŠÚfwf<fv
marklist	f}□[fN^è—
macrohelp	□GŠÚf}fNf□fwf<fv
overwriteswitch	□ã□’,<□^’}“üf,□[fh□Ø,è’Ö,ì
readonlyswitch	ftf@fCf<,ì□’Š,ì<ÖŽ~□^<-%ºÄ,ì□Ø,è’Ö,ì
setmark	fj□[f]f<□s,ìf}□[fN
showcode	fj□[f]f<,ì•¶ŽšfR□[fh,ì•\Ž!
showlineno	□s”Ö□t,ì•\Ž!□^”ñ•\Ž!
tagjump	f^fOfWfff“fv
redraw	□GŠÚfEfBf“fhfE,ì□Ä•`%ºæ
browsemodeswitch	%º{—f,□[fh,ì□Ø,è’Ö,ì

□@tagjump□Abacktagjump□Adirecttagjump,ì□A□—C÷,·,é,Æresult==yes□AŽ,“s,·,é,Æresult==no,Æ,È,è,Ü,·□B¼□AfGf%º□[f□fbfZ□[fW,ª□o,é,æ,α,ÈŽ-’Ö,ª”□¶,μ,½□ê□‡,ìresult==no,Æ,È,è□A,»,α,Ä,È,ç□ê□‡,ìresult==yes,Ä,·□B

message • ¶

¶@f¶bfZ¶[fWf{fbfNfX,đ¶o,μ,Û,·¶Bf¶bfZ¶[fWf{fbfNfX,í,ç,í,ä,éfcf“ftfHf¶¶[fVf#f“fAfCfRf“¶•—¹
%ođf{f^f”,lfxf^fcf<,Á¶o,Û,·¶Bf¶f%of¶f^,Áf¶bfZ¶[fW,í•¶Žš—ñ,đŽw’è,μ,Û,·¶B¶”iCE^,l’l,í•¶Žš—
ñCE^,É•ÍŠ·,μ,ÁŽw’è,μ,Á,,³/₄,³,ç¶B

¶@—á¶F

```
message "¶GŠÛ,Á,·";  
message str(100);
```

question 1

@Z;-â,ifbfZ[fW,ðo,μ,Û:bfbfZ[fWf{fbfNfX,É,íu,í,çv,Æu,ç,ç,í,í,í{f^f",ª, ,è,Û,·B

question ",±,ê,Â,ç,ç,Â,·,©H";

,Æ,ç,Á,½<iç,ÉŽg,ç,Û:Bu,í,çv,ð'l,ñ,¾,ì,©u,ç,ç,í,í,í,ð'l,ñ,¾,ì,©,íCresult,Æ,ç,xfL[f[fh ,Â·\
E»³,è,Û,·Bif·¶,Æ'g,Ý, ,í¹,ÄŽg,ç,Û,·B

@u,í,çv,ð'l,Ô,Æresult,í,P,É,È,èCu,ç,ç,í,í,í,ð'l,Ô,Æ,O,Æ,È,è,Û,·BYes,âno,}fL[f[fh,Æ'g,Ý, ,í¹,ÄðE
"»'è,·,é,Æ·Ö—~ ,Ä,·B

@-áF

question "fZ[fu,μ,Û,·,©H";

if(result == yes) {

save;

}

beep•fl

@beep•fl, í Cfs, Á, Æ, ç, ¼%º¹, ð o, µ, Ü, · B

play, playsync

play, playsync
—¹, ð'Ò, ½, , Éf}fNf, İŽÄs, ðĈEp'±, μ, Ü, ·Bplaysync, İWAVftf@fCf<, İÄ, İ

@—áF
play "d:\\windows\\chord.wav";

debuginfo • ¶

▯@debuginfo • ¶,É,Í,Q,Á,ÌŽg,¢•ú,^a,è,Û,·▯B

▯@debuginfo • ¶,Ìjpf
%f▯f^,É▯A0,Û,½,Í0^ÈŠO,Ì▯"l,ðŽw'è,μ,½▯é▯#▯Adebuginfo • ¶,Í▯AfffofbfOf▯fbfZ▯[fW,ì•\Ž!,ì•ÖŽ~▯^<-
%oÁ,ð▯s,¢,Û,·▯B0,ðŽw'è,μ,½▯é▯#<ÖŽ~,³,é▯A0^ÈŠO,ðŽw'è,μ,½▯é▯#<-
%oÁ,³,è,Û,·▯Bf}fNf▯ZÁ▯s'¼Æâ,ì•ÖŽ~,É,É,Á,Á,¢,Û,·▯B

▯@debuginfo • ¶,Ìjpf%of▯f^,É • ¶Žš—
ñ,ðŽw'è,μ,½▯é▯#,Í▯Adebuginfo • ¶,ÍOutputDebugStringŠÖ▯",ðŽg,Á,Á,»,ì • ¶Žš—
ñ,ðDBWin,É,Ç,ÌfffofbfOfAfvfŠfP▯[fVf#",É • \Ž!,μ,Û,·▯B

▯@DBWin,É,Ç,ÌfffofbfOfAfvfŠfP▯[fVf#",^a▯í",μ,Á,¢,É,¢Žž,É,±,ì • ¶,ðŽÀ▯s,·,é,Æ▯A • ¶Žš—ñ,ÌfffofbfO'[-,É'—
,¢,è,Û,·▯BfffofbfOfAfvfŠfP▯[fVf#",àfffofbfO'[-,à,É,¢▯é▯#,ÍWindows,ì"®▯ì,^a,",©,μ,,É,é,±,Æ,^a, ,é,ì,Á'▯^Ó,μ,
Á,,¾,³,¢▯B

▯@%oü▯s • ¶Žš,ð▯o—Í,μ,½,¢▯é▯#,Í▯A"\x0A",ðŽg,Á,Á%o^a,³,¢▯B

▯@—á▯F
debuginfo 1;
debuginfo "#a = " + str(#a) + "\x0a";

showvars

@showvars, íACE»Ý, ì" , ì^ê—, ðffofbfOfAfvfŠfP[fVf#f", É•Ž!, µ, Û, ·BŽÀÛ, É•\ Ž!, ³, ¹, é, ½, ß, É, íAdebuginfo, ÁffofbfOf[fbfZ[fW, ì•Ž!, ^a<-%oÁ, ³, è, Á, ç, é•K—v, ^a, , è, Û, ·B

title • ¶

¶@title • ¶, í ¶A ¶GŠŮfGfffbf^, ìfEfbf"fhfE, ìfLfffvfVf+f" ¶if^fCfgr<fo[¶j, ì • " • a, Éf ¶fbfZ ¶[fW, ð • \
Ž, μ, Ů, · ¶B • Ì ¶X, ³, è, ½fLfffvfVf+f", ìfEfbf"fhfE, ¶∅, è' Ö, í, Á, Ä, à • ŮŽ ¶, ³, è, Ů, · ¶B

¶@CE» ¶Ý, ì ¶GŠŮ, ìfLfffvfVf+f", ¾, ̄, ðCE³, É-ß, ·, É, í ¶Atitle 0, ðŽÀ ¶s, μ, Ä, -
, ¾, ³, ¶ ¶B ¾, ì ¶GŠŮ, àŠŮ, ß, Ä, ·, x, Ä, ìfLfffvfVf+f", ðCE³, É-ß, ·, É, í ¶Atitle 1, ðŽÀ ¶s, μ, Ä, , ¾, ³, ¶ ¶B

¶@f}fNf ¶, ¶ ¶I-¹, ·, é, ÆfLfffvfVf+f", í, ·, x, ÄŽ © " @ " I, ÉCE³, É-ß, è, Ů, · ¶B, Ů, ½, í ¶A fLfffvfVf+f", ð ¶Ý' è, μ, ½ CEä, Åtitle -
1, ðŽÀ ¶s, ·, é, Æ ¶A f}fNf ¶, Å ¶Ý' è, μ, ½ fLfffvfVf+f", ¶f}fNf ¶ ¶I-¹ Žž, à, » , ì, Ů, ŮŽc, é, æ, x, É, È, è, Ů, · ¶B

¶@-á ¶F
title "f}fNf ¶ ¶^ - ¶' t, Å, ·";

¶@title • ¶, ì Ž í - p ¶F
title • ¶ Ž š - ñ fLfffvfVf+f", ì ¶Ý' è
title 0 CE» ¶Ý, ì ¶GŠŮ, ìfLfffvfVf+f", ðCE³, É-ß, ·
title 1 ·, x, Ä, ì ¶GŠŮ, ìfLfffvfVf+f", ðCE³, É-ß, ·
title -1 CE» ¶Ý ¶Ý' è, ³, è, Ä, ¶, é fLfffvfVf+f", ðf}fNf ¶ ¶I-¹ Žž, à Žc, ·

run Crunsync Crunsync2

```
@run .i'¼,ifvfOf%of€,đŽÀs,μ,Ü,·Bfpf%of^,Æ,μ,ÄfRf}f"fh,i•Źš—ñ,đŽw'è,μ,Ä,,¾,¾,¢B  
@run .i,ifvfOf%of€,đ<N"®,μ,½, ,Æ,ÄC,·,®,Éf}fNf,iŽÀs,đ'±s,μ,Ü,·B
```

```
@runsync,rinsync2 .i,run,Æ" -I,ÉfvfOf%of€,đŽÀs,μ,Ü,·,ªCrun,Æ^Ü,È,é" _i<N"®,μ,½fRf}f"fh,ªI—  
¹,·,é,Ü,Äf}fNf,iŽÀs,đ'Ó<@,¾,¹,é" _Ä,·Brunsync,iGŠÜ,đfAfCfRf"ó'Ó,È,μ,Ä'Ó<@,¾,¹,Ü,·ªArunsync2,iG  
ŠÜ,đfAfCfRf",É,¹,,É'Ó<@,¾,¹,Ü,·B
```

```
@fvfOf%of€,i<N"®,ÉŽ,"s,·,é,Æresult,ªfalse,É,È,è,Ü,·B
```

```
@—áF
```

```
run "winfile.exe";  
run "hidemaru.exe win.ini";  
runsync "cl -c -AS -G2scw -W3 " + $filename
```

endmacro, endmacroall

```
@endmacro
^,µ,Û,·BCE»Ý,ìf}fNf,ìŽÀs,ðI—
^execmacro,É,æ,èĀ,Ńo,³,ê,½ê±,íĀ,Ńo,µĒ³,ìf}fNf,ìŽÀs,ð'±s,µ,Û,·B
@endmacroall,íAexecmacro,íĀ,Ńo,µĒ³,àŠÛ,ß,Ā,·,x,Ā,ìf}fNf,ìŽÀs,ðI—¹,³,¹,Û,·B
```

```
@—áF
question "'±s,µ,Û,·,©H";
if( result == no ) endmacro;
```

execmacro • ¶

```
¶@f}fNf¶,ì't,©,ç¶A,³,ç,É•Ê,ìf}fNf¶,ðŽÀ¶s,μ,Û,·¶B<N“®,³,ê,½'α,ìf}fNf¶,ª¶I—  
¹,·,é,ÆÆ»¶Ý,ìf}fNf¶,ìŽÀ¶s,ð'±¶s,μ,Û,·¶B  
¶@f¶f%¶f¶f^,Áf}fNf¶,ìftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,¾,¾,ç¶B  
¶@execmacro,³,ê,½f}fNf¶,©,ç,³,ç,Éexecmacro,ðŽÀ¶s,·,é¶ê¶#¶Aexecmacro,ìf¶Xfg,ª, ,Û,è¶[,·,È,ç,È,ç,æ,α  
,É'¶^Ó,μ,Ä,,¾,¾,¾,ç¶B
```

```
¶@—á¶F  
    execmacro "test.mac";
```

disabledraw□Cenabledraw•¶

□@disabledraw,í%œ-Ê,ì□',«Š·,¡,ð<ÖŽ~·,μ,Û·□Benabledraw,í<t,É%œ-Ê□',«Š·,¡,ð<-
%œÁ,μ,Û·□Bf}}fNf□<N“®Žž,í<-%œÁ□ó'Ó,É,É,Á,Á,ç,Û·□B

□@'·,ç·Ö□W□ì<Æ,ð'ZZžšŒ,Á□í,í,ç,¹/₂,ç□ê□‡,É□C,Û·,disabledraw,μ,Ä□ì<Æ,ðšŽžn,μ□C·Ö□W,ª□í,í,Á,¹/₂,çena
bledraw,·,é,ÆCEø%œÊ"í,Ä,·□B,¹/₂,³/₄,μ□Cenabledraw,ðžÁ□s,·,é,Æ,«É%œ-Ê,ð,·,×,Ä□',«'¼,·,±
,Æ,É,É,é,í,Ä□C'ZZžšŒ,Á□í,í,é□^—□,ðdisabledraw/enabledraw,Ä^í,p,Æ,©,í,Ä,Ä□^—□'—“x,ª'á%œº,·,é,±
,Æ,É'□^Ó,μ,Ä,,³/₄,³,ç□B

—á□F

```
disabledraw;  
gofiletop;  
beginself;  
gofileend;  
cut;  
enabledraw;
```

□@disabledraw,μ,¹/₂,ì,Éenabledraw,ð-Y,é,¹/₂,Û,Ûf}}fNf□,ìžÁ□s,ª□í—¹,·,é,Æ□Cž©“®"í,É%œ-
Ê,ð,·,×,Ä□',«Š·,¡,Û·□B

□@enabledraw,ªžÁ□s,³,é,¹/₂žž□Afj□[fj<,ª%œ-Ê,ì,ç,ì^É'u,É·\ží,³,é,é,©,í□GšÛ'ª,ª"K"—,ÉCE^,ß,Ä,μ,Û,ç
,Û·□B,±,é,ðf}}fNf□'ª,Ä□\$CEä,·,é,É,í□Aenabledraw•¶,ípf%œf□f^,Ä%œ-
Ê,ì^è"Ö□ä,ì□s"Ö□t□if□□[fvf□"í,ÉCEvžž,μ,¹/₂□s"Ö□t□j,ðžw'è,μ,Ä,,³/₄,³,ç□B

```
—á□F□iCEÿ□ð,ÄCE©,Ä,^,½·¶žš—ñ,ð%œ-Ê,ì'+%œ>,É·\ží,·,é□ê□‡□j  
#cyScreen = cyscreen;  
disabledraw;  
search "abc";  
enabledraw y - #cyScreen / 2;
```

disablebreak•¶

¶@disablebreak•¶,í¶Cf}fNf¶,ì't'f,ð<ÖŽ~,μ,Ü,·¶B

¶@¶GŠÜ,ìf}fNf¶,ÍŽÀ¶s't,É%½,©fL[“ü—í,·,é,Æ¶u't'f,μ,Ü,·,©¶H¶v,Æ•·,ç,Ä,,éŽd—l,É,È,Á,Ä,ç,Ü,·¶B,μ,©,μŠÉ'P,Èf}fNf¶,ðÆJ,è•Ö,μ,ÄŽÀ¶s,μ,½,ç¶ê¶#,É,í,Q%ñ-Ü,ìf}fNf¶ŽÀ¶sfRf}f“fh,²'t'f—v<¶,Æ“FŽ~³,ê,Ä•s•Ö,Ä,·¶B

¶@,»,±,Ä¶C,±,ìdisablebreak•¶,ðf}fNf¶,ì,ç,¿,î,ñ¶Á¶%,ÄŽÀ¶s,·,é,Æ¶C,»,ìf}fNf¶,Ä,ì't'f,ð^ê¶ØŽó,~•t,~,È,-,É,è,Ü,·¶Bf}fNf¶,ì¶Á¶%,Ä,È,ç,ÆÆø%É,í, ,Ü,è,È,ç,ì,Ä'^Ó,μ,Ä,,¾,¾,ç(,½,¾,μ¶C•¶,â<ó¶s,ª¶æ“ª,É, ,é,ì,í¶,ç,Ü,¹,ñ);

¶@enablebreak•¶,í, ,è,Ü,¹,ñ¶B

disableinvert, enableinvert•¶

¶@disableinvert•¶,Í¶C"í"í"í"đ,ì,Æ,«,í"½""]•\Ž|,đ<ÖŽ~-,μ,Ü,·¶Bf}fNf¶ŽÀ¶s't,ì"½""]•\Ž|,í-Ú,´,í,è,È¶é¶‡,ª'½,¢
,Ì,Ä¶C,»,ì¶é¶‡,í, ,ç,©,¶,βdisableinvert,μ,Ä,©,ç"í"í"í"đ,·,ê,í¶C%œ-Ê¶ă,Ä,í"½""]
,¹, ,É"í"í"í"đ,³,ê,Ü,·¶Benableinvert,Í¶Adisableinvert,đ%đœ,μ,Ü,·¶B

disableerrmsg, enableerrmsg

disableerrmsg, íCŠeŽí,ífRf}f“fh,ì‘t,ÀfGf%“[.a”qμ,Ä,àfGf%“[f{fbfZ[fW,ð•\Ž!,μ,È,ç,æ,κ,É,μ,Ü,·Benableerrmsg,íCŠ,É-ß,μ,Ü,·Bf}fNf<N“@‘¼CEä,íenable,É,È,Ä,Ä,ç,Ü,·B

@ŠeŽí,ífRf}f“fh,ì‘t,À,ífGf%“[.Æ,íA—á,!,î^È%º,ì,æ,κ,È—á,ª, ,è,Ü,·B

@@appendsave,ÅŽw’è,³,è,½ftf@fCf<,ªCE©,Ä,©,ç,È,©,Á,½
@@@showcliphist,ÅAf+[fU,ª%½,àŽæ,èº,³,,Éf_fCfAf[fO,ð•Ä,¶,½
@@@@,»,’¼AufGf%“[v,Æ,ç,κf^fCf<,íf{fbfZ[fWf{fbfNfX,ª•\Ž!,³,è,é^—,·,×,Ä

disableerrmsg,ðŽÀ[s,μ,Ä,àAfGf%“[.a”qμ,½ê‡,Éresult==false,É,È,é,±,Æ,í•í,í,è, ,è,Ü,¹,ñBdisableerrmsg,ðŽÀ[s,μ,½ê‡,î^ÈCEäfGf%“[.í^—,ð³,μ,κ,æ,κ,É,μ,Ä,,¾,¾,çB

fufbfN

@GSÛ,}f}fNf,Å,íC,bE¾CEé,Æ“—l,É '{,Æ}',Å•i,}f}fNfRf}f“fh,ð,Ð,Æ,Å,É,Ü,Æ,ß,é,±,Æ,â,Å,«,Ü,·Bif,âwhile,Æ'g,Ý,î,í,¹,ÄŽg,ç,Ü,·B

—áF

```
if( result == yes ) {  
    message "ABC";  
    #a = #a + 1;  
}
```

if

if `condition`, `do_something`, `else`, `do_something_else`

```
@-áF
  if( result == yes )
    message "—1%ođ,Á,-";
  else
    message "Žæ,èÁ,μ,Á,-";
```

`if` `condition` `do_something` `else` `do_something_else`

```
if( result == yes ) {
  message "—1%ođ,Á,-";
  endmacro;
} else {
  down;
  right;
}
```

`else`, `if`, `condition`, `do_something`, `else`, `do_something_else`

```
if( result == 1 ) message "1";
else if( result == 2 ) message "2";
else if( result == 3 ) message "3";
else message ",,i'¼";
```

while

while: `while(condition) { statements }`

```
@-áF
    #a = 10;
    while( #a > 0 ) {
        down;
        #a = #a - 1;
    }
```

break: `break;` continue: `continue;`

continue

while loop with continue statement

—á

```
while( #a != 0 ) {  
    up;  
    if( !result ) continue;  
    #a = #a - 1;  
}
```

goto • ¶, Æf%oƒxf<

□@f}fNf□, ì□^—□, Ì□ã, ©, ç%°°, Ö□#”Ô, ÉŽÅ□s, ³, è, Ü, ·, ²□C”C^Ó, ì□ê□Š, É^Ú” ®, ³, ¹, é□ê□#, Égoto, Æf%oƒxf<, ðŽg, †, Û, ·□B

□@f%oƒxf<, Ì□C, »; Ì-¼, Ì, Æ, ”, è-¼ŽD, Å, ·□B”ð, Ñ, ½, †□æ, Éf%oƒxf<, ð’u, †, Ä, ”, «□Cgoto, Å, »; Ìf%oƒxf<, ðŽw’è, ·, é, Æ, »; ±, É”ð, Ñ, Û, ·□B

□@f%oƒxf<, Ì□C”K”-, È%°p□”Žš, ²Žw’è, Å, «, Û, ·□Bf%oƒxf<, Å, , é, ±, Æ, ²•², ©, é, æ, ƣ, ÉCEã, ë, ÉfRf□f” , ð•t, ¯, -, ¾, ³, †□BfRf□f” , ÌCEã, ë, ÉfZf~fRf□f” , Í•K—v, , è, Û, ¹, ñ□B

—á□F

Label:
message "ABC";
goto Label;

ftfuf<[f`f"

@@GŠÚf}fNf,Ā,íCftfuf<[f`f",đŽg,±,±,Æ,ª,Ā,«,Ü,·Bftfuf<[f`f",íCcall•ġ,ĀCEĀ,Ī,ê,Ü,·Bftfuf<[f`f",©,ç,ì•œ<A,É,íreturn•ġ,đŽg,ç,Ü,·B

@ftfuf<[f`f",ì†,Ā,íff[ffj<•Ī",đŽg,±,±,Æ,ª,Ā,«,Ü,·Bff[ffj<•Ī",íC##,Ü,½,Í\$,ĀŽn,Ü,é•Ī",Ā,·B

@ftfuf<[f`f",É,ípf%off^,Æ,μ,Ā•i",ì†,đ"n,·,±,Æ,ª,Ā,«,Ü,·B,Ü,½Cftfuf<[f`f",©,ç•œ<A,·,é,Æ,«,ÉC'ì,đ,Đ,Æ,Ā,¾,·•Ô,·,±,Æ,ª,Ā,«,Ü,·B

@ftfuf<[f`f",ì-¼'O,íCf%offx<,ĀŽw'è,μ,Ü,·B

@call,Í^È%º,ì,æ,±,ÉŽg,ç,Ü,·B

call f%offx<-¼ [fpf%off^,P, fpf%off^,Q, EE[E]

@fpf%off^,í•K—v,É%ºž,ġ,ĀŽw'è,μ,Ā,,¾,¾,ç[B,ž,È,Ý,Éfpf%off^,ìCE^,ª•ġŽš—ñCE^,©""ìCE^,©,ì<æ•É,íftfuf<[f`f",đCEĀ,Ô'±,ÆCEĀ,Ī,ê,é'±,Ā,μ,Ā,©,è,Æ[†,í,¹,Ā,,•K—v,ª,è,Ü,·B[GŠÚ,Ī"Ā,ÉCE^}fFfbfN,Ī,μ,Ü,¹,ñ[B

@CEĀ,Ī,ê,½'±,Ā,íC"n,¾,è,½fpf%off^,Í^È%º,ì,æ,±,É•Ī",ĀŽQ[Æ,·,é,±,Æ,ª,Ā,«,Ü,·B

,P"Ô-Ú,ífpf%off^i•ġŽš—ñCE^,ìê[†][F	\$\$1
,P"Ô-Ú,ífpf%off^i""ìCE^,ìê[†][F	##1
,Q"Ô-Ú,ífpf%off^i•ġŽš—ñCE^,ìê[†][F	\$\$2
,Q"Ô-Ú,ífpf%off^i""ìCE^,ìê[†][F	##2
^È%º"-I[E[E	

@return,·,é,Æ,«,É,Í†,đ•Ô,·,±,Æ,ª,Ā,«,Ü,·B'ì,đ•Ô,·,É,íCreturn,ìCEă,è,Ā'ì,đŽw'è,μ,Ü,·B•ġŽš—ñCE^,đ•Ô,·,©""ìCE^,đ•Ô,·,©,ÍCEĀ,Ńo,μCE³,Æ[æ,Æ,Ā[†,í,¹,Ā,,•K—v,ª,è,Ü,·B

@CEĀ,Ńo,μ,½'±,Ā•œ<A'ì,đCE©,é,É,íC##return,Ü,½,Í\$\$return,Æ,ç,±•Ī",đŽg,ç,Ü,·B•ġŽš—ñCE^,ìê[†,Í\$\$return,Ā[C""ìCE^,ìê[†,Í##return,Æ,È,è,Ü,·B

@—á[F

```
call QuestionSub "fefXfg";
if( ##return ) beep;
endmacro;
```

```
QuestionSub:
question "-â,ç[†,í,¹[F" + $$1;
return result;
```

@call,¾,è,½ftfuf<[f`f",©,ç,¾,ç,Éftfuf<[f`f",đCEĀ,Ô,±,Æ,à,Ā,«,Ü,·B[Ā,20%ñ'ö"x[đ•i%ºĀ"\,Ā,·B

inputpos • ¶

¶@inputpos • ¶, í ¶ Cf t ¶ [fU, ©, çj ¶ [fV < ^ Ê 'u, ð "ü — í, µ, Ä, à, ç, x, ½, ß, ì • ¶, Ä, · ¶ B

¶@, ±, ì • ¶, ð Ž À ¶ s, ·, é, Æ ¶ Cf t ¶ [fU, í f Š f ^ ¶ [f "fL ¶ [, ð % Ÿ, ·, Ü, Å f ¶ [fV < , ð Ž © — R, É " ®, ©, ¹, é, æ, x, É, Ê, è, Ü, · ¶ B f Š f ^ ¶ [f "fL ¶ [, ð % Ÿ, ·, Æ ¶ C inputpos, í ¶ ^ — ¶, ð ¶ | — ¹, µ, Ü, · ¶ B

¶@inputpos Ž À ¶ s 't, í ¶ Cf E f B f "f h f E, ì f L f f f v f f f f " , É • ¶ Ž š — ñ, ð • \ Ž | , µ, Ü, · ¶ B • \ Ž | , ·, é • ¶ Ž š — ñ, í inputpos f R f } f "f h, ì f p f % o f ¶ f ^ , Å Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B

¶@ — á ¶ F
inputpos "í ¶ œ, ì Š Ž n ^ Ê 'u, ð Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B";

¶@ f t ¶ [fU, a f j ¶ [fV < ^ Ú " ®, µ, ½ œ ä, ì ^ Ê 'u, í ¶ Cf L ¶ [f ¶ ¶ [f h x, Æ y, Å Ž Q ¶ Æ, ·, é, ±, Æ, a, Å, «, Ü, · ¶ B

¶@ — á ¶ F
inputpos "í ¶ œ, ì Š Ž n ^ Ê 'u, ð Ž w 'è, µ, Ä, , ¾, ³, ç ¶ B";
#startx = x;
#starty = y;

writeinstr • ¶ Cwriteinum • ¶

¶@writeinstr ¶Cwriteinum • ¶, í ¶CINIftf@fCf<, Éff ¶f^, ð ¶', «, ±, b • ¶, Å, · ¶Bf}fNf ¶, ÅŽg, ¼ŠeŽífpf
%of ¶f^, ð • Ú' ¶, µ, Ä, ",, Æ • Ö—~, Ä, · ¶B

¶@writeinstr, í • ¶Žš—ñ, ð • Ú' ¶, µ ¶Cwriteinum, í ¶''I, ð • Ú' ¶, µ, Ü, · ¶B

writeinstr INIftf@fCf<-¼, fZfNfVf+f"-¼, fL[-¼, • ¶Žš—ñ
writeinum INIftf@fCf<-¼, fZfNfVf+f"-¼, fL[-¼, ¶''I

, ì Æ ` , Ä < L ¶q, µ, Ä, , ¾, ¾, ¶ ¶B

¶@—á ¶F

writeinstr "HIDEMARU.INI", "Option", "RefMark", ">> ";
writeinum "HIDEMARU.INI", "Option", "count", #a + 10;

¶@, ±, ê, ç, Å ¶Ý'è, ¾, ½'I, ðŽQ ¶Æ, ·, é, É, ígetinum ¶Cgetinstr ŠÖ ¶", ðŽg, ¶, Ü, · ¶B

¶@writeinstr, Å ¶A • ¶Žš—ñ, Æ, µ, ÄŽw'è, ·, x, «fpf%of ¶f^ ¶i'æ, Sfpf
%of ¶f^ ¶j, É ¶''I, ì ¶u0 ¶v, ðŽw'è, ·, é, Æ ¶A, », ìfL ¶[, ¶iniftf@fCf<, ©, ç ¶í ¶œ, ¾, ê, Ü, · ¶B"—I, É ¶A fL [-
¼, É ¶''I, ì ¶u0 ¶v, ðŽw'è, ·, é, Æ ¶A fZfNfVf+f", ¶í ¶œ, ¾, ê, Ü, · ¶B

¶@—á ¶F

writeinstr "HIDEMARU.INI", "Option", "RefMark", 0;
writeinstr "HIDEMARU.INI", "Option", 0, 0;

config•¶

¶@config•¶,í¶C¶GŠŮ,ìŠeŽí,ì¶Ý'è,ð•í¶X,μ,Û,·¶B¶Ý'è,ì"à—e,ð•¶Žš—ñ,ÄŽw'è,μ,Ä,,¾,¾,¾,¶B^È%º,ì,æ,æ,É,É,Ž,Ž,Æ,È,Ä,Ä,¶,Û,·¶B

flfvfVf¶"	<@"\ f^fu•¶Žš,ð•\Ží,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B •¶Žš,ð'¾,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶B "w¶Ei,ì¶F,ðŽw'è,μ,Û,·¶B fj¶[f¶f<¶s,ì¶F,ðŽw'è,μ,Û,·¶B fj¶[f¶f<¶s,É%º¶Û,ð^ø,,æ,æŽw'è,μ¶C,»,ì¶Û,ì¶F,ðŽw'è,μ,Û,·¶B %ºÛ¶s•¶Žš,ì¶F,ðŽw'è,μ,Û,·¶B •¶Žš,ì¶F,ðŽw'è,μ,Û,·¶B¶",É,í0¶`F,æŽw'è,Ä,«,Û,·¶BŠe¶",ª,¶,ì¶F,É'í %ºž,·,é,©,ì¶u¶Ý'è¶v,ìf_fCfA¶f¶Of{f¶fNfX,ðŽQ¶Æ,μ,Ä,,¾,¾,¾,¶B ¶L,¶sSÖ,É,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B EO¶f¶S¶Eà•¶Žš,ð-¾Ž<,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶B+,Ä-¾Ž<,μ,Û,·¶B ftfHf"fg,ì-¾'0,ðŽw'è,μ,Û,·¶B ftfHf"fg,ì-¾'0,ì't,É<ó",ª,·,é,é¶é¶,ì,±,ì,æ,æ,É,μ,ÄftfHf"fg,ðŽw'è,μ,Û,·¶B
d+ d- e+ e- f-¾'0 f(-¾'0) i0 i1 i2 i3 i4	Ž<"@fCf"fff"fg,ðŽw'è,μ,Û,·¶Bí0,ª¶u,μ,È,¶v¶Cí1,ª¶u,·,é¶v¶Cí2,ª¶u'S Šp<ó",à¶v¶Cí3,ª¶u,bCE¾CEêfCf"fff"fg¶v¶Cí4,ª'SSp,à¶•,bCE¾CEê,Ä,·¶B B <Ö'¥¶^—¶,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B ¶s"Ö¶t•\Ží,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B fof¶fNfA¶f¶vftf@fCf<,ð¶ì¶-,·,é,©,¶,æ,©,ðŽw'è,μ,Û,·¶Bm+ ,Ä¶ì¶-,·,é¶Cm-,Ä¶ì¶-,μ,È,¶,Ä,·¶B ftfŠ¶[fj¶[f¶f<¶f,¶[f¶h,ðŽw'è,μ,Û,·¶B+,ÄftfŠ¶[fj¶[f¶f<¶f,¶[f¶h,Ä,·¶B ftfHf"fg,ìTfCfY,ðŽw'è,μ,Û,·¶B f^fu,ì•¶Žš¶",ð¶Ý'è,·,é¶B fj¶[f¶f<^É'u,ìŽ<"@•œCE³,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B+ ,Ä¶u•œCE³,·,é¶v,Ä,·¶B ,P¶s,ì¶Û,è•Ö,μ•¶Žš¶",ðŽw'è,μ,Û,·¶B20¶`250,æŽw'è,Ä,«,Û,·¶B ,bCE¾CEêfL¶[f¶[f¶h<'²•\Ží,ð,·,é,©,μ,È,¶,©,ðŽw'è,μ,Û,·¶B fy¶[fW"Ö¶t•\ Ží,·,é¶^,μ,È,¶,¶f¶y¶[fW,ì¶s¶",ðŽw'è,μ,Û,·¶Bp0,¾,Æfy¶[fW"Ö¶t"ñ•\ Ží,Ä¶A,»,é^ÉŠO,ì¶é¶,ìfy¶[fW"Ö¶t•\Ží,Æ,È,è,Û,·¶B
k+ k- l+ l- m+ m-	
r+ r- s¶" t2 t4 t8 u+ u-	
w¶" y+ y- p¶"	

¶@,±,è,ç,ìfifvfvf¶",ì,Û,Æ,ß,ÄŽw'è,·,é,±
,Æ,ª,Ä,«,Û,·¶B,Û,Æ,ß,ÄŽw'è,·,é,Æ,«,ì¶C,»,è,¾,è,ð<ó",Ä<æ¶Ø,Ä,ÄŽw'è,μ,Ä,,¾,¾,¾,¶B

¶@—á¶F
config "ffVfXfef€ s20 y+ k+ b-";
config "f(,l,r -¾'©) s32"

setwindow size • 1

@CE»Ý,ífEfBf“fhfEftfCfy,đ•ŋŽš”’P^Ê,ÅŽw’è,μ,Ü,·B

@setwindow size 80, 20 ,Æ,ç,Á,½•—,ÉŽg,ç,Ú,·B,±,ìê#;Í%oj,W,OCE...~c,Q,O s,Æ,È,è,Ü,·B

setwindowpos

setwindowpos(*hWnd*, *hWndParent*, *x*, *y*, *cx*, *cy*, *flags*)

hWnd: Handle to the window to be moved.

hWndParent: Handle to the window to be the new parent of the window.

x: Horizontal position of the upper-left corner of the window.

y: Vertical position of the upper-left corner of the window.

cx: Width of the window.

cy: Height of the window.

flags: Bitwise OR of one or more of the following values:

- SW_SHOWNORMAL*: The window is shown in its normal state.
- SW_SHOWMAXIMIZED*: The window is shown maximized.
- SW_SHOWMINIMIZED*: The window is shown minimized.
- SW_SHOW*: The window is shown in its current state.
- SW_RESTORE*: The window is shown in its previous state.
- SW_HIDE*: The window is hidden.

setwindowpos(*hWnd*, *hWndParent*, *x*, *y*, *cx*, *cy*, *flags*)

```
setwindowpos 100, 200;  
setwindowpos 100, 100, 300, 300;
```

showwindow•¶

□@CE»Ý,İfEfBf“fhfE,đfpf%of□f^,Ăžw'è,³ê,¹/₂ó'Ô,Ā•\Ž!□^"ň•\Ž!,μ,Û,·□Bfpf%of□f^,Ā,Í□"l,đžw'è,μ,Ā,-
³/₄,³,č□B□GŠŮfGffBf^,İžw'è,³ê,¹/₂l,đ,»,l,Û,ÛWindows-API,İShowWindow,É“n,μ,Û,·□B

□@fpf%of□f^,İ'l,Æ^Ó-;,Í^È%o^o,İ'É,è,Ā,·□B

- 0 fEfBf“fhfE”ň•\Ž!□iSW_HIDE□j
- 1 □Ā'ă%o»□^fAfCfRf“%o»,³ê,¹/₂fEfBf“fhfE,đCE³,É-ß,·
- 2 fAfCfRf“%o»□iSW_SHOWMINIMIZED□j
- 3 □Ā'ă%o»□iSW_SHOWMAXIMIZED□j

□@0,đžw'è,·,é,Æ□A□GŠŮfGffBf^,İfEfBf“fhfE,^oCE©,l,È,,È,è,Û,·□BCE³,É-ß,·,É,İshowwindow 1,đžÀ□s,μ,Ā,-
³/₄,³,č□B

□@2,đžw'è,·,é,Æ□Af}fNf□,İžÀ□s,İfAfCfRf“%o»,³ê,¹/₂□GŠŮ□ă,Ā'±□s,³ê,Û,·□B

envchanged•¶

@@GSÜ,if}fNf,Ä,íA□u□Y'è□E“®□iŠÄ«□v,ì“à—e,ð•í□X,;é,±,Æ,ª,Ä,«,Ü,¹,ñ□B,μ,©,μ□A,±,ì•¶,ðŽg,κ,Æ,»,è,Æ“⁻—l,ì,±,Æ,ª,Ä,«,é,æ,κ,É,Ë,è,Ü,·□B

□@,±,ì•¶,í□Ahidemaru.ini,©,ç“®□iŠÄ«□v,ì“à—e,ð□Ä“Ç□ž,Ý,μ□ACE»□Y,ì□GSÜ,ì“®□iŠÄ«□v,ð•í□X,μ,Ü,·□B,μ,^{1/2},ª,Ä,Ä□A□u□Y'è□E“®□iŠÄ«□v,ì“à—e,ð•í□X,μ,^{1/2},ç□ê□‡,í□A,Ü, writeinistr,ðŽg,Ä,Ähidemaru.ini,ð□',«Š·,;□A,±,ìenvchanged,ðŽg,Ä,Ä□GSÜ,É,»,ì“à—e,ð<³,!l,Ä,°,Ä,,^{3/4},³,ç□B

□@hidemaru.ini,ì“à—e,É,Ä,ç,Ä,í“ÆŽ©,É'²,x,Ä,,^{3/4},³,ç□B(^ ^;

loadkeyassign • ¶

¶@loadkeyassign • ¶, í ¶CfL ¶[Š,,, è“- ,Äftf@fCf<, ð“Ç ¶ž, Ý, Ü, · ¶Bfpf%oof ¶f^ ,ÄfL ¶[Š,,, è“- ,Äftf@fCf<, ì-
¼' O, ðŽw' è, μ, Ä, , ¾, ¾, ¶ ¶B

¶@—á ¶F
loadkeyassign "default.key";

Ž®,É,Â,č,Ä

@Ž®,íCŽš,â•ŕŽš—ň,âŠeŽí,ì%%ŽŽŽq,đŽg,Á,Ä<Lq,³,ê,½u^êŽí,ì'v,đ•\
E»,.é,à,ì,ÁC»,é,đ•í",É'â"ü,μ,½,èCmessagefRf}f"fh,Á\Ží,μ,½,èCif•ŕ,ì"»'è,É—p,č,½,è,.,é,ì,ÉŽg,č
,Ü,•B

@Ž®,É,à•ŕŽš—ňE^,Æ""ICE^,³, ,è,Ü,•B,Ü,½C•ŕŽš—ňE^,©,ç""ICE^,É•İŠ,.,éŠÖ",à, ,è,Ü,•B

@""ICE^,ìŽ®,íC,bE¾Eê,Æ,Ù,Ú"~,ŕ,Æ,È,Á,Ä,Ü,•B

""!
%%ŽŽŽq
"à•"l,É'l,đ•\E»,.éL[f[f[fh
•ŕŽš—ň
ŠÖ"

□''I

□@□''I,đ,»ì,Ü,ÜŽw'è,·,é,à,ì,Å□C,»ì,Ü,Ü□''I,đ<L□q,·,é,¾,¯,Å,·□B·□'É,É<L□q,·,é,Æ10□i□'',Æ,È,è□C0x,đ·t,¯,é,Æ16□i□'',Æ,È,è,Ü,·□B,W□i□'',íŽg,ì,Ü,¹,ñ□B

□@,Ü,½□CfNf□[fg,Å^í,ñ,Å·¶Žš,ìfR□[fh,đŽw'è,·,é,±,Æ,à,Å,«,Ü,·□B,bÆ¾Æê,Æ^á,¢□CS;Žš,ìfR□[fh,à'¼□ÚŽw'è,Å,«,Ü,·□B

□@'I,í,SfofCf,ì·,□+·t,«□@□'',Æ,μ,Ä^μ,í,ê,Ü,·□B

□@—á□F

100
-100
0xFFFF
'a'
'š'

%%ŽŽq

@GŠÚf}fNf,ž®,Á,íC^È%%,l%%ŽŽq,žg,!,Ü,·B

@@+ - * / % <= >= < > != == && || ! | & ^

@,»,ê,¼,ê,bCE¾CEê,l%%ŽŽq,Æ<æ'Ê,Á,·B—Dææ#^Ê,íC^È%%,ì,Æ," ,è,Á,·B| & ^ ,ì—
Dææ#^Ê,æ,bCE¾CEê,Æ^Ü,È,é,ì,Á'^Ó,æ•K—v,Á,·B

.,ç <-----> 'á,ç	
* + <= &&	
/ - >=	
% < !	
>	
& !=	
^ ==	

@ŠæÊ,Á'í,p,ÆC—Dææ#^Ê,æ,,È,è,Ü,·B,Ü,½CŽ®,í¶,©,ç%%E,É•]%%ž,³,è,Ü,·B

@!= ,â <= ,È,Ç,ì~—%%ŽŽ,ìC<%%Ê,íC,O,Ü,½,í,P,Á,·Bif•¶,âwhile•¶,íC,bCE¾CEê,Æ"—
l,È,O,©,O^ÈŠO,©,Á"»è,μ,Ü,·B

“à•”“l,È'l,ð•\Œ».,.éfL[f[fh

␣@Œ<%oÊfR␣lfh,Æ'è␣”
␣@fj␣lf:ŠÖ~A
␣@fefLxfqŠÖ~A
␣@“l^l'l'ðŠÖ~A
␣@fEfBf“fhfESÖ~A
␣@ftf@fCf<-¼ŠÖ~A
␣@SeZl'ó'OSÖ~A
␣@Y'èŠÖ~A
␣@fNfSfbvf{␣lfhŠÖ~A
␣@“ú•t,ÆZž␣ŠÖ~A

CE<%oÊfR[fh,Æ'è"ŠÖ~AfL[f[fh

result ŠeŽí,ì•¶,ìŽÀsCE<%oÊ,ìCE<%oÊfR[fh,ð•\,μ,Û,·B
yes ,P,Æ,ç,æ'l,Å,·B
no ,O,Æ,ç,æ'l,Å,·B
true ,P,Æ,ç,æ'l,Å,·B
false ,O,Æ,ç,æ'l,Å,·B
eof |,P,Æ,ç,æ'l,Å,·B

@^ê"Ê,ÉAresult,ì'l,í-CE÷,ìê¶,ª,PÅŽ,"s,ìê¶,í,O,Æ,È,è,Û,·B

fj[fvf·šÖ~AfL[f[fh

x fj[fvf<,ixÄ•W,ð•\,μ,Ü,·Bfj[fvf<,a^ê"ÔqI,É,ç,éŽž,ª,O,Ä,·B

y fj[fvf<,lyÄ•W,ð•\
,μ,Ü,·ByÄ•W,ÍACE»Ý•ÒW't,ìfefLjXfg,ìæ"ªs,©,çf[fvf"l,És"Ôt,ðEvŽZ,μ,½'l,Ä
Ä^ê"Ôã,É,ç,éŽž,ª,O,Ä,·B

column fj[fvf<,ìjf%ofÉ^É'u,ð•\,μ,Ü,·Bjff%ofÉ^É'u,íA~_—s"ªi'¼'O,ì
%üü•šš,ìŽÝj,©,çCE»Ý,ìf[f
f<^É'u,Ü,Ä,ì•šš",ð",,½'l,Ä,·Bf^fu•šš,í,P•šš,Æ,μ,Ä",,ç,è,Ü,·B

lineno fj[fvf<^É'u,ìAfGfffBf^"l,ÉEvŽZ,μ,½s"Ôt,ð•\,μ,Ü,·Bftf@fCf<,ìæ"ª,p,Ä,·B

code fj[fvf<^É'u,ì•ššfR[fh,ð•\,μ,Ü,·B
fj[fvf<^É'u,ªŠžš,ìêþ,íA"®iSÄ««,Äu'Sšp•šš,ð^ÓŽ~,·éü,ª,ž,É,È,Ä,Ä,ç
,ê,ìŠžšfR[fh,ð³,μ,•Ö,μ,Ü,·B—á,ì'Sšp<ó",ìêþ,í0x8140,É,È,è,Ü,·B
ftfŠ[fj[fvf<f,ð[fh,ìŽž,ÉAfj[fvf<,ª
%üü•šš,æ,èCEä,è,É^É'u,·éêþ,ícode,ì'l,í,O,É,È,è,Ü,·Bf^fu•šš,ìêþ,í0x09,É,È,è,Ü,
,ªAf^fu•šš,ÆŽÝ,ì•šš,ìŠÖ,ì—]""•ª,É^É'u,·éêþ,í,O,É,È,è,Ü,·B
%üü•šš,ìã,ìêþ,í0x0D,É,È,è,Ü,·Bftf@fCf<,ìÄEä,ì[EOF],ìã,ìêþ,ì-1ieof,Æ,ç
,x'è",Æ"~,q'ìj,É,È,è,Ü,·B

fejLfxfgšÖ~AfL[fj[fh

return Ć»Ÿ,lfj[f^<,iĀä,ë,ª%ü[s,μ,Ä,é,©,Ç,ϣ,©,đ•\,μ,Û,·Bfj[f^<,i^É'u,·,é[s,i%oE'x,É
%ü[s•Ÿš,ª, ,è,í,P,É,È,èA⁻³,·,è,íižŸ,í[s,ÉÛ,è•Ö,μ,Ä,ç,éèèj,O,É,È,è,Û,·B

linecount Ć»Ÿ,lf^@fCf<,iAf[fv^"l,ÉvZZ,μ,½[s],đ•\

linelen Ć»Ÿ,lfj[f^<^É'u,í[s,i',ª,đ•\,μ,Û,·B,±,i'l,i%æ-Éä,Ä,i,P[s,i',ª,ÄA%oE'[,ÄÛ,è•Ö,μ,Ä,ç
,éèèj,íA[s"^a,©,çÛ,è•Ö,μ,Ä,ç,é^É'u,Û,Ä,i',ª,¼,^vZZ,μ,Û,·Bf^fu•Ÿš,àA%æ-
Éä,Ä,i•Ÿš",Æ,μ,ÄvZZ,μ,Û,·B

linelen2 Ć»Ÿ,lfj[f^<^É'u,í[s,iAfGfffBf^"l,ÉvZZ,μ,½',ª,đ•Ö,μ,Û,·B,Ä,Û,èA~_—[s"^a,©,ç
%ü[s•Ÿš[i,Û,½,í[EOF]j,Û,Ä,i•Ÿš",đvZZ,μ,Û,·Bf^fu•Ÿš,i,P•Ÿš,Æ,μ,ÄvZZ,μ,Û
,·B

"í'í'đšÖ~Afl□f□□fh

- selecting** "í'í'đ't, ©, Ç, x, ©, đ•\, μ, Ü, ·□B"í'í'đ't, ì□ê□#, í, P□A, » , x, Á, È, ç□ê□#, í, O, Á, ·□B
- rectselecting** BOX"í'í'đ't, ©, Ç, x, ©, đ•\, μ, Ü, ·□B"í'í'đ't, ì□ê□#, í, P□A, » , x, Á, È, ç□ê□#, í, O, Á, ·□B
- seltopx** "í'í'đšŽn^Ê'u, ìx□Á•W, đ•\, μ, Ü, ·□B
- seltopy** "í'í'đšŽn^Ê'u, ìy□Á•W, đ•\, μ, Ü, ·□B
- selendx** "í'í'đ□—1^Ê'u, ìx□Á•W, đ•\, μ, Ü, ·□B
- selendy** "í'í'đ□—1^Ê'u, ìy□Á•W, đ•\, μ, Ü, ·□B

□@"í'í'đ, ìšŽn^Ê'u, Æ□—1^Ê'u, í□A□í, é□AšŽn^Ê'u, aŧtf@fCf<, ì□æ"ª, É<ß, ç, Ü, x□A□—
1^Ê'u, aŧtf@fCf<, ì□Á□æã, É<ß, ç, Ü, x, É, Ê, Á, Á, ç, Ü, ·□B

□@"í'í'đ,ª%øđ□œ,ª,ê,½□æã, à□A, ±, ê, ç, ì'í, í'É'Ó, ì'í, đ•Úž□, μ, Á, ç, Ü, ·□B, ½, ¾, μ□Aŧtf@fCf<, É•Ò□W,ª
%øÁ, ì, ç, ê, ½, è, μ, ½□ê□#, ìžÁ□Ú, ì^Ê'u, Æ'í, ì<L%ø-, μ, Á, ç, é^Ê'u,ª, , ê, Á, μ, Ü, x, ì, Á'□^Ó, μ, Á, ,¾,ª, ç□B

fEfBf“fhfEŠÖ~AfL[f[f[fh

windowwidth fEfBf“fhfE,ì%o;•□,ð•¶Žš□”,Å•\,μ,Û,·□B□¶‘æ,ì—]””,âfXfNf□□[f<fo□[,È,Ç,ìŠO‘æ
,ì•”•â,ìŠÜ,Û,è,Ä,ç,Û,¹,ñ□B□s”Ô□†•\Ž!,^â,□,Ž,ì□é□#,í,»,ì•”•â,ðŠÜ,ñ,Ä,ç,Û,·□B

windowheight fEfBf“fhfE,ì□,³,ð•¶Žš□”,Å•\,μ,Û,·□BfLffffvfvf†f“,âf□ff...□[,È,Ç,ìŠO‘æ,ì•”•â,ìŠÜ,Û,è,Ä,ç
,Û,¹,ñ□B

windowcx fEfBf“fhfE’S’ì,ì%o;•□,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowcy fEfBf“fhfE’S’ì,ì□,³,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowposx fEfBf“fhfE,ì□¶□ã,ì^Ê’u,ìx□A•W,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

windowposy fEfBf“fhfE,ì□¶□ã,ì^Ê’u,ìy□A•W,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

splitstate fEfBf“fhfE,ì•âŠ,,,ì□ó’Ô,ð•\,μ,Û,·□B•âŠ,,,³,è,Ä,È,ç□é□#,í,O□A•âŠ,,,³,è,Ä,ç,Ä□Afj□[f<f<,â□ã‘æ,É,
,é□é□#,í,P□Afj□[f<f<,â%o^â‘æ,É, ,é□é□#,í,Q,Ä,·□B

windowstate fEfBf“fhfE,ì•\Ž!,ì<i□#,ð•\,μ,Û,·□B”ñ•\Ž!,ì□é□#,í,O□A’Ê□í,ì•\
Ž!□ó’Ô,ì□é□#,í,P□AfAfCfRf“%o»³,è,Ä,ç,é□é□#,í,O□A□Ä’â%o»³,è,Ä,ç,é□é□#,í,R,Ä,·□B

cxscreen %oæ-Ê,ì%o;fTfCfY,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

cyscreen %oæ-Ê,ì□cfTfCfY,ðfsfNfZfz<’P^Ê,Å•\,μ,Û,·□B

ftf@fCf<-¼ŠÖ~AfL[f[f[fh

filename Ć»Ÿ•ÔW'+,lftf@fCf<-¼,đfhf%oƒCfu•ŸŽš,àšÜ,ß,½ftf<fpfX,Å•\,μ,Û,·Bftf@fCf<-¼,l,·,x,Ä-•ŸŽš,É•İŠ,³,ê,Ä,ç,Û,·B

basename ftf@fCf<-¼,lAfpfX,đšÜ,Û,È,çAfxf[fX-¼,¾,¼,·,đ•\,μ,Û,·B,·,x,Ä-•ŸŽš,É•İŠ,³,ê,Ä,ç,Û,·B

directory fffĈf“fgfffBfĈfNfgfŠ,đfhf%ofu-¼,àšÜ,ß,½fpfX-¼,Å•\,μ,Û,·Bf<[fgfffBfĈfNfgfŠ,Å,È,çêç#,lĈĈĈã,Éu\qv,²,t,ç,Ä,ç,Û,¹,ñB,·,x,Ä-•ŸŽš,Å,·B

hidemarudir hidemaru.exe,lfffBfĈfNfgfŠ,đ•\,μ,Û,·B,·,x,Ä-•ŸŽš,Å,·B

windir Windows,lfffBfĈfNfgfŠ,đ•\,μ,Û,·B

winsysdir Windows,lfvfXfef€fffBfĈfNfgfŠ,đ•\,μ,Û,·B

Ÿ'èŠÖ~AfL[f][fh

@Ÿ'èŠÖ~AfL[f][fh,íAú,»,'¼EŸ'èv,ìf_cfAfOf{fbfNfX,ÅŽw'è,μ,½"à—
e,ðŽQÆ,·,é,½,β,lfL[f][fh—p,Å,·B

freecursor ftfŠ[f][f]f<f, [fh, ©, Ç, x, ©, ð·\, μ, Ü, ·B
tabcount f^fu, í·ŸŠ", ð·\, μ, Ü, ·B, Q A, S A, W, Ì, ç, , ©, Ì, É, È, è, Ü, ·B
width Ü, è·Ô, μ·ŸŠ", ð·Ô, μ, Ü, ·B
indentstate fCf"fff"fg, Ìó'Ô, ð·\, μ, Ü, ·B fCf"fff"fg-
³, μ, È, ç, O A·É, ÌfCf"fff"fg, È, ç, P A'S ŠpfCf"fff"fg, È, ç, R A, bÆ¾ÆêfCf"fff"fg, È, ç, T A'S ŠpfC
f"fff"fg·, bÆ¾ÆêfCf"fff"fg, È, ç, V, Å, ·B
kinksokustate <Ô'¥^—,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B
hilightstate , bÆ¾ÆêfL[f][fh<²·\Ž,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B
linespace sŠÖ, ÌL,ª, ð·\, μ, Ü, ·B sŠÖ-
³, μ, È, ç, O A1/10, È, ç, P A1/8, È, ç, Q A1/6, È, ç, R A1/4, È, ç, S A1/3, È, ç, T A1/2, È, ç, U, Å, ·B
linenostate s"Ôt, Ì\Ž,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B
pagestate fy[fW"Ôt, Ì\Ž,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B
showtab f^fu·ŸŠ, ð·\Ž, ·, é, ©, Ç, x, ©, ð·\, μ, Ü, ·B
tcolor ·ŸŠ, ÌF, ðRGB'Ì, Å·\, μ, Ü, ·B—á, Ì", È, çOx00FFFFFF A·, È, ç, O, É, È, è, Ü, ·B ì"Ì, ÈF, Æ'Ì, Ì'
%ž, ÌŽ ©ª, ÅTf"fvf<f}fNf, ð, é, È, Ç, μ, Å'², x, Å,ª,ª, çB
bcolor "wEi, ÌF, ðRGB'Ì, Å·\, μ, Ü, ·B
lcolor f[f]f<s, Ì%ü, ÌF, ð·\, μ, Ü, ·B %üª-³, çêq, Ì-1, Æ, È, è, Ü, ·B
ccolor f[f]f<s, ÌF, ð·\, μ, Ü, ·B f[f]f<s,ªFŽw'è, Å, Ì, È, %üüŽw'è, Ìêq, Ì-1, Æ, È, è, Ü, ·B
rcolor %üs·ŸŠ, ÌF, ð·\, μ, Ü, ·B
fontname ftfHf"fg, ÌtfF[fX-¼, ð·\, μ, Ü, ·B
fontsize ftfHf"fg, ÌtfCfY,ª,ª, ð·\, μ, Ü, ·B P^È, ÌfsfNfzF< "ifhfbfg"j, Å, ·B
boldstate '¾·ŸŠ, ©, Ç, x, ©, ð·\, μ, Ü, ·B
backup fofbfNfAfbfvtf@fCf<, Ì,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B
ignoreeof EOFsEä·ŸŠ, Ì-³Ž<,ª,ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B

fNfŠfbfvf{[]fhŠÖ~AfL[]f[]fh

getclipboard fNfŠfbfvf{[]fh, ©, ç, P[]s•ª, ì•¶Žš—ň, ðŽæ, è[]o, µ, Ä[]A, » , ê, ð•\, µ, Ü, ·[]B

ŽQ[]Æ[]FfNfŠfbfvf{[]fh, Æ•ï[]", Æ, ì, â, è, Æ, è

“ú•t,ÆŽžŠÖ~AfL[f[fh

date Œ»Ÿ,ì“ú•t,ð•\,μ,Û,·B"92/10/22(ŒŽ)",ì,æ,ɣ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B
time Œ»Ÿ,ìŽž,ð•\,μ,Û,·B"22:30:45",ì,æ,ɣ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B
tickcount Windows,ª<N“®,³ê,Å,©,ç,ìŒo%oßŽžŠÖ,ðf~fŠ•b'P^Ê,Å•\,μ,Û,·B

• 1. Žš–ň

```
@•1. Žš–ň, í C f fuf: fNfH [fe [fVf#f" , Å^í, Ý, Ü, · B
```

```
@–á F  
"ABC"
```

```
@ f fuf: fNfH [fe [fVf#f" <L t, » , ì , à , ì , â \f} [fN, í C \, ð • t, ¯ , Ä Ž w' è , μ , Ü , · B
```

```
@–á F  
" , ± , ê , í , \ " • 1. Žš–ň \ " , Å , · B"  
" \ < L t "
```

```
@ f ^ fu • 1. Žš , í t C % ü s • 1. Žš , í \ n , Å Ž w' è , Å , « , Ü , · B
```

```
@–á F  
insert "\n";
```

```
@ • 1. Žš fR [fh, ð Ž w' è , μ , ½ , ç ê # , í C \ x , ð Ž g , Å , Ä 16 i " , Å Ž w' è , μ , Ü , · B
```

```
@–á F  
" • 1. Žš fR [fh, S, P, Í , \ x 41 , Å , · B"
```

```
@ • 1. Žš–ň , ì % % Ž Ž , Æ , μ , Ä , í C { , ¾ , ¯ , Ž g , í , Ü , · B { , í • 1. Žš–ň , ð ~ A C E < , μ , Ü , · B
```

```
@–á F  
message $a + "CEÄ";
```

ŠÖ

<u>leftstr(s1, n1)</u>	•ŕŽš—ň,ìŕŕ'ŕ•"•ª
<u>rightstr(s1, n1)</u>	•ŕŽš—ň,ì%œE'ŕ•"•ª
<u>midstr(s1, n1, n2)</u>	•ŕŽš—ň,ì't%œ>"•ª
<u>strlen(s1)</u>	•ŕŽš—ň,ì'•³
<u>gettext(x1, y1, x2, y2)</u>	•ŕŽš—ňŽæ,èŕž,Ÿ
<u>char(n1)</u>	ŕ"ŕ,©,ç•ŕŽš,Ö,ì•İŠ•
<u>ascii(s1)</u>	•ŕŽš,©,çŕ"ŕ,Ö,ì•İŠ•
<u>str(n1)</u>	ŕ"ŕ,ð•ŕŽš—ň,É•İŠ•
<u>val(s1)</u>	•ŕŽš—ň,ðŕ"ŕ,É•İŠ•
<u>strstr(s1, s2)</u>	•ŕŽš—ň,©,ç•ŕŽš—ň,ðŕŸŕö
<u>getinistr(s1, s2, s3)</u>	iniftf@fCfç,©,ç•ŕŽš—ňŽæ"¾
<u>getininum(s1, s2, s3)</u>	iniftf@fCfç,©,çŕ"ŕŽæ"¾
<u>input(s1, s2)</u>	ftŕ[fU,©,ç,ì•ŕŽš—ň"ü—í
<u>inputchar(s1)</u>	ftŕ[fU,©,ç,ìfLŕ["ü—í
<u>getenv(s1)</u>	DOŠŠÂ«•ìŕ",ìŽæ"¾
<u>findhidemaru(s1)</u>	ŕGŠŰ,ìŕŸŕö
<u>hidemaruhandle(n1)</u>	ŕGŠŰ,ìfnf"fhfç,ìŽæ"¾
<u>hidemaruorder(n1)</u>	ŕGŠŰ,ì"Öŕt,ìŽæ"¾
<u>dderequest(s1)</u>	DDE,ìffŕ[f^,ì—vçŕ
<u>findwindow</u>	fEfBf"fhfE,ìŕŸŕö
<u>findwindowclass</u>	fEfBf"fhfE,ðfnf%œfX-¼,ÂŕŸŕö
<u>sendmessage</u>	fŕfbfZŕ[fW,ì'—ŕM
<u>existfile</u>	ftf@fCfç,ª'ŕŕŸ,.,é,©,Ç,ŕ,©

leftstr(s1, n1) ŠÖ

@s1,ì'¤,ln1•Źš,đ•Ô,µ,Û,·B'SŠp•Źš,í,Q•Źš,Æ,µ,Ä",!,Û,·B
@str1,l',³,num1,æ,è-,³,çé#,.lCstr1,ª,»,ì,Û,Û•Ô,³,è,Û,·B
@•Ô,·l,í•Źš—ñÆ^,Å,·B

rightstr(s1, n1) ŠÖ

@s1,ì%œE'¤,ln1•ŕŽš,đ•Ô,µ,Ü,·Bs1,ì',³,³n1,æ,è¬,³,¢ê#íCs1,³,»,ì,Ü,Ü•Ô,³,ê,Ü,·B
@•Ô,·'ì,ì•ŕŽš—ñŒ^,Å,·B

midstr(s1, n1, n2) ŠÖ

␣@s1,ì␣¶'¤,©,çn1"Ô-Ú,ìn2•¶Žš,ð•Ô,μ,Ü,·␣Bn1,í,O,©,ç␣",í,Ä,,¾,¾,ç␣Bn1,ª,O,ì␣é␣‡,íleftstr(s1,n2)
,Æ"-,¶␣E<%oÊ,Æ,Ë,è,Ü,·␣B
␣@•Ô,·'í,í•¶Žš—ñE^,Ä,·␣B

strlen(s1) ŠÖ"

@str1,ì',³,ð•Ô,μ,Û,·B•Ô,·'í,í"'^Ā,·B'SŠp•ŕŽš,í,Q•ŕŽš,Æ,μ,Ä" ,í,Û,·B
@•Ô,·'í,í"'^Ā,·B

gettext(x1, y1, x2, y2) ŠÖ

»Ÿ•ÒW,µ,Ä,†,éftf@fCf<,ìx1Cy1,©,çx2Cy2,ì"í^í,É, ,é•Ÿš—ñ,ð•Ô,µ,Û,·B•Ÿš—
ñ,ì',³,â',·,·,·,é,ÆfGf%oo[.É,È,è,Û,·B
»xCyÄ•W,ìŽw`è,ì,µ,©,½,Ímoveto•Ÿ,Æ"~,Ÿ,Å,·B
»@•Ô,·ì,ì•Ÿš—ñŸ^,Å,·B

char(n1) ŠÖ”

␣@n1,ì•ŕŽšfR␣[fh,ì•ŕŽš,ð•ŕŽš—ñ,É,μ,Ä•Ô,μ,Û,·␣BŠžŽš,lfR␣[fh,ðŽw’è,;ê,îŠžŽš,ì•ŕŽš—ñ,É,È,è,Û,·␣B
␣@•Ô,·'ì,ì•ŕŽš—ñŒ^,Ä,·␣B

—á␣F

char(0x41)

␣c "A",ª•Ô,Á,Ä,«,Û,·␣B

ascii(s1) ŠÖ

@s1, ðæ“à, ð•Źš, ð•ŹšfR[fh“i”“j, ð•Ô, µ, Ü, ·Bchar, Æ<t, ðŠÖ, Å, ·B
@•Ô, ·‘, ð“‘IÆ^, Å, ·B

str(n1) ŠÖ"

@n1,đ•ŕŽš—ň,É•řŠ•,μ,Ü,·B—á,ı,În1,ª100,İê#C•Ô,·ı,ı"100",Æ,È,è,Ü,·B
@•Ô,·ı,ı•ŕŽš—ňĈ^,Â,·B

val(s1) ŠÖ"

□@s1,đ□"l,É•İŠ,μ,Ü,·□B—

á,l,İs1,ª"100",l□ê□#□C•Ô,·l,l100,Æ,È,è,Ü,·□B□"l,É•İŠ,Å,«,ç□ê□#l,Ō,ª•Ô,è,Ü,·□B
□@•Ô,·l,l□"lĈ^,Å,·□B

getinstr(s1, s2, s3) ŠÖ

@iniftf@fCf<, ©, ç • ¶Žš—ň, đŽæ, è, ¾, μ, Û, · □Bs1, ¶iniftf@fCf<-¼ □As2, ¶ZfNfVf¶“-¼ □As3, ¶fL□[-¼, Å, · □B
□@ • Ö, · 'l, l • ¶Žš—ňĀ^, Å, · □B

getinum(s1, s2, s3) ŠÖ"

Ⓜ@INiftf@fCf<, ©, ç"'"l, ðžæ, è, ¾, µ, Ü, ·Bs1, ðiniftf@fCf<-¼As2, ðfZfNfVf+f"-¼As3, ðfL[-
¼, Å, ·BsZæ, èo, µ, ½'l, ð"'"l, É·iŠ·s"\, Èê#í, O, ð·Ó, Å, Ä, «, Ü, ·Bs
Ⓜ@·Ó, ·l, í"'"lCE^, Å, ·Bs

input(s1, s2) ŠÖ

□@s1,đf□fbfZ□[fW,Æ,μ,Ä•\Z},μ□Cft□[fU,©,ç•¶Žš—ň,đ“ü—
Í,μ,Ä,à,ç,ç□C,»„ê,đ,»„l,Ü,Ü•Ô,μ,Ü,·□Bs2,í□AffftfHf<fg,l'í,Æ,μ,Äft□[fU,â“ü—
í,·,éfGfffBfbfgfRf“fgf□□[f<,ì†,É□Å□%∞,©,ç•\Z},³,ê,Ü,·□B
□@s2,í□È—^a,Ä,«,Ü,·□B
□@•Ö,·'í,í•¶Žš—ňĈ^,Ä,·□B

inputchar(s1) ŠÖ”

[@s1,đf^fCfgrf<fo[É•Ž!,μCf+[]fU,©,ç•ŕŽš,đ“ü—í,μ,Ä,à,ç,ıC,»‚ì•ŕŽšfR[]fh,đ•Ô,μ,Ü,·B“ü—
í,μ,½•ŕŽš,í%œ=É,É,í•Ž!,³,è,Ü,¹,ň[]Bfj[]f<^U“@fL[],ª%Ÿ,³,è,½[]é[]#,í•ŕŽšfR[]fh,íC

ŕ ... 0x1C

ă ... 0x1D

%E ... 0x1E

%º ... 0x1F

,Æ,È,è,Ü,·B

getenv(s1) ŠÖ

@str1,É'í%ž,·,éŠÂ««·ï",ì'l,ð•Ô,μ,Û,·B

—áF

```
#path = getenv( "include" );
```

existfile(s1) ŠÖ

@s1,Æ,ç,æftj@fCfç,æ'ŋŸ,;é,©,Ç,æ,©,đ•Ô,µ,Û,·B
@'ŋŸ,;éê,itrueA'ŋŸ,µ,Ë,çê,ífalse,Å,·B
@•Ô,·'í"iCE^,Å,·B

DDEŠÖ~Af}fNf

ADDEfNf%ofCfAf“fg,đŽACE»,.é,½,β,lf}fNf,í•¶,âŠÖ”,à,è,Ü,·B

ddeinitiate \$app, \$topic@#@@i•¶

ADDEfNf%ofCfAf“fg,AE,.,é,c,c,dfgf%of“fUfNfVf”,đŠŽn,μ,Ü,·B\$app,afAvfŠfP[fVf”-¼,ĀA\$topic,afgfsbfN-¼,Ā,·B

dddefgf%of“fUfNfVf”,íCE»Ÿ,ìGŠÜ,¾,~,É—
LCEø,Ā,·Bnexthidemaruu”™,ĀfAfNfefBfufEfBf“fhfE,δ∅,è’Ö,í,é,AEdefgf%of“fUfNfVf”,íŽ©“®“I,ÉI—
¹,³,¹,ç,è,Ā,μ,Ü,ç,Ü,·B

@•:”,ì,c,c,dfT[f,AE“ŽŽ,Éfgf%of“fUfNfVf”,đŠŸ,.,é,±,AE,í,Ā,«,Ü,¹,ñB

@-CE÷,.,é,AEI—fR[fh,atruE,É,È,èAŽ,”s,.,é,AEfalse,É,È,è,Ü,·B

ddeterminate@#@@i•¶

ddeinitiate,μ,½fgf%of“fUfNfVf”,δI—¹,μ,Ü,·Bddeterminate,μ,È,.,Ā,àAf}fNf,âI—
¹,μ,½,èAnexthidemaruu,É,Ç,ĀfAfNfefBfufEfBf“fhfE,â∅,è’Ö,í,é,AEŽ©“®“I,ÉDDEfgf%of“fUfNfVf”,íI—
¹,μ,Ü,·B

ddeexecute \$exec@#@@i•¶

DDEfT[f,ÉEXECUTEfRf}f“fh,ð—M,μ,Ü,·B

@-CE÷,.,é,AEI—fR[fh,atruE,É,È,èAŽ,”s,.,é,AEfalse,É,È,è,Ü,·B

ddepoke \$item, \$param@#@@i•¶

DDEfT[f,Éff[f^,ð—,è,Ü,·B

@-CE÷,.,é,AEI—fR[fh,atruE,É,È,èAŽ,”s,.,é,AEfalse,É,È,è,Ü,·B

dderequest(\$item) ŠÖ”

DDE,ìŠŽè,Éff[f^,ð—v<μ,Ü,·B-B-CE÷,.,é,AEI—AŽó,~Žæ,Ā,½ff[f^,ð•Ö,μ,Ü,·BŽ,”s,.,é,AEf}fNf[fGf
%of[AE,È,Ā,Ā,μ,Ü,ç,Ü,·B
@•Ö,·I,í•¶Žš—ñCE^,Ā,·B

ddestartadvice \$item, \$name@#@@i•¶

DDEfT[f,AE,ìŠÖ,ĀfAfhfofCfXf<[fv,đŠŽn,μ,Ü,·BfAfhfofCfXf<[fv,lfAfCfef€-¼,Í\$item,Ā,·BfT[f,fo’x
,©,çff[f^,â“n,³,è,é,AE[A,»,ì’I,Í\$name,ĀŽw’è,³,è,é•I”,ÉŠI”[.,³,è,Ü,·B\$name,ìŠ,É,í•¶Žš—
ñCE^,lfOf[f,fof<•I”-¼,đŽw’è,.,é•K—v,ª,è,Ü,·B

fAfhfofCfXf<[fv,í,P,Ā,μ,©i,é,±,AE,ª,Ā,«,Ü,¹,ñB

ddestopadvice \$item@#@@i•¶

\$item,lfAfhfofCfXf<[fv,δI—¹,³,¹,Ü,·B\$item,Íddestartadvice,μ,½ŽŽ,ÉŽw’è,μ,½fAfCfef€-
¼,đŽw’è,.,é•K—v,ª,è,Ü,·B

ddewaitadvice \$item, #timeout@#@@i•¶

DDEfT[f,©,ç\$item,lfAfhfofCfXf<[fv,â“í,,ì,ð’Ö,¿,Ü,·B#timeout,lf^fCfefAfEfg,Ā[A,±,±
,ĀŽw’è,μ,½ŽŽŠÖ,ð’Ö,Ā,Ā,àff[f^,â“í,©,É,ç,è,ç,.,Éddewaitadvice,δI—¹,³,¹,Ü,·B

f^fCfefAfEfg,ìè#f,result==false,É,È,èAddestartadvice,ĀŽw’è,μ,½•I”,É,Í%½,àŠi”[.,³,è,Ü,¹,ñB

□@#timeout,ì'l,íf~fš•b'P^Ê,Åžw'è,μ,Û,·□B

□@ddewaitadvice,ðžÀ□s't,í□GSÛfGffBf^,í“€„è•t,ç,½,æ,α,È□ó'Ô,É,È,è,Û,·□B

findwindow(\$name) ŠÖ□”

□@\$name,Åžw'è,³,è,é•¶žš—ñ,Æ“~,¶lfLfffvJvf+¶“,lfEfBf“fhfE,ð'T,μ,Ä,»„lfEfBf“fhfEfnf“fhf<,ð•Ô,μ,Û,·□B
□@•Ô,·'l,í□”'lCE^,Å,·□BCE©,Ä,©,ç,È,©,Ä,½□ê□‡,í0,Æ,È,è,Û,·□BSY“-
∴,éEfBf“fhfE,ª•i□”CE©,Ä,©,Ä,½□ê□‡,Å,à□A,P,Ä,μ,©•Ô,μ,Û,¹,ñ□B

findwindowclass(\$name) ŠÖ□”

□@\$name,Åžw'è,³,è,é•¶žš—ñ,Æ“~,¶lfNf%ofX-¼,lfEfBf“fhfE,ð'T,μ,Ä,»„lfEfBf“fhfEfnf“fhf<,ð•Ô,μ,Û,·□B
□@•Ô,·'l,í□”'lCE^,Å,·□BCE©,Ä,©,ç,È,©,Ä,½□ê□‡,í0,Æ,È,è,Û,·□BSY“-
∴,éEfBf“fhfE,ª•i□”CE©,Ä,©,Ä,½□ê□‡,Å,à□A,P,Ä,μ,©•Ô,μ,Û,¹,ñ□B

sendMessage(#handle, #message, #wParam, #lParam) ŠÖ□”

□@f□fbfZ□[fW,ð'—,è,Û,·□B'—
,Ä,½□æ,lfEfBf“fhfE,ªf□fbfZ□[fWf{fbfNfX,âf_fCfAf□Of{fbfNfX,ð□o,·,Æf}fEfX,ªž€„ñ,Å,μ,Û,α,ì,Ä'□^Ó,μ,Ä,-
,¾,¾,ç□B,»„l'¼□AZg,ç•û,ðCEè,é,ÆWindows,ðž€„È,¹,Ä,μ,Û,α,±,Æ,à, ,é,ì,Ä'□^Ó,μ,Ä%ºº,¾,ç□B

□@f□fbfZ□[fW,ì'l,âwParam□lParam,ì'l,É,Ä,ç,Ä,íŠež©,Ä'²,x,Ä,¾,¾,ç□B

□@•Ô,·'l,í□AWindows-API,ìSendMessageŠÖ□”,ì•œ<A'l,»„ì,Û,Û,Ä□A□”'lCE^,Å,·□B

—á□iWM_SYSCOMMAND SC_CLOSE,ð'—,é—á□j

□@#result = sendMessage(#handle, 0x0112, 0xF060, 0);

fnfšfbvf{[fh,Æ•i] ,ì,â,è,Æ,è

☐@☐GŠÜ,Ä,í☐A•i☐ ,ÆfNfšfbvf{[fh,Æ,ìŠÔ,Äff☐f^ ,ð,â,è,Æ,è, ,é,½,β,lf}fNf☐,ì•¶,â'l,ª—p^Ó,³,è,Ä,ç,Ü,☐B

beginclipboardread ☐i•¶☐j

```
☐@fNfšfbvf{[fh, © ,ç,lf☐f^ ,ìžæ,è☐ž,Ý,ðš)Žn, ,é,±,Æ,ðé☐¾,μ,Ü,☐Bgetclipboard,Æ,ç,Ä,μ,â,Éžg,ç,Ü,☐B
```

getclipboard ☐i'l☐j

```
☐@fNfšfbvf{[fh, © ,ç,P☐s•ª,lf☐f^ ,ðžæ,è☐o,μ☐A,» ,é,ð•Ô,μ,Ü,☐B'\x0D',í☐æ<ž,³,è,Ü, ,ª☐A'\x0A',í☐s-- ,É,Ä,ç,Ä,« ,Ü,☐B,½,¾,μ☐AfNfšfbvf{[fhff☐f^ ,í☐ÄĎ,ì•"•ª,ª%ü☐s,Ä☐l,í,Ä,Ä,ç,É,ç☐ê☐#,í☐A'\x0A'- ³,μ,Äff☐f^ ,ª•Ô,Ä,Ä,« ,Ü,☐B
```

```
☐@getclipboard,ðžg,ª,É,í☐A,Ü, _beginclipboardread,ðžÄ☐s,μ,É,ç,Æ,ç , ,Ü,¹,ñ☐Bbeginclipboardread,ðžÄ☐s,μ,½'¼Ď,ígetclipboard,ì'l,lfNfšfbvf{[fh"àff☐f^ ,ì,P☐s-Ü,Ä☐A,Q %õñ-Ü,ì,l,í,Q☐s-Ü,Ä☐A^è%õ☐A,R☐s-Ü☐A,S☐s-Ü,Æff☐f^ ,ðžÓ, ,Ä,é,±,Æ,ª,Ä,« ,Ü,☐B
```

☐@fNfšfbvf{[fh,í☐ÄĎ,Ü,Äff☐f^ ,ðžæ,è☐o,μ☐l,í,é,Ægetclipboard,ì•Ô, ,l,í,í,í,Æ,È,è,Ü,☐B

☐@žg—p—á☐F☐ifNfšfbvf{[fh,ì"à—e,ð\$a[0☐`],ì"z—ñ,Éžæ,è☐ž,p—á

```
beginclipboardread;
#i = 0;
$a[#i] = getclipboard;
while( $a[#i] != "" ) {
    #i = #i + 1;
    $a[#i] = getclipboard;
}
```

☐@fNfšfbvf{[fh"à,É,P☐s,ì' ,ª,ª,S,☐fofCfG,ð%oz,ì,é☐s,ª ,é,Æ,» ,í☐s,í,S,☐fofCfG,Ä,Ô,Ä,ç, ,ç,è,Ä,μ,Ü,ç,Ü,☐B

☐@fNfšfbvf{[fh,lf☐f^ ,ð"z—ñ•i☐ ,Éžæ,è☐ž,p,Æ•i☐"—p,lf☐f,š,ª,ç,Ä,ì,ç,É,È,é<°,è,ª ,è,Ü,☐B,ç,Ä,ì,ç,É,È,Ä,Ä,μ,Ü,ª,Æ☐GŠÜf}fNf☐,ìžÄ☐s,ì,» ,ì☐è,ÄfGf%õ☐[,É,È,Ä,Ä't'f,μ,Ä,μ,Ü,ç,Ü,☐B

setclipboard \$str ☐i•¶☐j

☐@ž®,ì'l,ðfNfšfbvf{[fh,É☐Ý'è,μ,Ü,☐B

☐@—á☐F setclipboard \$a;

☐@%õü☐s,àŠÜ,β,ÄfNfšfbvf{[fh,É"ü,è,½,ç☐ê☐#,í

☐@ setclipboard \$a + "\x0D\x0A";

☐@,ì,æ,ª,Éžg,ª•K—v,ª ,è,Ü,☐B

addclipboard \$str ☐i•¶☐j

☐@Ď»Ý,lfNfšfbvf{[fh,lf☐f^ ,Éž®,ì'l,ð'ç%õÄ,μ,Ü,☐B

☐@—á☐F

```
setclipboard $a[0];
#i = 1;
while( $a[#i] != "" ) {
    addclipboard $a[#i];
    #i = #i + 1;
}
```

}

□GŠŮŠÇ—□

□@•i□"◊N"® ,μ,½□GŠŮ,ðŠÇ—□,·,é,½,β,ìf}fNf□,ì•¶,ª, ,è,Û,·□B

hidemarucount: □i'□j

□@CE»□Ý%ò"® ,μ,Ä,ç,é□GŠŮ,ì□",ð•Ô,μ,Û,·□B□i'"□GŠŮ,í□",,ì,Û,¹,ñ□B

—á□F

#c = hidemarucount;

findhidemaru(ftf@fCf<-¼) □iŠÖ□"□j

□@ftf@fCf<-¼,ÄŽw'è,μ,Ä□GŠŮ,ª,ç,é,©,Ç,κ,©,ð²,×□A,ç,é□ê□#,í,»,ìfEfBf"fhfE,ì"Ô□t,ð•Ô,μ,Û,·□B,ç,È,ç□ê□#,ì-1,Æ,È,è,Û,·□B

□@Ž©•ªŽ©□g,ìfindhidemaru,ì'í□Û,Æ,í,È,è,Û,¹,ñ□B

□@ftf@fCf<-¼,È,ì□Afhf%oCfu-¼,©,çŽn,Û,éfpfX-¼,à□Aftf@fCf<-¼-

{'ì,¾,¯,à□A,Ç,ì,ç,Ä,àŽw'è,μ,Ä,©,Û,ì,ç,Û,¹,ñ□B,½,¾,μ□Aftf@fCf<-¼-{'ì,¾,¯,μ,©Žw'è,μ,È,ç□ê□#,í-Û"ì,Æ,·,éftf@fCf<,Æ,í•È,ìffBfCEfNfgfŠ,ì"-¼ftf@fCf<,ðCEÝ□o,μ,Ä,μ,Û,κ,©,à,μ,è,Û,¹,ñ□B

□@—á□F if(findhidemaru("client.cpp") == -1) {

□@ openfile "client.cpp";

setactivehidemaru: □i•¶□j

□@fAfNfefBfu,È□GŠŮ,ðŽw'è,μ,Û,·□Bf}fNf□,ìŽÀ□s,à,»,ì,ç,ìfEfBf"fhfE,È^Û"® ,μ,Û,·□B

□@fpf%of□f^ ,Æ,μ,ÄfEfBf"fhfE,ì"Ô□t,©□A,Û,½,ìfnf"fhf<,ªŽw'è,Ä,«,Û,·□B

—á□F

setactivehidemaru 1;

setactivehidemaru findhidemaru("client.cpp");

hidemaruhandle("Ô□t): □iŠÖ□"□j

□@fEfBf"fhfE,ì"Ô□t,©,çfEfBf"fhfEfnf"fhf<,ð"¾,Û,·□B

□@fEfBf"fhfE,ì"Ô□t,ì□A'P,È,éfEfBf"fhfE,ì□d,È,è,ì"Ô□t,È,ì,Ä□Anexthidemaru,âsetactivehidemaru,ðŽÀ□s,·,é,Æ'í%ò,ª•ì,Ä,Ä,μ,Û,ç,Û,·□B,»,±,Ä□Anexthidemaru"" ,ðŽg,κ□ê□#,ìfnf"fhf<,ðŽg,κ,æ,κ,È,μ,½•Û,ª,ç,ç,Ä,·□B

—á□F

#handle = hidemaruhandle(findhidemaru("client.cpp"));

hidemaruorder(fnf"fhf<): □iŠÖ□"□j

hidemaruhandle,ìkt,Ä□Afnf"fhf<,©,çfEfBf"fhfE"Ô□t,ð"¾,éŠÖ□",Ä,·□B

□@—á□F

#order = hidemaruorder(#handle);

closehidemaru "Ô□t□@□@□@□@□@□i•¶□j

□@"Ô□t□ifnf"fhf<,à%ò□j,ÄŽw'è,μ,½□GŠŮ,ð□—¹,¾,¹,Û,·□B,½,¾,μ□AŽ©•ªŽ©□g,ðŽw'è,·,é,±,Æ,ì,Ä,«,Û,¹,ñ□B

□@Žw'è,μ,½□GŠŮ,ª,Û,¾ftf@fCf<,ð•Û'¶,μ,Ä,È,ç□ê□#,ìclosehidemaru,ìŽ, "s,μ,Û,·□B

□@closehidemaru,ì□—¹fR□fH,Æ,μ,Ä□A□—CE÷,μ,½□ê□#,ìtrue□AŽ, "s,μ,½□ê□#,ìfalse,ð•Ô,μ,Û,·□B

□@—á□F

□@ #a = findhidemaru("abc.txt");

□@ if(#a == -1) {

□@ message "abc.txt,ì,ç,Û,¹,ñ";

