



□GŠŮf}fNf□,İŠT—v

□GŠŮf}fNf□,İŠT—v

•İ□",İŽg,č•Ů Ž@,É,Á,č,Ä ŠÖ□",É,Á,č,Ä fGf%□□,İ□^—□

'É□í,İfRf}f"fh,đŽÀ□s,.,é•¶

'}“üCEn•¶

ftf@fCf<CEn•¶

f□□[f\<^Ů“@CEn•¶

fNfŠfbfvf{□□[fhCEn•¶

□í□œCEn•¶

„»,İ'¼•Ö□WCEn•¶

CEŸ□öCEn•¶

fEfBf“fhfECEn•¶

f□fjf...□□CEn•¶

„»,İ'¼,İfRf}f"fhCEn•¶

f□fbfZ□□fWCEn

message□C question

beep□C play, playsync

debuginfo showvars

title

fvf□fOf%□f€ŽÀ□sCEn

run□Crunsync□Crunsync2

f}fNf□□§CEäCEn

endmacro, endmacroall

execmacro

disabledraw□Cenabledraw

disablebreak

disableinvert, enableinvert

fuf□fbfN

if

while

break

continue

goto•¶,Æf%□fxf<

ftfuf<□□[f`f“

disableerrmsg, enableerrmsg

“ü—íCEn

inputpos  
menu, mousemenu  
inputŠÖ  
inputcharŠÖ  
iskeydownŠÖ

INlftf@fCf<En

writeinistr  
writeininum  
getinistrŠÖ, getininumŠÖ,

fCfWfXfgfŠEn

openreg      createreg  
writeregstr, writeregnum  
getregstrŠÖ, getregnumŠÖ  
closereg

Ÿ'èEn

config      loadkeyassign  
envchanged  
setwindowsize setwindowpos  
showwindow

GŠÜŠÇ—

DDE

fNfŠfbf{[fh,Æ•i",Æ,ì,â,è,Æ,è

**MS-DOS** for Windows95 **5.0**

Help Version 2.10.00

Copyright (C) 1992-96 by Microsoft Corporation

associated by Microsoft Corporation

MS-DOS 5.0

MS-DOS 5.0

## □GŠŮf}fNf□,İŠT—v

□@□GŠŮf}fNf□,í□□uf}fNf□“o~^□v,Åftf@fCf<,ð“o~^,μ,Ä□C,»è,ðCEÄ,Ñ□o,·CE` ,ÄŽg,ç ,Ü,·□Bf}fNf□,İŠg'£Žq,ªMAC,İftf@fCf<,Ä,È,·,è,İ,ç,·,Ü,¹,ñ□B,Ü,½□Cf}fNf□ftf@fCf<,í□GŠŮ- { 'í□iHIDEMARU.EXE□j,Æ“·,¶ftfHf<f\_ ,É'u,ç,Ä,·,·K—v,ª ,è,Ü,·□B

□@f}fNf□,í50CEÄ,Ü,Ä“o~^,·,é,± ,Æ,ª,Ä,«,Ü,·□B,Ü,½□□uf}fNf□ŽÄ□s□vfRf}f“fh,â□ufL□[ '€□ì,ì“Ç,Ý□ž,Ý□v,Æ□ufL□[ '€□ì,ì□Ä□¶□vfRf}f“fh,È,Ç,ð Žg,Ä,ÄŽÄ□s,·,é,±,Æ,ª,Ä,«,Ü,·□B

□@□GŠŮf}fNf□,í□CŠeŽí,ì“@□ì,ðŽÄ□s,·,é,·¶,Æ□C— ,è,ð□\$CEä,·,é□\$CEä·¶,©,ç,È,è,Ü,·□B·¶,İfZf~fRf□f“ ,Ä<æ□Ø,ç,È,·,è,İ,ç,·,Ü,¹,ñ□BfZf~fRf□f“ ,ª- ³,ç□è□±,í□□ufZf~fRf□f“ ,ª-³,ç□v,Æ,í·È,İfGf%□□[ ,ª□o,é,ì,Ä'□^Ó,μ,Ä,·,¾,³,ç□B

□@□³,μ,ç—á□F  
**gofiletop;**  
**insert "A";**  
**down; right; insert "A";**

□@□³,μ,,È,ç—á□F  
**gofiletop**  
**insert "A"**

□@□\$CEä·¶,í□C—á,ì,İif·¶,È,Ç,ì,æ,ª,É,bCE¾CEè,Æ,æ,Ž—,½,à,ì,ª ,è,Ü,·□B,±,ì□è□±□CfZf~fRf□f“ ,í,ç ,è,Ü,¹,ñ□B

```
if( x != 0 ) {  
    golinetop;  
}
```

□@□GŠŮf}fNf□,ì·¶,âfL□[f□□[fh,í□C,·,x,Ä□—·¶Žš,¾,·,Ä<L□q,μ,Ü,·□B

□@fRf□f“fg,ð“ü,è,é,É,í,b++CE¾CEè,Æ“—l,É//,ªŽg,ì,Ü,·□B

□@□GŠŮf}fNf□,Ä,í·ï□”,ðŽg,ª,±,Æ,ª,Ä,«,Ü,·□B·ï□”,É,í□””l·ï□”,Æ·¶Žš—ñ·ï□”,ª ,è□C,±,è,ç,ðŽg,Ä,ÄŠeŽí,ì %□□ŽŽ,ð,·,é,±,Æ,ª,Ä,«,Ü,·□B□””l·ï□”,í# ,ÄŽn,Ü,è□C·¶Žš—ñ·ï□”,í\$,ÄŽn,Ü,è,Ü,·□B

```
#n = 100 * 50 + 10 + strlen( $x );  
$s = rightstr( "Ä“;” + $x + ”,±,è,í,±,è,í”, 20 );
```

□@call,Æreturn,ðŽg,Ä,Äftfuf<□[f`f“,ð□ì,é,±,Æ,à,Ä,«,Ü,·□Bftfuf<□[f`f““à,Äf□□[ff<·ï□”,ðŽg,ç ,½,ç□è□±,í□C# #,Ü,½,í\$,ÄŽn,Ü,é·ï□”,ðŽg,ç,Ü,·□B

□@•ĭ□",ì,ù,©□C□GŠŮ,É,í,ç,,Â,©,ì"à•""l,È'l,ð•\Œ»,·,éfl□[f□□[fh,ª'ŕ□Ÿ,μ,Û,·□B—  
á,!,ĭ□Cquestion•ŕ,ðžÀ□s,·,é,Æ,»,ìŒ<%oÊ(□u,í,ç□v,ð'l,ň,¾,©□u,ç,ç,!□v,ð'l,ň,¾,©),ªresult,Æ,ç,æ'l,Æ,μ,Ä•\  
Œ»,³,ê,Û,·□B,±,ê,ç,ðžg,Á,Ä□ðŒ□•ªŠò,È,Ç,à%oÁ"\,Á,·□B

□@□GŠŮ,ĭf}fNf□,í□A,W,OŒÂ,Û,Á"o~^,·,é,±,Æ,ª,Á,«,Ü,·,ª□Afl□[Š,,,è"—,Ä%oÁ"\  
,È,ì,í,P"Ô,©,ç,T,O"Ô,Û,Á,ì,T,OŒÂ,¾,¯,Á,·□B

**fGf%□[,ì□^—□**

□@□GŠÚf}fNf□ŽÀ□s't,É□AŠefRf}f"fh,ĀfGf%□[,"□□μ,½□ê□#□i—á□Fappendsave  
"abc.txt",đŽÀ□s,μ,½□ê□#,Éabc.txt,ª'□□Ý,μ,È,©,Á,½"™□□□AfGf%□[□f□fbfZ□[fW,ª•\  
Ž!,³,ê□Aresult==false,Æ,È,è,Ü,·□B□i□³□í□|—¹Žž,íresult==true,Ā,·□j

□@f}fNf□ŽÀ□s't,É□ACEy"÷,ÈfGf%□[,É,æ,Á,Āfr□[fv%□¹,ª-Ā,é,æ,κ,È,±,Æ,ª"□□μ,½□ê□#□A%□¹-  
Ā,ç,,É□A'ã,í,è,Éresult==false,Æ,È,è,Ü,·□B

□@f}fNf□□i□-Žž,É,í□AfGf%□[,ìŽž,ì□^—□,à□\•ª□|—□□μ,Ā,,³/₄,³,¢□B

—á□F

```
appendsave "abc.txt";  
if( !result ) {  
    message "abc.txt,Ö,ì'Ç%□Á□',«□ž,Ý,ÉŽ,"s,μ,Ü,μ,½□B";  
    endmacro;  
}
```

□@disableerrmsg•□,đŽÀ□s,·,é,Æ□A,»,"ê^È□~fGf%□[□f□fbfZ□[fW,í^ê□∅•\Ž!,³,ê,È,,È,è,Ü,·□B

## '}' "üCEn • ¶

□@'}"üCEn,ì•¶,Æ,μ,Ä□C^È%°ò,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@"\
dupline	□s,ì"ñ□d%»
insert	•¶Žš—ñ,ì'}"ü
insertfix	•¶Žš—ñ,ì'}"ü,» ,ì,Q
insertline	<ó□s'}"ü
insertreturn	%ü□s
overwrite	•¶Žš—ñ,ì□ã□',«
tab	f^fu
undelete	□í□œ"à—e•œCE³

□@insert•¶,í□Cfpf%of□f^,ÅŽw'è,³,è,½•¶Žš—ñ,ì'}"ü,μ,½,ì,¿□Cfj□[f<,δ'}"ü,μ,½•¶Žš—ñ,ì□ÄCEã,É^Ú" @,μ,Ü,·□B

□@insertfix•¶,íinsert,Æ"—l,É•¶Žš—ñ,ì'}"ü,μ,Ü,·,ª□Cfj□[f<,í^Ú" @,μ,Ü,¹,ñ□B

□@overwrite•¶,í□Cfpf%of□f^,ÅŽw'è,³,è,½•¶Žš—ñ,δ□ã□',« ,μ,½,ì,¿□Cfj□[f<,δ□ã□',« ,μ,½•¶Žš—ñ,ì□ÄCEã,É^Ú" @,μ,Ü,·□B

□@—á□F

```
insert "ABC";  
insertfix "□Ä"i□G•v"  
overwrite "ABC" + $a;
```

□@%ü□s•¶Žš,ì'}"ü,É,í□C•¶ŽšfR□[fh10(line-feed),δ'}"ü,μ,Ü,·□B

□@—á□F

```
insert "\x0A";
```

□@,Ü,½,ÍŽŸ,ì,æ,æ,É,μ,Ä,à,©,Ü,¢,Ü,¹,ñ;

```
insert "\n";
```

□@insertreturn•¶,í□C%ü□sfL□[,δ%Ÿ,μ,½,ì,Æ'S,"~ ,¶ ,« ,δ,μ,Ü,·□Bfpf%of□f^,í, ,è,Ü,¹,ñ□B,¿,È,Ý,É,±,ìfRf}f"fh,íCE»□Ÿ,ìf,□[fh,ª□ã□',«f,□[fh,©'}"üf,□[fh,©,É,æ,Ä,Ä" @□ì,ª^Ú,È,è,Ü,·,ì,Ä'□^Ó,ª•K—v,Ä,·□B'}"üf,□[fh,Ä,ì" @□ì,δŠú'Ò,·,é□ê□f,í□C^È%°ò,ì,æ,æ,É,·,é•K—v,ª, ,è,Ü,·□B

```
if( overwrite ) {  
    overwriteswitch; insertreturn; overwriteswitch;  
} else {  
    insertreturn;
```

}

␣@tab␣Cdupline␣Cinsertline␣Cundelete•¶,ì"®␣í,í␣C'í%ž,·,é␣GŠÛ,ìfRf}f"fh,Æ"¬,¶,Å,·␣B



## ftf@fCf<CEn•¶

□@ftf@fCf<CEn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@”\
exit	□I— <sup>1</sup>
exitall	‘S□I— <sup>1</sup>
newfile	ftf@fCf<,ì□V<K□ì□—
print	^ó□ü
quit	”jŠü,μ,Ä□I— <sup>1</sup>
save	ftf@fCf<,ì□ã□’,«•Ü’¶
saveexit	•Ü’¶,μ,Ä□I— <sup>1</sup>
saveall	‘S•Ü’¶
saveexitall	‘S•Ü’¶□I— <sup>1</sup>
saveupdatedall	‘S•Ü’¶ì□X□Vftf@fCf<,ì,Ý□
savefelf	□ã□’,«•Ü’¶ì□%ºü□s=LF□j

□@print•¶,í□Af\_fCfAf□fOf{fbfNfX,ð□o,μ,Ü,<sup>1</sup>,ñ□Bf\_fCfAf□fOf{fbfNfX,ÄŽw’è, ,é□€—Ü,í□GŠÜ’æ,Ä“K”—,ÉCE^,ß,ç,ê,Ä,μ,Ü,ç,Ü,·□B□u’l’ð,μ,½”í’í,ì,Ý□v,ìf`fFbfNf{fbfNfX,í□A,à,μ”í’í’ð,<sup>3</sup>,è,½□ó’Ó,<sup>3</sup>/<sub>4</sub>,Æ,□,Ž,Æ%ºðŽß,<sup>3</sup>,è□A’¼,ì□€—Ü,í’O%ºñ,ì^ó□ü,ìŽž,ì’l,<sup>ª</sup>,»,,ì,Ü,ÜŽg—p,<sup>3</sup>,è,Ü,·□B

□@exit,âexitall,È,Ç,ì□GŠÜ,ð□I—<sup>1</sup>,<sup>3</sup>,<sup>1</sup>,Ä,μ,Ü,æ•¶,ðŽÄ□s,·,é,Æ□Af}fNf□,à,ç,Á,μ,â,É□I—<sup>1</sup>,μ,Ä,μ,Ü,ç,Ü,·□B□GŠÜ,ð□I—<sup>1</sup>,<sup>3</sup>,<sup>1</sup>,Ä,àf}fNf□,í’±□s,μ,½,ç□ê□#,ísetactivehidemaru,âclosehidemaru,ðŽg,æ•K—v,<sup>ª</sup>, ,è,Ü,·□B

□@,Ü,½□C^È%º,ì•¶,ífpf%of□f^,Äftf@fCf<-¼,ðŽw’è,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□Bf\_fCfAf□fOf{fbfNfX,í□o,Ü,<sup>1</sup>,ñ□B

-½—ß	<@”\
appendsave	•Éftf@fCf<,Ö,ì’Ç%ºÁ•Ü’¶
changenam	ftf@fCf<-¼,ì•í□X
insertfile	f□[fj<^É’u,Ö,ì”Ç,Ý□ž,Ý
loadfile	ftf@fCf<,ð•Ä,¶,ÄŠj,
openfile	ftf@fCf<,ðŠj,
readonlyopenfile	□’Š,; <ÖŽ~,Äftf@fCf<,ðŠj,
readonlyloadfile	□’Š,; <ÖŽ~,Äftf@fCf<,ð•Ä,¶,ÄŠj,
saveas	ftf@fCf<,ì-¼’O,ð•t, ,Ä•Ü’¶

□@—á□F

**openfile "ABC.TXT";**

□@openfile•¶,Æsaveas•¶,í□Cftf@fCf<C`Ž®,ð”Žž,ÉŽw’è, ,é,±,Æ,<sup>ª</sup>,Ä,«,,Ü,·□Bfpf%of□f^,í^È%º,ì,æ,æ,ÉfRf“f},Äæ□Ø,Ä,Ä•K—v,È,à,ì,ðŽw’è,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

openfile ftj@fCf<-¼ [ ,sjis | unicode | euc ]  
saveas ftj@fCf<-¼ [ ,sjis | unicode | euc ] [ , lf ]

□@sjis,í'Éí,ìftj@fCf<Ā Ž@□Aunicode,íUnicodeĀ Ž@□Aeuc,íEUCĀ Ž@,đ^Ó-í,μ,Û,·□B  
□@openfile,ìĕĕ±,í,R,Āftj@fCf<Ā Ž@,đŽw'è,·,é,±  
,Ā,ª,Ā,«,Û,·,ª□A'Éí,ìĀ Ž@,ĀUnicodeĀ Ž@,íŽ@"Ā,Ā"»'f,μ,Āfì□[fvf",·,é,æ,ı,É,È,Ā,Ā,ĉ  
,é,ì,Ā□AŽĀÛ,íeuc,đŽw'è,·,é,ì,μ,©^Ó-í,ª, ,è,Û,¹,ñ□B  
□@saveas,ìĕĕ±,í□A,ı,á,ñ,ĀŽw'è,ª,ê,½Ā Ž@,Ā•Û'¶,μ,Û,·□B%½,àŽw'è,μ,È,ĉĕĕ±□ACE»Ÿfì□[fvf",μ,Ā,ĉ  
,éftj@fCf<,ìĀ Ž@,Ā,»ı,Û,Û•Û'¶,ª,ê,Û,·□B,ª,ĉ,É□Alf,đŽw'è,·,é,Ā□A%ü□s=LF ,ìĀ Ž@,Ā•Û'¶,ª,ê,Û,·□B

□@—á□F  
**saveas "ABC.TXT", unicode;**

**openfile•¶,ì— <Z□□□□□**

□@ŽĀ,í□Aopenfile,É,í— <Z,ª, ,è,Û,·□Bopenfile,ìfpf  
%of□f^,É,í□Ahidemaru.exe,đ<N"Ā,·,éfvfvf¶f",ª,»ı,Û,ÛŽw'è,Ā,«,Û,·□B

□@openfile "/r " + \$filename□@,Ā,·,é,Ā□Areadonlyopenfile,Ā"~ ,¶,É,È,è,Û,·□B

□@openfile ""□@,Ā,·,é,Ā□Anewfile,Ā"~ ,¶,É,È,è,Û,·□B

□@openfile "/(0,0,100,100)" ,Ā,·,é,Ā□A0,0□`100,100,ìftj@fCfY,ì□GŠÛ,ª<N"Ā,ª,ê,Û,·□B

□@,ª,ĉ,É□A□GŠÛ,É,í%□B,μfvfvf¶f",Ā/h,Ā,ĉ,ı,ì,ª, ,è,Û,·□B,±  
,é,đŽw'è,·,é,Ā□A□GŠÛfGffBf^ ,ªfXfef<fXf,□[fh,É,È,è□A%œ-É,©,ĉĀĀ©,ı,È,-  
,É,é□•f}fNf□,ìŽĀ□s,ª"ñ□í,É□, '¬,É,È,è,Û,·□B

□@openfile "/h " + \$filename

□@,Ā,·□B,È,~□ACE©,ı,È,È,Ā,½□GŠÛ,íf}fNf□,ì†,Ā□,í,ĉ,¹,Ā, °,È,ĉ,ĀĀĀ,Āft□[fU,ª%½,ª,È,ñ,¾,©,í,©,ĉ,È,-  
,È,è,Û,·□B(^ ^);

□@,½,¾,μ□A,±,é,ĉ,ìfvfvf¶f",í□ACE»Ÿf}fNf□,đŽĀ□s,μ,Ā,ĉ,é□GŠÛ,ª□A□V<K□ì□¬,ª,ê,½□GŠÛ,Ā, ,Ā,Ā,í,ĉ  
, ,Û,¹,ñ□B,È,ª,È,ĉ□A□V<K□ì□¬,ª,ê,½□GŠÛ,ªopenfile,đŽĀ□s,·,é,Ā□A,» ,ìftj@fCf<,đloadfile,Ā"~ —  
l,É^μ,Ā,Ā,μ,Û,ı,©,ĉ,Ā,·□B

□@,±,ìĕĕ±,í□Achangeiname,đŽg,Ā,Āftj@fCf<-¼,đ"nul",É,·,é,È,ĉ,μ,Ā'î□^ ,μ,Ā, ,¾,ª,ĉ□B

**f\_fCfA□fOf{fbfNfX,đ□o,·ftj@fCf<ĀEn•¶**

□@ŽĀ,í□Af\_fCfA□fOf{fbfNfX,đ□o,·ftj@fCf<ĀEn•¶,à, ,è,Û,·□B

-½—ß	<@"\
APPENDSAVE	•Êftf@fCf<,Ö,ì'Ç%Á•Û'¶
CHANGENAME	ftf@fCf<-¼,ì•ïX
INSERTFILE	fj[]f^Ê'u,Ö,ì"Ç,Ýž,Ý
LOAD	ftf@fCf<,ð•Â,¶,ÄŠ,
OPEN	ftf@fCf<,ðŠ,
SAVEAS	ftf@fCf<,ì-¼'O,ð•t,~,Ä•Û'¶

[]@,±,ê,ç,ì•¶,É,Ípf%of[]f^,ª, ,è,Û,¹,ñ[]Bft[]fU,ª,n,jf{f^f",ð%Ÿ,µ,Ä[]^—  
 [],ª[]-CE±,·,é,Æresult==true,É,È,è,Û,·[]BŽ,"s,µ,½,è[]Aflfff"fZf<,³,è,½[]ê[]#,Ífalse,É,È,è,Û,·[]B

## ff[fv<^ú“@En•¶

ff[fv<^ú“@En,ì•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Ü,·B

-½—ß	<@”\
down	ff[fv<%º^ú“@
gofileend	ftf@fCf<,ìÅCEä,É^ú“@
gofiletop	ftf@fCf<,ìæ“ª,É^ú“@
gokakko	‘í%ºž,·,éš‡CEÉ,É^ú“@
golastupdated	ÅCEä,É•ÖW,μ,½Š,É^ú“@
goleftkakko	‘{’,É^ú“@
golineend	□s,ìÅCEä,É^ú“@
golineend2	~_—□s--,É^ú“@
golinetop	□s,ìæ“ª,É^ú“@
golinetop2	~_—□s“ª,É^ú“@
gorightkakko	‘}’,É^ú“@
goscreenend	%ºæ-É,ìÅCEä,É^ú“@
goscreentop	%ºæ-É,ìæ“ª,É^ú“@
gowordend	‘PCEé,ìÅCEä,É^ú“@
gowordtop	‘PCEé,ìæ“ª,É^ú“@
halfnextpage	”¼ŽŸfy□fW
halfprevpage	”¼•ª‘Ofy□fW
jump	Žw’è□s,É^ú“@
left	ff[fv<¶^ú“@
moveto	”C^Ó,ì^É‘u,Ö,ìff[fv<^ú“@ (CEä□q)
movetolineno	”C^Ó,ì^É‘u,Ö,ìff[fv<^ú“@ (CEä□q)
nextfunc	ŽŸ,ìšÖ□”,É^ú“@
nextpage	ŽŸfy□fW
prevfunc	‘O,ìšÖ□”,É^ú“@
prevpage	‘Ofy□fW
right	ff[fv<%ºE^ú“@
rollup	fXfNf□□[f<fAfbfv
rollup2	fXfNf□□[f<fAfbfv,Q
rolldown	fXfNf□□[f<f_fEf“
rolldown2	fXfNf□□[f<f_fEf“,Q
up	ff[fv<□ã^ú“@
wordleft	‘PCEé¶
wordright	‘PCEé%ºE
wordrightsahlen	‘PCEé%ºE(fTf<fJf“•—)
prevpos	‘O,ìff[fv<^É‘u,É^ú“@

ff[fv<^ú“@En,ì•¶,Æ,μ,ÄC^È%º,ì,à,ì,ª, ,è,Ü,·B

%of^,đžw'è,·,é,Æ,».,ì·a,Ü,Æ,ß,Ä^Ú" ®,·,é,æ,æ,É,È,è,Ü,·Bfpf%of^,É,í""l,đžw'è,μ,Ä,,¾,¾,çB

@—áF

**up 100;**  
**down #a + #b \* 100;**

@,·,È,Ý,É,±,ì,S,Ä,ìj[]f^Ú" ®fRf}f"fh,¾,·,í[]—¹R[]fh,Æ,μ,ÄC

[]@,μ,Ä,àj[]f^Ú" ®,μ,½ê±,í true  
[]@fj[]f^Ú" ®,μ,È,©,Á,½ê±,í false

,đ·Ô,μ,Ü,·B

@movetofRf}f"fh,í"C^Ó,ì^Ê'u,Éj[]f^Ú" ®,μ,Ü,·Bfpf%of^,Æ,μ,Ä,wÄ·W,Æ,xÄ·W,đžw'è,μ,Ä,-  
¾,¾,çB""l,Ä,È,ç,Æ,ç,·,Ü,¹,ñB

**moveto ,wÄ·W, ,xÄ·W**

@,xÄ·W,íftf@fCf<,ìæ"ª,đ,O,Æ,μ,Ä",;[]C,wÄ·W,í^è"Ôq'x,ì^Ê'u,đ,O,Æ,μ,Ä",;½'l,Ä,·B

@,·,È,Ý,ÉCE»Ý,ìj[]f^Ê'u,íx,Æy,Ä·\CE»,¾,è,Ü,·B—á,;[]Cj[]f^,đCE»Ý,ìy^Ê'u,ì1/2,ì  
%ÓŠ,É^Ú" ®,·,é,É,íC^È%º,ì,æ,æ,É,μ,Ü,·Bx,ây,í"à""l,È'l,đ·\CE»,·,éL[]f[]fh,Ä,·B

**moveto x, y/2;**

@movetolineno,íAXYÄ·W,ì'ã,í,è,ÉufGfffBf^"l[]v,ÉCEvZZ,μ,½s"Ô[]t,ÆCE..."Ô[]t,Åj[]f  
f<,đ^Ú" ®,μ,Ü,·B

**movetolineno CE..."Ô[]t, []s"Ô[]t**

@CE..."Ô[]t,í[]A^fu·qZš,í,P,Ä,Æ,μ,Ä",;½"Ô[]t,Ä,·Bmoveto,Æ^á,ç[]ACE..."Ô[]t,à[]s"Ô[]t,à,P,©,çŽn,Ü,è,  
Ü,·B,½,Æ,;ì,ftf@fCf<,ìæ"ª,É^Ú" ®,·,é,É,íA

**movetolineno 1, 1;**

@,Ä,·B,·,È,Ý,É[]Acolumn,ì·Ô,·'l,í,O,©,çŽn,Ü,é,ì,Ä'^Ó,μ,Ä,,¾,¾,çB

[]@u"í^l'đ,μ,È,ª,ç,ìj[]f^Ú" ®[]v,Æ,ç,xfRf}f"fh,í,·,è,Ü,¹,ñB·Ê"rbeginse| ,đŽÀ[]s,μ,Ä,©,çj[]f  
f<,đ^Ú" ®,·,é,±,Æ,É,æ,Ä,Ä"í^l'đ,μ,Ä,,¾,¾,çB

## fNfŠfbfvf{[]fhCEn•¶

[]@fNfŠfbfvf{[]fhfCEn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª, ,è,Ü,·□B

-½—ß	<@”\
appendcopy	’Ç%ºÁ•;ŽĚ
appendcut	’Ç%ºÁ□Ø,è”²,«
beginrect	BOX”í^í’ðŠjŽn
beginsel	”í^í’ðŠjŽn
pasterect	BOX“\,è•t,¯
copy	•;ŽĚ
copyline	□s,ð•;ŽĚ
copyword	’PCEè,ð•;ŽĚ
cut	□Ø,è”²,«
escape	”í^í’ð,ðŽæ,è□Á,·
paste	“\,è•t,¯
refcopy	^ø—p•t,«•;ŽĚ
selectall	,,x,Ä,ð’ð
selectline	□s,ì’ð
selectword	’PCEè,ì’ð
showcliphist	fNfŠfbfvf{[]fh—š—ð,ì\Ž;
poppaste	“\,è•t,¯□{—š—ð—ß,μ
getcliphist	fNfŠfbfvf{[]fh—š—ð,©,ç,ìŽæ,è□o,μ
clearcliphist	fNfŠfbfvf{[]fh—š—ð,ì□Á<Ž

[]@”í^í’ð,ð,μ,Ä,ç,é□ó^Ô,ÄescapefRf}f“fh,ðŽg,æ,Æ□C”í^í’ð,ìŽæ,è□Á,³,è,Ä,μ,Ü,ç,Ü,·,ª□Cseltopx□Cselcopy□Cselendx□Cselendy,ì’l,ìŽÿ,ì”í^í’ð,ðŠjŽn,·,é,Ü,Ä•ÜŽ□,³,è,Ü,·□B

[]@getcliphist,í□Afpf%of□f^,Æ,μ,ÄfqfXfgfŠ□[,ì”Ô□t,ðŽw’è,μ,Ä,,¾,¾,ç□B,O,ª□Á□V,ì—š—ð□A,P,ª,P,Ä’O□A,Q,ª,Q,Ä’O,Æ,ç,æ<ì□‡,Ä,·□BŽæ,è□o,μ,É□¬CE÷,·,é,Æ□Aresult == true,É,È,è,Ü,·□B’¶□Ý,μ,È,ç”Ô□t,ðŽw’è,μ,¾,è□A□í”□GŠÜ,ª,ç,È,ç,È,ç,ì□è□‡,íresult == false,Æ,È,è,Ü,·□B

[]@fNfŠfbfvf{[]fh,©,ç•¶Žš—  
ñ,ðŽæ,è□o,μ,Ä□A,»è,ð•ï□”,É’ã“ü,μ,½,è□A•ï□”,ì’l,ðfNfŠfbfvf{[]fh,Éfzfbfg,μ,½,è,·,é,±,Æ,à,Ä,«,Ü,·□BfNfŠfbfvf{[]fh,Æ,ì•¶Žš—ñ,ì,à,è,Æ,è,ðŽQ□Æ,μ,Ä,,¾,¾,ç□B

## ☐í☐œĈEn•¶

☐@☐í☐œĈEn,ì•¶,Æ,μ,Ä☐C^È%º,ì,à,ì,ª, ,è,Ü,·☐B

-½—ß	<@"\
backspace	Backspace
delete	Del
deleteafter	ff☐[f\<,æ,èĈä,ë,ð☐í☐œ
deletebefore	ff☐[f\<,æ,è'O,ð☐í☐œ
deleteline	☐s☐í☐œ
deleteword	'PĈê,ì☐í☐œ☐ifj☐[f\<,ìĈä,ë,¾, ¯☐j
deletewordall	'PĈê,ì☐í☐œ☐i'S•"☐j
deletewordfront	'PĈê,ì☐í☐œ☐ifj☐[f\<,æ,è'O,ì•"•ª,¾, ¯☐j

☐@delete•¶,ÍDelfL☐[,Æ"¯,¶"®☐ì,ð,μ,Ü,·☐B"í^í'ð,ª,è,½☐ó'Ô,¾,Æ,»,"í^í,ð☐í☐œ,μ,Ü,·☐B

,>,ì'¼•ÒWÆn•¶

□@,>,ì'¼•ÒWÆn,ì•¶,Æ,μ,Ä□C^È%º,ì,à,ì,ª,è,Ü,·□B

-½—β	<@”\
casechange	‘â•¶žš□^□→•¶žš,ì•İŠ·
indent	fCf”fff”fg
redo	,â,è'¼,μ,ì,â,è'¼,μ
reopen	•Ò□W,ì,â,è'¼,μ
shifftab	□s'í'ð,ì•âš®
tab	‘í'ð”í'í,ìf^fu,É,æ,éfCf”fff”fg
tohankaku	”¼šp•¶žš,É•İŠ·
tolower	□→•¶žš,É•İŠ·
tospace	f^fu-><ó””•İŠ·
totab	<ó””->f^fu•İŠ·
toupper	‘â•¶žš,É•İŠ·
tozenkakuhiro	‘Sšp,ð,ç,ª,È,É•İŠ·
tozenkakukata	‘Sšpjjf^jjfi,É•İŠ·
undo	,â,è'¼,μ
unindent	<tjCf”fff”fg
capslockforgot	CapsLock,μ,í,·,ê,ì□¥□³
imeconvforgot	,©,Èšžš•İŠ·,μ,í,·,ê,ì□¥□³

□@indent,âtohankaku,È,Ç,í□A”í'í'í'ð,μ,½□ó'Ô,ÅŽÀ□s,μ,È,·,ê,î^Ó-ì,ª,è,Ü,¹,ñ□B



## CEYÖÖEn•¶

¶@CEYÖÖEn,ì•¶,Æ,μ,Ä¶C^È%º,ì,à,ì,ª, ,è,Ü,·¶B

-½—β	<@”\
finddown	%ºCEó•â
findup	¶ãCEó•â
getsearch	CEYÖÖ•¶Žš—ñ,ìŽæ“¾
gosearchstarted	CEYÖÖŠŽn^Ê’u,Ö-β,é
searchdown	%º•ûCEüCEYÖÖ
searchup	¶ã•ûCEüCEYÖÖ
replacedown	%º•ûCEü’uŠ·
replaceup	¶ã•ûCEü’uŠ·
replaceall	‘S’uŠ·
replaceallfast	¶,‘-‘S’uŠ·
<u>setsearch</u>	CEYÖÖfofbftf@,ì¶Y’è
goupdatedown	•Ò¶Wf}¶[fN,ì%ºCEYÖÖ
goupdateup	•Ò¶Wf}¶[fN,ì%ºCEYÖÖ
clearupdates	•Ò¶Wf}¶[fN,ìfNfŠfA
<u>grep</u>	grep,ìŽÀ¶s¶ifpf%of¶f^•t,«¶j
<u>grepdialog</u>	grep,ìŽÀ¶s¶if_fCfAf¶fOf{fbfNfX•t,«¶j
<u>localgrep</u>	CE»¶Y,ì“à—e,©,çgrep,ðŽÀ¶s

¶@findup¶Cfinddown¶Cgetsearch•¶,É,ìfpf%of¶f^,ª•K—v, ,è,Ü,¹,ñ¶Bgetsearch•¶,ìfj¶[f^<^Ê’u,ì’PCEê,ðCEYÖÖ•¶Žš—ñ,Æ,μ,Ä¶GSÜ“à•”,ÉŽæ“¾, ,é-½—β,Ä,·¶B

¶@searchup¶Csearchdown•¶,ì¶Cf\_fCfAf¶fOf{fbfNfX,ÄŽw’è, ,éfpf%of¶f^,ð“~Žž,ÉŽw’è, ,é,æ,π,É,È,Á,Ä,ç,Ü,·¶Bfpf%of¶f^,ì^È%º,ì,æ,π,ÉfRf“f},Äæ¶Ø,Á,Ä•K—v,È,à,ì,ðŽw’è,μ,Ä,¾,¾,ç¶B

searchdown CEYÖÖ•¶Žš—ñ [,word] [,casesense] [,regular] [,fuzzy] [,linknext]  
searchup CEYÖÖ•¶Žš—ñ [,word] [,casesense] [,regular] [,fuzzy] [,linknext]

¶@word,ðŽw’è, ,é,Æ¶C^PCEêCEYÖÖ,É,È,è,Ü,·¶Bcasesense,ì’â•¶Žš¶^¶-•¶Žš,ìæ•Ê,ð, ,é,Æ,ç,π^Ó-ì,Ä¶CŽw’è,μ,È,ç¶ê¶±,ìæ•Ê,¾,è,È,è,Ü,·¶Bregular,ð•t, ,é,Æ¶³<K\CE»,ÄCEYÖÖ,μ,Ü,·¶Bfuzzy,ð•t, ,é,Æ, ,ç,Ü,çCEYÖÖ,ð,μ,Ü,·¶Blinknext,ð•t, ,é,ÆŽY,ì¶GSÜ,à±, ,ÄCEYÖÖ,μ,Ü,·¶B  
¶@regular,Ü,¾,ìfuzzy,ðŽw’è, ,é,Æword¶Ccasesense,ì-¾Ž<,¾,è,Ü,·¶B

¶@—á¶F

**searchdown "•¶Žš"**  
**searchdown "•¶Žš", word**

¶@’uŠ·fRf}f“fh,ì^È%º,ì,Æ, ,è,Ä,·¶B



## grep, grepdialog, localgrep

```
grep -r --exclude-dir=.git --exclude-dir=node_modules
```

```
grep -r --exclude-dir=.git --exclude-dir=node_modules -E 'pattern'
```

```
grep -r --exclude-dir=.git --exclude-dir=node_modules --include=*.txt
```

```
grep -r --exclude-dir=.git --exclude-dir=node_modules --include=*.txt --include=*.log
```

```
—
```

```
grep "#include", "*.cpp;*.c", ".", regular;
```

```
grepdialog -r --exclude-dir=.git --exclude-dir=node_modules
```

```
localgrep -r --exclude-dir=.git --exclude-dir=node_modules
```

```
localgrep -r --exclude-dir=.git --exclude-dir=node_modules
```

```
—
```

```
localgrep "#include", word;
```

## setsearch • ¶

¶@setsearch • ¶, í ¶A ¶GŠŮ, ¢ “ à • ”, Å • ŮŽ ¶, µ, Ä, ¢, é ¶Ÿ ¶ ð ¶of ¶bftf @, ì “ à —  
e, ð ¶Ý ’ è, µ, Ů, · ¶B ¶Ÿ ¶ ð ¶of ¶bftf @, í ¶A ¶u ¶ä ¶Ÿ • â ¶v, â ¶u % ° ¶Ÿ • â ¶v, ì ¶Ů, É Ž Q ¶Ÿ, ¢, é, é ¶of ¶bftf @, Å ¶A ¶Ÿ ¶ ð • ¶Žš  
— ñ, ¶Ÿ ¶A ¶Ÿ ¶ ð, ì • Ů — @ ¶i ¶³ < K • \ ¶Ÿ », ©, Ç, x, ©, È, Ç, ìftf % ¶of ¶j, ð • ŮŽ ¶, µ, Ä, ¢, Ů, · ¶B

¶@setsearch ¶fRf }f “fh, Å ¶Ÿ ¶ ð ¶of ¶bftf @, ì “ à — e, ð ¶Ý ’ è, µ, Ä, ©, ç ¶findup / finddown, ð Ž À ¶s, ·, é, ¶Ÿ ¶A ¶searchup /  
searchdown, ð Ž À ¶s, µ, ½, ì, ¶Ÿ “ ”, ¶Ÿ < % ° ¶Ÿ, ¢ “ ¾, ç, è, Ů, · ¶B

setsearch • ¶Žš — ñ, ftf % ¶of ¶

¶@ftf % ¶of ¶, í ¶A ¶Ÿ ¶fRf ¶g, ¢, ¶Ÿ, ì, n, q, ì ’ l, ð Ž w ’ è, µ, Ů, · ¶B

’ P ¶Ÿ è, ì ¶Ÿ ¶ ð	fRf ¶g, O
’ å • ¶Žš / ¶ — • ¶Žš, ì < æ • È	fRf ¶g, P
’ uŠ, ©, Ç, x, ©	fRf ¶g, Q ¶i ’ uŠ, ì ¶Ÿ ¶Ÿ, È, P ¶j
’ uŠ, ì ¶Ÿ ¶Ÿ ¶A — â, ¢ ¶Ÿ, í, ¹, ì — L — ³	fRf ¶g, R
¶³ < K • \ ¶Ÿ »	fRf ¶g, S
, , ¢, Ů, ¢ ¶Ÿ ¶ ð	fRf ¶g, T
ftf @ ¶f ¶Ÿ < — ¼ ^ è — —, ¾, ¶Ÿ ¶Ÿ —	fRf ¶g, U ¶igrep — p ¶j
ŽŸ, ì ¶GŠŮ, à ’ ±, ¶Ÿ, Å ¶Ÿ ¶ ð	fRf ¶g, V

¶@setsearch, ¶Ÿ < t, È ¶A ¶Ÿ ¶ ð ¶of ¶bftf @, ì “ à — e, ð Ž Q ¶Ÿ, ·, é, È, í ¶A ¶searchbuffer, searchoption, ¶Ÿ, ¢, x ’ l, ð Ž g, ¢  
, Ů, · ¶B

¶@f }fNf ¶, ì ’ t, Å ¶searchup / searchdown, ð Ž g, x, ¶Ÿ ¶A ¶Ÿ ¶ ð ¶of ¶bftf @, ì “ à — e, ¶Ÿ, « Š, ·, l, ç, è, Ä, µ, Ů, ¢, Ů, · ¶B, » , x  
, ·, é, ¶Ÿ ¶A ¶ft ¶ [ ¶U, ¢ ŽŸ, È ¶ä ¶Ÿ • â / % ° ¶Ÿ • â ¶fRf }f “fh, ð Ž g, Å, ½ Žž, È — \ Š ú, µ, È, ¢ “ ® ¶i, ð, µ, Ä, µ, Ů, x, ±, ¶Ÿ, ¢, è, Ů, · ¶B

¶@, ±, x, ¢, x ¶Ÿ ¶Ÿ, È ¶A ¶setsearch / searchbuffer / searchoption, ð Ž g, x, ¶Ÿ • Ö — ~, Å, · ¶B

¶@ — á ¶F

```
$s = searchbuffer;  
#f = searchoption;  
¶c  
f }fNf ¶ — { ’ í ¶c  
¶c  
setsearch $s, #f;  
endmacro;
```

## fEfBf“fhfEEn•¶

□@fEfBf“fhfEEn,ì•¶,Æ,μ,Ä□C^È%°°,ì,à,ì,ª, ,è,Ü,·□B

-½—β	<@”\
nexthidemaru	ŽŸ,ì□GŠŮ
prevhidemaru	‘O,ì□GŠŮ
nexthidemaruicon	ŽŸ,ì□GŠŮ□ifAfCfRf“,àŠŮ,þ□j
prevhidemaruicon	‘O,ì□GŠŮ□ifAfCfRf“,àŠŮ,þ□j
restoredesktop	ffXfNfgfbfv•œCE³
savedesktop	ffXfNfgfbfv•Ů‘¶
scrolllink	‘¼,ì□GŠŮ,Æ“~ŽžfXfNf□□[f<
split	fEfBf“fhfE,ð,Q,Â,É•ªŠ,,
splitswitch	•ªŠ,,fEfBf“fhfE□Ø,è‘Ö,ì
windowcascade	□GŠŮ,ð□d,Ë,Ä•\Ž!
windowhorz	□GŠŮ,ð%°°,É•À,x,é
windowtiling	□GŠŮ,ð•À,x,Ä•\Ž!
windowvert	□GŠŮ,ð□c,É•À,x,é
windowlist	fEfBf“fhfE^ê——•\Ž!
compile	‘¼,ì□GŠŮ,Æ“à—e”äŠr

□@nexthidemaru□Cprevhidemaru,ðŽÀ□s,·,é,Æ□Cf}fNf□,ì□§CEä,à,»,è,É”°°,È,Á,Ä□Ø,è‘Ö,ì,Ü,·□B

□@compilefRf}f“fh,í□Afpf%°°f□f^,Æ,μ,Ä‘¼,ì□GŠŮ,ìfEfBf“fhfEfnf“fhf<,Ü,½,ìfEfBf“fhfE^Ô□†,ðŽw’è,·,é•K—  
v,ª, ,è,Ü,·□B^È%°°,ì,æ,π,ÉŽg,ç,Ü,·□B

—á□F

compile findhidemaru( "c:\\abc.txt" );

□@”äŠr□æ,ìfEfBf“fhfE,ªCE©,Â,©,ç,È,ç□ê□‡,íCE<%°°ÊfR□[fh,í-1□A”äŠr,ìCE<%°°Ê□A^á,ç  
,ªCE©,Â,©,ç,È,ç,Á,½□ê□‡,íCE<%°°ÊfR□[fh,í0□A^á,ç,ªCE©,Â,©,Á,Ä,»,ì^Ê^u,Éfj□[f\  
f<^Ú“®,μ,½□ê□‡,í1,Æ,È,è,Ü,·□B

## fjjf...[CEn•¶

@fjjf...[,ðo,•¶,Æf}fNf,ðCEÄ,Ño,•¶,í}fNf,©,ç,ÍŽg,!,Ü,<sup>1</sup>,ñB,Æ,ç,æ,©CŽg,!,Ä,µ,Ü,ç,Ü,•,ªCŽg,í,È,ç,Å,,¾,¾,çB

@f}fNf,©,çf}fNf,ðŽÀs,•,é,É,íAexecmacro,ðŽg,ç,Ü,•B

,>,ì'¼,ìfRf}f“fhCEn•¶

□@,>,ì'¼,ìfRf}f“fhCEn•¶,Æ,μ,Ä□C^È%º,ì,à,ì,â, ,è,Û,·□B

-½—ß	<@”\
backtagjump	f^fOfWfff“fv
clist	,bC¾ÆèŠÖ□”^è——
directtagjump	f_fCfCfNfgf^fOfWfff“fv
freecursorswitch	f{Š□[f□[f{f,□[fh,ì□Ø,è'Ö,ì
imeswitch	,@,ÈŠ¿Žš•İŠ,ì□Ø,è'Ö,ì
imeregisterword	,@,ÈŠ¿,Ö,ì'PCEè“o~^
help	ŠO•”fwf<fv
help2	ŠO•”fwf<fv,Q
help3	ŠO•”fwf<fv,R
msdnlibrary	MSDNf%ofCfuf%ofŠ
hidemaruhelp	□GŠÛfwf<fv
marklist	f}□[fN^è——
macrohelp	□GŠÛf}fNf□fwf<fv
overwriteswitch	□ã□',<□^'}“üf,□[fh□Ø,è'Ö,ì
readonlyswitch	f{f@fCf<,ì□'Š,ì<ÖŽ~□^<-%ºÁ,ì□Ø,è'Ö,ì
setmark	fj□[f{f<□s,ìf}□[fN
showcode	fj□[f{f<,ì•¶ŽšfR□[fh,ì\Ž!
showlineno	□s”Ö□t,ì•\Ž!□^”ñ•\Ž!
tagjump	f^fOfWfff“fv
redraw	□GŠÛfEfBf“fhfE,ì□Ä•`%ºæ
browsemodeswitch	%º{——f,□[fh,ì□Ø,è'Ö,ì

□@tagjump□Abacktagjump□Adirecttagjump,í□A□~C±, ,é,Æresult==yes□AŽ, ”s, ,é,Æresult==no,Æ,È,è,  
 Û,·□B'¼□AfGf%□[f□fbfZ□[fW,ª□o,é,æ,α,ÈŽ-’Ö,ª”□¶,μ,½□ê□‡,íresult==no,Æ,È,è□A,»α  
 ,Ä,È,ç□ê□‡,íresult==yes,Ä,·□B

## message ¶

```
¶@f¶fbfZ¶[fWf{fbfNfX,đo,μ,Ü,·Bf¶fbfZ¶[fWf{fbfNfX,í,ç,í,ä,éCf“ftfHf¶¶[fVf#f“fAfCfRf“¶•—1
%ođf{f^f“,ìfXf^fCf<,Áo,Ü,·Bf¶f%of¶f^,Áf¶fbfZ¶[fW,ì•¶Žš—ñ,đŽw’è,μ,Ü,·B¶“lCE^,ì'l,í•¶Žš—
ñCE^,É•İŠ·,μ,ÄŽw’è,μ,Ä,,¾,¾,ç¶B
```

```
¶@—á¶F
```

```
message "¶GŠŮ,Ä,·";
```

```
message str(100);
```



## question 1

if (\$?) {

**question " , ±, ê, Å, ç, Å, ·, © H";**

,Æ,ç,Á,½,í,ÉŽg,ç,Ü,·B,í,ç,δ',ñ,¾,ì,©,ç,í,ç,δ',ñ,¾,ì,©,í,ç,Result,Æ,ç,æ,í,Å\

»³,ê,Ü,·Bif·,Æ'g,Ý, ,í,¹,ÄŽg,ç,Ü,·B

@-áF

**question "fZ[fu,μ,Ü,·,©H";**

**if( result == yes ) {**

**save;**

**}**

beep•fl

@beep•fl, í Cfs, Á, Æ, ç, ¨%°¹, ð o, µ, Û, · B

## play, playsync

play, playsync  
—1,đ'Ò,½,,Éf}fNf,İŽÀs,đEp'±,μ,Ü,·Bplaysync,ÍWAVftf@fCf<,ìÄ,³I—1,·,é,Ü,Á'Ò,¿,Ü,·B

@—áF

```
play "d:\\windows\\chord.wav";
```

## debuginfo 1

@debuginfo 1,É,Í,Q,Â,žg,ç,ú,ª,è,Û,·B

@debuginfo 1,İpf

%f^,ÉA0,Û,½,Í0^ÈŠO,İ”l,žw'è,µ,½ê#Adebuginfo 1,İAfffofbfOfbfZ[fW,İ\Ž!,İÖŽ~^<-  
%oÂ,ðs,ç,Û,·B0,žw'è,µ,½ê#<ÖŽ~,³,èA0^ÈŠO,žw'è,µ,½ê#<-  
%oÂ,³,è,Û,·Bf}fNfžÀs'¼æä,İÖŽ~,É,È,Á,Ä,ç,Û,·B

@debuginfo 1,İpf%f^,É•Žš—

ñ,žw'è,µ,½ê#,İAdebuginfo 1,İOutputDebugStringŠÖ”,žg,Á,Ä,»,İ•Žš—  
ñ,ðBWin,È,Ç,İfffofbfOfAfvfŠfP[fVf#”,É\Ž!,µ,Û,·B

@DBWin,È,Ç,İfffofbfOfAfvfŠfP[fVf#”,ªí”,µ,Ä,ç,È,çŽž,É,±,İ•Žš—,É,ÆA•Žš—ñ,İfffofbfO'[--É'—  
,ç,è,Û,·BfffofbfOfAfvfŠfP[fVf#”,àfffofbfO'[--à,È,çê#İWindows,İ“®i,ª,“,©,µ,,È,é,±,Æ,ª, ,é,İ,Á'^Ó,µ,  
Ä,,¼,³,çB

@%ü•Žš,ðo—Í,µ,½,çê#,İA"x0A",žg,Á,Ä%ª,³,çB

@—áF

```
debuginfo 1;
```

```
debuginfo "#a = " + str(#a) + "\x0a";
```

showvars

@showvars, íACE»Ý, í" , í^ê—, öffofbfOfAfvfŠfP[fVf#f", É•Ž!, μ, Ü, ·BŽÀÚ, É•\  
Ž!, <sup>3</sup>, <sup>1</sup>, é, ½, ß, É, íAdebuginfo•, ÅffofbfOfbfZ[fW, í•Ž!, <sup>3</sup> <-%oÂ, <sup>3</sup>, é, Ä, ç, é•K—v, <sup>a</sup>, , è, Ü, ·B

## title 1

title 1, A GŠ Ů f f f B f ^ , l f E f B f " f h f E , l f L f f f v f v f f " i f ^ f C f g f < f o [ j , i • " • a , É f f b f Z [ f W , ð • \ Ž , μ , Ů , • B • ĩ X , 3 , é , 1/2 f L f f f v f v f f " , l f E f B f " f h f E , a ∅ , è ' Ö , í , Á , Ä , à • Ů Ž , 3 , é , Ů , • B

title 1, GŠ Ů , l f L f f f v f v f f " , 3/4 , - , ð CE 3 , É - B , • , É , í A title 0 , ð Ž Ä s , μ , Ä , - , 3/4 , 3 , ç B 1/4 , i GŠ Ů , à Š Ů , B , Ä , • , x , Ä , l f L f f f v f v f f " , ð CE 3 , É - B , • , É , í A title 1 , ð Ž Ä s , μ , Ä , , 3/4 , 3 , ç B

f } f N f , a i - 1 , • , é , A f L f f f v f v f f " , í , • , x , Ä Ž © " @ " i , É CE 3 , É - B , è , Ů , • B , Ů , 1/2 , í A f L f f f v f v f f " , ð Ÿ ' è , μ , 1/2 CE ä , A title - 1 , ð Ž Ä s , • , é , A f } f N f , Å Ÿ ' è , μ , 1/2 f L f f f v f v f f " , a f } f N f i - 1 Ž ž , à , » , ì , Ů , Ů Ž c , é , æ , x , É , È , è , Ů , • B

@ - á F

title "f } f N f i - 1 Ž ž , à , » , ì , Ů , Ů Ž c , é , æ , x , É , È , è , Ů , • B

title 1, Ž í - B F

title 1 Ž š - ñ

f L f f f v f v f f " , i Ÿ ' è

title 0

CE » Ÿ , i GŠ Ů , l f L f f f v f v f f " , ð CE 3 , É - B , •

title 1

, • , x , Ä , i GŠ Ů , l f L f f f v f v f f " , ð CE 3 , É - B , •

title -1

CE » Ÿ Ÿ ' è , 3 , é , Ä , ç , é f L f f f v f v f f " , ð f } f N f i - 1 Ž ž , à Ž c , •

## run Crunsync Crunsync2 • ¶

¶@run•¶,í¼,ífvf¶fOf%of€,đŽÀ¶s,μ,Ü,·Bfpf%of¶f^,Æ,μ,ÄfRf}f“fh,ì•¶Žš—ñ,đŽw’è,μ,Ä,,¼,³,¶B  
¶@run•¶,ífvf¶fOf%of€,đ<N“@,μ,½, ,Æ,Å¶C,·,®,Éf}fNf¶,ìŽÀ¶s,đ’±¶s,μ,Ü,·¶B

¶@runsync,rynsync2•¶,írun,Æ“—l,Éfvf¶fOf%of€,đŽÀ¶s,μ,Ü,·,¶Crun,Æ^Ü,È,é“\_í<N“@,μ,½fRf}f“fh,¶l—  
¹,·,é,Ü,Äf}fNf¶,ìŽÀ¶s,đ’Ò<@,³,¹,é“\_Ä,·Brunsync,íGŠŮ,đfAfcfRf“ó’Ô,É,μ,Ä’Ò<@,³,¹,Ü,·,¶Arunsync2,íG  
ŠŮ,đfAfcfRf“,É,¹,·,É’Ò<@,³,¹,Ü,·¶B

¶@run•¶,í[,»,í¼]-[fvf¶fOf%of€ŽÀ¶s],Æ“—l,É•W¶€“ü¶o—í,ífŠf\_fCfCEfNfg,¶%oÄ“\  
,Ä,·¶B,à,μ<N“@,·,éfvf¶fOf%of€,ì•W¶€¶o—í,¶fŠf\_fCfCEfNfg,³,é,Ä,¶,é¶é¶#¶Arun•¶,írunsync•¶“—  
l,É¶A’Ò<@,·,é,æ,π,É,è,Ü,·Brunsync•¶,Ærunsync2•¶,ífŠf\_fCfCEfNfg,í,Ä,«,Ü,¹,ñ¶B

¶@fvf¶fOf%of€,ì<N“@,ÉŽ,“s,·,é,Æresult,¶false,É,È,è,Ü,·¶B

¶@—á¶F

```
run "winfile.exe";  
run "hidemaru.exe win.ini";  
runsync "cl -c -AS -G2scw -W3 " + $filename
```

**endmacro, endmacroall**

```
@endmacro
\ifACE»\if}fNf\,iŽÀs,đI—
¹,μ,Û,·\BCE»\if}fNf\,³execmacro
\if,É,æ,èCEÄ,Ño,³,ê,½ê±,íCEÄ,Ño,μCE³,\if}fNf\,iŽÀs,đ'±s,μ,Û,·\B
@endmacroall
\ifAexecmacro,iCEÄ,Ño,μCE³,àŠÛ,ß,Ä,·,x,Ä,\if}fNf\,iŽÀs,đI—¹,³,¹,Û,·\B
```

@—áF

```
question "±s,μ,Û,·,©H";
if( result == no ) endmacro;
```



## execmacro • ¶

¶@f}fNf¶,ì't,©,ç¶A,³,ç,É•Ê,ìf}fNf¶,ðŽÀ¶s,μ,Û,·¶B<N“®,³,ê,½'π,ìf}fNf¶,ª¶I—  
¹,·,é,ÆƐ»¶Ý,ìf}fNf¶,ìŽÀ¶s,ð'±¶s,μ,Û,·¶B

¶@f¶f%¶f¶f^,Åf}fNf¶,ìftf@fCf<-¼,ðŽw'è,μ,Ä,,¾,³,¶¶B

¶@execmacro,³,ê,½f}fNf¶,©,ç,³,ç,Éexecmacro,ðŽÀ¶s,·,é¶ê¶¶¶Aexecmacro,ìf¶Xfg,ª, ,Û,è¶[,È,ç,È,¶,æ,π  
,É'¶^Ó,μ,Ä,,¾,³,¶¶B

¶@—á¶F

**execmacro "test.mac";**

## disabledraw□Cenabledraw•¶

□@disabledraw,í%œ-Ê,ì□',«Š·,!,ð<ÖŽ~-,μ,Û,·□Benabledraw,Í<t,É%œ-Ê□',«Š·,!,ð<-  
%œ-Ê,μ,Û,·□Bf}}fNf□<N“®Žž,Í<-%œ-Ê□ó'Ô,É,È,Á,Ä,ç,Û,·□B

□@',ç·Ö□W□ì<Æ,ð'ZŽžŠÔ,Å□I,í,ç,<sup>1</sup>/<sub>2</sub>,ç□ê□#,É□C,Û,·disabledraw,μ,Ä□ì<Æ,ðŠŽžn,μ□C·Ö□W,ª□I,í,Á,<sup>1</sup>/<sub>2</sub>,çena  
bledraw,·,é,ÆCEø%Ê“I,Ä,·□B,<sup>1</sup>/<sub>2</sub>,<sup>3</sup>/<sub>4</sub>,μ□Cenabledraw,ðŽÀ□s,·,é,Æ,«É%œ-Ê,ð,·,x,Ä□',«'¼,·,±  
,Æ,É,È,é,ì,Å□C'ZŽžŠÔ,Å□I,í,é□^—□,ðdisabledraw/enabledraw,Å^Í,p,Æ,©,!,Á,Ä□^—□'—“x,ª'á%œ,·,é,±  
,Æ,É'□^Ó,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

—á□F

```
disabledraw;  
gofiletop;  
beginself;  
gofileend;  
cut;  
enabledraw;
```

□@disabledraw,μ,<sup>1</sup>/<sub>2</sub>,ì,Éenabledraw,ð-Y,ê,<sup>1</sup>/<sub>2</sub>,Û,Ûf}}fNf□,ìŽÀ□s,ª□I—<sup>1</sup>,·,é,Æ□CŽ©“®“I,É%œ-  
Ê,ð,·,x,Ä□',«Š·,!,Û,·□B

□@enabledraw,ªŽÀ□s,<sup>3</sup>,ê,<sup>1</sup>/<sub>2</sub>Žž□Afj□[f<,ª%œ-Ê,ì,ç,ì^ê'u,É·\Ž!,<sup>3</sup>,é,é,©,í□GŠÛ'ª,ª“K“—,ÉCE^,ß,Ä,μ,Û,ç  
,Û,·□B,±,ê,ðf}}fNf□'ª,Å□SCEä,·,é,É,í□Aenabledraw•¶,ìpf%of□f^,Å%œ-  
Ê,ì^ê“Ô□ä,ì□s”Ô□+□if□□[f<“I,ÉCEvŽZ,μ,<sup>1</sup>/<sub>2</sub>□s”Ô□+□j,ðŽw'è,μ,Ä,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

—á□F□iCEÿ□ö,ÅCE@,Ä,¯,<sup>1</sup>/<sub>2</sub>•¶Žš—ñ,ð%œ-Ê,ì't%œ>,É·\Ž!,·,é□ê□#□j

```
#cyScreen = cyscreen;  
disabledraw;  
search "abc";  
enabledraw y - #cyScreen / 2;
```

## disablebreak•¶

¶@disablebreak•¶,Í¶Cf}}fNf¶,ì't'f,ð<ÖŽ~,μ,Û,·¶B

¶@¶GŠÛ,ìf}}fNf¶,ÍŽÀ¶s't,É%½,©fL¶["ü—í,·,é,Æ¶u't'f,μ,Û,·,©¶H¶v,Æ•·,ç,Ä,,éŽd—l,É,È,Á,Ä,ç,Û,·¶B,μ,©,μŠÈ'P,Èf}}fNf¶,ðÆJ,è•Ô,μ,ÄŽÀ¶s,μ,½,ç¶ê¶±,É,Í,Q%ñ-Ú,ìf}}fNf¶ŽÀ¶sfRf}}f"fh,ª't'f—v<¶,Æ" FŽ~ ,ª,ê,Ä•s•Ö,Á,·¶B

¶@,» ,±,Å¶C,±,ìdisablebreak•¶,ðf}}fNf¶,ì,ç,¿,î,ñ¶Å¶%o,ÄŽÀ¶s,·,é,Æ¶C,» ,ìf}}fNf¶,Ä,ì't'f,ð^ê¶ØŽó,¯·t,¯,È,-,È,è,Û,·¶Bf}}fNf¶,ì¶Å¶%o,Ä,È,ç,ÆÆø%ê,Í, ,Û,è,È,ç,ì,Ä'¶^Ó,μ,Ä,,¾,¾,ç(,½,¾,μ¶C•¶,â<ó¶s,ª¶æ"ª,É, ,é,ì,í¶,ç,Û,¹,ñ);

¶@enablebreak•¶,Í, ,è,Û,¹,ñ¶B

## disableinvert, enableinvert•¶

@disableinvert•¶,ÍC"í'í'ð,ì,Æ,«,ì"½"]•\Ž,đ,ÖŽ~,μ,Û,·Bf}fNfŽÀs't,ì"½"]•\Ž,í-Ú,´,í,è,Éê¶,ª½,ç  
,ì,ÅC,»,ìê¶,í, ,ç, ©,¶,ßdisableinvert,μ,Ä, ©,ç"í'í'ð,·,ê,ÎC%œ-Êã,Å,í"½"]  
,, ,É"í'í'ð,³,ê,Û,·Benableinvert,ÍAdisableinvert,ð%ðœ,μ,Û,·B

## disableerrmsg, enableerrmsg • ¶

¶@disableerrmsg • ¶, íCŠeŽí, ðfRf}f“fh, ðt, ÅfGf%o[ , a” ¶¶, µ, Ä, àfGf%o[ ðfðbfZ[ðfW, ð•Ž!, µ, È, ç, æ, x, È, µ, Ü, · ¶Benableerrmsg • ¶, ÍE³, È-ß, µ, Ü, · ¶Bf}fNf<N“ @’¼CEã, Íenable, È, È, Á, Ä, ç, Ü, · ¶B

¶@ŠeŽí, ðfRf}f“fh, ðt, Å, ðfGf%o[ , Æ, ÍA—á, !, î^È%o², ð, æ, x, È—á, a, , è, Ü, · ¶B

¶@¶@¶@appendsave, ÅŽw’è, ³, ê, ½ftf@fCf<, aCE ©, Á, ©, ç, È, ©, Á, ½

¶@¶@¶@showcliphist, ÅAft[ðfU, a%o½, àŽæ, èo, ³, , , Éf\_fCfAðfO, ð•Á, ¶, ½

¶@¶@¶@, » , ð¼A¶ufGf%o[ ¶v, Æ, ç, xf^fCfðf<, ðfðbfZ[ðfWf{ðbfNfX, a•Ž!, ³, ê, é^—, ·, x, Ä

¶@disableerrmsg, ðŽÀ[s, µ, Ä, àAðfGf%o[ , a” ¶¶, µ, ½ ¶ê¶#, Éresult==false, È, È, é, ±, Æ, Í•í, í, è, , è, Ü, ¹, ñ ¶Bdisableerrmsg • ¶, ðŽÀ[s, µ, ½ ¶ê¶#, í^ÈCEãfGf%o[ , ð^—, ð³, µ, ¶s, x, æ, x, È, µ, Ä, , ¾, ³, ç ¶B

## fufjbfN

@GŠÚ,if}fNf,Å,íC,bĚ¼Ěè,Æ“—l,É '{',Æ'}',Å•i”,if}fNf[Rf}f“fh,ð,D,Æ,Å,É,Ü,Æ,ß,é,±,Æ,ª,Å,«,Ü,·Bif,âwhile,Æ'g,Ý[‡,í,¹,ÄŽg,č,Ü,·B

—áF

```
if( result == yes ) {  
    message "ABC";  
    #a = #a + 1;  
}
```

## if

```
@if(1 < 2, ») {  
    message "1 < 2";  
} else {  
    message "1 > 2";  
}
```

```
@if(1 < 2)
```

```
    if( result == yes )  
        message "1 < 2";  
    else  
        message "1 > 2";
```

```
@if(1 < 2) {
```

```
    if( result == yes ) {  
        message "1 < 2";  
        endmacro;  
    } else {  
        down;  
        right;  
    }  
}
```

```
@else {
```

```
    if( result == 1 ) message "1";  
    else if( result == 2 ) message "2";  
    else if( result == 3 ) message "3";  
    else message "1 < 2";
```

## while

while

while

```
#a = 10;
```

```
while( #a > 0 ) {
```

```
    down;
```

```
    #a = #a - 1;
```

```
}
```

break continue goto



## break

break

while

—áF

```
while( #a != 0 ) {  
    up;  
    if( !result ) break;  
    #a = #a - 1;  
}
```

## continue

while( #a != 0 ) {  
 up;  
 if( !result ) continue;  
 #a = #a - 1;  
}

—á

```
while( #a != 0 ) {  
    up;  
    if( !result ) continue;  
    #a = #a - 1;  
}
```

goto • ¶, Æf%ofxf<

¶@f}fNf¶, ì^—¶, Ì¶ä, ©, ç%º, Ö¶#”Ô, ÉŽÅ¶s, ³, è, Ü, ·, ¶C”C^Ó, Ì¶ê¶Š, É^Ú” ®, ³, ¹, é¶ê¶#, Égoto, Æf%ofxf<, ðŽg, ¶, Ü, ·¶B

¶@f%ofxf<, Ì¶C, », Ì-¼, Ì, Æ, ”, è-¼ŽD, Å, ·¶B”ð, Ñ, ½, ¶¶æ, Éf%ofxf<, ð’u, ¶, Ä, ”, «¶Cgoto, Å, », Ìf%ofxf<, ðŽw’è, ·, é, Æ, », ±, É”ð, Ñ, Ü, ·¶B

¶@f%ofxf<, Ì¶C“K“- , È%op¶”Žš, ¶Žw’è, Å, «, Ü, ·¶Bf%ofxf<, Å, , é, ±, Æ, ¶•¶, ©, , é, æ, ¶, ÉCEã, è, ÉfRf¶f“ , ð•t, ¯, - , ¾, ¾, ¶¶BfRf¶f“ , ÌCEã, è, ÉfZf~fRf¶f“ , Í•K—v, , è, Ü, ¹, ñ¶B

—á¶F

**Label:**

**message "ABC";**

**goto Label;**

## ftfuf<[]f`f“

[]@[]GŠÚf}fNf[],Á,í[]Cftfuf<[]f`f“,đŽg,±,±  
,Æ,ª,Á,«,Ü,·[]Bftfuf<[]f`f“,í[]Ccall•¶,ÁCEÄ,Î,ê,Ü,·[]Bftfuf<[]f`f“,©,ç,ì•œ<A,É,Íreturn•¶,đŽg,ç,Ü,·[]B

[]@ftfuf<[]f`f“,ì†,Á,í[]f[]f[]f<•ï[]“,đŽg,±,±,Æ,ª,Á,«,Ü,·[]Bf[]f[]f[]f<•ï[]“,í[]C##,Ü,½,Í\$,ÁŽn,Ü,é•ï[]“,Á,·[]B

[]@ftfuf<[]f`f“,É,í[]f[]f[]f^,Æ,μ,Ä•i[]“,ì†,đ“n,·,±  
,Æ,ª,Á,«,Ü,·[]B,Ü,½[]Cftfuf<[]f`f“,©,ç•œ<A,·,é,Æ,«,É[]C'l,đ,Đ,Æ,Á,¾,·•Ô,·,±,Æ,ª,Á,«,Ü,·[]B

[]@ftfuf<[]f`f“,ì-¼'O,í[]Cf%ofxf<,ÁŽw'è,μ,Ü,·[]B

[]@call,í^È%º,ì,æ,±,ÉŽg,ç,Ü,·[]B

call f%ofxf<-¼ [f[]f%of[]f^,P, f[]f%of[]f^,Q, []E[]E[]E]

[]@f[]f%of[]f^,í•K-v,É%ºž,¶,ÁŽw'è,μ,Ä,,¾,¾,ç[]B,ì,È,Ý,Éf[]f%of[]f^,ìCE^,ª•¶Žš—  
ñCE^,©[]“[]CE^,©,ì<æ•É,íftfuf<[]f`f“,đCEÄ,Ô'±,ÆCEÄ,Î,ê,é'±,Á,μ,Á,©,è,Æ[]#,í,¹,Ä,,·•K-v,ª, ,è,Ü,·[]B[]GŠÚ,í  
“Á,ÉCE^f`f[]f[]fN,í,μ,Ü,¹,ñ[]B

[]@CEÄ,Î,ê,½'±,Á,í[]C“n,¾,ê,½f[]f%of[]f^,í^È%º,ì,æ,±,È•ï[]“,ÁŽQ[]Æ,·,é,±,Æ,ª,Á,«,Ü,·[]B

,P"Ô-Ú,í[]f[]f%of[]f^[]i•¶Žš—ñCE^,ì[]é[]#[]j[]F	\$\$1
,P"Ô-Ú,í[]f[]f%of[]f^[]i[]“[]CE^,ì[]é[]#[]j[]F	##1
,Q"Ô-Ú,í[]f[]f%of[]f^[]i•¶Žš—ñCE^,ì[]é[]#[]j[]F	\$\$2
,Q"Ô-Ú,í[]f[]f%of[]f^[]i[]“[]CE^,ì[]é[]#[]j[]F	##2
^È%º“~—ì[]E[]E[]E	

[]@return,·,é,Æ,«,É,í†,đ•Ô,·,±,Æ,ª,Á,«,Ü,·[]B'l,đ•Ô,·,É,í[]Creturn,ìCEä,è,Á'l,đŽw'è,μ,Ü,·[]B•¶Žš—  
ñCE^,đ•Ô,·,©[]“[]CE^,đ•Ô,·,©,íCEÄ,Ñ[]o,μCE³,Æ[]æ,Æ,Á[]#,í,¹,Ä,,·•K-v,ª, ,è,Ü,·[]B

[]@CEÄ,Ñ[]o,μ,½'±,Á•œ<A'l,đCE©,é,É,í[]C##return,Ü,½,Í\$\$return,Æ,ç,±•ï[]“,đŽg,ç,Ü,·[]B•¶Žš—  
ñCE^,ì[]é[]#,Í\$\$return,Á[]C[]“[]CE^,ì[]é[]#,í##return,Æ,È,è,Ü,·[]B

[]@—á[]F

```
call QuestionSub "fefXfg";  
if( ##return ) beep;  
endmacro;
```

```
QuestionSub:  
question "-â,ç[]#,í,¹[]F" + $$1;  
return result;
```

□@call,<sup>3</sup>,ê,½ftfuf<□[f`f",©,ç,<sup>3</sup>,ç,Éftfuf<□[f`f",ðĀ,Ô,±,Æ,à,Å,«,Û,·□B□Å□,20%ñ'ö"x□d•;‰Å"\,Å,·□B

## inputpos • ¶

□@inputpos • ¶, í □ C f t □ [ f U, ©, ç j □ [ f v < ^ Ê ' u, ð " ü — í, μ, Ä, à, ç, x, ½, ß, ì • ¶, Ä, · □ B

□@, ±, ì • ¶, ð Ž Ä □ s, ·, é, Æ □ C f t □ [ f U, í f Š f ^ □ [ f " f L □ [, ð % ö Ÿ, ·, Ü, Å f j □ [ f v <, ð Ž © — R, É " ®, ©, ¹, é, æ, x, É, È, è, Ü, · □ B f Š f ^ □ [ f " f L □ [, ð % ö Ÿ, ·, Æ □ C i n p u t p o s, í □ ^ — □, ð □ | — ¹, μ, Ü, · □ B

□@inputpos Ž Ä □ s ' t, í □ C f E f B f " f h f E, ì f L f f v j v f f f " , É • ¶ Ž š — ñ, ð • \ Ž |, μ, Ü, · □ B • \ Ž |, ·, é • ¶ Ž š — ñ, í n p u t p o s f R f } f " f h, ì f p f % o f □ f ^ , Å Ž w ' è, μ, Ä, , ¾, ¾, ç □ B

□@ — á □ F

**inputpos "í □ œ, ì Š J Ž n ^ Ê ' u, ð Ž w ' è, μ, Ä, , ¾, ¾, ç □ B";**

□@ f t □ [ f U, ç j □ [ f v < ^ Ú " ®, μ, ½ œ ä, ì ^ Ê ' u, í □ C f L □ [ f □ □ [ f h x, Æ y, Å Ž Q □ Æ, ·, é, ±, Æ, ³, Å, «, Ü, · □ B

□@ — á □ F

**inputpos "í □ œ, ì Š J Ž n ^ Ê ' u, ð Ž w ' è, μ, Ä, , ¾, ¾, ç □ B";**

**#startx = x;**

**#starty = y;**

menu C mouse menu, menu array, mouse menu array

@ menu, mouse menu, menu array, mouse menu array  
Ž, μ, Ü, · Bft U, I, δ, μ, ½ fffj... result, É Y' è, ³, è, Ü, · B

@ menu, menu array, I A Žšff<, ì< ß,, É fffj... Ž, μ Amouse menu,  
mouse menu array, Í f} f E f X f <, ì< ß,, É fffj... Ž, μ, Ü, · B

@ menu, mouse menu, I A È % ò, ì, æ, x, É fffj... Ú, ) Žš—ñ, ð f R f " f } , Å < æ Ø, Á, Ä, ç,, Á, Ä, à Ž w' è, , é, ±  
, Æ, º, Ä, «, Ü, · B % æ—È, É ü, è, «, ç, È, ç, , ç, ç Ú, º ½, ç ê ì, Í Ž © " ® " I, É Ü, è · Ö, μ, Ä · Ž, ³, è, Ü, · B

menu · Žš—ñ, P, · Žš—ñ, Q, ç c;

@, P " Ö-Ú, ì Ú, I, è, é, Æ result, Í, P, È, È, è C È % ò " — I, É, Q C, R ç c, Æ, ç  
, x' I, È, è, Ü, · Bft U, º ESC f L, È, Ç, Å Ž æ, è A, μ, ½ ê ì, ì result, Í, O, É, È, è, Ü, · B

@ — á F

```
menu "x, ç ü", "¾, ç ü", "f} f N";
if( result == 0 ) endmacro;
else if( result == 1 ) {
    $char = "\x84\x9F";
} else if( result == 2 ) {
    $char = "\x84\xAA";
} else {
    $char = "-";
}
```

@ menu array, mouse menu array, I A " z—ñ · Í", É Š " I, ³, è, Ä, ç, é ' I, ð fffj... Ú, Æ, Ý, È, μ, Ä fffj...  
[, δ, μ, Ü, · B' æ, P p f % f ^, Å " z—ñ · Í", ì-¼ ' O A' æ, Q p f % f ^, Å Ú, ì, " ð Ž w' è, μ, Ü, · B

@ — á F

menu array \$a, 10;

@, ±, ì — á, ì ê ì, ¾, Æ A \$ a [ 0 ], ©, ç \$ a [ 9 ], ì, P, O Ç Ä, ì Ú, º fffj... É, È, Ä, Ä · Ž, ³, è, Ü, · B' æ, P p f  
% f ^, É, Í · Žš—ñ · Í", ì-¼ ' O ^ È Š Ž w' è, Ä, «, Ü, ¹, ñ B

**writeinistr** • ¶ □ **Cwriteininum** • ¶

□@writeinistr □Cwriteininum • ¶, í □CINIftf@fCf<, Éff □f^, ð □', «, ±, Þ • ¶, Å, · □Bf}fNf □, ÅŽg, xŠeŽífpf  
%of □f^, ð • Ú' ¶, µ, Ä, ¨, ,Æ • Ö—~ , Å, · □B

□@writeinistr, í • ¶ Žš—ñ, ð • Ú' ¶, µ □Cwriteininum, í □'' l, ð • Ú' ¶, µ, Ü, · □B

writeinistr INIftf@fCf<-¼, fZfNfVf#f" -¼, fL□[-¼, • ¶ Žš—ñ  
writeininum INIftf@fCf<-¼, fZfNfVf#f" -¼, fL□[-¼, □'' l

, ìÉ` , Å<L □q, µ, Ä, ,¾, ¾, ç □B

□@INIftf@fCf<-¼, í □Aftf@fCf<-¼,¾,¾, ¨, ð □', ,ÆWindowsftfHf<f\_ , aŽ © " @ ' l' ð, ¾, è, Ü, · □Bftf<fpfX, Å □', -  
,Æ □AŽw'è, µ, ½ftfHf<f\_ , a l' ð, ¾, è, Ü, · □B, Ü, ½ □AŠg'ÉŽq, a, ini, Å, ,é • K—v, í, È, □A, Ç, ñ, ÈŠg'ÉŽq, Å, à, ©, Ü, ç, Ü, 1, ñ □B

□@—á □F

**writeinistr "HIDEMARU.INI", "Option", "RefMark", ">> ";**  
**writeininum "HIDEMARU.INI", "Option", "count", #a + 10;**

□@, ±, è, ç, Å, ý'è, ¾, è, ½' l, ð ŽQ □Æ, ·, é, É, ígetininum □Cgetinistr ŠÖ □'' , ð Žg, ç, Ü, · □B

□@writeinistr, Å □A • ¶ Žš—ñ,Æ, µ, ÅŽw'è, ·, x, «fpf%of □f^ □i'æ, Sfpf  
%of □f^ □j, É □'' l, ì □u0 □v, ð Žw'è, ·, é,Æ □A, » , ìfL □[ , a iniftf@fCf<, ©, ç □í □œ, ¾, è, Ü, · □B'' — l, É □Afl □[-  
¼, É □'' l, ì □u0 □v, ð Žw'è, ·, é,Æ □AfZfNfVf#f" , a □í □œ, ¾, è, Ü, · □B

□@—á □F

**writeinistr "HIDEMARU.INI", "Option", "RefMark", 0;**  
**writeinistr "HIDEMARU.INI", "Option", 0, 0;**

□@iniftf@fCf<-

¼, ð "hidemaru.ini", É, µ, ½ □ê □# □AŽÀ □Ü, É iniftf@fCf<, É □', «ž, Ü, , □AfÆfWfXfgfŠ, É • ĩŠ, µ, Ä □', «ž, Þ, æ, x  
, É, È, è, Ü, · □B, ±, è, í □A16bit" Å □GŠÜ,Æ, ìÉÝŠ, ì, ½, ß,¾,¾, ¨, É, ,é <@ "\  
, Å □A □GŠÜ, ì ý'è, É □', «ž, Þ □ê □# , íwriteregstr, Ü, ½, íwriteregnum, ð Žg, Å, Ä, ,¾,¾, ç □B



config•¶

@config•¶,Í□□GŠŮ,İŠeŽi,İ□Ý'è,ð•İ□X,μ,Û,·□B□Ý'è,İ"à—e,ð•¶Žš—ñ,ĂŽw'è,μ,Ă,,¾,¾,ç□B^È%º,İ,æ,æ,È,È`Ž®,Æ,È,Á,Ă,ç,Û,·□B

flfvfVf#f"	<@"\
a+ a-	f^fu•¶Žš,ð•\Ž!,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
b+ b-	•¶Žš,ð'¾,,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B
cb□"	"wCEi,İ□F,ðŽw'è,μ,Û,·□B
cc□"	fj□[f]f<□s,İ□F,ðŽw'è,μ,Û,·□B
cl□"	fj□[f]f<□s,É%º□ü,ð'ø,,æ,æŽw'è,μ□C,»,İ□ü,İ□F,ðŽw'è,μ,Û,·□B
cr□"	%ºü□s•¶Žš,İ□F,ðŽw'è,μ,Û,·□B
ct□"	•¶Žš,İ□F,ðŽw'è,μ,Û,·□B□",É,İ0□`F,ðŽw'è,Ă,«,Û,·□BŠe□",ª,ç,İ□F,É'í %ºž,·,é,©,İ□u□Ý'è□v,İf_fCfAf□fOf{fbfNfX,ðŽQ□Æ,μ,Ă,,¾,¾,ç□B
d+ d-	□L,ç□sŠŮ,É,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
d□"	□sŠŮ,ðŽw'è,μ,Û,·□B0□`6,ðŽw'è,Ă,«,Û,·□B
e+ e-	"ç□ž,p,Æ,«,ÉEO□F□šCEä•¶Žš,ð-¾ž<,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B+,Ă- ¾ž<,μ,Û,·□B
f-¾'0	ftfHf"fg,İ-¾'0,ðŽw'è,μ,Û,·□B
f(-¾'0)	ftfHf"fg,İ-¾'0,İ't,É'ó",ª,·,é□é□±,İ,±,İ,æ,æ,É,μ,ĂftfHf"fg,ðŽw'è,μ,Û,·□B
g+ g-	•Û'¶,·,é,Æ,«,ÉEO□F□šCEä•¶Žš,ð•t,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□B+ ,Ă•t,·,Û,·□B
i0 i1 i2 i3 i4	Ž©"®fCf"fff"fg,ðŽw'è,μ,Û,·□Bi0,ª□u,μ,È,ç□v□Ci1,ª□u,·,é□v□Ci2,ª□u'S Šp<ó",à□v□Ci3,ª□u,bCE¾CEéfcf"fff"fg□v□Ci4,ª'SŠp,à□•,bCE¾CEé,Ă,□ B
k+ k-	<Ö'¥□^—□,ð,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
l+ l-	□s"Ô□t•\Ž!,ð,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
m+ m-	fofbfNfAfbfvftf@fCf<,ð□□□-,·,é,©,ç,æ,©,ðŽw'è,μ,Û,·□Bm+ ,Ă□□□-,·,é□Cm-,Ă□□□-,μ,È,ç,Ă,·□B
o+ o-	□s"Ô□t,İCEvŽZ•û-@,ðŽw'è,μ,Û,·□B+,ĂfGfffBf^"İ□A- ,Ăf□□[fvf□"İ,É,È,è,Û,·□B
r+ r-	ftfŠ□[f]□[fvf<f,□[fh,ðŽw'è,μ,Û,·□B+,ĂftfŠ□[f]□[fvf<f,□[fh,Ă,·□B
rs+ rs-	f<□[f%º□[,ð•\Ž!,·,é,©,μ,È,ç,©,ðŽw'è,μ,Û,·□B
rt+ rt-	+ ,Ăf<□[f%º□[•\Ž!,ð,W'P^É,É,μ,Û,·□B-,Ă,P,O'P^É,É,È,è,Û,·□B
rc□"	f<□[f%º□[,İ□F,ðŽw'è,μ,Û,·□B-,ðŽw'è,·,é,Æ•¶Žš,Æ"~,¶,İ,È,è,Û,·□B
rb□"	f<□[f%º□[,İ"wCEi,İ□F,ðŽw'è,μ,Û,·□B-,ðŽw'è,·,é,Æ"wCEi,Æ"~,¶,İ,È,è,Û,·□B
s□"	ftfHf"fg,İfTfCfY,ðŽw'è,μ,Û,·□B,± ,İfTfCfY,İfhfbfg□",Ă,·□B□Ý'èf_fCfAf□fO,İ'P^É,İf]fCf"fg,È,İ,Ă□C^á,æ'P^É,Ă, ,é,±,Æ,É'□^Ó,μ,Ă,,¾,¾,ç□B
t2 t4 t8	f^fu,İ•¶Žš□",ð□Ý'è,·,é□B

u+ u-

fj[]fj<^ê'u,ìž©“®•œĉ³,đ,·,é,©,μ,È,č,©,đžw'è,μ,Û,·[]B+  
,Å[]u•œĉ³,·,é[]v,Å,·[]B

w[]”

,P[]s,ì[]Û,è•Ô,μ•¶žš[]”,đžw'è,μ,Û,·[]B20[]`250,žw'è,Å,«,Û,·[]B

y+ y-

,bĉ¾ĉêfL[]f[]f[]fh'²•žì,đ,·,é,©,μ,È,č,©,đžw'è,μ,Û,·[]B

p[]”

fy[]fW”Ô[]+·\

žì,·,é[]^,μ,È,č[]C,Pfy[]fW,ì[]s[]”,đžw'è,μ,Û,·[]Bp0,¾,Æfy[]fW”Ô[]+”ň•\

žì,Å[]A,»,ê^ÈŠO,ì[]é[]ž,Ífy[]fW”Ô[]+·žì,Æ,È,è,Û,·[]B

[]@,±,ê,ç,ìfjvfjvfj”,í,Û,Æ,ß,Äžw'è,·,é,±

,Æ,ž,Å,«,Û,·[]B,Û,Æ,ß,Äžw'è,·,é,Æ,«,í[]C,»,ê,¾,ê,đ<ó”,Å<æ[]Ø,Á,Äžw'è,μ,Ä,,¾,¾,č[]B

[]@—á[]F

**config "ffVfXfef€ s20 y+ k+ b-";**

**config "f(,l,r -¾'©) s32"**

## setwindowsize • ¶

␣@Ⓒ»␣Ý,İfEfBf“fhfEftfCfy,ð•¶Žš␣”’P^Ê,ÅŽw’è,μ,Ü,·␣B

␣@setwindowsize 80, 20 ,Æ,ç,Á,½•—,ÉŽg,ç,Ü,·␣B,±,ìê␣‡,Í%oj,W,OⒸ...␣~␣c,Q,O␣s,Æ,È,è,Ü,·␣B

## setwindowpos

setwindowpos(*hWnd*, *x*, *y*, *cx*, *cy*, *flags*)

*hWnd* is a handle to the window.

*x* and *y* are the x- and y-coordinates of the upper-left corner of the window.

*cx* and *cy* are the width and height of the window.

*flags* is a combination of the following flags:

- `SW_SHOWNORMAL`: The window is shown in its normal state.
- `SW_SHOWMAXIMIZED`: The window is shown maximized.
- `SW_SHOWMINIMIZED`: The window is shown minimized.
- `SW_SHOW`: The window is shown in its current state.
- `SW_HIDE`: The window is hidden.
- `SW_RESTORE`: The window is restored to its normal state.
- `SW_RESTOREDOWN`: The window is restored to its normal state and the taskbar button is highlighted.

Example:

```
setwindowpos 100, 200;  
setwindowpos 100, 100, 300, 300;
```

## showwindow ¶

@@@ Ý, ðfEfbf"fhfE, ðfpf%of^, Åžw'è, è, ½ó'Ô, Å•Ž;^"ñ•Ž!, μ, Ü, ·Bfpf%of^, Å, í"l, ðžw'è, μ, Ä, -, ¾, ¾, çBGSÛfGfffBf^, ížw'è, è, ½'l, ð, », Ì, Ü, ÜWindows-API, ÌShowWindow, É"n, μ, Ü, ·B

@fpf%of^, Ì'l, Æ^Ó-j, í^È%º, Ì'É, è, Å, ·B

- 0 fbfb"fhfE"ñ•Ž; iSW\_HIDE
- 1 Å'â%º»^fAfcRf"%º», è, ½fbfb"fhfE, ðE³, É-ß, ·
- 2 fAfcRf"%º» iSW\_SHOWMINIMIZED
- 3 Å'â%º» iSW\_SHOWMAXIMIZED

@0, ðžw'è, ·, é, ÆAASÛfGfffBf^, ðfEfbf"fhfE, ©E©, Ì, È, È, è, Ü, ·BCE³, É-ß, ·, É, Íshowwindow 1, ðžÀs, μ, Ä, -, ¾, ¾, çB

@2, ðžw'è, ·, é, ÆAf}fNf, ÌžÀs, ðfAfcRf"%º», è, ½GSÛã, Å'±s, è, Ü, ·B

## envchanged • ¶

□@□GŠŮ,İf}fNf□,Ā,İ□A□u□Ý'è□E" @□İŠĀ<<□v,İ"à—e,đ•İ□X,·,é,±,Æ,ª,Ā,«,Ü,<sup>1</sup>,ñ□B,μ,©,μ□A,±,İ•¶,đŽg,κ,Æ,»,ê,Æ"~—İ,İ,±,Æ,ª,Ā,«,é,æ,κ,É,È,è,Ü,·□B

□@,±,İ•¶,İ□Af□E□f□W□f□X□f□g□f□Š,©,ç" @□İŠĀ<<,İ"à—  
e,đ□Ā"Ç□ž,Ý,μ□ACE»□Ý,İ□GŠŮ,İ" @□İŠĀ<<,đ•İ□X,μ,Ü,·□B,μ,<sup>1</sup>/<sub>2</sub>,ª,Ā,Ā□A□u□Ý'è□E" @□İŠĀ<<□v,İ"à—  
e,đ•İ□X,μ,<sup>1</sup>/<sub>2</sub>,ç□ê□#,İ□A,Ü, , writeregstr,Ü,<sup>1</sup>/<sub>2</sub>,İwriteregnum,đŽg,Ā,Āf□E□f□W□f□X□f□g□f□Š,đ□',«Š·,İ□A,±,  
İenvchanged,đŽg,Ā,Ā□GŠŮ,É,»,İ"à—e,đ<<sup>3</sup>,İ,Ā, ,°,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□@f□E□f□W□f□X□f□g□f□Š,İ"à—e,É,Ā,ç,Ā,İ"ÆŽ©,É'<sup>2</sup>,x,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B(^ ^;

□@f□E□f□W□f□X□f□g□f□Š,İ"à—

e,đ'<sup>2</sup>,x,é,É,İ□AWindows95,İ□ê□#REGEDIT.EXE□AWindowsNT,İ□ê□#,İREGEDT32.EXE,đŽg,Ā,Ā□A

□@□@□@HKEY\_CURRENT\_USER\Software\Hidemaruo\Hidemaruo

,İ"à—e,đE©,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

□@□GŠŮV1.50,æ,è,à'O,İ□GŠŮ,Ā,İ□A" @□İŠĀ<<,İ□İ•ñ,İf□E□f□W□f□X□f□g□f□Š,Ā,İ,È,□Ahidemaruo.ini,É•Ü'¶,<sup>3</sup>,ê,Ā,ç,  
Ü,μ,<sup>1</sup>/<sub>2</sub>,ª□A□]—^,İwriteinistr,âwriteininum,đŽg,Ā,Āhidemaruo.ini,đ'€□İ,μ,Ā,ç,<sup>1</sup>/<sub>2</sub>,à,İ,İ□ACEÝŠ·Ā" @,,æ,κ,  
É,È,Ā,Ā,ç,Ü,·□B□İ□GŠŮV2.00,©,ç,İ□A" @□İŠĀ<<,É, ,Ā,<sup>1</sup>/<sub>2</sub>□uf<□[f%□□[·\Ž!□v,Æ□u□□s"Ô□†,İCEvŽŽ·û-  
©□v,İ□A□u□Ý'è□v,É^Ú" @,μ,Ā,μ,Ü,Ā,<sup>1</sup>/<sub>2</sub>,İ,Ā□ACEÝŠ·,İ",«,Ü,<sup>1</sup>,ñ□j

□@□u□Ý'è□v,ÉŠÖ,μ,Ā,İ□A□Ý'èŠÖ~AfL□□f□□[fh ,Æconfig•¶ ,đŽg,Ā,Ā,,<sup>3</sup>/<sub>4</sub>,<sup>3</sup>,ç□B

## loadkeyassign • ¶

¶@loadkeyassign • ¶, í ¶CfL ¶[Š,,, è“ - , Äftf@fCf<, ð“Ç ¶ž, Ý, Ü, · ¶Bfpf%oof ¶f^, ÅfL ¶[Š,,, è“ - , Äftf@fCf<, ð-  
¼‘O, ðžw’è, µ, Ä,, ¾, ¾, ¶ ¶B

¶@—á ¶F

**loadkeyassign "default.key";**

## • ěř, ěřg, ěř • ů

```
@@GŠŮf}fNf,Ā,íC•řžš—ňĚ^,Æ"íĚ^,í•ř" ,đŽg,±,±,Æ,ā,Ā,«,Ů,·B•řžš—ňĚ^,í•ř" ,í•řžš—ň,đ<L%̄,μC"íĚ^,í•ř" ,í"í,đ<L%̄,μ,Ů,·B
```

```
@•řžš—ňĚ^•ř" ,í^μ,í,é•řžš—ň,íC'·,ā8000fofCf'ö"x,Ů,Ā,ì,à,ì,È,çŽ©—R,È"à—e,đ<L%̄,·,é,±,Æ,ā,Ā,«,Ů,·B,½,¾,μCNULL•řžš,đŠŮ,±,±,Æ,í,Ā,«,Ů,¹,ňB
```

```
@"íĚ^•ř" ,í,SfofCf'g,ì•,·,±t,«,ì'í,đ<L%̄,·,é,±,Æ,ā,Ā,«,Ů,·B
```

```
@•ř" -¼,É,í30•řžš"ö"x,Ů,Ā,ì"K"—,È%op"žš,đŽg—p,·,é,±,±,Æ,ā,Ā,«,Ů,·B•řžš—ňĚ^•ř" ,íæ"ā,ā$ ,Āžn,Ů,èC"íĚ^•ř" ,í#,Āžn,Ů,è,Ů,·B•ř" -¼,íā•řžš^—•řžš,ā<æ•Ě,³,è,Ů,·B
```

```
@•ř" -¼,ì—áF  
#number  
$stop_string_1  
#x100
```

```
@•ř" ,É'í,đ'ā"ü,·,é,É,íC=,đŽg,ě,Ů,·B
```

```
#num = 100;  
$str = "Ā"iG•v";
```

```
@"íĚ^•ř" ,É•řžš—ň,đ'ā"ü,μ,½,èC•řžš—ňĚ^•ř" ,É"í,đ'ā"ü,μ,æ,±,Æ,·,é,ÆfGf%̄,É,È,è,Ů,·B
```

```
@fGf%̄,É,È,é—áF  
#num = "ABC";  
$str = 100 / 4;
```

```
@GŠŮf}fNf,Ā,íC,bĚ¾Ěè,Æ"—I,Éft[fU,āŠŮ" ,đ,ì,é,±,±,Æ,ā,Ā,«,é,æ,±,Æ,È,Ā,Ā,ě,Ů,·B,±,é,ç,ìŠŮ" ,ì't,¾,·,Āf[f]f<,È•ř" ,đŽg,ě,½,ě,ě,íC##,Ů,½,í$,āæ"ā,É•t,ě,½•ř" ,đŽg,ě,Ů,·B#,Ů,½,í$,¾,·,Āžn,Ů,é•ř" ,íCfOf[f]f<,È•ř" ,Æ,μ,Ā^μ,í,è,Ů,·B
```

```
@•ř" ,ì-¼'O,ì,±,μ,è,ÉŠpfjfbfR,Ā"Y,žš,đ•t,·,é,ÆĀŠÈ'P,É"z—ň•ř" ,đ,ì,é,±,±,Æ,ā,Ā,«,Ů,·B
```

```
@—áF  
#a[0] = 1;  
#a[1] = 2;  
#a[ #b + 1 ] = 5;  
#b = #a[2];
```



□@ŠpfjfbfR,đ~A,Ě,Ä“Y,žš,đ'□,â,¹,î□A%½žŸCE³,ì”z—ň,Ā,à□ì,é,±,Æ,ª,Ā,«,Ü,·□B

—á□F

#a[0][0] = 1;

#a[5][2] = 1;

□@□GŠŮf}fNf□,Ā,í□C•ĭ□”,đ<L%~ ,·,é,½,ß,lf□f,fš,đ64KfofCfg—p^Ó,μ,Ä,ç,Ü,·□B,±,ê,đ%oz,!,é,æ,κ,È'â—  
È,ì•ĭ□”,đžg,κ,ÆfGf%o□[,Æ,È,è,Ü,·□BfGf%o□[,É,È,é,Æ,» ,ì□ê,Āf}fNf□,ìžĀ□s,í+'f,³,ê,Ā,μ,Ü,ç,Ü,·□B”z—  
ň•ĭ□”,đ'½—p,·,é,Æ,±,ì□SCEÀ,đ%oz,!,Ā,μ,Ü,κ<°,ê,ª ,é,ì,Ā'□^Ó,μ,Ä,,¾,¾,ç□B

## Ž, É, Ā, ç, Ä

Žš, â•ŕŽš—ñ, âŠeŽí, ì%ŽŽžq, đŽg, Ā, Ā<Lq, ³, è, ½u^êŽí, ì'v, đ•\  
E»., é, à, ì, ĀC, », è, đ•ĭ", É'ă"ü, μ, ½, èCmessagefRf}f"fh, Ā\Ž!, μ, ½, èCif•ŕ, ì"»'è, É—p, ç, ½, è, ., é, ì, ÉŽg, ç  
, Û, ·B

Žš, É, à•ŕŽš—ñE^, Æ""IÉ^, ³, , è, Û, ·B, Û, ½C•ŕŽš—ñE^, ©, ç""IÉ^, É•İŠ., , éŠÖ", à, , è, Û, ·B

""IÉ^, ìŽ®, ìC, bE¾Eê, Æ, Û, Ú"" , ŕ, Æ, È, Ā, Ä, Û, ·B

""I

%ŽŽžq

"à•""I, È'ì, đ•\E», ., éfL[f[fh

•ŕŽš—ñ

ŠÖ"

□''I

□@□''I,đ,»;ì,Û,ÛŽw'è,·,é,à,ì,Å□C,»;ì,Û,Û□''I,đ<L□q,·,é,¾,¯,Å,·□B·□'É,É<L□q,·,é,Æ10□i□'',Æ,È,è□C0x,đ·t,¯,é,Æ16□i□'',Æ,È,è,Û,·□B,W□i□'',ÍŽg,ì,Û,¹,ñ□B

□@,Û,½□CfNfI□[fg,Å^í,ñ,Å·¶Žš,ìfR□[fh,đŽw'è,·,é,±,Æ,à,Å,«,Û,·□B,bÆ¾Æé,Æ^á,ç□CS;Žš,ìfR□[fh,à'¼□ÛŽw'è,Å,«,Û,·□B

□@'l,í,SfofCfG,ì·,□†·t,«□@□'',Æ,μ,Å^μ,í,é,Û,·□B

□@—á□F

**100**

**-100**

**0xFFFF**

**'a'**

**'Šž'**

%%ŽŽq

@GŠÚf}fNf,ž®,Ā,íC^È%%,l%%ŽŽq,žg,!,Ü,·B

@@+ - \* / % <= >= < > != == && || ! | & ^

@,»,è,¼,è,bCE¾CEè,l%%ŽŽq,Æ<α'É,Ā,·B—Dæþ^É,íC^È%%,l,Æ,“,è,Ā,·B| & ^,ì—  
Dæþ^É,è,bCE¾CEè,Æ^Ü,È,é,ì,Ā'^Ó,è•K—v,Ā,·B

.,ç <----->	'á,ç
*	+ <= &&
/	- >=
%	< !
	>
&	!=
^	==

@ŠþCEĒ,Ā^í,p,ÆC—Dæþ^É,è,,È,è,Ü,·B,Ü,½CŽ®,í¶,©,ç%e,É•]%%ž,è,Ü,·B

@!= ,â <= ,è,ç,ì~\_—%%ŽŽ,ìCE<%É,íC,O,Ü,½,í,P,Ā,·Bif•¶,âwhile•¶,íC,bCE¾CEè,Æ“—  
l,É,O,©,O^ÈŠO,©,Ā”»è,μ,Ü,·B

“à•”“l,È'l,ð•\CE»,.,éfl□[f□□[fh

□@CE<%oÊfR□[fh,Æ'è□”

□@fj□[f<SÖ~A

□@fefLfXfgSÖ~A

□@“í^í'í'ðSÖ~A

□@fEfBf“fhfESÖ~A

□@ftf@fCf<-¼SÖ~A

□@ŠeŽí□ó'ÔSÖ~A

□@□Ý'èSÖ~A

□@fNfŠfbfvf{□[fhSÖ~A

□@“ú•t,ÆŽž□□SÖ~A

## CE<%oÊfR[fh,Æ'è"ŠÖ~AfL[f[fh

**result** ŠeŽi,ì•¶,ìŽÀsCE<%oÊ,ìCE<%oÊfR[fh,ð•\,μ,Û,·□B  
**yes** ,P,Æ,ç,æ'l,Å,·□B  
**no** ,O,Æ,ç,æ'l,Å,·□B  
**true** ,P,Æ,ç,æ'l,Å,·□B  
**false** ,O,Æ,ç,æ'l,Å,·□B  
**eof** □|,P,Æ,ç,æ'l,Å,·□B

□@^ê"Ê,É□Aresult,ì'l,í□-CE÷,ìê□‡,ª,P□AZ,"s,ìê□‡,í,O,Æ,È,è,Û,·□B

## fj[f]f·šÖ~AfL[f][fh

**x** fj[f]f<,ìx[À•W,ð•\,μ,Ü,·Bfj[f]f<,a^ê"Ô[¶,É,ç,éžž,ª,O,Ä,·B

**y** fj[f]f<,ìy[À•W,ð•\,μ,Ü,·B y[À•W,í[ACE»[Ý•Ò[W't,ìfefLfXfg,ì[æ"ª[¶s,©,ç[f][fvf[¶"ì,É[¶s"Ô[¶t,ðEvžž,μ,½'ì,Ä[¶A^ê"Ô[¶ã,É,ç,éžž,ª,O,Ä,·B

**column** fj[f]f<,ìj[f]f%of€^Ê'u,ð•\,μ,Ü,·B j[f]f%of€^Ê'u,í[A~\_—[¶s"ª[¶i'¼'O,ì%ü[¶s•¶žž,ìžž[¶j,©,ç[CE»[Ý,ìj[f]f<f<^Ê'u,Ü,Ä,ì•¶žž[¶],ð[¶],,½'ì,Ä,·B f^fu•¶žž,í,P•¶žž,Æ,μ,Ä[¶],,ç,ê,Ü,·B

**lineno** fj[f]f<^Ê'u,ì[AfGfffBf^"ì,ÉEvžž,μ,½[¶s"Ô[¶t,ð•\,μ,Ü,·B ftf@fCf<,ì[æ"ª,ª,P,Ä,·B

**code** fj[f]f<^Ê'u,ì•¶žžfR[¶fh,ð•\,μ,Ü,·B  
fj[f]f<^Ê'u,ªšžž,ì[ê[¶],í[A"@[ššÄ««,Ä[¶u'Sšp•¶žž,ð^Óžž,·,é[¶v,ª,¶,ž,É,È,Ä,Ä,ç,é,ìšžžfR[¶fh,ð[¶³,μ,•Ô,μ,Ü,·B —á,ì,ì'Sšp<ó",ì[ê[¶],í0x8140,É,È,è,Ü,·B  
ftfš[¶][f]f<f,¶[fh,ìžž,É[Afj[¶]f<,ª%ü[¶s•¶žž,æ,è[¶ã,è,É^Ê'u,·,é[ê[¶],ícode,ì'ì,í,O,É,È,è,Ü,·B f^fu•¶žž,ì[ê[¶],í0x09,É,È,è,Ü,·,ª[Af^fu•¶žž,Æžž,ì•¶žž,ìšš,ì—]""•ª,É^Ê'u,·,é[ê[¶],í,O,É,È,è,Ü,·B  
%ü[¶s•¶žž,ìã,ì[ê[¶],í0x0D,É,È,è,Ü,·B ftf@fCf<,ì[Ä[¶ã,ì[EOF],ìã,ì[ê[¶],í-1[¶ieof,Æ,ç,¸'è[¶],Æ"~,¶'ì[¶j,É,È,è,Ü,·B

## fefLfXfgŠÖ~AfL[]f[]fh

**return**      Ć»Ÿ,ìfj[]f[]f<,ìĈĚă,ë,ª%ü[]s,μ,Ä,é,©,Ç,κ,©,đ•\,μ,Û,·[]Bfj[]f[]f<,ì^É'u,·,é[]s,ì%oE'κ,É  
%ü[]s•¶Žš,ª, ,ê,î,P,É,È,èA-³,¯,é,îiŽŸ,ì[]s,É[]Û,è•Ô,μ,Ä,ç,é[]ê[]#[]j,O,É,È,è,Û,·[]B

**linecount**    Ć»Ÿ,ìftf@fCf<,ì[]Af[]f[]f[]f[]"l,ÉĈvŽZ,μ,½[]s",đ•\  
,μ,Û,·[]B[]V<K[]\[]-[]ó'Ô,ì[]ê[]#,í,P,đ•Ô,μ,Û,·[]B

**linelen**      Ć»Ÿ,ìfj[]f[]f<^É'u,ì[]s,ì',³,đ•\,μ,Û,·[]B,±,ì'l,ì%oæ-É[]ă,Ä,ì,P[]s,ì',³,Ä[]A%oE'[,Ä[]Û,è•Ô,μ,Ä,ç  
,é[]ê[]#,í[]A[]s"ª,©,ç[]Û,è•Ô,μ,Ä,ç,é^É'u,Û,Ä,ì',³,¾,¯ĈvŽZ,μ,Û,·[]Bf^fu•¶Žš,à[]A%oæ-  
É[]ă,Ä,ì•¶Žš[]",Æ,μ,ÄĈvŽZ,μ,Û,·[]B

**linelen2**    Ć»Ÿ,ìfj[]f[]f<^É'u,ì[]s,ì[]AfGfffBf^"l,ÉĈvŽZ,μ,½',³,đ•Ô,μ,Û,·[]B,Ä,Û,è[]A~\_[]s"ª,©,ç  
%ü[]s•¶Žš[]i,Û,½,í[EOF][]j,Û,Ä,ì•¶Žš[]",đĈvŽZ,μ,Û,·[]Bf^fu•¶Žš,í,P•¶Žš,Æ,μ,ÄĈvŽZ,μ,Û  
,·[]B



## "Í'Í'ðŠÖ~AfL[f][fh

- selecting** "Í'Í'ð't, ©, Ç, x, ©, ð•\, μ, Ü, ·□B"Í'Í'ð't, ìé□#, í, P□A, »x, Å, È, çé□#, í, O, Å, ·□B
- rectselecting** BOX"Í'Í'ð't, ©, Ç, x, ©, ð•\, μ, Ü, ·□B"Í'Í'ð't, ìé□#, í, P□A, »x, Å, È, çé□#, í, O, Å, ·□B
- seltopx** "Í'Í'ðŠŽn^Ê'u, ìx□À•W, ð•\, μ, Ü, ·□B
- seltopy** "Í'Í'ðŠŽn^Ê'u, ìy□À•W, ð•\, μ, Ü, ·□B
- selendx** "Í'Í'ð□|—<sup>1</sup>Ê'u, ìx□À•W, ð•\, μ, Ü, ·□B
- selendy** "Í'Í'ð□|—<sup>1</sup>Ê'u, ìy□À•W, ð•\, μ, Ü, ·□B

□@"Í'Í'ð, ìŠŽn^Ê'u, Æ□|—<sup>1</sup>Ê'u, í□A□í, É□AŠŽn^Ê'u, ðftf@fCf<, ìæ<sup>a</sup>, É<ß, ç, Û, x□A□|—<sup>1</sup>Ê'u, ðftf@fCf<, ìÅCEä, É<ß, ç, Û, x, É, È, Á, Ä, ç, Û, ·□B

□@"Í'Í'ð, ð%øðœ, <sup>3</sup>é, ½CEä, à□A, ±, é, ç, ì'í, í^È'Ò, ì'í, ð•ÚŽ□, μ, Ä, ç, Ü, ·□B, ½, ¾, μ□Aftf@fCf<, É•Ò□W, ð%øÁ, ì, ç, é, ½, è, μ, ½é□#, ÌŽÅ□Ù, ì^Ê'u, Æ'í, ì<L%ø<sup>-</sup>, μ, Ä, ç, é^Ê'u, ð, , é, Ä, μ, Ü, x, ì, Å'□^Ó, μ, Ä, <sup>3</sup>/<sub>4</sub>, <sup>3</sup>, ç□B

## fEjBf“fhfEŠÖ~AfL[]f[]fh

- windowwidth** fEjBf“fhfE,ì%o;•□,ð•¶Žš□”,Å•\,μ,Ü,·□B□¶‘α,ì—]””,âfXfNf□□[f<fo□[,È,Ç,ìŠO’α,ì•”•â,ìŠÜ,Ü,ê,Ä,ç,Ü,¹,ñ□B□s”Ô□†•\Ž!;â,□,Ž,ì□ê□#,í,»„,ì•”•â,ðŠÜ,ñ,Å,ç,Ü,·□B
- windowheight** fEjBf“fhfE,ì□,,³,ð•¶Žš□”,Å•\,μ,Ü,·□BfLfffvfVf#f“,âf□fjf...□[,È,Ç,ìŠO’α,ì•”•â,ìŠÜ,Ü,ê,Ä,ç,Ü,¹,ñ□B
- windowcx** fEjBf“fhfE’Sì,ì%o;•□,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B
- windowcy** fEjBf“fhfE’Sì,ì□,,³,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B
- windowposx** fEjBf“fhfE,ì□¶□ã,ì^Ê’u,ìx□Å•W,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B
- windowposy** fEjBf“fhfE,ì□¶□ã,ì^Ê’u,ìy□Å•W,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B
- splitstate** fEjBf“fhfE,ì•âŠ,,ì□ó’Ô,ð•\,μ,Ü,·□B•âŠ,,³,ê,Ä,È,ç□ê□#,í,O□A•âŠ,,³,ê,Ä,ç,Ä□Afj□[fç<,â□ã’α,É, ,é□ê□#,í,P□Afj□[fç<,â%o²’α,É, ,é□ê□#,í,Q,Å,·□B
- windowstate** fEjBf“fhfE,ì•\Ž!,ì<i□#,ð•\,μ,Ü,·□B”ñ•\Ž!,ì□ê□#,í,O□A’Ê□í,ì•\Ž!□ó’Ô,ì□ê□#,í,P□AfAfCfRf“%o»„³,ê,Ä,ç, ,é□ê□#,í,Q□A□Å’â%o»„³,ê,Ä,ç, ,é□ê□#,í,R,Å,·□B
- cxscreen** %oæ-Ê,ì%o;fTfCfY,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B
- cyscreen** %oæ-Ê,ì□çTfCfY,ðfsfNfZfç’P^Ê,Å•\,μ,Ü,·□B

## ftf@fCf<-¼ŠÖ~AfL[]f[]fh

<b>filename</b>	Œ»[]Ý•Ò[]W't, ðftf@fCf<-¼, ðfhf%oofCfu•¶Žš, àŠÜ, ß, ½ftf<fpfX, Å•\, µ, Ü, ·[]Bftf@fCf<-¼, Í, ·, x, Ä[]-•¶Žš, É•İŠ, ·³, ê, Ä, ç, Ü, ·[]B
<b>basename</b>	ftf@fCf<-¼, ðAfpfX, ðŠÜ, Ü, È, ç[]Afx[]fX-¼, ¾, -, ð•\, µ, Ü, ·[]B, ·, x, Ä[]-•¶Žš, É•İŠ, ·³, ê, Ä, ç, Ü, ·[]B
<b>directory</b>	fjfcf"fgftfHf<f_ðfhf%oofCfu-¼, àŠÜ, ß, ½fpfX-¼, Å•\, µ, Ü, ·[]Bf<[]fgftfHf<f_Å, È, ç[]ê[]¶, Í[]ÅŒã, É[]u[]v, ¢•t, ç, Ä, ç, Ü, ¹, ñ[]B, ·, x, Ä[]-•¶Žš, Å, ·[]B
<b>hidemarudir</b>	hidemaru.exe, ðftfHf<f_ð•\, µ, Ü, ·[]B, ·, x, Ä[]-•¶Žš, Å, ·[]B
<b>windir</b>	Windows, ðftfHf<f_ð•\, µ, Ü, ·[]B
<b>winsysdir</b>	Windows, ðVfXfef€ftfHf<f_ð•\, µ, Ü, ·[]B
<b>filename2</b>	filename, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>basename2</b>	basename, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>directory2</b>	directory, ð[]-•¶Žš, É•İŠ, ·µ, È, çfo[]fWf¶f", Å, ·[]B
<b>filename3</b>	filename, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B
<b>basename3</b>	basename, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B
<b>directory3</b>	directory, ð'Z[]kftf@fCf<-¼fo[]fWf¶f", Å, ·[]B

## ŠeŽíó'ÔŠÖ~AfL[fh]

**overwrite**    `ã'«f,[fh,©}'"úf,[fh,©,ð\,µ,Ü,·Bã'«f,[fh,ìé±,í,P'A}'"úf,[fh,ìé±,í,O,Å,·B`

**updated**        `XV,³,ê,½,©,Ç,κ,©,ð\,µ,Ü,·BXV,³,ê,½é±,í,P'A,»,κ,Å,È,çé±,í,O,Å,·B`

**anyclipboard** `fNfŠfbvf{[fh,É•ŕŽš-ñ,ª, ,é,©,Ç,κ,©,ð\,µ,Ü,·B, ,éé±,í,P'A-³,çé±,í,O,Å,·B`

**imestate**        `,©,ÈŠžŽš•İŠ,ìó'Ô,ð\,µ,Ü,·B,©,ÈŠžŽš•İŠ,ª,ž,È,ç,P'A,±,±,È,ç,O,Å,·B`

**browsemode**    `%{—f,[fh,©,Ç,κ,©,ð\,µ,Ü,·B%{—f,[fh,ìé±,í,P'A,»,κ,Å,È,çé±,í,O,Å,·B`

**keypressed**    `fL[,ª%ÿ,³,ê,½,©,Ç,κ,©,ð\,µ,Ü,·Bdisablebreak,³,ê,½ó'Ô,Å,ì,Ý—~p%Å"\,Å,·B`  
`fL[,ª%ÿ,³,ê,Å,ç,½é±,í,»},fL[fR[fhA%ÿ,³,ê,Å,È,©,Á,½é±,í,O,Å,·B`  
`keypressed,ª,P%ňŽÅs,³,ê,é,ÆAfbfZ[fWfLf...[ ,çL[fR[fh,ðžæ,èo,µ,Ü,·B`

**replay**          `CE»Ÿ,lf}fNf,ª~A'±ŽÅs,³,ê,Å,é,à,ì,©,Ç,κ,©,ð\,µ,Ü,·B~A'±ŽÅs,Å, ,éé±,P'A,»,κ`  
`,Å,È,çé±,O,Å,·B—á,!,ìACtrl-1,É,æ,Å,Äf}fNfŽÅs,³,ê,éé±,ìACtrl-1,ð,Q%ň~A'±`  
`,ÅŽÅs,µ,½é±,É,Q%ň-Ú,ªreplay,ªtrue,È,è,Ü,·B`

**hidemarucount** `CE»Ÿ<N"®,³,ê,Å,ç,éGŠÛ,ì",ð\,µ,Ü,·Bí"GŠÛ,ì",!,Ü,¹,ňB`  
`ŽQÆFsetsearch`

**searchbuffer** `CEŸöfobftf@,ì"à—e,ð\`  
`,µ,Ü,·BCEŸöfobftf@,ìA^È'O,ÉŽÅs,³,ê,½CEŸöfRf}f"fh,Ü,½,í'uŠ·fRf}f"fh,ÅCEŸö'íÜ,Æ`  
`,È,é•ŕŽš-ñ,ð<L%~ ,µ,Å,ç,ÄA[uŽŸCEó•âv,Ü,½,ìu'OCEó•âvfRf}f"fh,Å~—`  
`p,³,ê,é,à,ì,Å,·B`

**searchoption** `CEŸöftf%oF,ì'l,ð\,µ,Ü,·BCEŸöftf`  
`%oF,ìA^È'O,ÉŽÅs,³,ê,½CEŸöfRf}f"fh,Ü,½,í'uŠ·fRf}f"fh,lf_cFafOf{fbfNfX,Åžw'è,³,ê,`  
`½ŠeŽí,ìfifvf}f",ð<L%~ ,µ,Å,ç,Ü,·Bfifvf}f",ì"à—e,í^È%º,ì'È,è,ìrfbfg,²,Æ,ì~—`  
`ã,a,É,È,Å,Ä,ç,Ü,·B`  

<code>'PCE,ìCEŸö</code>	<code>frbfg,O</code>
<code>'å•ŕŽš/ŕ-•ŕŽš,ì&lt;æ•É</code>	<code>frbfg,P</code>
<code>'uŠ,©,Ç,κ,©</code>	<code>frbfg,QQ'í'uŠ,ìé±,É,Pj</code>
<code>'uŠ,ìé±A-â,ç±,í,¹,ì-L-³</code>	<code>frbfg,R</code>
<code>³&lt;K•\CE»</code>	<code>frbfg,S</code>
<code>, ,ç,Ü,çCEŸö</code>	<code>frbfg,T</code>
<code>ftf@fCf&lt;-¼^ê—,¾,~ŕŕ-</code>	<code>frbfg,Uŕigrep—pŕ</code>
<code>ŽŸ,ìGŠÛ,à'±,~ÄCEŸö</code>	<code>frbfg,V</code>

`ŽQÆFsetsearch`

**readonly**        `ã'«ÖŽ~,©,Ç,κ,©,ð\,µ,Ü,·Bã'«ÖŽ~,ìé±,í,P'A,»,κ,Å,È,çé±,í,O,Å,·B`

**charset**         `CE»Ÿ,ì•ŕŽšfR[fh,Æ%üS,ð\,µ,Ü,·B`  
`frbfg,Oŕfrbfg,Tŕicharset & 63 ,µ,½'lj,ª•ŕŽšfR[fh,Å,·B`  
`ŕ@ŕ@ŕV<Kŕŕ-¹¼CEã(SHIFT-JIS) 0`  

<code>ŕ@ŕ@SHIFT-JIS</code>	<code>1</code>
<code>ŕ@ŕ@Unicode</code>	<code>2</code>
<code>ŕ@ŕ@EUC</code>	<code>3</code>
<code>ŕ@ŕ@JIS</code>	<code>4</code>

`frbfg,U,ª,P,ìé±A%üSŕŕLF`  
`frbfg,V ,ª,P,ìé±A%üSŕŕCR`

frfbfg,U,Æ,V,ª<ª,É,O A,Ü,½,Í<ª,É,P,ìêª,Í%üªªªCR+LF

## Y'èSÖ~AfL[f][fh

@Y'èSÖ~AfL[f][fh,íA[u,»,'¼EY'èv,ìf\_cFfOf{fbfNfX,ÅŽw'è,μ,½"à—  
e,ðŽQÆ,·,é,½,B,ìfL[f][fh—þ,Å,·B

**freecursor** ftfš[f][f<f, [fh, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**tabcount** f^fu, ì·Ÿžš", ð·\, μ, Ü, ·B, Q[A, S[A, W, ì, ç, , , ©, ì'í, É, È, è, Ü, ·B  
**width** Ü, è·Ô, μ·Ÿžš", ð·Ô, μ, Ü, ·B  
**indentstate** fCf"fff"fg, ìó'Ô, ð·\, μ, Ü, ·BfCf"fff"fg-  
³, μ, È, ç, O[A·P'É, ìfCf"fff"fg, È, ç, P[A'SŠpfCf"fff"fg, È, ç, R[A, bE¾EêfCf"fff"fg, È, ç, T[A'SŠpfC  
f"fff"fg·, bE¾EêfCf"fff"fg, È, ç, V, Å, ·B  
**kinksokustate** <Ô'¥^—, ð, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**hilightstate** , bE¾EêfL[f][fh<'²·\Ž!, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**linespace** sSÖ, ìL, ³, ð·\, μ, Ü, ·B sSÖ-  
³, μ, È, ç, O[A1/10, È, ç, P[A1/8, È, ç, Q[A1/6, È, ç, R[A1/4, È, ç, S[A1/3, È, ç, T[A1/2, È, ç, U, Å, ·B  
**linenostate** s"Ô+ , ì·\Ž!, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**pagestate** fy[fW"Ô+ , ì·\Ž!, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**showtab** f^fu·Ÿžš, ð·\Ž!, ·, é, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**tcolor** ·Ÿžš, ìF, ðRGB'í, Å·\, μ, Ü, ·B—á, ì", È, ç0x00FFFFFF[A·, È, ç, O, É, È, è, Ü, ·B<í"í, ÈF, Æ'í, ìí  
%ž, ìŽ··, ÅfTf"fvf<f}fNf, ð, ì, é, È, Ç, μ, Å'², x, Å, , ¾, ³, ç·B  
**bcolor** "wEi, ìF, ðRGB'í, Å·\, μ, Ü, ·B  
**lcolor** f[f<f<[s, ì%ºü, ìF, ð·\, μ, Ü, ·B%ºü, ð, ç, ê, í-1, Æ, È, è, Ü, ·B  
**ccolor** f[f<f<[s, ìF, ð·\, μ, Ü, ·Bf[f<f<[s, ðFŽw'è, Å, ì, È, %ºüŽw'è, ìê, í-1, Æ, È, è, Ü, ·B  
**rcolor** %ü[s·Ÿžš, ìF, ð·\, μ, Ü, ·B  
**fontname** ftfHf"fg, ìftfF[fX-¼, ð·\, μ, Ü, ·B  
**fontsize** ftfHf"fg, ìftfCfY, ð, ³, ð·\, μ, Ü, ·B'P^É, ìfsfNfZf·"ífhfbfg"j, Å, ·B  
**boldstate** '¾·Ÿžš, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**backup** fofbNfAfbfvtf@fCf<, ìì-ð, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**showruler** f<[f%[·\Ž!, ð, Ž, ©, Ç, x, ©, ð·\, μ, Ü, ·B  
**tabruler** f<[f%[·\Ž!, ð, W'P^É, ì, Æ, «, P[A, P, O'P^É, ì, Æ, «, O, É, È, è, Ü, ·B  
**rulercolor** f<[f%[ìF, ðRGB'í, Å·\, μ, Ü, ·B·Ÿžš, Æ"·, ìê, í-1, È, È, è, Ü, ·B  
**rulerbackcolor** f<[f%[ì" wEi, ìF, ðRGB'í, Å·\, μ, Ü, ·B" wEi, Æ"·, ìê, í-1, È, È, è, Ü, ·B  
**correctlineno** s"Ô+ , ìEvŽŽ·ú-@, ðGffBf^"í, ì, Æ, «, P, É, È, è, Ü, ·Bf[fvfi, ìê, í, O, É, È, è, Ü, ·B  
**ignoreeof** "Çž, P, Æ, «, ÉEOF, ð-³Ž<, ·, é, ©, Ç, x, ©·B  
**savewitheof** ·Ú'Ÿ, ·, é, Æ, «, ÉEOF, ð·t, ·, é, ©, Ç, x, ©·B

fNfŠfbfvf{[]fhŠÖ~AfL[]f[]fh

**getclipboard** fNfŠfbfvf{[]fh, ©, ç, P[]s•ª, ï•¶Žš—ň, ðŽæ, è[]o, µ, Ä[]A, »., ê, ð•\, µ, Ü, ·[]B

ŽQ[]Æ[]FfNfŠfbfvf{[]fh, Æ•ï[]", Æ. ï. â. è. Æ. è

## “ú•t,ÆŽžŠÖ~Afl[f[fh

**date**            Œ»Ÿ,ì“ú•t,ð•\,μ,Û,·B"92/10/22(ŒŽ)",ì,æ,κ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B  
**time**            Œ»Ÿ,ìŽž,ð•\,μ,Û,·B"22:30:45",ì,æ,κ,È•ŸŽš—ñŒ`Ž®,Å•Ô,μ,Û,·B  
**tickcount**    Windows,ª<N“®,³,ê,Ä,©,ç,ìŒo%oßŽžŠÔ,ðf~fŠ•b’P^Ê,Å•\,μ,Û,·B



## • ĀŽš—ň

␣@•ĀŽš—ň,í␣Cf\_fuf:fNfH␣[fe␣[fvfjf“,Ā^í,Ý,Û,·␣B

␣@—á␣F  
"ABC"

␣@f\_fuf:fNfH␣[fe␣[fvfjf“<L␣t,» ,ì,à,ì,â\}␣[fN,í␣C\,ð•t,¯,ĀŽw'è,μ,Û,·␣B

␣@—á␣F  
",±,ê,í,\ "•ĀŽš—ň\",Ā,·␣B"  
"\\<L␣t"

␣@f^fu•ĀŽš,í\␣C%ü␣s•ĀŽš,í\n ,ĀŽw'è,Ā,<,Û,·␣B

␣@—á␣F  
insert "\n";

␣@•ĀŽšfR␣[fh,ðŽw'è,μ,½,ç␣ê␣#,í␣C\,ðŽg,Ā,Ā16␣i␣",ĀŽw'è,μ,Û,·␣B

␣@—á␣F  
"•ĀŽšfR␣[fh,S,P,í,\x41,Ā,·␣B"

␣@•ĀŽš—ň,ì%‰ŽŽ,Æ,μ,Ā,í␣C␣{,¾,¯,āŽg,í,Û,·␣B␣{,í•ĀŽš—ň,ð~ACE<,μ,Û,·␣B

␣@—á␣F  
message \$a + "ĀĀ";

## ŠÖ

<u>leftstr( s1, n1 )</u>	•ŕŽš—ň,ìŕŕ'ŕ"•ª
<u>rightstr( s1, n1 )</u>	•ŕŽš—ň,ì%œE'ŕ"•ª
<u>midstr( s1, n1, n2 )</u>	•ŕŽš—ň,ì't%œ>"•ª
<u>strlen( s1 )</u>	•ŕŽš—ň,ì',³
<u>gettext( x1, y1, x2, y2 )</u>	•ŕŽš—ňŽæ,èŕž,Ý
<u>char( n1 )</u>	ŕ"l,©,ç•ŕŽš,Ö,ì.ĩš.
<u>ascii( s1 )</u>	•ŕŽš,©,çŕ"l,Ö,ì.ĩš.
<u>str( n1 )</u>	ŕ"l,ð•ŕŽš—ň,É.ĩš.
<u>val( s1 )</u>	•ŕŽš—ň,ðŕ"l,É.ĩš.
<u>strstr( s1, s2 )</u>	•ŕŽš—ň,©,ç•ŕŽš—ň,ðœŕŕð
<u>getinistr( s1, s2, s3 )</u>	iniftf@fCf<,©,ç•ŕŽš—ňŽæ"¾
<u>getininum( s1, s2, s3 )</u>	iniftf@fCf<,©,çŕ"lŽæ"¾
<u>input( s1, s2 )</u>	ftŕ[fU,©,ç,ì•ŕŽš—ň"ü—í
<u>inputchar( s1 )</u>	ftŕ[fU,©,ç,ìfLŕ["ü—í
<u>iskeydown( n1 )</u>	fLŕ[f{ŕ[fh,ìó'Ô,ðŽæ"¾
<u>getenv( s1 )</u>	DOSŠÂ<«•ĩŕ",ìŽæ"¾
<u>findhidemaru( s1 )</u>	ŕGŠÛ,ìœŕŕð
<u>hidemaruhandle( n1 )</u>	ŕGŠÛ,ìfnf"fhf<,ìŽæ"¾
<u>hidemaruorder( n1 )</u>	ŕGŠÛ,ì"Ôŕt,ìŽæ"¾
<u>dderequest( s1 )</u>	DDE,ìffŕ[f^,ì—v<ŕ
<u>findwindow</u>	fEfBf"fhfE,ìœŕŕð
<u>findwindowclass</u>	fEfBf"fhfE,ðfNf%œfX-¼,Âœŕŕð
<u>sendmessage</u>	fŕbfZŕ[fW,ì'—ŕM
<u>existfile</u>	ftf@fCf<,ª'ŕŕŕ',.é,©,ç,ŕ,©
<u>getregstr( s1 )</u>	fœfWfXfgfŠ,©,ç•ŕŽš—ňŽæ"¾
<u>getregnum( s1 )</u>	fœfWfXfgfŠ,©,çŕ"lŽæ"¾

**leftstr( s1, n1 ) ŠÖ”**

Ⓜ@s1,ìⓂꝛ,ln1•ꝑŽš,ð•Ô,μ,Û,·ⓂB‘SŠp•ꝑŽš,í,Q•ꝑŽš,Æ,μ,ÄⓂ” ,ì,Û,·ⓂB  
Ⓜ@str1,ì‘,³,ªnum1,æ,èⓂ¬,³,çⓂêⓂ†,íⓂCstr1,ª,»,ì,Û,Û•Ô,³,è,Û,·ⓂB  
Ⓜ@•Ô,·ì,í•ꝑŽš—ñĈ^,Å,·ⓂB

**rightstr( s1, n1 ) ŠÖ**

@s1,ì%oE'¤,ln1•ŕŽš,đ•Ô,µ,Ü,·Bs1,ì'·,³,an1,æ,è¬,³,¢ê#íCs1,ª,»,ì,Ü,Ü•Ô,³,ê,Ü,·B  
@•Ô,·'l,í•ŕŽš—ñÆ^,Å,·B

## midstr( s1, n1, n2 ) ŠÖ

@s1, ð, çn1"Ô-Ú, ðŽš, ð•Ô, µ, Ü, ðBn1, í, O, ©, ç", ð, Ä,, ¾, ¾, çðBn1, a, O, ðéð, ðleftstr(s1,n2)  
, Æ" ÷, ðCE<%oÊ, Æ, È, è, Ü, ðB  
ð@•Ô, ð, ð, ð, ðŽš—ñCE^, Ä, ðB

**strlen( s1 ) ŠÖ"**

@str1,ì',³,đ•Ô,μ,Û,·B•Ô,·'í,í"ICE^,Å,·B'SŠp•ŕŽš,í,Q•ŕŽš,Æ,μ,Ä" ,í,Û,·B  
@•Ô,·'í,í"ICE^,Å,·B

**gettext( x1, y1, x2, y2 ) ŠÖ"**

»@Œ»Ÿ•ÒW,μ,Ä,č,éftf@fCf<,ìx1Cy1,©,çx2Cy2,ì"íí,É, ,é•ŸŽš—ň,đ•Ô,μ,Û,·B•ŸŽš—  
ň,ì',³,â',·,¬,é,ÆfGf%o[ ,É,È,è,Û,·B  
»@xCyÀ•W,ìŽw'è,ì,μ,©,½,Ímoveto•Ÿ,Æ"~,Ÿ,Å,·B  
»@•Ô,·l,í,ŸŽš—ňŒ^,Å,·B

## char( n1 ) ŠÖ"

[@n1, ě, žš, ř, fh, ě, žš, ť, žš—ň, é, μ, Ä, Ô, μ, Ü, ·, BŠžš, ř, fh, ť, žšw'è, ·, é, ě, žš, ě, žš—ň, é, ě, è, Ü, ·, B  
[@, Ô, ·, ě, žš—ň, é, Ä, ·, B

—áF

char( 0x41 )      c "A", a, Ô, Á, Ä, «, Ü, ·, B



## ascii( s1 ) ŠÖ

@s1, àæ“a, ï•Źš, ï•ŹšfR[fh[i]”i, ð•Ô, µ, Ü, ·Bchar, Æ<t, ïŠÖ”, Å, ·B  
@•Ô, ·’i, í”iĈ^, Å, ·B

**str( n1 ) ŠÖ"**

@n1,đ•ŕŽš—ň,É•řŠ•,μ,Ü,•B—á,,În1,°100,Ïê#C•Ô,•'l,Í"100",Æ,È,è,Û,•B  
@•Ô,•'l,Í•ŕŽš—ňÆ^,Å,•B

**strstr( s1, s2 )** ŠÖ"

@str1, ©,çstr2,đĀŸđ,μCĀ©,Â,©,Á,½êł,í,»,ì^Ê'u,đ•Ô,μ,Û,·Bæ“<sup>a</sup>,<sup>a</sup>,O,Â,·BĀ©,Â,©,ç,Ē,©,Á,½ê  
ł,í-,P,đ•Ô,μ,Û,·B  
@•Ô,·'í,í"ĀĀ^,Â,·B

val( s1 ) ŠÖ"

@s1,đ"'l,É•İŠ,μ,Ü,·B—

á,|,Îs1,ª"100",ìê#C•Ô,·l,Í100,Æ,È,è,Ü,·B"'l,É•İŠ,Å,«,È,çê#Í,O,ª•Ô,è,Ü,·B

@•Ô,·l,Í"'lĈ^,Å,·B

**getinistr( s1, s2, s3 ) ŠÖ", getinum( s1, s2, s3 ) ŠÖ"**

@getinistr,íAIniftf@fCf<,©,ç•ŕŽš—ñ,đŽæ,è,¾,μ,Û,·Bs1,ªiniftf@fCf<-¼As2,ªfZfNfVf#f"-¼As3,ªfL[-¼,Å,·B

@•Ô,·'l,í•ŕŽš—ñĈ^,Å,·B

@getinum,íAIniftf@fCf<,©,ç""l,đŽæ,è,¾,μ,Û,·Bs1,ªiniftf@fCf<-¼As2,ªfZfNfVf#f"-¼As3,ªfL[-¼,Å,·BŽæ,èo,μ,½'l,ª""l,É•İŠ•s"\,Èêê#í,O,ª•Ô,Å,Ä,«,Û,·B

@•Ô,·'l,í""lĈ^,Å,·B

@Iniftf@fCf<-¼,íAftf@fCf<-¼,¾,·,đŕ',,ÆWindowsftfHf<f\_ªŽ©"®'l'đ,³,è,Û,·Bftf<fpfX,Åŕ',-ÆAŽw'è,μ,½ftfHf<f\_ª'l'đ,³,è,Û,·B,Û,½AŠg'£Žq,ª.ini,Å, ,é•K—v,í,È,Ā,Ç,ñ,ÈŠg'£Žq,Å,à,©,Û,ç,Û,¹,ñB

@iniftf@fCf<-

¼,đuhidemaru.iniŕv,É,μ,½êê#AŽÀÛ,Éiniftf@fCf<,©,ç,í"Ç,Ýž,Û,·AfĈfWfXfgfŠ,©,ç•İŠ,μ,Ä"Ç,Ýž,ŕ,æ,ı,É,è,Û,·B,±,è,íA16bit"ÅGŠÛ,Æ,lĈÝŠ,ì,½,ß,¾,·,É, ,é<@"\ ,ÅAAGŠÛ,ìŕ'è,đ"Ç,Ýž,ŕêê#,Ígetregstr,Û,½,Ígetregnum,đŽg,Å,Ä,,¾,³,çB

**input( s1, s2 ) ŠÖ”**

□@s1,đf□fbfZ□[fW,Æ,μ,Ä•\Ž!,μ□Cft□[fU,©,ç•¶Žš—ñ,đ“ü—  
Í,μ,Ä,à,ç,ç□C,»„ê,đ,»„ì,Ü,Ü•Ô,μ,Ü,·□Bs2,í□AffffHf<fg,ì'l,Æ,μ,Äft□[fU,ª“ü—  
Í,·,éfGfffBfbfgfRf“fgf□□[f<,ì't,É□Å□%%,©,ç•\Ž!,ª,ê,Ü,·□B  
□@s2,í□È—ª,Å,«,Ü,·□B  
□@•Ô,·'l,í•¶Žš—ñCE^,Å,·□B

## inputchar( s1 ) ŠÖ

@s1,đf^fCfjgf<fo[É•Ž!,μCft[fU,©,ç•ŋŽš,đ“ü—í,μ,Ä,à,ç,čC,»!•ŋŽšfR[fh,đ•Ô,μ,Ü,·B“ü—  
í,μ,½•ŋŽš,í%œ-Ê,É,í•Ž!,³,ê,Ü,¹,ňBfj[fj<^Ú“@fL[,º%Ÿ,³,ê,½ê±,í•ŋŽšfR[fh,íC

ŋ ... 0x1C

ã ... 0x1D

%E ... 0x1E

%º ... 0x1F

,Æ,Ê,è,Ü,·B

## iskeydown( n1 ) ŠÖ”

```

@Žw'è,è,½fL[],ìó'Ô,ðŽæ“¾,·,éŠÖ”,Å,·B
@n1,ÉfL[]fR[]fh,ð“ü,è,ÄCEÄ,Ño,·,ÆA,»,ìfL[],º%Ÿ,è,Ä,ç,éê±,í 1A,»,x,Å,È,çê±,í 0 ,ð•Ô,μ,Û,·B
@Žã,ÉfL[]fR[]fh,í^È%º,ì'È,è,Å,·B,±,ìfL[]fR[]fh,íAinputchar,º•Ô,·l,Æ,í^á,ı'È,ì,Å'ó,μ,Å,,¾,¾,çB
    Shift    0x10
    Ctrl     0x11
    Alt      0x12
    ¶        0x25
    ¶ă       0x26
    %oE      0x27
    %oº      0x28
    0`0      0x30` 0x39
    A`Z      0x41` 0x5A

```

```

[]@ã<L,É,È,çfL[]fR[]fh,íAŽ©•º,Å'²,x,Ä,,¾,¾,çB“”²,x,é}fNf[]
[]@ŽÄ,í,±,ìŠÖ”,íAWindows,ìAPI,Å,é GetKeyState() ,ðCEÄ,Ño,μ,Ä,ç,é,¾,¾,·,Å,·BSJ”-
ŽÖ,ì•ù,íAAPI,ìfwf<fv,ì%¼'zL[]fR[]fh,ì^è—,ðCE©,é,Æ,ç,ç,Å,·B

```

```

[]@,±,ìŠÖ”,ð—~—p,·,è,ìAfL[][Š,,è“-,Ä,ÅA,½,,¾,ñ,ìfL[],É“~,¶f}fNf[],ðŠ,,è“-
,Ä,Ä,àf}fNf[]ftf@fCf<“à,Å•àŠò,·,é^—,º%Å“\,É,È,è,Û,·B
[]@,½,Æ,ı,ìActrl+[]ă,%º,¶,ºE,ìfL[],É'S,Ä[]uf}fNf[]1[]v,ðŠ,,è“-
,Ä,Û,·B,»,μ,ÄA[]uf}fNf[]1[]v,É,íttest.mac,ð“o~^,μ,Û,·B,»,μ,ÄAtest.mac“à•”,íA

```

```

if( iskeydown(0x25) ) { []u[]©[]v,ì^—[] }
if( iskeydown(0x26) ) { []u[]º[]v,ì^—[] }
if( iskeydown(0x27) ) { []u[]”[]v,ì^—[] }
if( iskeydown(0x28) ) { []u[]<[]v,ì^—[] }

```

```

,Æ,ç,ı,Ó,ı,É,·,è,ìActrl + -î^ófL[] ,º%Ÿ,è,½,Æ,«,ì^—[],íA,·,x,Ätest.mac,ºŠÇ—[],Å,«,é,±
,Æ,É,È,è,Û,·B
'[]^Ó[]Ff}fNf[]<N“@”¼CEă,ìfL[][ó'Ô,ºŽæ“¾,Å,«,é,ì,ìAf}fNf[]ŽÄ[]sŠJŽn,©,ç,P•b^È“à,Å,·B,Û,½A,P•b^È“à,
Å, ,Ä,Ä,à^È%º,ìŠÖ”or•¶,ðCEÄ,ñ,¾CEă,Å,í<N“@”¼CEă,ìfL[][ó'Ô,íŽæ“¾,Å,«,Û,¹,ñB
    keypressed, ddewaitadvice, localgrep, runsync, menuCEn•¶

```



iskeydown,ì•Ô,·'l,ð'²,x,éf}fNf□,ì—á,Ã,·

```
newfile;  
call GetKeyState;  
$prev = $$return;
```

Loop:

```
call GetKeyState;  
if( $prev != $$return ) {  
    insert $$return;  
    insertreturn;  
    $prev = $$return;  
}  
goto Loop;
```

GetKeyState:

```
$$a = "";  
##i = 1;  
while( ##i <= 0x91 ) {  
    if( iskeydown( ##i ) ) {  
        $$a = $$a + str( ##i ) + " ";  
    }  
    ##i = ##i + 1;  
}  
return $$a;
```

**getenv( s1 ) ŠÖ**

@str1,É'í%ž,·,éŠÂ«·İ",ì'l,ð•Ô,μ,Û,·B

—áF

#path = getenv( "include" );

## existfile( s1 ) ŠÖ

@s1,Æ,ç,æftj@fCfç,â'¶¶Ý,·,é,©,Ç,æ,©,ð•Ô,µ,Û,·¶B  
@'¶¶Ý,·,é¶ê¶±,Ítrue¶A'¶¶Ý,µ,È,ç¶ê¶±,Ífalse,Å,·¶B  
@•Ô,·'Í,Í¶''ÍÆ^,Å,·¶B

## DDEŠÖ~Af}fNf

□@□GŠŮfgffBf^,É,í□ADDEfN%ofCfAf“fg,đŽÀĚ»,·,é,½,β,lf}fNf□,í•¶,âŠÖ□”,a, ,è,Ü,·□B

### ddeinitiate \$app, \$topic□@□@□i•¶□j

□@□GŠŮ,đfN%ofCfAf“fg,Æ,·,é,c,c,dfgf%of“fUfNfVf#f”,đŠŽn,μ,Ü,·□B\$app,¶fAfvfŠfP□[fVf#f”-  
¼,Å□A\$topic,¶fgfsfbfN-¼,Å,·□B

□@ddefgf%of“fUfNfVf#f”,íĚ»□Ý,ì□GŠŮ,¾,·,É—  
LĚø,Å,·□Bnexthidemaru“™,ÅfAfNfefBfufEjBf“fhfE,ð□ø,è•Ö,í,é,Æddefgf%of“fUfNfVf#f”,íž©“®“í,É□I—  
¹,³,¹,ç,è,Å,μ,Ü,ç,Ü,·□B

□@•;□”,ì,c,c,dfT□[fo,Æ“~Žž,Éfgf%of“fUfNfVf#f”,đŠJ□Ý,·,é,±,Æ,í,Å,«,Ü,¹,ň□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### ddeterminate□@□@□i•¶□j

□@ddeinitiate,μ,½fgf%of“fUfNfVf#f”,ð□I-¹,μ,Ü,·□Bddeterminate,μ,È,,Å,à□Af}fNf□,¶□I—  
¹,μ,½,è□Anexthidemaru,É,Ç,ÅfAfNfefBfufEjBf“fhfE,¶□ø,è•Ö,í,é,ÆŽ©“®“í,ÉDDEfgf%of“fUfNfVf#f”,í□I—  
¹,μ,Ü,·□B

### ddeexecute \$exec□@□@□i•¶□j

□@DDEfT□[fo,ÉEXECUTEfRf}f“fh,ð’—□M,μ,Ü,·□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### ddepoke \$item, \$param□@□@□i•¶□j

□@DDEfT□[fo,Éff□[f^,ð’—,è,Ü,·□B

□@□-Ě÷,·,é,Æ□I-¹fR□[fh,¶true,É,È,è□AŽ,“s,·,é,Æfalse,É,È,è,Ü,·□B

### dderequest( \$item ) ŠÖ□”

□@DDE,ì’Šžè,Éff□[f^,ð—v<□,μ,Ü,·□B□-Ě÷,·,é,Æ□AŽó,~Žæ,Å,½ff□[f^,ð•Ô,μ,Ü,·□BŽ,“s,·,é,Æf}fNf□fGf  
%□[,Æ,È,Å,Å,μ,Ü,ç,Ü,·□B  
□@•Ô,·í,í•¶Žš—ňĚ^,Å,·□B

### ddestartadvice \$item, \$name□@□@□i•¶□j

□@DDEfT□[fo,Æ,ìŠŌ,ĀfAfhfofCfXf<□[fv,đŠjŽn,μ,Ü,·□BfAfhfofCfXf<□[fv,ĭfAfCfef€-¼,Í\$item,Ā,·□BfT□[fo'¤  
,©,çff□[f^,ª“n,³,è,é,Æ□A,»,'l,Í\$name,ĀŽw'è,³,è,é•ĭ□”,ÉŠi”[,³,è,Ü,·□B\$name,ĭŠ,É,Í•ŲŽš—  
ñĀ^,ĭfOf□[fof<•ĭ□”-¼,đŽw'è,·,é•K—v,ª, ,è,Ü,·□B

□@fAfhfofCfXf<□[fv,Í,P,Ā,μ,©□,é,±,Æ,ª,Ā,«,Ü,¹,ñ□B

### **ddestopadvice \$item□@□□i•Ųj**

\$item,ĭfAfhfofCfXf<□[fv,đ□—¹,³,¹,Ü,·□B\$item,Íddestartadvice,μ,½Žž,ÉŽw'è,μ,½fAfCfef€-  
¼,đŽw'è,·,é•K—v,ª, ,è,Ü,·□B

### **ddewaitadvice \$item, #timeout□@□□i•Ųj**

□@DDEfT□[fo,©,ç\$item,ĭfAfhfofCfXff□[f^,ª“Í,,ì,đ'Ō,¿,Ü,·□B#timeout,ĭf^fCfefAfEfeg,Ā□A,±,±  
,ĀŽw'è,μ,½ŽžŠŌ,đ'Ō,Ā,Ā,àff□[f^,ª“Í,©,È,ç□ê□†,ĭff□[f^,đŽó,~Žæ,ç,,Éddewaitadvice,đ□—¹,³,¹,Ü,·□B

□@f^fCfefAfEfeg,ĭ□ê□†,ĭresult==false,É,È,è□Addestartadvice,ĀŽw'è,μ,½•ĭ□”,É,Í%½,àŠi”[,³,è,Ü,¹,ñ□B

□@#timeout,ì'l,ĭf~fš•b'P^Ê,ĀŽw'è,μ,Ü,·□B

□@ddewaitadvice,đŽĀ□s't,Í□GŠŪfGfffBf^,Í“€,,è•t,ç,½,æ,¤,È□ó'Ō,É,È,è,Ü,·□B

### **findwindow( \$name ) ŠŌ□”**

□@\$name,ĀŽw'è,³,è,é•ŲŽš—ñ,Æ“~ ,Ųlfffvfvf†”,ĭfEfBf“fhfE,đ'T,μ,Ā,» ,ĭfEfBf“fhfEfnf“fhf<,đ•Ō,μ,Ü,·□B  
□@•Ō,·'l,ĭ□”'lĀ^,Ā,·□BĀ©,Ā,©,ç,È,©,Ā,½□ê□†,ÍŌ,Æ,È,è,Ü,·□BŠY“-  
,·,éEfBf“fhfE,ª•j□”Ā©,Ā,©,Ā,½□ê□†,Ā,à□A,P,Ā,μ,©•Ō,μ,Ü,¹,ñ□B

### **findwindowclass( \$name ) ŠŌ□”**

□@\$name,ĀŽw'è,³,è,é•ŲŽš—ñ,Æ“~ ,ŲlfNf%ofX-¼,ĭfEfBf“fhfE,đ'T,μ,Ā,» ,ĭfEfBf“fhfEfnf“fhf<,đ•Ō,μ,Ü,·□B  
□@•Ō,·'l,ĭ□”'lĀ^,Ā,·□BĀ©,Ā,©,ç,È,©,Ā,½□ê□†,ÍŌ,Æ,È,è,Ü,·□BŠY“-  
,·,éEfBf“fhfE,ª•j□”Ā©,Ā,©,Ā,½□ê□†,Ā,à□A,P,Ā,μ,©•Ō,μ,Ü,¹,ñ□B

### **sendmessage( #handle, #message, #wParam, #lParam ) ŠŌ□”**

□@f□fbfZ□[fW,đ'—,è,Ü,·□B'—  
,Ā,½□æ,ĭfEfBf“fhfE,ª□fbfZ□[fWf{fbfNfX,âf\_fCfAf□fOf{fbfNfX,đ□o,·,Æf}fEfX,ªž€,ñ,Ā,μ,Ü,¤,ì,Ā'^Ō,μ,Ā,-  
,¾,³,ç□B,»,'¼□Ažg,ç•û,đĀĒ,é,ÆWindows,đŽ€,È,¹,Ā,μ,Ü,¤,±,Æ,à, ,é,ĭ,Ā'^Ō,μ,Ā%ºº,³,ç□B

□@f□fbfZ□[fW,ì'l,âwParam□lParam,ì'l,É,Ā,ç,Ā,ÍŠeŽ©,Ā'²,x,Ā,¾,³,ç□B

□@•Ô,·l,í□AWindows-API,ìSendMessageŠÖ□",ì•œ<A'l,»,ì,Ü,Ü,Å□A□""lE^,Å,·□B

—á□iWM\_SYSCOMMAND SC\_CLOSE,đ'—,é—á□j

□@#result = sendmessage( #handle, 0x0112, 0xF060, 0 );

**fNfŠfbfvf{[fh,Æ•İ"} ,ì,â,è,Æ,è**

@GŠÚ,Â,İA•İ"} ,ÆfNfŠfbfvf{[fh,Æ,İŠÔ,Åff[f^ ,ð,â,è,Æ,è, ,é,½,ß,İf}fNf,İ•İ,â'l,ª—p^Ó,³,è,Ä,ç,Ü,·B

**beginclipboardread** [i•İ]

fNfŠfbfvf{[fh, ©,ç,İff[f^ ,İžæ,èž,Ý,ðŠ)Žn, ,é,±,Æ,ðéCE¾,μ,Ü,·Bgetclipboard,Æ,ç,Á,μ,â,ÉŽg,ç,Ü,·B

**getclipboard** [i'İ]

fNfŠfbfvf{[fh, ©,ç,P[s•ª,İff[f^ ,ðŽæ,èo,μA,» ,è,ð•Ô,μ,Ü,·B'\x0D',Íœ<Ž,³,è,Ü, ,ªA'\x0A',Ís-- ,É,Ä,ç,Ä,« ,Ü,·B,½,¾,μAfNfŠfbfvf{[fhff[f^ ,İÅCEä,İ"•ª,ª%ü[s,Åİ,í,Á,Ä,ç,È,çê±,İA'\x0A'- ³,μ,Åff[f^ ,ª•Ô,Ä,Ä,« ,Ü,·B

@getclipboard,ðŽg,ª,É,İA,Ü, ,beginclipboardread,ðŽÀ[s,μ,È,ç,Æ,ç, ,Ü,¹,ñBbeginclipboardread,ðŽÀ[s,μ,½'¼CEã,İgetclipboard,İ'l,İfNfŠfbfvf{[fh"àff[f^ ,İ,P[s-Ú,ÅA,Q %ñ-Ú,İ'l,Í,Q[s-Ú,ÅA^È%ªA,R[s-ÚA,S[s-Ú,Æff[f^ ,ðŽó, ,Ä,é,±,Æ,ª,Ä,« ,Ü,·B

fNfŠfbfvf{[fh,İÅCEä,Ü,Åff[f^ ,ðŽæ,èo,μİ,í,é,Ægetclipboard,İ•Ô,·'l,İ"" ,Æ,È,è,Ü,·B

@Žg—p—áFifNfŠfbfvf{[fh,İ"à—e,ð\$a[0` ] ,İ"z—ñ,ÉŽæ,èž,ª—á

```
beginclipboardread;
#i = 0;
$a[#i] = getclipboard;
while( $a[#i] != "" ) {
    #i = #i + 1;
    $a[#i] = getclipboard;
}
```

fNfŠfbfvf{[fh"à,É,P[s,İ',ª,ª,S,çofCfç,ð%z,İ,é[s,ª, ,é,Æ,» ,İ[s,Í,S,çofCfç,Å,Ô,Á,ç, ,ç,è,Ä,μ,Ü,ç,Ü,·B

fNfŠfbfvf{[fh,İff[f^ ,ð"z—ñ•İ"} ,ÉŽæ,èž,ª,Æ•İ"} —p,İff,fŠ,ª,ç,Á,İ,ç,É,È,é<°,è,ª, ,è,Ü,·B,ç,Á,İ,ç,É,È,Ä,Ä,μ,Ü,ª,ÆGŠÚf}fNf,İŽÀ[s,Í,» ,İè,ÅfGf%[ ,É,È,Ä,Ä't'f,μ,Ä,μ,Ü,ç,Ü,·B

**setclipboard \$str** [i•İ]

@Ž® ,İ'l,ðfNfŠfbfvf{[fh,ÉÝ'è,μ,Ü,·B

@—áF setclipboard \$a;

☐@%ö☐s,àŠÜ,ß,ÄfNfŠfbfvf{☐[fh,É“ü,ê,½,ç☐ê☐#,í

☐@ setclipboard \$a + "\x0D\x0A";

☐@,ì,æ,κ,ÉŽg,κ•K—v,ª, ,è,Ü,·☐B

**addclipboard \$str** ☐i•¶☐j

☐@€»☐Ý,ìfNfŠfbfvf{☐[fh,ìff☐[f^,ÉŽ®,ì'l,ð'Ç%oÁ,μ,Ü,·☐B

☐@—á☐F

```
setclipboard $a[0];
#i = 1;
while( $a[#i] != "" ) {
    addclipboard $a[#i];
    #i = #i + 1;
}
```



## gššç—

•i”<N“® ,μ,½gššç—,·,é,½,β,lf}fNf,ì•¶,ª, ,è,Ü,·B

**hidemarucount:** i’Ij

@E»Ý%ò“® ,μ,Ä,ç,éGššç—,ì” ,ð•Ô,μ,Ü,·B”“Gššç—,í” ,ì,Ü,¹,ñB

—áF

#c = hidemarucount;

**findhidemaru( ftf@fCf<-¼ ) išÖ”j**

@ftf@fCf<-¼,Äžw’è,μ,ÄGššç—,ª,ç,é,©,Ç,κ,©,ð²,×A,ç,éê¶,í,» ,lfEfBf“fhfE,ì”Ô+ ,ð•Ô,μ,Ü,·B,ç ,È,çê¶,í-1,Æ,È,è,Ü,·B”Ô+ ,Æ,íA Gššç—,lfEfBf“fhfE,ðã,©,ç¶,É” ,ì,½”Ô+ ,É,È,Ä,Ä,ç,Ü,·B

@Ž•ªŽ©g,ífindhidemaru,ì’íÜ,Æ,í,È,è,Ü,¹,ñB”iŽ•ªŽ©g,íí,É,O”Ô-Ü,Ä,·j

@ftf@fCf<-¼,É,íAfhf%ofCfu-¼,©,çŽn,Ü,éfpfX-¼,àAftf@fCf<-¼-

{‘ì,¾,¯ ,àA,Ç,ì,ç,Äžw’è,μ,Ä,©,Ü,í,ç,Ü,¹,ñB,½,¾,μAftf@fCf<-¼-{‘ì,¾,¯ ,μ,©Žw’è,μ,È,çê¶,í-Ü”I,Æ,·,éftf@fCf<,Æ,í•É,ìftfHf<f\_ì”-¼ftf@fCf<,ðEÿo,μ,Ä,μ,Ü,κ,©,à,μ,è,Ü,¹,ñB

@—áF if( findhidemaru( "client.cpp" ) == -1 ) {

@            openfile "client.cpp";

**setactivehidemaru:** i•¶j

@fAfNfefBfu,ÈGššç—,ðžw’è,μ,Ü,·Bf}fNf,ìŽÀs,à,» ,ì,ç,lfEfBf“fhfE,É^Ú“® ,μ,Ü,·B

@fpf%of^ ,Æ,μ,ÄfEfBf“fhfE,ì”Ô+ ,©A,Ü,½,ífnf“fhf<,ªžw’è,Ä,« ,Ü,·B

—áF

setactivehidemaru 1;

setactivehidemaru findhidemaru( "client.cpp" );

**hidemaruhandle( "Ô+ ): išÖ”j**

@fEfBf“fhfE,ì”Ô+ ,©,çfEfBf“fhfEfnf“fhf<,ð¾,Ü,·B

@fEfBf“fhfE,ì”Ô+ ,íA’P,È,éEfBf“fhfE,ìd,È,è,ì”Ô+ ,È,ì,ÄAnexthidemaru,âsetactivehidemaru,ðŽÀs ,·,é,Æ’í%ž,ª•İ,Ä,Ä,μ,Ü,ç,Ü,·B,» ,±,ÄAnexthidemaru“™ ,ðŽg,κê¶,ífnf“fhf<,ðŽg,κ,æ,κ,É,μ,½•ú,ª,ç ,Ä,·B

—áF

#handle = hidemaruhandle( findhidemaru( "client.cpp" ) );

## hidemaruorder( fnf“fhf< ): iŠÖ”j

hidemaruhandle, ðt, Å Afnf“fhf<, ©, ç fE fBf“fhfE”Ô t, ð“¾, é ŠÖ” , Å, · B

@—á F

#order = hidemaruorder( #handle );

## closehidemaru ”Ô t @ @ @ @ @ @ @ i · ¶ j

@”Ô t ifnf“fhf<, à % Å j, Å Žw’è, µ, ½ GŠÛ, ð |—<sup>1,3,1</sup>, Ü, · B, ½, ¾, µ AŽ © · Ž © g, ð Žw’è, ·, é, ±, Æ, í, Å, «, Ü, <sup>1</sup>, ñ B

@ Žw’è, µ, ½ GŠÛ, ð, Ü, ¾ ftf @ fCf<, ð · Ü’ ¶, µ, Å, È, ç ê ¶, í closehidemaru, í Ž, ”s, µ, Ü, · B

@ closehidemaru, í |—<sup>1</sup> fR ¶ f h, Æ, µ, Å A ¶—Ç ÷, µ, ½ ê ¶, í true AŽ, ”s, µ, ½ ê ¶, í false, ð · Ö, µ, Ü, · B

@—á F

@ #a = findhidemaru( "abc.txt" );

@ if( #a == -1 ) {

@ message "abc.txt, í, ç, Ü, <sup>1</sup>, ñ";

@ endmacro;

@ }

@ closehidemaru #a;

@ if( !result ) message "abc.txt, ð |—<sup>1</sup> Ž, ”s, Å, · B";

## closehidemaruforced ”Ô t @ @ @ @ @ @ @ i · ¶ j

@ closehidemaru, Æ “—<sup>1</sup>, É GŠÛ, ð |—<sup>1,3,1</sup>, Ü, · B, ½, ¾, µ A, ±, ç, í u( X V ) v, í, Å, ç, ¾ ftf @ fCf<, ð ê ¶, Å, ð fGf % ¶, É, È, ç, , É < ¶ “<sup>1</sup>, É ¶ i · Ü’ ¶, <sup>1,3,1</sup>, É ¶ |—<sup>1,3,1</sup>, Ü, · B

## basename, filename, directory, i % B, µ @ “ \

@ basename, filename,

directory, í A, » , ð Æ ä , è , É Š p j f b f R, Å “ Y , ð Ž š , ð · t , - , Å A Ç » ¶ Ý , í G Š Û ¶ if A f N f e f B f u , È G Š Û ¶ j ^ È Š Ö , í G Š Û , © , ç , à ‘<sup>1</sup>, ð “¾, é, ±, Æ, ð, Å, «, é, æ, ¶, É, È, Å, Å, ç, Ü, · B

@ Š p j f b f R, ð t , É , í A f e f B f “ f h f E ” Ô t , Å , ð f e f B f “ f h f E f n f “ f h f < , Å , à —¼ · ù Ž w’è , · , é , ± , Æ , ð , Å , « , Ü , · B

—á F

\$name = basename[2];

if( \$name == "abc.txt" ) closehidemaru 2;

## fE fBf“fhfE”Ô t, Æ A fE fBf“fhfE f n f“fhf<

@ fE fBf“fhfE”Ô t, Æ, í A G Š Û fE fBf“fhfE, ð d, È, è < i ¶, É, æ, Å, Å Ç ^ , Ü, é “ Ô t, Å, · B Ç » ¶ Ý } f N f ¶ , ð Ž Å ¶ s, µ, Å, ç , é G Š Û, í A ¶ æ “ ð , É, ç, é, í, , È, ð, Å A, ±

,ìGŠÛ,ìfEjBf“fhfE”Ôt,í,O,Å,·B,»,ìCEã,ë,É^Ê'u,·,éGŠÛ,ìfEjBf“fhfE”Ôt,í,P,Å,·B,³,ç,É,»,ìCEã,ë,ª,Q,Å,·B

□@nexthidemarufRf}f“fh,ðŽg,κ,Æ□A^ê”ÔCEã,ë,ìGŠÛ,ª^ê”ÔŽè'O,É^Ú”®,μ,Û,·B

□@prevhidemarufRf}f“fh,ðŽg,κ

,Æ□ACE»Ý,ìGŠÛ,í^ê”ÔCEã,ë,É^Ú”®,μ□A'ã,í,è,ÉfEjBf“fhfE”Ôt,P,ìfEjBf“fhfE,ªŽè'O,É•\Ž,³,è,Û,·B

□@fEjBf“fhfEfnf“fhf<,í□AfEjBf“fhfE,ðŽ·Ê,·,é,½,β,ì'l,Å,·BfEjBf“fhfE”Ôt,í□Anexthidemaru“™,Å□‡”Ô,ª·ì,é,Æ•í%»»,μ,Û,·,ª□AfEjBf“fhfEfnf“fhf<,í•í%»»,μ,Û,¹,ñ□B

## openreg, createreg, closereg

```
@openreg/createreg,íAfcFwXfgfŠ,đfí[fvf",μ,Ü,·B'æ^êfpf%of^,Åf<[fg,Æ,È,éfl[-¼,đŽw'è,μA'æ,Qfpf%of^,ÅTfufL[-¼,đŽw'è,μ,Ü,·B
```

```
f<[fg,Æ,È,éfl[-¼,Æ,μ,Ä,íA^È%º,ì•ŕŽš—ñ,žw'è%Â"\,Å,·B
```

```
"CLASSESROOT"    ... HKEY_CLASSES_ROOT,É'í%ž  
"CURRENTUSER"    ... HKEY_CURRENT_USER,É'í%ž  
"LOCALMACHINE"   ... HKEY_LOCAL_MACHINE,É'í%ž  
"USERS"          ... HKEY_USERS,É'í%ž
```

—áF

```
openreg "CURRENTUSER", "Software\\Hidemaru\\Hidemaru\\Env"
```

```
@openreg,íAŽw'è,³,ê,½TfufL[,á'ŕŕY,μ,È,čê#ÉfGf  
%o[,Æ,È,è,Ü,·Bcreatereg,íAŽw'è,³,ê,½TfufL[,á'ŕŕY,μ,È,čê#,íV,½,Éò[-,μ,Ä,©,çfí[fvf",μ,Ü,·B  
@fí[fvf",É[-CE÷,·,é,ÆCE<%oÊfR[fh,í1,É,È,èAŽ,"s,·,é,Æ0,É,È,è,Ü,·B
```

```
@closereg,íAfi[fvf",μ,½fcFwXfgfŠ,đfNf[fY,μ,Ü,·B•i",)fcFwXfgfŠ,đ"~Žž,Éfí[fvf",·,é,±  
,Æ,Í,Å,«,Ü,¹,ňB
```

## getregstr( s1 )ŠÖ", getregnum( s1 )ŠÖ"

□@f□[fvf",³,ê,½fCfWfXfgfŠ,©,ç'l,ðŽæ,è□o,μ,ÄŽw'è,³,ê,½•í□",É'ã"ü,μ,Ü,·□B  
□@s1,É'l,ì-¼'O,ðŽw'è,μ,Ü,·□B

□@getregstr,í□AREG\_SZCE^,ì'l,ðŽæ,è□o,μ,Ü,·□B•Ô,·'l,í•¶Žš—ñCE^,Å,·□B  
□@getregnum,í□AREG\_DWORDCE^,ì'l,ðŽæ,è□o,μ,Ü,·□B•Ô,·'l,í□"lCE^,Å,·□B  
□@,±,ê^ÈŠO,ìCE^,ì'l,ðŽæ,è□o,·,±,Æ,í,Å,«,Ü,¹,ñ□B

□@

□@•W□€,ì'l,ðŠl"¾,μ,½,ç□ê□‡,í□A•¶Žš—ñ,É%½,àŽw'è,μ,È,ç,ÅCEÄ,ñ,Å,,¾,¾,ç□B

—á□F

```
$s = getregstr( "Path" );  
#n = getregnum( "Count" );
```

## writeregstr • ¶, writeregnum • ¶

@writeregstr/writeregnum • ¶, í AfƎfWfXfgfŠ, É' l, ð ¶', « ¶ž, Ý, Ü, · ¶B' æ^ ê f p f % o f ¶ f ^, Å' l, ì-  
¼' O, ðžw' è, µ ¶A' æ" ñ f p f % o f ¶ f ^, Å' l, ðžw' è, µ, Ü, · ¶B

@writeregstr • ¶, í REG\_SZ Ǝ ^, ì' l, ð ¶', « ¶ž, Ý ¶A writeregnum • ¶, í REG\_DWORD Ǝ ^, ì' l, ð ¶', « ¶ž, Ý, Ü, · ¶B

— á ¶F

**writeregstr "Path", "c:\users\hm32"**  
**writeregint "Count", 100**

